

????

COLLABORATORS

	<i>TITLE :</i>	
	????	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		February 12, 2023

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	???	1
1.1	Preliminary	1
1.2	Table of contents	1
1.3	Backup options	2
1.4	Restore options	4
1.5	Verify options	5
1.6	Compression options	5
1.7	Tape options	6
1.8	Interface options	7
1.9	External programs options	7
1.10	Miscellaneous options	8

Chapter 1

????

1.1 Preliminary

=====

Preferences program for ABackup 5.10

Copyright (C) 1993-1996 by Reza ELGHAZI & Denis GOUNELLE

=====

Without written authorization, any commercial usage or selling is absolutely forbidden. You may copy and spread this program under the following conditions:

1. All the files must be provided
2. The files are not modified in any way
3. You can't ask for more than \$6 for this

In spite of several tests, no warranty is made that there are no errors in ABackup. YOU USE THIS PROGRAM AT YOUR OWN RISK. In no event the authors will be liable for any damage, direct or indirect, resulting of the use of ABackup.

1.2 Table of contents

The Preferences program for ABackup works in the same way as ↔
the other

Preferences programs supplied with the Amiga Operating System. So, this documentation only describes the different parameters, and how they control ABackup processing.

It is suggested that you install this program in the "SYS:Prefs" directory, together with the other Preferences programs. If you prefer to copy it elsewhere, don't forget to update the "PREFSPATH" Tool Types in ABackup's icon, so it will be able to find the Preference program.

Backup options

Restore options

Verify options

Compression options

Tape options

Interface options

External programs options

Miscellaneous options

1.3 Backup options

Backup to
Specifies backup destination:

- a cyclic gadget let you select the archive type (device, file, tape)
- two lists let you select the units to use, if the archive type is set to "Device". The list on the left shows all the connected units, the one on the right shows the units to use. To transfer a unit from one list to another, just click on it's name in the list.
- a string gadget, and a request calling button, let you select the name of the archive file, if the archive type is set to "File".

Buffer size

Specifies the size of the buffer used by the child task for asynchronous writes, as well as for streamer writes. When correctly tuned, this parameter can cause an important increase in backup speed.

Log file

If a filename is specified, a statistics line will be added in this file, each time you make a backup. This line will show the backup date, time, source and destination, the number of files backed up, the total number of bytes written, and the optional comment associated to this backup.

Comment

Specifies the default comment associated to the backup. See the "Add Comment" option below.

Report

Activates the creation of a backup report. This report may be send to the printer or to a file. You can ask for a detailed or a brief report.

Verify

Activates the verification of disk writes. This option slows down the backup, but makes it safer.

CAUTION ! Even when this option is activated, it is impossible to certify that the backup is correct. If you want to make sure that the

archive is 100% error free, use the archive verify function of ABackup.

Use child task

Activates the use of a distinct task for disk writes, in order to perform asynchronous writes. Depending on the size of the buffer (see above), this may cause an important increase in backup speed.

Backup links

Activates the backup of links created with the AmigaDOS "MakeLink" command.

Add Comment

If this option is activated, ABackup will ask you to enter a small comment, at the end of each backup. This comment will be displayed when opening the archive, before a restore or a verify operation, and added in the backup log.

Add icon

Activates the creation of an icon (".info" file) for archive files.

Compress data

Activates data compression. ABackup won't try to compress files smaller than 512 bytes. Files already compressed by Lha, Zoo, PowerPacker or XPK are detected, and not compressed. See
Compression options

Compress catalog

Activates the compression of the archive catalog, with the same algorithm as the one used for data compression.

Encrypt data

Activates data encryption, with an user specified password you will be asked for before backup start.

CAUTION ! This password will be MANDATORY for any restore or verify operation. If you forget it, backed up data will be definitively lost. Even the authors of the program won't be able to help you to recover your data .

Set archive bit

Activates the setting of the archive bit (see AmigaDOS "Protect" command) on every successfully backed up file. This bit is reset by AmigaDOS, each time a file is modified, so this will help you to perform incremental backups (modified files only), selecting files by protection bits (see ABackup documentation).

Duplicate catalog

If this option is activated, ABackup will duplicate the archive catalog (which is normally added at the end of the archive) to a file. The name of this file may be specified as an argument when starting ABackup. If not, it will be asked for at the end of the backup.

This option is very useful for tape backups, because you won't have to read all the tape to fetch the catalog and then to rewind the tape to start the restore or verify operation.

1.4 Restore options

Restore from

Specifies the source archive, containing data to restore. For more information, see the "Backup to" option in Backup options

.

Restore to

Specifies the directory where to restore files. If this gadget is empty, files will be restored to the directory in which they were located at backup time.

Existing files

Tells what to do when a file, which is about to be restored, already exists on your hard disk. Possible actions are:

- Always replace (the existing file will be overwritten)
- Never replace (the file won't be restored)
- Ask before replacing (ABackup will ask you if you want to replace the file)
- Replace if older (the existing file will be overwritten only if older than the file in the archive)
- Rename file (ABackup will ask you a new name for the file to restore)

Bad files

Tells what to do when ABackup failed to restore a file. In this case, the file on your hard disk may be truncated, or damaged. Possible choices are:

- Always delete (the file will be deleted)
- Never delete (the file will be kept)
- Ask before deleting (ABackup will ask you if you want to delete the file)

Report

Activates the creation of a restore report. This report may be sent to the printer or to a file. You can ask for a detailed or a brief report.

Directory tree

Activates the restoration of the directory tree. If this option is deactivated, all the files will be restored in the same directory.

Restore date

When a file is restored, AmigaDOS gives it the restoration date, as it's last modification date. If this option is activated, ABackup will set the date of the file to the date of the file when it was backed up.

Restore link

If this option is activated, ABackup will also restore links (see AmigaDOS "MakeLink" command).

Empty directories

If this option is activated, ABackup will also restore empty directories.

Use catalog file

If this option is activated, ABackup will load the archive catalog from a file. The name of this file may be specified as an argument. If not, it will be asked for before loading the archive catalog.

1.5 Verify options

Report

Activates the creation of a verify report. This report may be send to the printer or to a file. You can ask for a detailed or a brief report.

Compare data

By default, ABackup just tries to restore the files in the archive, but doesn't check if data in the files is correct. However, as the program uses checksums, this is quite a good verification. If this option is activated, ABackup will also compare the restored data with the original data on your disk.

This option slows down verification. Of course, ABackup will only be able to compare files still located on your disk, and not modified. In order to detect an eventual modification, the program will check both size and date of the files.

Ignore files date

If this option is activated, ABackup won't check the date of the original file, before comparison with the archived file.

Select files

By default, ABackup verifies all the files in the archive. If this option is activated, you will be able to select the file to verify, by the mean of the usual selection window.

1.6 Compression options

Method

Specifies the compression algorithm to use. You can at least choose between "Internal" (using ABackup internal compression) and "External" (using an external compression program, see below). If the XPK library is intalled on your system, the "XPK library" choice will be possible too.

Please note that you can't use external compression for partition backups.

XPK Libs/XPK Mode

If the selected compression method is "XPK library", these gadgets let you select one of the XPK algorithm, and the mode for this algorithm.

Compressor/Decompressor

These two gadgets let you specify the name and the arguments of compression and decompression external programs. The naming conventions for arguments are:

```

%0 (ou %s)      : full path name of the source file
%1              : path name of the source file
%2              : name of the source file (without path)
%3 (ou %d)      : full path name of the target file
%4              : path name of the target file
%5              : name of the target file (without path)

```

As an example, here is the value to enter in these gadgets, if you want to use the LhA program (copyright by Stefan Boberg):

```

Compressor      : LhA a -X %d %s
Décompressor    : LhA e -X %s %5 %4

```

(You may omit the `-X` option for LhA, but then you will have to call ABackup with the `ECSUFFIX=.lha` argument).

When using external compression, it is suggested to make these programs resident, or to copy them in RAM:, in order to reduce the time required to load them in memory. As these programs are called by ABackup for each file to compress or to decompress, reducing loading time of one second means, for example, reducing backup time of 15 minutes, if you backup 1000 files.

When ABackup will run the external compression or decompression program, it will send it's output to the "T:ABackup.log" file. You can look at this file to find any problem that may occur during compression or decompression.

Filter

Specifies a list of file's name extentions that will be excluded from compression. For example, if the list contains "lzx", files which name ends by ".lzx" won't be compressed.

1.7 Tape options

Device driver

Specifies the name of the SCSI device driver (default: "scsi.device").

SCSI Port

Specifies the SCSI port number of the tape drive.

Block size

Specifies the block size supported by the tape drive.

Rewind

Activates automatic tape rewind, at the end of the operation.

Auto retension

Activates automatic tape retension, at the beginning of the operation.

Eject

Activates automatic cardrige ejection, at the end of the operation. This function is not supported by all tape drives.

FAST mem. buffer

Allocates the buffer memory, used for input/output operations, in FAST memory instead of CHIP memory.

Inquiry

If the SCSI device driver and port number are correct, this gadget allows you to get information from the tape driver. This information will be displayed in a requester.

1.8 Interface options

Screen type

Specifies the screen to use : the Workbench screen, a Custom screen, or a Public screen.

Public screen name

Specifies the name of the public screen to use, when the screen type is set to "Public"

If the screen type is set to "Custom", you can select the mode for this screen. The screen mode request used will be either the one of the `asl.library`, or the one of the `reqtools.library`. If both libraries are missing (V38 or higher required), you won't be able to change the screen mode.

Screen font

Specifies screen font of the custom screen.

Text font

Specifies text font for ABackup windows, whatever screen type is selected.

Palette

If the screen type is set to "Custom", you can modify the palette of this screen. The `reqtools.library` (V38 or higher) is required.

1.9 External programs options

This window let you parameter files visualisation, which is started by a double-click over a file's name, on the selection window of ABackup.

ASCII

Name of the text files viewer program.

ILBM

Name of the IFF pictures viewer program.

Other

Name of the viewer program for the other file types.

Run asynchronously

Tells to start the viewer program in the background, so ABackup won't be locked until the viewing is finished.

Confirm each visualisation

If this option is activated, ABackup will ask you confirmation before each file viewing. This will allow you, if necessary, to modify the name of the program to call.

1.10 Miscellaneous options

Alert

Specifies how ABackup will warn you when an error occurs, or when it needs some action from you. Possible choices are:

- None (ABackup will only display a requester)
- Beep (ABackup will send a audible signal)
- Flash screen (ABackup will make the screen flash)
- Beep & flash (ABackup will send an audible signal AND flash the screen)

Files size

Specifies the unit for files size: bytes, kilo-bytes, mega-bytes, or automatic (select the highest possible unit).

Temporary directory

Specifies the name of the working directory. For security reasons, it is not recommended to specify a directory located on a partition being backed up.

Default selection path

Specifies the name of the directory in which the selection files are stored (see ABackup documentation for more information about selection recording).

Print disk labels

Activates automatic disk label printing, at the end of the backup.

Label length (lines)

Specifies the number of lines per label.
