

,±,ìftf@fCf<,í%o{—,Å,«,Ü,<sup>1</sup>,ñ□B

,±,ìftf@fCf<,í%o{—,Å,«,Ü,<sup>1</sup>,ñ□B,±,ìftf@fCf<,É,í□AŠefAfvfjŠfP□[fVf†f“,ÉCEÅ—L,ì□î•ñ,ÆfGf  
%o□[ f□fbfZ□[fW,<sup>2</sup><L□q,<sup>3</sup>,ê,Ä,ç,Ü,·□B

**d-v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßAhDC First Apps ,l Calendar ft [fefBfŠfefB,ÍA³,µ,-  
"®ì,µ,È,ç,±,Æ,³, ,è,Û,·BhDC Calendar ft [fefBfŠfefB,đŽÀs,·,é,ÆAjjfCEf"f\_ [,Í\  
Ž,³,é,Û,·,ªA,» ,ì<@"\,ÍŽg—p,Å,« ,Û,¹,ñB

Úx,É,Á,ç,Ä,ÍAhDC First Apps ,É<LÚ,³,é,Ä,ç,é»•ifTf| [fg'<CEû,É-â,ç,í,¹,Ä,-  
,¾,¾,çB•Ä',Ä,ÍAExpress Systems (+1 (206) 728-8300) ,É-â,ç,í,¹,Ä,,¾,¾,çB,Û,½,ÍAExpress  
Systems ,l Web fTfCfg <http://www.wrq.com> ,đŽQÆ,µ,Ä,,¾,¾,çB

**d-v**

Stacker version 4.0 , ,æ,Ñ,»,ê^È'O,ìfo[]fWfj",í[]A',çftf@fCf<-¼,É'í%ž,μ,Ä,ç,Ü,<sup>1</sup>,ñ[]Bfhf  
%ofCfu,É',çftf@fCf<-¼,ìftf@fCf<,â, ,é[]ê[]±,í[]A,±,ê,ç,ìfo[]fWfj",ì Stacker ,ðŽg,Á,Äfhf  
%ofCfu,í^³[]k[]AftfCfY•í[]X[]A[]Å“K%»[]A“WŠJ[]A[],,’è^³[]k—!,í•í[]X,È,Ç,ð,μ,È,ç,Ä,,¾,¾,ç[]B,±,ì,æ,π,È^—  
[] ,ð,·,é,Æ[]A',çftf@fCf<-¼,â 8 •¶Žš,ìftf@fCf<-¼,Æ 3 •¶Žš,ìŠg'£Žq,É[]Ø,è<!,ß,ç,ê,Ü,·[]B,Ü,½[]AStacker  
version 4.1 , ,æ,Ñ,»,ê^È'O,ìfo[]fWfj",Ä,í[]AFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,í^³[]k,Ä,«,Ü,<sup>1</sup>,ñ[]B  
[]Ú[]x,É,Ä,ç,Ä,í[]AStac ,ì Web ftfCfG <http://www.stac.com> ,É[]Ú'±,μ,Ä[]à-¾,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

**d—v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfO[fWf#f“,ì Do It On Your Desktop ,íA³,µ,-  
“®ì,µ,Ü,¹,ñBDo It On Your Desktop ,đŽÄs,µ,æ,æ,Æ,µ,Ä,àAfvf[fOf%of€,í%ož“š,µ,Ü,¹,ñB  
,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íA Do It On Your Desktop ,É<LÚ,³,é,Ä,ç  
,é»•ifTf[f'<CEú,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä',Ä,íAMoon Valley Software (+1 (800) 473-5509) ,É-  
â,ç,í,¹,Ä,,¾,¾,çB,Ü,½,íAMoon Valley Software ,ì Web fTfCfG <http://www.moonvalley.com>  
,đŽQÆ,µ,Ä,,¾,¾,çB

**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,i,½,βAVersion 2.0 ,",æ,Ñ,»,ê^È'O,\fo[fWf#f",ì Lotus  
ScreenCam ,ì<@"\,ì^ê•",íA³,μ,"@ì,μ,Ü,¹,ñBScreenCam 2.0 ,Á,íAWindows 3.1 ,Á,í,Á,½fXfNfŠ[f"  
f€[fr[,\,ð,±,\fo[fWf#f",ì Windows ,Á,Á,Á,Á,«,,Ü,·B,½,¾,μAWindows ,ìfEfbf"fhfE,ì"@ì,ì~^  
%œ,Á,«,,Ü,¹,ñB

,±,ìfvf[Of%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Á,ç,Ä,íAScreenCam ,É<LÚ,³,ê,Ä,ç,é»•ifTf|  
[fg,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä',Á,íALotus (+1 (800) 343-5414) ,É-â,ç,í,¹,Ä,,¾,¾,çB,Ü,½,íALotus ,ì  
Web fTfCfG <http://www.lotus.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,βA,±,\fo[fWf#f",ì Peachtree Accounting ,ÍA³,μ,-  
"®ì,μ,È,ç,±,Æ,³, ,è,Û,·B

,±,\fvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,ÍAPeachtree Accounting ,É<LÚ³,ê,Ä,ç  
,é»•ifTf|f[fg,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä,Á,ÍA+1 (800) 336-1420 ,É-â,ç,í,¹,Ä,-  
,¾,¾,çB,Û,½,ÍAPeachtree ,ì Web fTfCf g <http://www.peachtree.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

**d—v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAAAdobe Photoshop version 3.0 ,íA³,μ,“ ©i,μ,È,ç,±  
,Æ,ª, ,è,Ü,·BfRf,f“ f\_fCfAfffO,Å•W€,iY'è,ð•í,|,æ,α,Æ,·,é,ÆA-â'è,ª<N,«,Ü,·B,½,Æ,|,îA[Š,]  
f\_fCfAfffO f{fbfNfX,ÅA[ftf@fCf<,ìŽí—p] f{fbfNfX,ì^è—,ìY'è,ð•í,|,½,Æ,«,É-â'è,ª<N,«,Ü,·B  
,±,ìfvf[fOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f“ ,ì“üžè•û-@,É,Â,ç,Ä,íAÅŠñ,è,ì Adobe  
»•i”i”,,“X,Ü,½,í³<K'ã—“X,É-â,ç‡,í,¹,Ä,,¾,¾,çB•Ä',Ä,íAAdobe (+1 (800) 872-3623) ,É-  
â,ç‡,í,¹,Ä,,¾,¾,çB,Ü,½,íAAdobe ,ì Web fTfCfg <http://www.adobe.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•ïX,ì,½,ßA,±,\fo[fWf#f",ì Crystal Walls ,íA³,μ,"@ì,μ,È,ç,±  
,Æ,ª, ,è,Û,·BCrystal Walls ,đŽÀs,·,é,ÆA%œ'œ,í•Žì,³,è,Û,·ªAfAfjff[fVf#f",ì<@"\  
,ª"@ì,μ,Û,¹,ñB,±,\fvfOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íACrystal Walls  
,É<LÚ,³,è,Ä,ç,é»•ifTf|fg'<CEû,É-â,ç#í,¹,Ä,,¾,³,çB



**d-v**

,±,ìffBfXfN ft[]fefBfŠfefB,íAWindows 3.1 —p,ÉŠJ”<sup>3</sup>,è,Ä,ç,Ü,·B,±,ìfo[]fWf#f“,ì Windows ,Á,íA,±  
ìft[]fefBfŠfefB,ì<@“\,í^è•”,<sup>a</sup>³,µ,“®[]i,µ,È,ç,±,Æ,<sup>a</sup>, ,è,Ü,·B

,±,ìfo[]fWf#f“,ì Windows —p,ÉŠJ”<sup>3</sup>,è,<sup>1/2</sup>ffBfXfN ft[]fefBfŠfefB,ì“üŽè•û-@,É,Á,ç  
,Ä,íAft[]fefBfŠfefB,ìŠJ”<sup>CE</sup>³,É-â,ç[]#,í,<sup>1</sup>,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

**d—v**

,±,ìfEfCf<fX-hŽ~ft□[fefBfŠfefB,í□AWindows 3.1 —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·□B,±,ìfo□[fWf#f” ,ì Windows  
,Ä,í□A,±,ìft□[fefBfŠfefB,ì<@”\,ì^ê•” ,³□³,μ,“©□i,μ,È,ç,±,Æ,ª, ,è,Ü,·□B’É□í□AfEfCf<fX,ðŒÿ□o,·,é,±  
,Æ,í,Ä,«,Ü,·,ª□AZæ,è□œ,,±,Æ,í,Ä,«,Ü,¹,ñ□B,Ü,½□AfEfCf<fX,ÉŠ´□ö,μ,Ä,ç  
,È,çftf@fCf<,ÄfEfCf<fX,ªŒÿ□o,³,è,é,±,Æ,ª, ,è,Ü,·□B  
,±,ìfo□[fWf#f” ,ì Windows —p,ÉŠJ” ,³,ê,½fEfCf<fX-hŽ~ft□[fefBfŠfefB,É,Ä,ç,Ä,í□A\ftfgfEfFfA,ìŠJ” Œ³,É-  
â,ç□# ,í,¹,Ä,,³/₄,³,ç□B

**d-v**

Access Developer's Toolkit version 2.0 ,Å Windows 3.1 —p,lfZfbfgfAfbfv  
fffBfXfN,ðì,éêë,íAWindows 3.1 ,Åì,é•K—v,ª, ,è,Û,·B

,±,ìfo[fWf#f“,ì Windows ,ÅfZfbfgfAfbfv fffBfXfN,ðì,é,ÆA,±,ìfo[fWf#f“,ìfVfXfef€  
ftf@fCf<,ªfffBfXfN,É“ü,ê,ç,ê,Û,·B,±,ìfffBfXfN,ð Windows 3.1 ,ÅŽg,ª,ÆAWindows 3.1  
.ìftf@fCf<,ªãã',«³,êA d'å,É-â'è,ð^ø,«<N,±,·,±,Æ,ª, ,è,Û,·B

Windows 3.1 ,ÅŽg,ªfvf[fOf%of€,ðŠj”,·,éêë,íAWindows 3.1 ,ÅfZfbfgfAfbfv fffBfXfN,ðì,Á,Ä,,¾4,³,çB

**d-v**


Visual Basic Setup Toolkit version 3.0 ,Å Windows 3.1 —p,lfZfbfgfAfbfv fffBfXfN,ðì,éêê±,íAWindows 3.1 ,Åì,é•K—v,³, ,è,Ü,·B

,±,ìfo[fWf±f“,ì Windows ,ÅfZfbfgfAfbfv fffBfXfN,ðì,é,ÆA,±,ìfo[fWf±f“,ìfVfXfef€  
ftf@fCf<,³ffBfXfN,É“ü,ê,ç,ê,Ü,·B,±,ìffBfXfN,ð Windows 3.1 ,ÅŽg,±,ÆAWindows 3.1 ,ìfVfXfef€  
ftf@fCf<,³ãã‘,«,³,êA d’å,Ê-â’è,ð^ø,«<N,±,·,±,Æ,³, ,è,Ü,·B

Windows 3.1 ,ÅŽg,±fvf[fOf%of€,ðŠj”,·,éêê±,íAWindows 3.1 ,ÅfZfbfgfAfbfv fffBfXfN,ðì,Á,Ä,,³/4,³,çB

**d-v**

,±,ìfo[fWf#f“,ì Windows ,Á•\Ž!F“,ª 256 F,ð’’,!;Ä,ç,éê#;íAaris MPC Wizard ,ðŽÀs,µ,æ,æ  
,Æ,·,é,ÆAfvfOf%of€,ª%ž“š,µ,È,,È,é,±,Æ,ª, ,è,Û,·B

•\Ž!F“,ð 256 F^È%º,É,·,é•û-@,ð•\Ž!,·,é,É,íA,±,ìf{f^f“  ,ðfNfŠfbfN,µ,Ä,,¾,³,çB

**d-v**

,±,ìfo[fWf#f“,ì Windows ,Á,íAWindows 3.1 ,ìft[fU[f fCf“f^ [ftfFfCfX,ð•ïX,·,éfvf[fOf%of€,ª³,µ,-  
“®[ì,µ,È,ç,±,Æ,ª, ,è,Û,·B

fvf[fOf%of€,ðŽÀ[s,·,é,±,Æ,É,æ,Á,ÄAfCf“f^ [ftfFfCfX,ì<@“\,ì^ê•”,ªŽg—p,Á,«,È,,È,é,±,Æ,ª, ,è,Û,·B  
Úx,É,Á,ç,Ä,íAfJftfgfEjFfA,ìŠj”Œ³,É-â,ç[†,í,¹,Ä,,¾,³,çB

**d-v**

,±,lfvf[]fOf%of€ ,í[]AWindows NT ,¾, -,Å“®[]i, ;é,æ,æ,É[]ÝCEv,³,ê,Ä,ç,Ü,·[]B,±,lfvf[]fOf%of€ ,Å,í[]AWindows NT ,i[] ,“x,ÈfCf“f^[][ftfFfCfX,Æ<@“\,²Žg,í,ê,Ä,ç,Ü,·[]B,±,ê,ç,í,±,lfo[][fWf#f“ ,l Windows ,Ä,íŽg— p,Ä,« ,Ü,¹,ñ[]B

,±,lfo[][fWf#f“ ,l Windows —p,ÉŠj” ,³,ê,½fvf[]fOf%of€ ,É,Ä,ç,Ä,í[]AfvtfgfEjFfA,ÌŠj” CE³,É-â,ç[]#,í,¹,Ä,- ,¾,³,ç[]B

**d—v**

Microsoft Sound System version 2.0 ,lfZfbfgfAfbfv fvj[]fOf%of€,í[]A,±,ífo[]fWf#f“ ,ì Windows ,Á,íŽÁ[]s,μ,È,ç,Á,,¾,¾,ç[]B,½,¾,μ[]AMicrosoft Sound System ,ífn[]fhfEfFfA,ífZfbfgfAfbfv,Á,«,Ü,·[]BŽŸ,ì,æ,æ,É,μ,Á,,¾,¾,ç[]B

**Microsoft Sound System ,ífn[]fhfEfFfA,ð,±,ífo[]fWf#f“ ,ì Windows ,ÁfZfbfgfAfbfv,·,é,É,í**

- 1 [fXf^[]fg] f{f^f“ ,ðfNfŠfbfN,μ[]A[[]ý'è] ,ðf|fCf“fg,μ,Ü,·[]BŽŸ,É[]A[fRf“fgf[]f< fpf|f<] ,ðfNfŠfbfN,μ,Ü,·[]B
- 2 [fn[]fhfEfFfA,ì'Ç%oÁ] ,ðf\_fuf<fnfŠfbfN,μ,Ü,·[]B
- 3 %oæ-É,É•Ž|,¾,è,éŽwŽ|,É[],Á,ÄfTfEf“fh fj[]fh,ðfCf“fXfg[]f<,μ,Á,,¾,¾,ç[]B



**d—v**

,±,ìfo[]fWf#f“,ì TabWorks ,ð[]A,±,ìfo[]fWf#f“,ì Windows ,Å[]³,μ,<@\,³,¹,é,½,ß,É,í[]AfAfbfvfOfCE[]fh,ª•K  
—v,Å,·[]B

,±,ìfo[]fWf#f“,ì Windows ,Å[]A,±,ìfo[]fWf#f“,ì TabWorks ,ªŽÀ[]s,Å,«,½,Æ,μ,Ä,à[]ATabWorks ,ð•W[]€  
,ìft[]fU[]fCf“f^[]f#fCfX,Æ,μ,ÄŽg,í,È,ç,æ,æ,É,μ,Ä,,¾,¾,ç[]BTabWorks ,ðŽg,æ[]é[]#,í[]AZŽ,ìŽè[]#,É[]  
,Å,Å,,¾,¾,ç[]B

► [fXf^[]fg] f{f^f“,ðfNfŠfbfN,μ[]A[fvf[]Of%of€] ,ðf[]Cf“fg,μ,Ü,·[]BŽŽ,É[]A[TabWorks]  
,ðfNfŠfbfN,μ,Ü,·[]B

,±,ê,Å[]AŠù,É TabWorks book ,É, ,é[]fufWfFfNfg,í,·,x,ÄŽg—

p,Å,«,Ü,·[]B,¾,¾,μ[]Aftf@fCf·’Ç[]Ö,â[]fufWfFfNfg,ìfhf%ofbfO,Å,í[]ATabWorks book  
,É[]V,μ,ç[]fufWfFfNfg,ð’Ç%oÁ,Å,«,È,,È,è,Ü,·[]B

,±,ìfvf[]Of%of€,ìfAfbfvfOfCE[]fh fo[]fWf#f“,ì“üŽè•û-@,É,Å,ç,Ä,í[]ATabWorks ,É<L[]Ú,³,è,Ä,ç,é[]»•ifTf[]  
[]fg’<Eù,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B•Ä[]’,Å,í[]AXSoft (+1 (800) 909-4446) ,É-â,ç[]#,í,¹,Ä,-  
,¾,¾,ç[]B,Ü,½,í[]AXSoft ,ì Web fTfCfg <http://www.xsoft.com> ,ðŽQ[]Æ,μ,Ä,,¾,¾,ç[]B

**d—v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,β Af^fXfN fo [ ,í,ÉŽè'O,É•\Ž!, ,è,éY'è,É,È,Á,Ä,ç  
,é,Æ APFS ,lf`f... [fgfŠfAf<,Ä, ,é Window Works ,@³,μ,“ @ì,μ,É,ç,±,Æ,ª, ,è,Û,·Bf^fXfN  
fo [ ,í,ÉŽè'O,É•\Ž!, ,è,éY'è,ÅA,±,lf`f... [fgfŠfAf<,đŽÀs,μ,æ,x,Æ,·,é,Æ Afvf fOf%of€,ª%ž“š,μ,È,-  
,É,é,±,Æ,ª, ,è,Û,·B,±,ì-â'è,É'í^ ,·,é,É,Í Af`f... [fgfŠfAf<,đŽÀs,·,é'O,Éf^fXfN fo [ ,ìY'è,đ•İ,!,Û,·B

**f^fXfN fo [ ,ìY'è,đ•İ,!,é,É,Í**

- 1 [fXf^ [fg] f{f^f“ ,đfNfŠfbfN,μA [Y'è] ,đf]fCf“fg,μ,Û,·BŽŸ,ÉA [f^fXfN fo [ ,Æ [fXf^ [fg] f f f... [ ,đfNfŠfbfN,μ,Û,·B
- 2 [í,ÉŽè'O,É•\Ž!} f`fFfbfN f{fbfNfX,đf]ft,É,μ,Û,·B

**d-v**

Windows 3.1 —p,ÉŠj”<sup>3</sup>,ê,½ MaxTime ,Æ FN-esse ,” ,æ,Ñ“CEŽĀfTfEf“fh fRf“fgf□□[f< fvf□fOf%of€ ,đŽg,±  
 ,Æ□AŽĀ□s’t,ĭfvf□fOf%of€ ,đŽ!,·f{f^f“ ,<sup>a</sup> Windows ,ĭf^fXfN fo□[ ,É□<sup>3</sup>,μ,•\Ž!,<sup>3</sup>,ê,,È,è,Ü,·□B,±  
 ,ĭ,½,β□AŽĀ□s’t,ĭfvf□fOf%of€ ,đ□Ø,è‘Ö,!,é,É,ĭ□AAlt fL□[ ,đ%oŸ,μ,É,<sup>a</sup>ç **Tab** fL□[ ,đ%oŸ,μ,Ü,·□B  
 □Ú□×,É,Ā,ç,Ä,ĭ□Afvf□fOf%of€ ,É<L□Ú,<sup>3</sup>,ê,Ä,ç,é□»•ifTf|□[fg’<CEû,É-â,ç□#,í,<sup>1</sup>,Ä,-  
 ,¾,<sup>3</sup>,ç□B•Ā□’,Ā,ĭ□A□ĀŠñ,è,ĭ“CEŽĀ,ĭ□»•ifTf|□[fg’<CEû,É-â,ç□#,í,<sup>1</sup>,é,©□A+1 (800) 999-4273 ,É-  
 â,ç□#,í,<sup>1</sup>,Ä,,¾,<sup>3</sup>,ç□B,Ü,½,ĭ□A“CEŽĀ,ĭ Web fTfCfG <http://www.toshiba.com/> ,đŽQ□Æ,μ,Ä,,¾,<sup>3</sup>,ç□B

**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f",ì Central Point Anti-Virus ,íA³,µ,-  
"®ì,µ,Ü,¹,ñB

,±,\fvf[fOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íAfvf[fOf%of€,É<LÚ,³,è,Ä,ç,é»•ifTf|  
[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Á,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-  
¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfG <http://www.symantec.com> ,đŽQÆ,µ,Ä,,¾,¾,çB

**d—v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAFamily Tree Maker version 2.0 ,íAf^fXfN  
fo[í,ÉŽè'O,É•Žì,è,éY'è,Á,íA³,μ,“ @ì,μ,È,ç,±,Æ,è,Ü,·Bf^fXfN fo[í,ÉŽè'O,É•\  
Žì,è,éY'è,ÁAFamily Tree Maker ,đ<N“ @,μ,æ,α,Æ,μ,Ä,àAfvfOf%œ,í%ž“š,μ,È,ç,±,Æ,è,Ü,·B,±  
,ì-â'è,É'í^,·,é,É,íAfvfOf%œ,ìŽÀ's'O,Éf^fXfN fo[í,ìY'è,đ•ì,ì,Ä,,¾,çB

**f^fXfN fo[í,ìY'è,đ•ì,ì,é,É,í**

1 [fXf^fg] f{f^f“ ,đfNfŠfbfN,μA[íY'è] ,đfjCf“fg,μ,Ü,·BŽY,ÉA[f^fXfN fo[í,Æ [fXf^fg] fñjf...  
,đfNfŠfbfN,μ,Ü,·B

2 [í,ÉŽè'O,É•Žì] f`fFfbfN f{fbfNfX,đfjft,É,μ,Ü,·B

,±,ìfvfOf%œ,ìfAfbfvfOfCE[fh fo[fWf#f“ ,ì“üŽè•û-@,É,Ä,ç,Ä,íAFamily Tree Maker ,É<LÚ,³,ê,Ä,ç  
,é»•ifTf[fg'<CEû,É-â,ç,í,¹,Ä,,¾,çB•Ä',Á,íABanner Blue Software (+1 (510) 794-6850) ,É-  
â,ç,í,¹,Ä,,¾,çB,Ü,½,íABanner Blue Software ,ì Web fTfCfG <http://www.broderbund.com>  
,đŽQÆ,μ,Ä,,¾,çB

**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βATrueEffects ,íA³,μ,“®ì,μ,È,ç,±,Æ,³, ,è,Ü,·B  
Úx,É,Â,ç,Ä,íATrueEffects ,É<LÚ,³,ê,Ä,ç,é»•ifTf|[fg'<Eû,É-â,ç±,í,¹,Ä,-  
,¾,¾,çB•Ä',Á,íAMindscape Direct (+1 (510) 652-5464) ,É-â,ç±,í,¹,Ä,,¾,¾,çB,Ü,½,íAMindscape ,l  
Web fTfCfg <http://www.mindscape.com> ,ðŽQ/E,μ,Ä,,¾,¾,çB

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfo[fWf#f",ì NCD PC-Xware ,íA³,μ,"®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B,±,lfo[fWf#f",ì Windows ,žg,í,ê,Ä,ç,éfRf"fsf...[f^,É PC-Xware ,đCf"fXfg[f<, ,é,ÆAfRf"fsf...[f^,ªN"® ,μ,È,,È,é,±,Æ,ª, ,è,Û,·B

Úx,É,Â,ç,Ä,íA,±,lvfOf%of€ ,É<LÚ,³,ê,Ä,ç,é>•ifTf|[fg'<Eû,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä',Á,íANCD (+1 (800) 548-8871) ,É-â,ç,í,¹,Ä,,¾,¾,çB,Û,½,íAON Technology ,ì Web fTfCfg <http://www.elronsw.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•i[X,ì,½,ßAWired for Sound version 1.0 ,íA³,μ,“®ì,μ,Ü,¹,ñB  
Úx,É,Â,ç,Ä,íAWired for Sound ,É:LÚ³,ê,Ä,ç,é»•ifTf|[fg'<Æú,É-â,ç,í,¹,Ä,-  
,¾,¾,çB•Ä',Á,íAAristo-Soft ,É-â,ç,í,¹,Ä,,¾,¾,çB~A-•ú-@,ÍŽŸ,ì,Æ,“,è,Å,·B

**~A-•ú-@**

**“d~b”Ôt,Ü,¾,ífAfh  
fÆfX**

FAX

+1 (510) 328-1117

“dŽqf[f<

wfs@pacbell.net

World Wide Web

[http://  
www.aristosoft.com](http://www.aristosoft.com)




**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,βA^È'O,}fo[fWf#f",ì Icon Hear It ,íA³,μ,"®i,μ,È,ç,± ,Æ,ª, ,è,Û,:B^È'O,}fo[fWf#f",ì Icon Hear It ,ð|—¹,μ,æ,α,Æ,; ,é,ÆAfvf[]Of%of€,ª%ž"š,μ,È,,È,é,± ,Æ,ª, ,è,Û,:B

,±,lfvf[]Of%of€,lfAfbfvfOfCE[]fh fo[fWf#f",ì"üžè•û-@,É,Â,ç,Ä,íAlcon Hear it ,É<LÚ³,è,Ä,ç,é»•ifTf] [][fg'<Eù,É-â,ç[]‡,í,¹,Ä,,¾,¾,ç[]B•Ä[]',Ä,íAMoon Valley Software ("d~b +1 (800) 473-5509[]A+1 (805) 781-3890[]AFAX +1 (805) 781-3898) ,É-â,ç[]‡,í,¹,Ä,,¾,¾,ç[]B,Û,½,íAMoon Valley Software ,ì Web ftfCfg <http://www.moonvalley.com> ,ðžQ[]Æ,μ,Ä,,¾,¾,ç[]B

**d-v**

DaVinci eMAIL ,Åflfbfgf[]fN fvfŠf“f^ ,đŽg,æê[]íAfvfŠf“f^ f[]fg,Éflfbfgf[]fN fpfX,ªŠÖ~A•t, ,ç,ê,Ä,ç ,é,±,Æ,đŠm,©,ß,Ä,,¾,¾,ç (,±,İŠÖ~A•t, ,íAfvfŠf“f^ f[]fg,İŠ,,è“- ,Ä,Æ,ç,ç,Û,·)[]BfvfŠf“f^ f[]fg,ªŠ,,è“- ,Ä,ç,ê,Ä,ç,É,çê[]íAfvfŠf“f^ ,É^óü, ,é,ÆA-â'è,ªN,« ,é,±,Æ,ª ,è,Û,·[]B

fvfŠf“f^ f[]fg,İŠ,,è“- ,Ä,ìà-¾,đ•Ž!, ,é,É,íA,±,İf{f^f“  ,đfNfŠfbfN,µ,Ä,,¾,¾,ç[]B  
DaVinci eMAIL version 3.0 ,đŽg,æê[]íA,±,İfo[]fWf#f“ ,l Windows ,Å,İft[]fU[]f%ofCfZf“fX,đ'Ç %oÁ,Ä,« ,Û,¹,ñ[]B[]V,µ,çft[]fU[] ,đ'Ç%oÁ, ,é,É,íADaVinci eMAIL version 3.1 ,ª•K-v,Ä,·[]B

[]Ú[]x,É,Ä,ç,Ä,íADaVinci eMAIL ,É<L[]Ú,¾,ê,Ä,ç,é[]»•ifTf[]fg'<Æù,É-â,ç[]í,¹,Ä,,¾,¾,ç[]B•Ä[] ,Ä,íAON Technology Corporation (“d~b +1 (800) 548-8871[]AFAX +1 (617) 692-3539) ,É-â,ç[]í,¹,Ä,- ,¾,¾,ç[]B,Û,½,íAON Technology ,l Web fTfCfç <http://www.elronsw.com> ,đŽQ[]Æ,µ,Ä,,¾,¾,ç[]B

**d-v**

16 frfbfg fo[fWf#f", à Windows NT ŠÇ—fc[f<, íA, ±, ìfo[fWf#f", à Windows , Å, íŽg—p, Å, «, Ü, ¹, ñB, ±, ì-  
â'è, É'í^, ;, é, É, íA32 frfbfg fo[fWf#f", ìŠÇ—fc[f<, ðŽg, Å, Å,, ¾, ¾, çB, ±, ìfc[f<, íAThe Microsoft  
Network , Å"üŽè, Å, «, Ü, ·B

**d-v**

,±,ìfo[]fWf#f“,ì Windows ,É•t’®,μ,Ä,ç,é Microsoft Exchange ,ðfCf“fXfg[]f<.,,é,Æ[]A^È‘O,ìfo[]fWf#f“,ì  
Microsoft Mail ,Žg—p,Å,«,È,,È,è,Ü,·[]BMicrosoft Exchange ,ðfCf“fXfg[]f<.,,é,Æ[]AMicrosoft Mail  
,ìftf@fCf<,ā[]‘,«,³,è,Ü,·[]B^È‘O,ìfo[]fWf#f“,ì Microsoft Mail ,Å,í[]A[]V,μ,çfo[]fWf#f“,ìftf@fCf<,Žg—  
p,Å,«,Ü,¹,ñ[]B

**d-v**

Windows ,lf0[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßANickelodeon ,ì Director's Lab ,Á,ÍAfZfbfgfAfbfv fvfOf %of€,ì|—<sup>1</sup>Žž,ÉfGf%o[f ffbfZ[fW,<sup>a</sup>•\Ž!,<sup>3</sup>,ê,é,±,Æ,<sup>a</sup>, ,è,Û,·B,±,ìê#f,ÍAfZfbfgfAfbfv fvfOf%of€ ,ðŽè"® ,Á|—<sup>1</sup>,·,é•K—v,<sup>a</sup>, ,è,Û,·B

fZfbfgfAfbfv fvfOf%of€,ÁV,μ,çVf#[fgfjfbfg,<sup>a</sup>“o~^,<sup>3</sup>,ê,½Æă,ÉA"Setup Message: Script or DLL has been corrupted. Unable to load dialog template: 'mscuistf.dll: 2'" ,Æ,ç,xfbfZ[fW,<sup>a</sup>•\Ž!,<sup>3</sup>,ê,é,± ,Æ,<sup>a</sup>, ,è,Û,·B,±,ìfbfZ[fW,<sup>a</sup>•\Ž!,<sup>3</sup>,ê,½ê#f,ÍAZŽÿ,ì,æ,ε,É,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**Nickelodeon Director's Lab ,ìfZfbfgfAfbfv fvfOf%of€,ð|—<sup>1</sup>,·,é,É,í**

- 1 **Ctrl** fL[,Æ **Alt** fL[,ð%Ÿ,μ,È,<sup>a</sup>,ç **Del** fL[,ð%Ÿ,μ,Û,·B
  - 2 [fvfOf%of€,ì<S|—<sup>1</sup>] f\_fCfAfO f{fbfNfX,ÁADirector's Lab ,ìfZfbfgfAfbfv fvfOf%of€ ,ðfNfŠfbfN,μA[|—<sup>1</sup>] ,ðfNfŠfbfN,μ,Û,·B
- fZfbfgfAfbfv fvfOf%of€,<sup>a</sup>|—<sup>1</sup>,μAfGf%o[f ffbfZ[fW,<sup>a</sup>•Ä,¶,Û,·B

**d—v**

Aris Entertainment ,ì The WorldView CD-ROM ,É,íAMicrosoft ,ì Video for Windows (VFW)  
,ìC³fo[fWfjf“ ,ª•t’® ,µ,Ä,ç,Ü,·B,±,ìC³fo[fWfjf“ ,íA³,µ,íY’è,³,è,Ä,ç,È,ç,½,ßAfffofCfX fhf  
%ofCfo,ª%ó,è,Ä,ç,é,Æ,ç,xfGf%o[f ffbfZ[fW,ª•Ž,³,è,½,èA»•ifTfj[fjg fT[fjrfX,É”A—,·,é,æ,æ,  
,ÉŽwŽ,·,éfbfbfZ[fW,ª•Ž,³,è,½,è,·,é,±,Æ,ª, ,è,Ü,·B

READWRLD.TXT ftj@fCf<,ìà-¾,É,Á,Ä’€i,·,é,ÆA”Ç,Ýž,ÝCE³,ìftj@fCf<,Ü,½,í,«ž,Ýæ,ìfffBfXfN,ª  
%ó,è,Ä,ç,é,Æ,ç,xfGf%o[f ffbfZ[fW,ª•Ž,³,è,é,±,Æ,ª, ,è,Ü,·B,±,ì,æ,æ,ÉfGf%o[f ffbfZ[fW,ª•\  
Ž,³,è,½,è,íAŽŸ,ì,æ,æ,É,µ,Ä,¾,³,çB

**,±,ì-â’è,É’í^,·,é,É,í**

1 [fXf^ [fg] f{f^f“ ,ðfNfŠfbfN,µA[ftj@fCf<-¾,ðŽw’è,µ,ÄŽÀ[s] ,ðfNfŠfbfN,µ,Ü,·B

2 [-¾’O] f{fbfNfX,ÁAŽŸ,ì,æ,æ,É“ü—í,µ,Ü,·B

command /c copy x:\vfwsetup\iccvd.drv %windir%\system /y

"x" ,É,íACD-ROM fhf%ofCfu,ìfhf%ofCfu-¾,ð“ü—í,µ,Ü,·B

3 [OK] ,ðfNfŠfbfN,µ,Ü,·B

4 READWRLD.TXT ftj@fCf<,ìà-¾,É,Á,Ä Microsoft Video for Windows ,ðÄfCf“fXfg[f<,µ,Ü,·B

**d-v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,i,½,βATurbo Debugger for Windows version 3.1 ,íA³,μ,-  
“®ì,μ,È,ç,±,Æ,³, ,è,Ü,·B

,±,lfvfOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“,i“üŽè•û-@,É,Â,ç,Ä,íATurbo Debugger ,É<LÚ³,è,Ä,ç  
,é»•ifTf|[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä,Ä,íABorland International ('•¶—p'<CEú +1 (800) 331-  
0877AfefNfjff< fTf|[fg—p'<CEú +1 (408) 461-9177) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Ü,½,íABorland ,i Web  
fTfCf <http://www.borland.com> ,đŽQÆ,μ,Ä,,¾,¾,çB


**d-v**

^È'O,ìfo[fWf#f",ì PrintCache ,íAWindows 3.1 ,ìfvfŠf"f^ fhf%ofCfo,ì^è•",ðC³,·,é,æ,α,ÉÝCEv,³,ê,Ä,ç  
,Ü,·B^È'O,ìfo[fWf#f",ì PrintCache ,ð,±,ìfo[fWf#f",ì Windows ,ÄŽÀs,·,é,ÆAfRf"fsf...  
[f^,ÉfCf"fXfg[f<,³,ê,Ä,ç,éfvfŠf"f^ fhf%ofCfo,íA,·,×,ÄŽg—p,Å,«,È,,È,è,Ü,·B  
Ú×,É,Â,ç,Ä,íA\ftfgfEjFfA,ìŠj"CE³,É-â,ç#í,¹,Ä,,³/4,³,çB



**□d—v**

f|fbfgf□□[fN fvfŠf“f^ ,đŽg,Á,Ä,ç,é□ê□#,í□AfvfŠf“f^ f|□[fg,É|fbfgf□□[fN fpfX,ŠÖ~A•t,¯,ç,ê,Ä,ç,é,± ,Æ,đŠm,©,ß,Ä,,¾,¾,ç (,±,ìŠÖ~A•t,¯,í□AfvfŠf“f^ f|□[fg,ìŠ,,è“-,Ä,Æ,ç,ç,Ü,·)□BfvfŠf“f^ f|□[fg,Š,,è“- ,Ä,ç,ê,Ä,ç,É,ç□ê□#□A,±,ìfvf□fOj%of€,(,ç|fbfgf□□[fN fvfŠf“f^ ,É^ó□ü,·,é,Æ□A-â‘è,¾<N,«,é,± ,Æ,¾, ,è,Ü,·□B

f|fbfgf□□[fN fvfŠf“f^ f|□[fg,ìŠ,,è“-,Ä,ì□à-¾,đ•Ž!,·,é,É,í□A,±,ìf{f^f“  ,đfNfŠfbfN,μ,Ä,,¾,¾,ç□B □Ü□x,É,Ä,ç,Ä,í□Af|ftfgfEjFfA,ìŠj”CE³,É-â,ç□#,í,¾,¾,¾,¾,ç□B

**d-v**

Windows ,lf0[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lf0[fWf#f“,ì pcAnywhere ,íA³,μ,“®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B


pcAnywhere ,lfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íApcAnywhere ,É<LÚ,³,è,Ä,ç,é»•ifTf|  
[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Á,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-  
¾,¾,çB,Û,½,íAAdobe ,ì Web fTfCfg <http://www.adobe.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB



**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßATHumbelina ,íA³,μ,fCf"fXfg[f<,³,ê,È,ç,±  
,Æ,ª, ,è,Û,·B,±,ì-â-è,É'í^ , ,é,É,íAWIN.INI ftf@fCf<,ÉfRf}f"fh[s,ð'Ç%Á,μAfZfbfgfAfbfv fvf[fOf%of€  
,É'í,μ,ÄAWindows ,lfo[fWf#f" ,ð 3.1 ,Æ•Ö, ,æ,æ,É,μ,Û,·B

**Thumbelina ,lfZfbfgfAfbfv fvf[fOf%of€,ðŽÀ[s,Â,« ,é,æ,æ,É, ,é,É,í**

- 1 ,±,ìŽè[#,ð^óü, ,é,©Af[f, ,μ,Ä, ,« ,Û,·B
- 2 ,±,ìf{f^f"  ,ðNfŠfbfN,μAfVfXfef€ fGfffBf^ ,ð<N"® ,μ,Ä, ,¾,¾,¾,çB
- 3 [fEfBf"fhfE] f[fjf...[ ,Ä WIN.INI ,ðNfŠfbfN,μ,Û,·B
- 4 [Compatibility] fZfNfVf#f" ,ÉŽŸ,í[s,ð'Ç%Á,μ,Û,·B

DSHELL=0x0020000

5 [ftf@fCf<] f[fjf...[ ,ì [fvfXfef€ fGfffBf^ ,ì|—¹] ,ðNfŠfbfN,μ,Û,·B

6 [,í,ç] ,ðNfŠfbfN,μAWIN.INI ftf@fCf<,ì•iX,ð•Û'¶,μ,Û,·B

7 fRf"fsf...[f^ ,ðÄ<N"® ,μATHumbelina ,lfZfbfgfAfbfv fvf[fOf%of€ ,ðŽÀ[s,μ,Û,·B

8 Thumbelina ,lfCf"fXfg[f<ÆäAŽè[# 2 ` 6 ,ðŽÀ[s,μ,Û,·B,½,¾,μAZè[# 4 ,Ä,íAWIN.INI  
ftf@fCf<,É'Ç%Á,μ,½[s,ðíœ,μ,Û,·B

**d-v**

Windows ,lf0[fWf#f" fAfbfv,É,æ,é•iX,i,½,βAMCS Stereo version 1.05

,Ä,íA•W€ŠÁ««,ÆŠg'£ŠÁ««,íØ,è'Ö,í,í,Ä,«,Ü,<sup>1</sup>,ñBSÄ««,ðØ,è'Ö,í,é,ÆAf~fLFT[fRf"fgf[f<,Žg—  
p,Ä,«,È,,È,è,Ü,·Bf~fLFT fRf"fgf[f<,Žg—p,Ä,«,é,æ,α,É,·,é,É,íAfvfOf%of€,ð|—  
<sup>1</sup>,μAÄN"©,μ,Ü,·B

,±,lfvfOf%of€,lfAfbvOfCE[fh fo[fWf#f",i"üŽè•û-@,É,Ä,ç,Ä,íAMCS Stereo ,É<LÚ,<sup>3</sup>,ê,Ä,ç,é»•ifTf}  
[fg'<Éû,É-â,ç‡,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB•Ä',Ä,íAAnimation Development Corp. ("d~b +1 (205) 591-  
5715AFAX +1 (205) 591-5716AfeNfjff< fTf|fg BBS +1 (205) 591-5795) ,É-â,ç‡,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

McAfee f\fbfgf\[\fNŠÇ—\f\ftfgfEjFfA fpfbfP\[\fW,ì NetTools version 5.1 ,",æ,Ñ 5.2 ,ÉŠÜ,Ü,ê,Ä,ç,é  
APPMAN.EXE ,í\AWindows 3.1 ,ìfvf\Of%of€ f}f\[\fWff,Æ'u,«Š,!,ÄŽg,ç,Ü,·\BAPPMAN.EXE ,í\A,±  
,ìfo\[\fWf#f",ì Windows ,Ä,í\³,μ,"@ \ì,μ,È,ç,±,Æ,³, ,è,Ü,·\B  
,±,ìfvf\Of%of€,ìfAfbfvfOfCE\fh fo\[\fWf#f",ì"üžè•û-@,É,Â,ç,Ä,í\ANetTools ,É<L\Ú,³,è,Ä,ç,é\»•ifTf|  
\[\fg'<CEù,É-â,ç\# ,í,¹,Ä,,³/₄,³,ç\B•Ä\',Ä,í\AMcAfee Associates ("d~b +1 (408) 988-3832\AFAX +1 (408)  
970-9727\AfeNfjffj< fTf|\[\fg BBS +1 (408) 988-4004) ,É-â,ç\# ,í,¹,Ä,,³/₄,³,ç\B,Ü,½,í\AMcAfee ,ì Web  
fTfCfg <http://www.mcafee.com> ,ðŽQ\Æ,μ,Ä,,³/₄,³,ç\B

**d-v**

Windows ,lfO[fWf#f" fAfbfv,É,æ,é•i[X,i,½,ßAAAdobe Acrobat version 1.0  
,đŽÀ[s,·,é,Æ[A^è"Ê•ÜCEì^á"½,lfGf%o[l,³<N,<,é,±,Æ,³, ,è,Ü,·[B,±,ìê[#,í[AAcroat  
,ì[Å[Vfo[fWf#f" ,ÉfAfbfvfOfCE[fh,µ,Ä,,¾,³,ç[B

Acrobat ,lfAfbfvfOfCE[fh fo[fWf#f" ,ì"üŽè•û-@,É,Â,ç,Ä,í[AAcroat ,É<L[Ú,³,è,Ä,ç,é Adobe [»•ifTf|  
[fg'<CEú,É-â,ç[#,í,¹,Ä,,¾,³,ç[B•Ä[',Ä,í[A+1 (800) 872-3623 ,É-â,ç[#,í,¹,Ä,,¾,³,ç[B,Ü,½,í[AAAdobe ,ì  
Web fTfCfG <http://www.adobe.com> ,đŽQ[Æ,µ,Ä,,¾,³,ç[B

**d—v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•i X,ì,½,β ACompaq ft [fefBfŠfefB,ÉŠÜ,Ü,è,Ä,ç,é Secure ,É,æ,éfffofCfX-³CEø%o»<@"\,í A³,μ," @ ò,μ,É,ç,±,Æ,ª, ,è,Ü,· BfffofCfX,ð-³CEø,É,·,é,É,í AfpfXf [fh,ì Y'è,ÉŠÖ~A,μ,½ Compaq F10 fZfbfgfAfbfv,ðŽÀ s,μ,Ä,-,¾,³,ç BfffofCfX,í AZÿ,ì•ù-@,Ä,à-³CEø,É,Ä,«,Ü,· B

**fn [fhfEjFfA fffofCfX,ð-³CEø,É,·,é,É,í**

- 1 [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,μ A[ Y'è] ,ðf]fCf"fg,μ,Ü,· BŽÿ,É A[fRf"fgf [f< fp]f<] ,ðfNfŠfbfN,μ A[fVfXfef€] fAfCfRf" ,ðf\_fuf<fNfŠfbfN,μ,Ü,· BŽÿ,É A[fffofCfX f}f [fWff] f^fu,ðfNfŠfbfN,μ,Ü,· B
- 2 fn [fhfEjFfA,ìŽí—p,ì 1,ìfvf%ofX<L t (+) ,ðfNfŠfbfN,μ A-³CEø,É,·,éfn [fhfEjFfA,ðf\_fuf<fNfŠfbfN,μ,Ü,· B
- 3 [fffofCfX,ìŽg—p] ,Ä A[,±,ìfn [fhfEjFfA fvf [ftf@fCf<,ÄŽg—p•s%oÄ,É,·,é] (,Ü,½,í [,± ,ìfn [fhfEjFfAŠÄ«« ,ÄŽg—p•s%oÄ,É,·,é) f`fFfbfN f{fbfNfX,ðf]f" ,É,μ,Ü,· B  
[fffofCfX,ìŽg—p] ,É• i" ,ìfn [fhfEjFfAŠÄ«« ,ª•\Ž,³,è,Ä,ç,é ê [±,í A-³CEø,É,·,éfn [fhfEjFfAŠÄ«« ,ì,·, x,Ä,É,Ä,ç,Ä Af`fFfbfN f{fbfNfX,ðf]f" ,É,μ,Ü,· B

'  
▪ fvf%ofO fAf"fh fvfCEfC,É'í%ž,μ,Ä,ç,È,çfn [fhfEjFfA,ì ê [± AffffofCfX,ð-³CEø,É,μ,½CEä,àfŠf [fX,ì Y'è,ª%oð•ú,³,è,É,ç,±,Æ,ª, ,è,Ü,· B



**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•ï[X,ì,½,ßAREmindMe version 1.0 ,íŽÀ[s,Á,«,È,ç%oÁ"\  
«,ª, ,è,Û,·B

RemindMe ,\fAfbvfOfCE[fh fo[fWf#f" ,ì"üŽè•û-@,É,Á,ç,Ä,ÍAREmindMe ,É<LÚ<sup>3</sup>,è,Ä,ç,é»•ifTf|  
[fg'<CEû,É-â,ç#í,<sup>1</sup>Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

,±,lfvf[]fOf%of€ ,íAWindows 3.1 —p,ÉŠj” ,³,è,Ä,ç,Ü,·BWindows ,lfo[]fWf#f“  
fAfbfv,É,æ,é•íX,i,½,ß[]Aftf[]bfs[][,l%oñ“]” (RPM) ,lfefXfg,âffBfXfvfCEfC fefXfg,È,Ç[]A,±,lfvf[]fOf%of€  
,ì<@“\,ì^è•”,í[]³,µ,“@[]ì,µ,Ü,¹,ñ[]B


,±,lfo[]fWf#f“,ì Windows —p,ÉŠj” ,³,è,½fvf[]fOf%of€,ì“üŽè•û-@,É,Ä,ç,Ä,í[]A,±,lfvf[]fOf%of€  
,É<L[]Ú,³,è,Ä,ç,é[]»•ifTf[]f[]fg’<Æû,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B•Ä[]’,Ä,í[]AQuarterdeck Select ,É-â,ç[]#,í,¹,Ä,-  
,¾,¾,ç[]B~A—[]•û-@,íŽÿ,ì,Æ,“,è,Ä,·[]B

<b>~A—[]•û-@</b>	<b>“d~b”Ô[]t,Ü,½,ífAfhfCEf X</b>
“d~b	+1 (800) 354-3222 +1 (573) 875-0932 (fefNfjff< fTf[]f[]fg)
FAX	+1 (813) 523-2335
Web fTfCfg	<a href="http://www.quarterdeck.com/">http:// www.quarterdeck.com/</a>

**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•i[X,ì,½,ßPIXAR ,l Typestry ,lŽÀ[s,Á,«,È,ç,±,Æ,³, ,è,Û,·B,±,ì-  
â'è,É'í^ ; ,é,É,íAWIN32S.INI ftj@fCf<,ð,èAfvfXfef€ ftjHf<f\_,É•Û'¶,µ,Ä,,¾,³,çB

**WIN32S.INI ftj@fCf<,ð,è,é,É,í**

1 ,±,lf{f^f“  ,ðNfŠfbfN,µAf[f, ' ,ð<N“® ,µ,Ä,,¾,³,çB

2 Žÿ,ì,æ,æ,É“ü—í,µ,Û,·B

[WIN32s]

Version=1.3

3 [ftj@fCf<] fffj...[ ,l [-¾'O,ð•t, ,Ä•Û'¶] ,ðNfŠfbfN,µ,Û,·B

4 ftj@fCf<,É WIN32S.INI ,Æ,ç,æ-¾'O,ð•t, AWindows ,ðCf“fXfg[f<,µ,½ftjHf<f\_,l%º,ì SYSTEM  
ftjHf<f\_,É•Û'¶,µ,Û,·B

,±,lfvf[fOf%of€,lÙ×,É,Á,ç,Ä,íATypestry ,É<LÙ,³,è,Ä,ç,é»•ifTf|[fg'<Æù,É-â,ç±,í,¹,Ä,-  
,¾,³,çB•Ä',Ä,íAPixar Animation Studios (“d~b +1 (800) 888-9856A+1 (510) 236-4000AFAX +1  
(510) 236-0388AfefNfjff< fTf|[fg +1 (800) 937-3179) ,É-â,ç±,í,¹,Ä,,¾,³,çB,Û,½,íAPixar ,l Web  
ftjCfç <http://www.pixar.com> ,ðŽQÆ,µ,Ä,,¾,³,çB

**d-v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßASpaceManager version 1.53  
 , ,æ,Ñ,»,é^È'O,lfo[fWf#f“ ,íA³,µ,ŽÄs,Á,«,ç%Á“\«,², ,è,Ü,·BspaceManager ,đ MS-DOS  
 f, [fh,ÁfCf“fXfg[f<,µ,Ä,àA,±,lfvf[fOf%of€,ì,Ü,Æ,ñ,Ç,ift[fefBfŠfefB,í³,µ,“@i,µ,Ü,¹,ñB  
 SpaceManager ,íŠù,É»'ç,³,è,Ä,ç,È,ç,½,ßA,±,lfo[fWf#f“ ,ì Windows —p,ÉŠJ” ,³,è,½“~—l,lfvf[fOf%of€  
 ,đŽg,²,±,Æ,đ,,§,µ,Ü,·B

**d—v**

,±,ìfQ[f€,íAMS-DOS fvf[fvfg,ÁfCf“fXfg[f<,μAŽÀ[s,·,é•K—v,ª, ,è,Ü,·B[fXf^[fg]  
f{f^f“,đNfŠfbfN,μA[ftf@fCf<-¼,đŽw’è,μ,ĂŽÀ[s] ,đNfŠfbfN,μ,ÁfCf“fXfg[f<,Ü,½,íŽÀ[s,μ,æ,ª  
,Æ,μ,½ê±,íA,±,ìfQ[f€,í³,μ,“@ì,μ,Ü,¹,ñB

**,±,ìfQ[f€,đŽÀ[s,·,é,É,í**

- 1 [fXf^[fg] f{f^f“,đNfŠfbfN,μA[fvf[fOf%of€] ,đfjCf“fg,μ,Ü,·BŽŸ,ÉA[MS-DOS fvf[fvfg]  
,đNfŠfbfN,μ,Ü,·B
- 2 fQ[f€,đfCf“fXfg[f<,μ,½,èAŽÀ[s,μ,½,è,·,éfRf}f“fh,đ“ü—í,μ,Ü,·B

**d-v**

Super PC-Kwik version 4.0 ,íA,±,ìfo[fWf#f“,ì Windows ,Á,í³,μ,“©i,μ,Ü,¹,ñB,±,ìfvfOf%of€  
,Á,íADoubleSpace ,Á^³k,³,ê,½fn[fh fffBfXfN,ÉC•œ,Á,«,É,ç-â'è,²<N,«,é,±,Æ,², ,è,Ü,·B

Super PC-Kwik version 4.0 ,íA,±,ìfo[fWf#f“,ì Windows ,ÉfCf“fXfg[f<,μ,È,ç,±,Æ,ð,,§,μ,Ü,·B  
Úx,É,Á,ç,Ä,íASuper PC-Kwik ,É<LÚ,³,ê,Ä,ç,é»•iftf|f'<CEû,É-â,ç#,í,¹,Ä,-  
,¾,¾,çB•Ä',Á,íAMicroDesign International (“d~b +1 (800) 228-0891AFAX +1 (407) 677-8365) ,É-  
â,ç#,í,¹,Ä,,¾,¾,çB,Ü,½,íAMicroDesign ,ì Web fTfCf g <http://www.mdi.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d—v**

,±,ìfo[fWf#f“,ì PC Tools ,íADOS ,Ü,½,í Windows 3.1 ,Å“®ì,·,é,æ,æ,ÉŠJ” ,³,è,Ä,ç,Ü,·B,±,ìfo[fWf#f“,ì Windows ,Ä,íA,±,ìfvf[fOf%of€,ì<@”\,ì^ê•” ,³,μ,“®ì,μ,Ü,¹,ñB,Ü,½Aftf@fCf< fVfXfef€,³ FAT32 (‘å—e—ÉffBfXfN) ,ìé#A,±,ìfvf[fOf%of€,íŽAs,Ä,«,Ü,¹,ñB

,±,ìfo[fWf#f“,ì Windows —p,ÉŠJ” ,³,è,½V,μ,çffBfXfN ft[fefBfŠfefB,ì“üŽè•û-@,É,Â,ç,Ä,íAPC Tools ,É<LÜ,³,è,Ä,ç,é»•ifTf][fg’<Æù,É-â,ç#,í,¹,Ä,,¾,¾,çB•Ä’,Ä,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#,í,¹,Ä,,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCf <http://www.symantec.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

**d—v**

,±,ìfo[fWf#f“,ì Windows ,íASuperStor ,Å^³k,³,è,Ä,ç,éfhf%ofCfu,Ü,½,í{fŠf...[f€  
ftf@fCf<,ÉfCf“fXfg[f<,Ä,«,Ü,·B,½,¾,μAWindows ,ìfCf“fXfg[f<Æä,íASuperStor ,Åfhf  
%ofCfu,ð³k,·,é,±,Æ,í,Ä,«,Ü,¹,ñB

SuperStor/DS ,Å,íAsstor /ds fhf%ofCfu,ð³k,·,é,½,β,É DEFRAG.EXE ,Æ,ç,æftf@fCf<,aŽÀs,³,è,Ü,·B,±  
,ìftf@fCf<,íAWindows ,ìfzfbfgfAfbfv’t,ÉV,μ,çfo[fWf#f“,É’u,«Š,·,ç,è,Ü,·BSuperStor  
,Å,íAV,μ,çfo[fWf#f“,ìftf@fCf<,íŽg—p,Ä,«,Ü,¹,ñB

,±,ìfo[fWf#f“,ì Windows ,ÅŽg—p,Ä,«,éfo[fWf#f“,ì SuperStor ,aŠJ”,³,è,é—\’è,í, ,è,Ü,¹,ñB[V,½,Éfhf  
%ofCfu,ð³k,μ,½,èA³kf{fŠf...[f€ ftf@fCf<,ði,Á,½,è,·,ééé,íAWindows ,É•t’@,·,éfhf  
%ofCfufXfy[fX,ðŽg,æ,©A,±,ìfo[fWf#f“,ì Windows —p,ÉŠJ”,³,è,½³kfvf[fOf%of€,ð“üŽè,μ,Ä,,¾,³,çB



**d—v**

Addstor ,ì DoubleTools for DoubleSpace ,íA,±,ìfo[fWf#f“,ì Windows ,Å,ÍŽg—p,Å,«,Ü,<sup>1</sup>,ñB,±,ìfvf[fOf  
%of€,íA,±,ìfo[fWf#f“,ì Windows ,ÉfCf“fXfg[f<,μ,È,ç,Å,,¾,<sup>3</sup>,çB,±,ìfvf[fOf%of€  
,đfCf“fXfg[f<,μ,½ê#f,íAfrf“fsf...[f^,đÄ<N“® ,·,é,ÆASù‘¶,ì<sup>3</sup>kf{fŠf...[f€  
ftf@fCf<,ÉAfnfzfX,Å,«,È,,È,è,Ü,·B


**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,i,½,βACarbon Copy version 2.5  
,,æ,Ñ,»,é^È'O,lfo[fWf#f",íŽÁ[s,Ä,«,Ü,<sup>1</sup>,ñBCarbon Copy ,lfzfXfg fvf[fOf%of€Ü,½,lfNf%ofCfAf"fg  
fvf[fOf%of€,ì,ç,,é,©,đŽÁ[s,μ,½ê#f,íAfRf"fsf...[f^,º%ž"š,μ,È,,È,è,Ü,·B  
,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íACarbon Copy ,É<LÚ,<sup>3</sup>,ê,Ä,ç  
,é»•ifTf|[fg'<CEú,É-â,ç#f,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB•Ä',Ä,íAMicrocom ("d~b +1 (800) 822-8224AFAX +1  
(617) 551-1021AfefNfjffj< fTf|[fg BBS +1 (617) 762-5134AWeb fTfCfg <http://www.microcom.com/>)  
,É-â,ç#f,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB


**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfo[fWf#f“ ,ì Cyberflix »•i,íAŽÀs,Á,«,È,ç%oÂ“\  
«,ª, ,è,Ü,·B,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“ ,ì“üŽè•ú-@,É,Á,ç,Ä,íACyberflix  
»•i,É<LÚ,³,ê,Ä,ç,é»•ifTf|f[fg'<CEù,É-â,ç#,í¹,Ä,,¾,³,çB,Ü,½,íACyberflix ,ì Web fTfCfg  
<http://www.cyberflix.com/> ,đŽQÆ,μ,Ä,,¾,³,çB



**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βAAAdobe Illustrator version 4.0 ,íŽÀ[s,Á,«,È,ç%oÁ“\  
□«,ª, ,è,Ü,·□B,±,lfvf□Of%of€,ìŽÀ□s’t,É^è”É•ÜCEì^á”½,lfGf%o□[,ª<N,«,½□é□#,í□AWindows  
,É•t’@,; ,é•W□€ VGA fffBfXfvfCEfC fhf%ofCfo,đŽg,α,Æ-â’è,É’í□^,Á,«,é,±,Æ,ª, ,è,Ü,·□BfffBfXfvfCEfC fhf  
%ofCfo,ª□AŠù,É•W□€ VGA fffBfXfvfCEfC fhf%ofCfo,É,È,Á,Ä,ç,é□é□#,í□A[fAfvfŠfP□[fvf#f“ ,ìŽÀ[s]  
,đfNfŠfbfN,μ,Ä,,¾,³,ç□B  
fffBfXfvfCEfC fhf%ofCfo,ì•i□X,ì□Ú□x,É,Á,ç,Ä,í□A,±,lf{f^f“  ,đfNfŠfbfN,μ,Ä,,¾,³,ç□B  
,±,lfvf□Of%of€,lfAfbfvfOfCE□[fh fo□[fWf#f“ ,ì“üŽè•û-@,É,Á,ç,Ä,í□AAdobe Illustrator ,É<L□Ú,³,è,Ä,ç  
,é□»•ifTf□[fg’<CEù,É-â,ç□#,í,¹,Ä,,¾,³,ç□B•Ä□’,Ä,í□AAdobe (+1 (800) 872-3623) ,É-â,ç□#,í,¹,Ä,-  
,¾,³,ç□B,Ü,½,í□AAdobe ,ì Web fTfCfg <http://www.adobe.com> ,đŽQ□Æ,μ,Ä,,¾,³,ç□B

**fffBfXfvfCefC fhf%ofCfo,đ•İ,ı,é,É,Í**

- 1 ,±,İf{f^f“  ,đfNfŠfbfN,μ□A[%œ-Ê,İfvf□fpfefB] f\_CfAf□fO f{fbfNfX,İ [□Ý'è) (,Ü,½,Í [fffBfXfvfCefC,İ□Ý'è) f^fu,đ•\Ž!,μ,Ä,,¾,¾,¾,¾□B
- 2 [□Ú□×] ,đfNfŠfbfN,μ,Ü,·□B
- 3 [fAf\_fvf^] f^fu,İ [•İ□X] ,đfNfŠfbfN,μ□A%œ-Ê,İ•\Ž!,É□],ç□A^è—,đ•\Ž!,μ,Ü,·□B
- 4 [.,×,Ä,İfn□[fhfEfFfA,đ•\Ž!] ,đfNfŠfbfN,μ,Ü,·□B
- 5 [□»'çCE³] f{fbfNfX,Ä□A[(•W□€fffBfXfvfCefC)] ,đfNfŠfbfN,μ,Ü,·□B
- 6 [f,fff<] f{fbfNfX,Ä□A[(•W□€fffBfXfvfCefC fAf\_fvf^ (VGA)] ,đfNfŠfbfN,μ,Ü,·□B
- 7 [OK] ,đfNfŠfbfN,μ□AŠef\_fCfAf□fO f{fbfNfX,İ,».,é,¾,é,Ä□A[•Ä,¶,é] ,đfNfŠfbfN,μ,Ü,·□B
- 8 □V,μ,ç□Ý'è,đ—LCEø,É,·,é,½,ß,É□A□Ä<N“ ®,đ'£,·f□fbfZ□[fW,¾•\Ž!,¾,é,Ü,·□B,Ü,©,İfvf□fOf%of€ ,¾ŽÄ□s't,İ□é□‡,İ□A•Ü'¶,¾,é,Ä,ç,É,çff□[f^,đ•Ü'¶,μ,Ä,©,ç□A[Í,ç] ,đfNfŠfbfN,μ,Ü,·□B

**d-v**

EarthCare! ,lfZfbfgfAfbfv fvf[]fOf%of€ ,É,æ,Á,Ä“o~^ ,³,è,éfvf[]fOf%of€ fAfCfRf“ ,í[]A,±,lf[]fWf#f“ ,ì  
Windows ,Å,íftf[]f[]fg ,³,è,Ä,ç,Û ,¹,ñ[]B,±,ì,½,ß[]AfZfbfgfAfbfv fvf[]fOf%of€ ,í[]³,µ,-  
ŽÀ[]s ,³,è,Û ,·,ª[]AfAfCfRf“ ,í“o~^ ,³,è,Û ,¹,ñ[]B EarthCare! ,í[]A[ftf@fCf<-¼,ðŽw’è,µ,ÄŽÀ[]s]  
fRf}f“fh,ðŽg,«•û-@ ,©[]A[fvf[]fOf%of€] f[]fj...[] ,É [EarthCare!] f[]fj...[] ,ð[] ,è[]AfAfCfRf“ ,ð“o~^ ,·,·,é•û-  
@ ,ì,ç ,·,è,© ,ÅŽÀ[]s,Å,« ,Û ,·[]B  
 [ftf@fCf<-¼,ðŽw’è,µ,ÄŽÀ[]s] fRf}f“fh.Å EarthCare! ,ðŽÀ[]s ,·,é,É,í  
 EarthCare! ,lf[]fj...[] ,ð[] ,è[]AfAfCfRf“ ,ð“o~^ ,·,·,é,É,í

**[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀs] fRf}f“fh,Å EarthCare! ,ðŽÀs,·,é,É,Í**

1 [fXf^[]fg] f{f^f“ ,ðfNfŠfbfN,μA[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀs] ,ðfNfŠfbfN,μ,Ü,·B

2 [-¼'O] f{fbfNfX,ÅAŽÿ,ì,æ,π,É“ü—í,μ,Ü,·B

x:\pc\earthc.exe

"x" ,É,ÍACD-ROM fhf%ofCfu,lfhf%ofCfu-¼,ð“ü—í,μ,Ü,·B

**EarthCare! ,lfvfj...[,đ,èAFAfCfRf“ ,đ“o~^,.,é,É,Í**

- 1 f}fEfX,ì%Ef{f^f“ ,Å [fXf^ [fg] f{f^f“ ,đNfŠfbfN,μA[ŠJ,] ,đNfŠfbfN,μ,Ü,·B
- 2 [fvfOf%€] ftfHf<f\_đŠJ,«,Ü,·B
- 3 [ftf@fCf<] fvfj...[,ì [V<K] ,đf|fCf“fg,μA[ftfHf<f\_] ,đNfŠfbfN,μ,Ü,·B
- 4 ftfHf<f\_ ,ì-¼'O,đŽŸ,ì,æ,α,É“ü—í,μ,Ü,·B

EarthCare!


- 5 **Enter** fL[ ,đ%Ÿ,μA[ ,μ,½ftfHf<f\_ ,đ\_fuf<fNfŠfbfN,μ,Ü,·B
- 6 [ftf@fCf<] fvfj...[,ì [V<K] ,đf|fCf“fg,μA[fvf#[fgjfbfg] ,đNfŠfbfN,μ,Ü,·B
- 7 ŽŸ,ìŠe€-Ú,ìfvf#[fgjfbfg,đ,é,½,β,ÉA[fvf#[fgjfbfg,ì] fEfBfU[h,đ 8 %ñŽg,ç,Ü,·B"x" ,É,ìACD-ROM ,lfhf%fcfu-¼,đ“ü—í,μ,Ä,,¾,³,çB

<b>fRf}f“fhf%fcf“</b>	<b>fvf#[fgjfbfg,ì-¼'O</b>
x:\pc\earthc.exe	EarthCare!
x:\pc\read_me.wri	Read Me
x:\pc\register.wri	Register!
x:\pc\iloveair.wri	I Love Air text
x:\pc\iloveani.wri	I Love Animals text
x:\pc\ilovedrt.wri	I Love Dirt text
x:\pc\ilovewtr.wri	I Love Water text
x:\pc\songs.wri	Words to the songs


- 8 EarthCare! ,lfvfOf%€,đ<N“ @,.,é,É,ÍA[fXf^ [fg] f{f^f“ ,đNfŠfbfN,μA[fvfOf%€] ,đf|fCf“fg,μ,Ü,·BŽŸ,ÉA[EarthCare!] ,đNfŠfbfN,μ,Ü,·B



**d—v**

,±,ìfo[]fWf#f“,ì Windows ,ÁA3D Home Architect ,đŽg,Á,Äf|fbfgf[]fN fvfŠf“f^,đŽg,±ê±,íAfvfŠf“f^  
f[]fg,Éf|fbfgf[]fN fpfX,ŠÖ~A•t, ,ç,è,Ä,ç,é,±,Æ,đŠm,©,ß,Ä,,¾,¾,ç (,±,ìŠÖ~A•t, ,đA“fvfŠf“f^ f|  
[]fg,ìŠ,,è“-,Ä" ,Æ,ç,ç,Ü,·)BfvfŠf“f^ f[]fg,Š,,è“-,Ä,ç,è,Ä,ç,È,çê±,íA,±,ìfvf[]fOf%of€  
,©,çf|fbfgf[]fN fvfŠf“f^,É^óü,·,é,ÆA-â'è,ª<N,«,é,±,Æ,ª, ,è,Ü,·B  
fvfŠf“f^ f[]fg,ìŠ,,è“-,Ä,ìà-¾,đ•Ž!,·,é,É,íA,±,ìf{f^f“  ,đfNfŠfbfN,µ,Ä,,¾,¾,çB  
,±,ìfvf[]fOf%of€,ìfAfbfvfOfCE[]fh fo[]fWf#f“,ì“üŽè•ù-@,É,Ä,ç,Ä,íA3D Home Architect ,É<L[]Ú,¾,è,Ä,ç  
,é»•ìfTf[]fg'<CEù,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä',Á,íABroderbund Software, Inc. (+1 (800) 521-6263) ,É-  
â,ç±,í,¹,Ä,,¾,¾,çB,Ü,½,íABroderbund ,ì Web fTfCf <http://www.broderbund.com> ,đŽQÆ,µ,Ä,,¾,¾,çB

**Microsoft TrueType Font Pack , ©, çftfHf“fg, ðfCf“fXfg[]fç, ., é, É, í**

, ±, ìfo[]fWf#f“, ì Windows , ÉftfHf“fg, ð'Ç%Á, ., é•û-@, ð•\Ž!, ., é, É, Í[]A, ±, ìf{f^f“  , ðfNfŠfbfN, μ, Ä, -  
, ¾, ³, ç[]B

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßA,±,lfo[fWf#f",ì Symantec Time Line ,l<@"\ ,ì^è•",íA³,μ,"©i,μ,È,ç,±,Æ,², ,è,Û,·BTools.run f}fNf,â Time Line ,lTf"fvf<,È,Ç,ðŽg," ,x ,Æ,·,é,ÆATime Line ,í%ž"š,μ,È,,È,è,Û,·B

,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üžè•û-@,É,Â,ç,Ä,íATime Line ,É<LÛ,³,è,Ä,ç,é»•ifTf| [fg'<Éú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Ä,íATimeLine Solutions Corporation (+1 (415) 898-1919) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Û,½,íATimeLine ,ì Web fTfCfg <http://www.tlsolutions.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**


Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßAClose-Up version 6.0 ,Ü,½,Í Close-Up/LAN Pro version 6.1 ,ÍA³,µ,"®ì,µ,É,ç,±,Æ,³, ,è,Ü,·B,±,lfo[fWf#f",ì Windows ,Å,ÍAClose-Up ,lfŠf,[]fg fTfCfh,µ,©"®ì,µ,Ü,¹,ñB

,±,lfo[fWf#f",ì Windows —p,ÉŠJ",³,è,½ Close-Up ,ì"üŽè•û-@,É,Â,ç,Ä,ÍAClose-Up ,É<LÚ,³,è,Ä,ç ,é»•ifTf[]fg'<Æú,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä',Å,ÍANorton-Lambert Corp. ("d~b +1 (805) 964-6767 "àü 1AFAX +1 (805) 683-5679AWeb fTfCfg <http://www.norton-lambert.com/>) ,É-â,ç±,í,¹,Ä,- ,¾,¾,çB

**d—v**

Humongous Entertainment ,l,±,lfo[fWf#f" ,lfZfbfgfAfbfv fvf[fOf%of€ ,ÍŽg—p,μ,È,ç,Á,,¾,¾,ç[BWindows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,l,½,β[A,±,lfvf[fOf%of€ ,đfRf"fsf...

[f^ ,ÉfCf" fXfg[f< ,é,Æ[AfvfXfef€[áŠQ,ª<N,« ,é,±,Æ,ª ,è,Û,·[B,½,¾,μ[A,±,lfvf[fOf%of€ ,í CD-ROM ,© ,çŽÀ[s,Á,« ,Û,·[Bfvf[fOf%of€ ,đŽÀ[s,· ,é,É,í[AUTOFRED.EXE ,Û,½,Í AUTOFARM.EXE ,l,ç ,.,é,© ,đf\_fuf·fNfŠfbfN,μ[A[Play] ,đfNfŠfbfN,μ,Û,·[Bfvf[fOf%of€ ,l<N" ®fRf}f"fh,đ [fXf^ [fg] fffj... [L,Û,½,Í [fvf[fOf%of€] fffj... [L,É'Ç%Á,Á,« ,Û,·[B

[fXf^ [fg] fffj... [L,Û,½,Í [fvf[fOf%of€] fffj... [L,É<N" ®fRf}f"fh,đ'Ç%Á,· ,é•û-@,đ•Ž!,· ,é,É,í[A,± ,lf{f^f"  ,đfNfŠfbfN,μ,Ä,,¾,¾,ç[B

Ú[x,É,Á,ç,Ä,í[AHumongous Entertainment ,É<L[Ú,ª ,é,Ä,ç,é]»•iftf[fg'<Æú,É-â,ç[í,¹,Ä,- ,¾,¾,ç[B•Ä[',Ä,í[AHumongous Entertainment (+1 (425) 485-1212) ,É-â,ç[í,¹,Ä,- ,¾,¾,ç[B,Û,½,Í[AHumongous ,l Web fTfCfğ <http://www.humongous.com> ,đŽQ[Æ,μ,Ä,,¾,¾,ç[B

**d-v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βASymantec C++ Professional version 6.1

,Ü,½,í,» ,ê^È'O,lfO[fWf#f“ ,íA³,μ,“®ì,μ,Ü,¹,ñB

,±,lfvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f“ ,l“üŽè•û-@,É,Â,ç,Ä,íASymantec C++ Professional

,É<LÚ,³,ê,Ä,ç,é»•ifTf][fg'<CEû,É-â,ç# ,í,¹,Ä,,¾,¾,çB•Ä' ,Á,íASymantec (+1 (800) 441-7234) ,É-

â,ç# ,í,¹,Ä,,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d—v**

Windows ,lf□[fWf#f“ fAfbfv,É,æ,é•i□X,ì,½,β□AUpront version 1.1 ,íŽÀ□s,Å,«,ç%oÅ“\□«,<sup>a</sup>, ,è,Ü,·□B  
,±,ìfvf□fOf%of€,ì□Ú□x,É,Â,ç,Ä,Í□AUpront ,É<L□Ú<sup>3</sup>,è,Ä,ç,é□»•jftf|□[fg‘<Œû,É-â,ç□‡,í,<sup>1</sup>,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B•Ä□‘,Å,Í□ASketchTech (+1 (612) 379-1435) ,É-â,ç□‡,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

**d-v**

,±,ìfo[]fWf#f“,ì Windows ,Á,ífffBfXfvfCfC fhf%ofCfo,ª•ï[]X,³,è,½,½,β[]AProxy ,í“ @[]i,μ,Ü,¹,ñ[]B  
,±,ìfo[]fWf#f“,ì Windows —p,ÉŠJ”,³,è,½fvf[]fOf%of€,ì“üŽè•û-@,É,Á,ç,Ä,í[]A+1 (617) 497-6339 ,É-  
â,ç[]#,í,¹,Ä,,¾,³,ç[]B•Ä[]’,Á,Í Funk Software, Inc. ,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B~A—[]•û-@,íŽŸ,ì,Æ,“,è,Á,·[]B

<b>~A—[]•û-@</b>	<b>“d~b”Ô[]t,Ü,½,ífAfhfCf X</b>
“d~b	+1 (800) 828-4146
FAX	+1 (617) 547-1031
“dŽqf[][]f<	sales@funk.com
Web fTfCfg	<a href="http://www.funk.com/">http://www.funk.com/</a>



**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ß[]AWanderlink ,É•t'®,µ,Ä,ç,é Proxy  
,lŽÀ[s,Ä,«,Ü,¹,ñ[]BWanderLink ,lfNf%ofCfAf"fg fvj[]Of%of€,lfCf"fxfg[]f<Žž,É Proxy Master ,Ü,½,í Host  
ftf@fCf<,đfCf"fxfg[]f<,µ,É,ç,æ,æ,É,µ,Ä,,¾,¾,ç[]B

,±,lfo[fWf#f",l Windows —p,ÉŠj",¾,é,½fvf[]Of%of€,l"üŽè•û-@,É,Ä,ç,Ä,í[]A+1 (617) 497-6339 ,É-  
â,ç[]#,í,¹,Ä,,¾,¾,ç[]B•Ä[]',Ä,í[]AFunk Software, Inc. ,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B~A—[]•û-@,lŽŸ,ì,Æ,¨,è,Ä,·[]B

<b>~A—[]•û-@</b>	<b>"d~b"Ô[]t,Ü,½,lfAfhfçfj X</b>
------------------	--------------------------------------

"d~b	+1 (800) 828-4146
------	-------------------


FAX	+1 (617) 547-1031
-----	-------------------

"džqf[]f<	sales@funk.com
-----------	----------------

Web fTfCfg	<a href="http://www.funk.com/">http://www.funk.com/</a>
------------	---

**d—v**

,±,ìfo[]fWf#f“,ì Windows ,Á,íffBfXfvfCfC fhf%ofCfo,²Šg'£,³,è,½,½,β[]AfffBfXfvfCfC,ì%øð'œ"x,² 640  
[]~ 480 ^ÈŠO,É[]Ý'è,³,è,Ä,ç,é[]ê[]#[]APoetry in Motion ,í[]³,μ,“ @[]ì,μ,Û,¹,ñ[]B

fffBfXfvfCfC,ì%øð'œ"x,ð 640 []~ 480 ,É•ī,ì,é•û-@,ð•Ž|,.,é,É,í[]A,±,ìf{f^f“  ,ðfNfŠfbfN,μ,Ä,,³/₄,³,ç[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Ä,ç,Ä,í[]APoetry in Motion ,É<L[]Ú,³,è,Ä,ç,é[]»•ifTf|[][fg'<CEù,É-â,ç[]#,í,¹,Ä,-  
,³/₄,³,ç[]B•Ä[]',Ä,í[]AVoyager Co. (+1 (800) 446-2001) ,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B,Û,½,í[]AVoyager ,ì Web  
fTfCfg <http://www.voyagerco.com> ,ðŽQ[]Æ,μ,Ä,,³/₄,³,ç[]B

**d-v**


Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,i,½,ßA,±,lfo[fWf#f",l Wired for Sound Pro ,l<@"\ ,i^ê•",íA³,µ,"@i,µ,È,ç,±,Æ,³, ,è,Û,·B

,±,lfo[fWf#f",l Windows ,Á"@i,·,é Wired for Sound version 4.0 ,lfAfbvfOfCE[fh fo[fWf#f",É,Á,ç ,Ä,íAWired for Sound Pro ,É<LÚ,³,è,Ä,ç,é»•ifTf[f'<CEú,É-â,ç±,í,¹,Ä,,¾,³,çB•Ä',Á,íA~A-•ú- @,íŽÿ,ì,Æ,¨,è,Á,·B

<b>~A-•ú-@</b>	<b>"d~b"Ôt,Ü,½,ífAfhfCEf X</b>
Web fTfCfg	<a href="http://www.aristosoft.com/">http://www.aristosoft.com/</a>
"dŽqf[f<	wfs@pacbell.net
FAX	+1 (510) 328-1117

**d—v**

PerForm PRO ,Åflfbfgf[]fN fvfŠf“f^ ,đŽg,æ[]ê[]‡,í[]AfvfŠf“f^ f[]f[]fg,Éflfbfgf[]fN fpfX,ªŠÖ~A•t,¯,ç,ê,Ä,ç ,é,±,Æ,đŠm,©,β,Ä,,¾,¾,ç (,±,ìŠÖ~A•t,¯,í[]AfvfŠf“f^ f[]f[]fg,ìŠ,,è“- ,Ä,Æ,ç,ç,Û,·)[]BfvfŠf“f^ f[]f[]fg,ªŠ,,è“- ,Ä,ç,ê,Ä,ç,É,ç[]ê[]‡,í[]Aflfbfgf[]fN fvfŠf“f^ ,É^ó[]ü,·,é,Æ[]A-â'è,ª<N,« ,é,±,Æ,ª ,è,Û,·[]B

fvfŠf“f^ f[]f[]fg,ìŠ,,è“- ,Ä,ì[]à-¾,đ•Ž!,·,é,É,í[]A,±,ìf{f^f“  ,đfNfŠf[]fN,µ,Ä,,¾,¾,ç[]B  
PerForm PRO ,ì[]Ú[]x,É,Ä,ç,Ä,í[]APerForm PRO ,É<L[]U,¾,ê,Ä,ç,é[]»•ìfTf[]f[]fg'<Æù,É-â,ç[]‡,í,¹,Ä,- ,¾,¾,ç[]B•Ä[]',Ä,í[]ASymantec (“d~b +1 (800) 441-7234[]AFAX +1 (541) 984-2490[]AWeb fTfCfg <http://www.symantec.com/nu/>), É-â,ç[]‡,í,¹,Ä,,¾,¾,ç[]B


**d-v**

Windows ,lfO[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßAPossible/Sockets version 1.1  
,ífŠf,□[fg,ĀŽĀ□s,Ā,«,Ů,¹,ñ□B

,±,lfvf□fOf%of€ ,lfAfbvfOfCE□[fh fo□[fWf#f" ,l"üŽè•û-@,É,Ā,ç,Ā,Í□Afvf□fOf%of€ ,É<L□Ů,³,è,Ā,ç,é□»•ifTf|  
□[fg'<CEŮ,É-â,ç□#,í,¹,Ā,,¾,³,ç□B•Ā□',Ā,Í□AAvalan Technology, Inc. ("d~b +1 (800) 441-2281□A+1  
(508) 429-6482□AWeb fTfCfg <http://www.avalan.com/>) ,É-â,ç□#,í,¹,Ā,,¾,³,ç□B

**d-v**

,±,ì»•i,ðf|fbfgf[]fN,ÉÚ'±,³,è,Ä,ç,éfRf"fsf...[]f^,©,çfCf"fxfg[]f<,·,é,É,íA,»,ìfRf"fsf...[]f^,Éfhf  
%ofCfu•¶Žš,ðš,,è"-,Ä,é•K-v,ª, ,è,Ù,·B

f|fbfgf[]fN,ÉÚ'±,³,è,Ä,ç,éfRf"fsf...[]f^,Éfhf%ofCfu-¼,ðš,,è"-,Ä,é•û-@,ð•\Ž!,·,é,É,íA,±,ìf{f^f"   
,ðfNfŠfbfN,µ,Ä,,¾,¾,çB

Ami Pro ,Ü,½,í Word Pro ,ìÅVfo[]fWfþf",ì"üŽè•û-@,É,Ä,ç,Ä,íA»•i,É<LÚ,³,è,Ä,ç,é»•ifTf|[]fg'<Æû,É-  
â,ç¶,í,¹,Ä,,¾,¾,çB•Ä',Ä,íALotus Development Corp. ("d~b +1 (800) 343-5414[]AWeb fTfCfg  
<http://www.lotus.com/>),É-â,ç¶,í,¹,Ä,,¾,¾,çB

□d—v

Stacker version 4.1 ,¨,æ,Ñ,»),ê^È'O,lf□□[fWf†f“,Å,í□AFAT32 ('å—e—ÊffBfXfN) ,lfhf  
%oofCfu,í^3□k,Å,«,Ü,¹,ñ□B

□Ú□x,É,Â,ç,Ä,í□AStac ,ì Web fTfCfG <http://www.stac.com> ,É□Ú'±,μ,Ä□à-¾,ðŽ□□E,μ,Ä,,¾,¾,ç□B

**d-v**

Stacker version 4.0 , ,æ,Ñ,» ,ê^È'O,ìfo[]fWf#f" ,Å,í[]A' ,çftf@fCf<-¼,ìftf@fCf<,ª ,éfffBfXfN,ð^³[]k,µ,È,ç ,Å,,¾,³,ç[]B' ,çftf@fCf<-¼,ìftf@fCf<,ª ,éfffBfXfN,ð^³[]k, ,é,Æ[]A' ,çftf@fCf<-¼,í 8 •¶Žš,ìftf@fCf<-¼,Æ 3 •¶Žš,ìŠg'£Žq,É[]Ø,è<l,ß,ç,ê,Ü,·[]B,Ü,½[]AStacker version 4.1 , ,æ,Ñ,» ,ê^È'O,ìfo[]fWf#f" ,Å,í[]AFAT32 ('å —e—ÉfffBfXfN) ,ìfhf%ofCfu,í^³[]k,Å,«,Ü,¹,ñ[]B

[]Ú[]x,É,Å,ç,Ä,í[]AStac ,ì Web fTfCfg <http://www.stac.com> ,É[]Ú'±,µ,Ä[]à-¾,ðŽQ[]Æ,µ,Ä,,¾,³,ç[]B



**d-v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βANuMega ,ì Bounds Checker version 2.0 ,“ ,æ,Ñ 2.2 ,í“ @ì,μ,Ü,¹,ñB

,±,ìfvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,ÍABounds Checker ,É<LÚ,³,ê,Ä,ç ,é»•ifTf|f[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä,Ä,ÍANuMega (+1 (800) 468-6342) ,É-â,ç#í,¹,Ä,- ,¾,¾,çB,Ü,½,ÍANuMega ,ì Web fTfCfG <http://www.numega.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

ClarisWorks version 2.0 ,đfCf“fXfg[f<,·,éêê,íAfcf“fXfg[f<,đ±s,μ,Ä,,¾,¾,çBClarisWorks for  
Windows version 1.0 ,đfCf“fXfg[f<,·,éêê,íAfffBfXfN 1 ,É, ,é SETUP.EXE  
,Ä,ífCf“fXfg[f<,Ä,«,Ü,¹,ñBfffBfXfN 2 ,É, ,é SETUPCW.EXE ,đŽg,Ä,Ä,,¾,¾,çB  
,±,ìfo[fWf#f“,ì Windows —p,ÉŠ” ,¾,ê,½fvf[fOf%of€,ì“üŽè•û-@,É,Ä,ç,Ä,íAClarisWorks ,É<LÚ,¾,ê,Ä,ç  
,é»•ifTf|f|fg’<Œú,É-â,ç,í,¹,Ä,,¾,¾,çB•Ä,Ä,íAClaris Corp. (Voice Answerline +1 (800) 735-  
7393AFax Answerline +1 (800) 800-8954AWeb fTfCf <http://www.claris.com/>) ,É-â,ç,í,¹,Ä,-  
,¾,¾,çB

**d-v**

Windows ,\fo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f“,ì Norton AntiVirus ,ÍA³,μ,“®i,μ,È,ç,± ,Æ,ª, ,è,Ü,·B

,±,\fvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,ÍANorton Antivirus ,É<LÚ,³,ê,Ä,ç ,é»•ifTf|f'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Å,ÍASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Ü,½,ÍASymantec ,ì Web fTfCfgr <http://www.symantec.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfo[fWf#f“,ì Norton Desktop ,Ü,½,Í Norton Backup ,íA³,µ,“®ì,µ,É,©,Á,½,èAŽÀs,Ä,«,É,©,Á,½,è,µ,Ü,·B

,±,lfo[fWf#f“,ì Windows —p,ÉŠJ” ,³,è,½ft[fefBfŠfefB,É,Â,ç,Ä,íA»•i,É<LÚ³,è,Ä,ç,é»•ifTf|  
[fg'<Eú,É-â,ç#í,¹,Ä,,¾,³,çB•Ä' ,Á,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-  
¾,³,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,đŽQÆ,µ,Ä,,¾,³,çB

**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f",ì Norton Utilities ,íA³,μ,"®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B

,±,\fvfOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íANorton Utilities ,É<LÚ³,ê,Ä,ç ,é»•ifTf|[fg'<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä',Å,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,,¾,¾,çB,Û,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Windows ,lfO[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßANorton Commander ,íA³,μ,“®ì,μ,È,ç,±,Æ,ª, ,è,Ü,·B  
,±,ìfvfOf%of€,ìfAfbvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íANorton Commander ,É<LÚ³,è,Ä,ç  
,é»•ifTf|f[fg’<CEù,É-â,ç#,í,¹,Ä,,¾,¾,çB•Ä’,Å,íASymantec Corporation (+1 (800) 441-7234) ,É-  
â,ç#,í,¹,Ä,,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

,±,ìfvf[]Of%of€,íA^È'O,ìfo[]fWf#f“,ì Windows —p,ÉŠJ” ,<sup>3</sup>,ê,Ä,ç,é,<sup>1</sup>/<sub>2</sub>,ßA,±,ìfo[]fWf#f“,ì Windows  
,Ä,í<sup>3</sup>,µ,“ @ì,µ,Ü,<sup>1</sup>,ñB,±,ìfvf[]Of%of€,ðN“ ® , ,é,Æ,«,É,íAŽÄ[]s't,ì,Ü, ©,ìfvf[]Of%of€  
,ìff[]f^ ,<sup>3</sup>•Û'¶,<sup>3</sup>,ê,Ä,ç,é,±,Æ,ðSm, ©,ß,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB  
,±,ìfvf[]Of%of€,ìÚ×,É,Ä,ç,Ä,íAfvf[]Of%of€,ìŠJ” Ç<sup>3</sup>,É-â,ç#,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**


,±,ìfvf[]fOf%of€ ,ð,±,ìfo[]fWf#f“ ,ì Windows ,ÅŽÀ[]s,μ,½[]ê[]#[]A[]³,μ,^ó[]ü,³,ê,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€ ,ìÚ[]×,É,Â,ç,Ä,Í[]Afvf[]fOf%of€ ,ìŠJ”Æ³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B




**d-v**

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Á,í[]³,μ,“@[]ì,μ,È,ç,±,Æ,², ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠJ”Æ³,É-â,ç[]‡,í,¹,Ä,,¾,³,ç[]B

**d-v**

ffBfXfvfCfC,ìÝ'è,É,æ,Á,Ä,íA,±,ìfvfOf%of€,í,±,ìfo[fWf+f“,ì Windows ,ÅŽÀs,Á,«,È,ç,±  
,Æ,ª, ,è,Û,·B-â'è,ª<N,«,½ê±AfffBfXfvfCfC,ì•ŽìF,ìÝ'è,ð 256 F,Û,½,í 16 F,É•ì,ì,Ä,,¾,¾,çB  
•ŽìF,ð•ì,ì,é•ù-@,ð•Žì,·,é,É,íA,±,ìf{f^f“ ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB  
-â'è,ª%øðE^,¾,è,È,çê±,íAfvfOf%of€,ìŠj”E³,É-â,ç±,í,¹,Ä,,¾,¾,çB

**d-v**

ffBfXfvfCfC,ìÝ'è,É,æ,Á,Ä,íA,±,ìfvfOfof€,í,±,ìfo[fWf+f“,ì Windows ,ÅŽÀs,Å,«,È,ç,±  
,Æ,ª, ,è,Û,·B-â'è,ª<N,«,½ê±AfffBfXfvfCfC,ì%ø'œ“x,ð 640 ~ 480 ,É•ï,!,Ä,,¾,¾,çB  
ffBfXfvfCfC,ì%ø'œ“x,ð•ï,!,é•û-@,ð•\Ž!.,é,É,íA,±,ìf{f^f“ ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB  
-â'è,ª%øðCE^,ª,é,È,çê±,íAfvfOfof€,ìŠj”CE³,É-â,ç±,í,¹,Ä,,¾,¾,çB

**d-v**


,±,ìfo[]fWf#f“,ì Windows ,Á,í[]A32 frfbfg flfbfgf[][]fN<@“\,ªŠg’£,³,ê,½,½,ß[]A,±,ìfvf[]fOf%of€,í[]³,μ,-  
“®[]ì,μ,È,ç,±,Æ,ª, ,è,Ü,·[]B,±,ìfvf[]fOf%of€,ðCEp’±,μ,ÄŽg,¤•K—v,ª, ,é[]é[]#,í[]Aflfbfgf[][]fN ðftfgfEjFfA,ð  
Windows ,ìCf“fXfg[]f<’O,ÉŽg,Á,Ä,ç,½,à,ì,É,μ,Ä,,¾,¾,ç[]Bflfbfgf[][]fN,ÉŠÖ,·,é[]í•ñ,É,Á,ç  
,Ä,í[]Aflfbfgf[][]fNŠÇ—ŽÒ,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Á,ç,Ä,í[]Afvf[]fOf%of€,ìŠJ”CE³,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B

**d-v**

,±,ìfo[fWf#f“,ì Windows ,Á,íA,³,Ü,´,Ü,ÈŽí—

p,ìfn[fhfEjFfA,ªCEŸo,Á,«,Ü,·Bfn[fhfEjFfA,ðŠmŽÀ,ÉfZfbfgfAfbfv,·,é,É,íAfn[fhfEjFfA,ì'Ç

%oÁfEjBfU[fh,ðŽg,Á,ÄAfhf%ofCfo,ðfCf“fXfg[fç,µ,Ä,,¾,¾,çB

V,µ,çfn[fhfEjFfA,ìfZfbfgfAfbfv,ÉŠÖ,·,éí•ñ,ð•Ž!,·,é,É,íA,±,ìf{f^f“  ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB


**d—v**


,±,lfvf□fOf%of€ ,É•t'® ,·,éfRf“fgf□□[f< fpflf< fv□fOf%of€ ,Á,í□Afn□[fhfEfFfA,ì□Ý'è,ð•ï,!,È,ç,Á,-  
,¾,³,ç□Bfn□[fhfEfFfA,ì□Ý'è,ð•ï,!,é,É,í□AZÿ,ì,æ,π,É,μ,Û,·□B

**fn□[fhfEfFfA,ì□Ý'è,ð•ï,!,é,É,í**

- 1 [fXf^□[fg] f{f^f“ ,ðfNfŠfbfN,μ□A[□Ý'è] ,ðf|fCf“fg,μ,Û,·□BŽÿ,É□A[fRf“fgf□□[f< fpflf<] ,ðfNfŠfbfN,μ,Û,·□B
- 2 •ï□X,μ,½,çfn□[fhfEfFfA,ìfAfCfRf“ ,ðf\_fuf<fNfŠfbfN,μ,Û,·□B  
fRf“fgf□□[f< fpflf<,É-Ú“ì,ìfn□[fhfEfFfA,ìfAfCfRf“ ,è,È,©,Á,½□ê±,í□A[fvfxfef€] ,ðf\_fuf<fNfŠfbfN,μ,Û,·□B
- 3 •K—v,É%ž,¶,Ä□Ý'è,ð•ï,!,Û,·□B

'□

 Še□€-Ú,lfwf<fv,ð•\Ž!,·,é,É,í□Af\_fCfAf□fO f{fbfNfX,ì%oE□ä,ì

 ,ðfNfŠfbfN,μ□A-Ú“ì,ì□€-Ú,ðfNfŠfbfN,μ,Ä,,¾,³,ç□B

**d—v**

,±,ìfvf[]fOf%of€,,ð,±,ìfo[]fWf+f“,ì Windows ,ÅŽÀ[]s,,é[]ê[]#,ì[]•ñ,É,Â,ç,Ä,Í[]AREADME.TXT  
ftf@fCf<,ðŽQ[]Æ,μ,Ä,,¾,¾,¾,¾[]B

**README.TXT ftf@fCf<,ðCEŸ[]ö,μ[]AŠJ,,É,Í**

1 [fXf^[]f[]g] f{f^f“,ðfNfŠfbfN,μ[]A[CEŸ[]ö] ,ðf[]fCf“fg,μ,Ü,·[]BŽŸ,É [ftf@fCf<,âftfHf<f\_] ,ðfNfŠfbfN,μ,Ü,·[]B

2 [-¼'O] f{fbfNfX,Å[]AZŸ,ì,æ,æ,É“ü—Í,μ,Ü,·[]B

README.TXT

3 [‘T,·[]ê[]Š] f{fbfNfX,Å[]AWindows ,âfCf“fXfg[]f<,¾,¾,¾,¾,É,Ä,ç,éfhf%ofCfu,ð'I'ð,μ,Ü,·[]B,½,Æ,ì,î[]A[C:]  
,ð'I'ð,μ,Ü,·[]B

4 [CEŸ[]öŠ]žn] ,ðfNfŠfbfN,μ,Ü,·[]B

•i[]“,ì README.TXT ftf@fCf<,ðCEŸ[]ö,¾,¾,¾,¾,É,Ä,ç,éfhf%ofCfu,ð'I'ð,μ,Ü,·[]B

5 Windows ,ðfCf“fXfg[]f<,μ,½ftfHf<f\_,É, ,é README.TXT ftf@fCf<,ðfNfŠfbfN,μ,Ü,·[]B

6 README.TXT ftf@fCf<,Å[]A,±,ìfvf[]fOf%of€,,ì-¼'O,ðCEŸ[]ö,μ,Ü,·[]B

**d—v**

,±,ì MS-DOS fvf□fOf%of€ ,í□A,±,ìfo□[fWf#f“,ì Windows ,ð“<□Ú,μ,½,Ù,Æ,ñ,Ç,ìfRf“fsf...□[f^ ,Å³,μ,-  
“@□ì,μ,Û,·□BŽg—p,μ,Ä,ç,éfRf“fsf...□[f^ ,Å³,μ,“@□ì,μ,È,ç□é□#,í□A,±,ìfvf□fOf%of€ ,ð MS-DOS  
f,□[fh,ÅŽÀ□s,·,é•K—v,<sup>a</sup> ,è,Û,·□BMS-DOS f,□[fh,Å,í□AWindows ,ìf□f,fŠ,©,ç□í□œ,<sup>3</sup> ,é□AMS-DOS  
,ìŠÅ«<sup>a</sup>□i,ç,è,Û,·□B

**,±,ìfvf□fOf%of€ ,ð MS-DOS f,□[fh,ÅŽÀ□s,·,é,É,í**


- 1 fvf□fOf%of€ ,éŽÀ□s't,ì□é□#,í□—<sup>1</sup>,μ□Af}fC fRf“fsf...□[f^ ,Åfvf□fOf%of€ ,ìfAfCfRf“ ,ð'T,μ,Û,·□B
- 2 f}fEfX,ì%oEf{f^f“ ,Åfvf□fOf%of€ ,ìfAfCfRf“ ,ðfNfŠfbfN,μ□A[fvf□fOf%of€] ,ðfNfŠfbfN,μ,Û,·□B
- 3 [fvf□fOf%of€] f^fu,ðfNfŠfbfN,μ□A[□Ú□×□Ý'è] ,ðfNfŠfbfN,μ,Û,·□B
- 4 [MS-DOS f,□[fh] f ffbfNfX ,élf“ ,É,È,Á,Ä,ç,é,±,Æ,ðŠm,©,ß,Û,·□B
- 5 ,·,x,Ä,ìŠ],ç,Ä,ç,éf\_fCfAf□fO f{fbfNfX,Å [OK] ,ðfNfŠfbfN,μ□Afvf□fOf%of€ ,ðÅ<N“@,μ,Û,·□B



**d-v**

,±,ìfvf[]fOf%of€,,ð,±,ìfo[]fWf#f",ì Windows ,ÅŽÀ[]s,,é,Æ[]AWindows  
,ì" @ []ì,²•s^À'è,É,È,Á,½,è[]AWindows ,²[]³,μ,«N" @,μ,È,,È,Á,½,è,μ,Ü,·[]B,±,ìfo[]fWf#f",ì Windows  
,Å,í[]A,±,ìfvf[]fOf%of€,,ðŽg,í,È,ç,±,Æ,ð,,[]\$,μ,Ü,·[]B  
,±,ìfvf[]fOf%of€,,ì[]Ú[]x,É,Á,ç,Ä,í[]Afvf[]fOf%of€,,ìŠJ" CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B


**d-v**

,±,ìfo[]fWf#f“,,ì Windows ,Á,íA^È'O,ìfo[]fWf#f“,,ì Windows ,Æ^Ù,È,èA',çfvfŠf“f^-¼,ð•t,¯,é,±  
,Æ,ª,Ä,«,Ü,·B,±,ì,½,ßAŽg—p't,ìfvf[]fOf%of€,Ä,í“FŽ~,Ä,«,È,çfvfŠf“f^-¼,ª•t,¯,ç,é,é,±,Æ,ª, ,è,Ü,·B  
-¼'O,ª 14 •¶Žš,ð',!,éflfbfgf[][]fN fvšf“f^,É^óü,.,é,Æ,«,É-â'è,ªN,«,éê#.,íAflfbfgf[][]fN,ìŠÇ—  
[]ŽÒ,É-¼'O,ð•ì,!,é,æ,æ,ÉÈ—Š,.,é,©AfvfŠf“f^ f[]fg,ðŠ,,è“-.,Ä,Ä,,¾,¾,çB  
fvšf“f^ f[]fg,ìŠ,,è“-.,Ä,ìà-¾,ð•\Ž!,.,é,É,íA,±,ìf{f^f“  ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB

**d—v**

,±,ì MS-DOS fvffOfOf%of€ ,ð³,µ,“@ì,³,¹,é,É,íAEMS fff,fš,ª•K—v,Å,·BQEMM ,Ü,½,í 386Max  
,É,Ç,ìff,fš f}fì[fWff,ðŽg—p,µ,Ä,ç,éèèèAEMS fff,fš,ðŽg—p,Å,« ,é,æ,æ,É,·,é•ù-@,É,Å,ç,Ä,íAfff,fš  
f}fì[fWff,É•t'@,·,éf}ffj...fAfç,È,Ç,ðŽQAE,µ,Ä,,¾,¾,çBEmm386 ,ðŽg—p,µ,Ä,ç,éèèèè,íAZÿ,ì,æ,æ  
,É,µ,Ä,,¾,¾,çB

**EMM386.EXE,Å EMS fff,fš,ðŽg—p,Å,« ,é,æ,æ,É,·,é,É,í**

- 1 ,±,ìf{f^f“  ,ðNfšfbfN,µAfVfXfef€ fGfffBf^ ,ð•N“@ ,µ,Ä,,¾,¾,çB
- 2 [fEfBf“fhfE] fffj...[.ì [CONFIG.SYS] ,ðNfšfbfN,µ,Ü,·B
- 3 [CONFIG.SYS] fEfBf“fhfE,ÅAEMM386.EXE ,ÉŠÖ,·,éqs,ª,È,çèèèè,íA1 □s-Ú,ÉŽÿ,ì,æ,æ,É“ü—í,µ,Ü,·B  
Device=C:\Windows\Himem.sys  
2 □s-Ú,ÉŽÿ,ì,æ,æ,É“ü—í,µ,Ü,·B  
Device=C:\Windows\Emm386.exe  
Himem.sys ,Ü,½,í Emm386.exe ,ª•É,ìftfHfçf\_É, ,éèèèè,íA"C:\Windows"  
,ì'ä,í,è,ÉAftf@fCfç,Ö,ìfpfX,ð“ü—í,µ,Ä,,¾,¾,çB  
EMM386.EXE ,ÉŠÖ,·,éqs,ª ,éèèèè,íANOEMS ,Æ,ç,æfifvfVfjf“ ,ªŽw'è,³,è,Ä,ç,È,ç,±,Æ,ðŠm,©,ß,Ä,-  
,¾,¾,çBNOEMS ,Æ,ç,æfifvfVfjf“ ,ªŽw'è,³,è,Ä,ç,éèèèè,íA,±,ìfifvfVfjf“ ,¾,¾,ðíœ,µ,Ä,,¾,¾,çB
- 4 [ftf@fCfç] fffj...[.ì [fvfXfef€ fGfffBf^ ,ì—¹] ,ðNfšfbfN,µ,Ü,·B
- 5 •ìX,ð•Ú'¶,·,é,½,ß,É [ ,í,ç ] ,ðNfšfbfN,µ,Ü,·B
- 6 fRf“fsf...[f^ ,ðÄ•N“@ ,µ,Ü,·BEMS fff,fš,ªfvffOfOf%of€ ,ÅŽg—p,Å,« ,é,æ,æ,É,È,è,Ü,·B

**d—v**

,±,ìfo[fWf#f“,ì Windows ,Á,íA,±,ìfvfŠf“f^ fhf%ofCfo,ífCf“fXfg[f<,Á,«,Ü,<sup>1</sup>,ñBfvfŠf“f^,ì»‘¢€<sup>3</sup>,©,çfhf %ofCfo,đ“üŽè,: ,é,©A,Ü,½,í,±,ìfo[fWf#f“,ì Windows ,É•t’®, : ,éfhf%ofCfo,đfCf“fXfg[f<,μ,Ä,- ,¾,<sup>3</sup>,¢BWindows —p,ìfhf%ofCfo,đfCf“fXfg[f<,: ,é,É,íAŽÿ,ì,æ,æ,É,μ,Ü,:B

**Windows —p,ìfvfŠf“f^ fhf%ofCfo,đfCf“fXfg[f<,: ,é,É,í**

- 1 [fXf^ [fg] f{f^f“,đfNfŠfbfN,μA[é] ,đf]fCf“fg,μ,Ü,:BŽÿ,ÉA[fvfŠf“f^] ,đfNfŠfbfN,μ,Ü,:B
- 2 [fvfŠf“f^,ì’Ç%Á] ,đf\_fuf:fNfŠfbfN,μ,Ü,:B
- 3 %æ-É,É•Ž!,<sup>3</sup>,é,éŽwŽ!,É],Á,Ä’€ì,μ,Ä,,¾,<sup>3</sup>,¢B

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,β[]ASETUP.EXE ,Á,Í Famous Places ,ðfCf"fXfg[f<,Á,«,È,-  
,È,è,Ü,μ,½[]B'ä,í,è,É"~,lftfHf<f\_É, ,é FPSETUP.EXE ,ðŽg,Á,Ä,,¾,¾,¾,¾[]BFPSETUP.EXE ,Á,Í[]AVideo for  
Windows ,lfhf%ofCfo,¾•i[X,¾,è,½,½,β[]A•K-v,Èfhf%ofCfo,¾fRfs[][,¾,è,È,ç,±,Æ,¾, ,è,Ü,·[]B,±,ì-  
â'è,É'í[]^ ,·,é,É,Í[]AFamous Places ,ðŽÀ[]s,·,é'O,É[]AZŽ,ì,æ,æ,É,μ,Ä,,¾,¾,¾,¾[]B

**•K-v,Èftf@fCf<,ðfRfs[][,·,é,É,Í**

- 1 ,±,ì[]à-¾,ðf[]f,,·,é,©[]A,Ü,½,í^ó[]ü,μ,Ü,·[]B
- 2 Famous Places ,lfZfbfgfAfbfv fv[]f[]Of%of€,ð[]l-¹,μ,Ü,·[]B
- 3 [fXf^[]fg] f{f^f" ,ðfNfŠfbfN,μ[]A[ftf@fCf<-¾,ðŽw'è,μ,ÄŽÀ[]s] ,ðfNfŠfbfN,μ,Ü,·[]B
- 4 [-¾'O] f{fbfNfX,Á[]AZŽ,ì,æ,æ,É"ü-í,μ,Ü,·[]B  
command /c copy x:\indeo.driv %windir%\system /y  
"x" ,É,Í[]ACD-ROM fhf%ofCfu,lhf%ofCfu-¾,ð"ü-í,μ,Ü,·[]B
- 5 [OK] ,ðfNfŠfbfN,μ,Ü,·[]BFamous Places ,í[]A[]¾,μ,"@[]i,·,é,æ,æ,É,È,è,Ü,·[]B

## □d—v

The Star Trek Interactive Technical Manual ,Å,í□A"Windows" ,Æ,ç,æ-¼'O,ì•t,ç  
,½ftfHfçf\_ÉfAjff□□[fVf#f" —p,ìftf@fCfç,æfCf"fxfg□[fç,³,è,Ü,·□BWindows ,ðfCf"fxfg□[fç,µ,½ftfHfçf\_ì-¼'O,æ  
"Windows" ,Å,É,ç□é□# ,í□AfAjff□□[fVf#f" —p,ìftf@fCfç,æ□³,µ," @□ì,µ,Ü,¹,ñ□B,±,ì-  
â'è,É'í□^ ,·,é,É,í□AZÿ,ì,æ,æ,É,µ,Ä,,¾,¾,ç□B


### Star Trek ,ìfAjff□□[fVf#f" —p,ìftf@fCfç,ðfRfs□[ ,·,é,É,í

- 1 ,±,ì□à-¾,ðf□f,·,·,é,©□A^ó□ü,µ,Ü,·□B
- 2 [fAfvfŠfP□[fVf#f" ,ìŽÀ□s] ,ðfNfŠfbfN,µ□AStar Trek Interactive Technical Manual ,ìfZfbfgfAfbfv fv□fOf  
%of€ ,ð□—¹,µ,Ü,·□B
- 3 fZfbfgfAfbfv fv□fOf%of€,æ□—¹,µ,½,ç□A[fXf^□[fg] f{f^f" ,ðfNfŠfbfN,µ□A[ftf@fCfç-¼,ðŽw'è,µ,ÄŽÀ□s]  
,ðfNfŠfbfN,µ,Ü,·□B
- 4 [-¼'O] f{fbfNfX,Å□AZÿ,ì,æ,æ,É"ü—í,µ,Ü,·□B  
command /c copy x:\qtw\\*. \* %windir%\system /y  
"x" ,É,í□ACD-ROM fhf%ofCfu,ìfhf%ofCfu-¼,ð"ü—í,µ,Ü,·□B
- 5 [OK] ,ðfNfŠfbfN,µ,Ü,·□B
- 6 fRf"fsf...□[f^ ,ð□ÄçN" @ ,µ,Ü,·□BStar Trek Interactive Technical Manual ,æ□³,µ," @□ì,·,é,æ,æ,É,È,è,Ü,·□B

**d—v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,lfvfOf%of€ ,ðŽÀs, ,é,Æ,« ,É,ÍAŽ-‘O,É SYSTEM.INI  
ftf@fCf<,ÉfRf}f"fh□s,ð'Ç%oÁ, ,é•K—v,ª ,è,Ü,·BŽŸ,ìŽè# ,ðf□f, ,é,©A,±,lfgfsfbfN,ì [^óü]  
f{f^f" ,ðNfŠfbfN,μ,Ä^óü,μ,Ä,,¾,¾,ç□BfZfbfgfAfbfv,ªŠ@—¹,μ,½CEãAŽŸ,ì,æ,æ,É,μ,Ü,·B

**SYSTEM.INI ftf@fCf<,ðC³,·,é,É,Í**

- 1 ,±,lf{f^f"  ,ðNfŠfbfN,μ□AfVfXfef€ fGfffBf^ ,ð<N" @,μ,Ä,,¾,¾,ç□B
- 2 [fEfBf"fhfE] f□fjf...□[.ì [SYSTEM.INI] ,ðNfŠfbfN,μ,Ü,·B
- 3 [386Enh] fZfNfVf#f" ,Éf□[f< ,ð^Ú" @,μ,Ü,·B
- 4 [386Enh] fZfNfVf#f" ,ÉŽŸ,ì□s,ð'Ç%oÁ,μ,Ü,·B  
device=vwwsd.386
- 5 [ftf@fCf<] f□fjf...□[.ì [fVfXfef€ fGfffBf^ ,ì□—¹] ,ðNfŠfbfN,μ,Ü,·B
- 6 [,í,ç] ,ðNfŠfbfN,μ,Ä•iX,ð•Ü'¶,μ,Ü,·B
- 7 fRf"fsf...□[f^ ,ðÄ<N" @,μ,Ü,·B  
fvfOf%of€,ªŽÀs,Ä,« ,é,æ,æ,É,È,è,Ü,·B

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ß**Ctrl** fL[,ð%öŸ,μ,È,è,ç **Q** fL[,ð%öŸ,μ,Ä,àAMartian  
Memorandum ,ð|—¹,Ä,«,È,,È,è,Ü,μ,½**Alt** fL[,ð%öŸ,μ,È,è,ç **Space** fL[,ð%öŸ,μ,ÄA[•Ä,¶,é]  
,ðNfŠfbfN,·,è,îAfvf[fOf%of€ ,ð|—¹,Ä,«,Ü,·B



**d-v**


Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ß**Ctrl** fL[,ð%Ÿ,μ,È,ª,ç **Q** fL[,ð%Ÿ,μ,Ä,àAAamazon  
Guardians of Eden ,ð|—¹,Ä,«,È,,È,è,Ü,μ,½**Alt** fL[,ð%Ÿ,μ,È,ª,ç **Space** fL[,ð%Ÿ,μ,ÄA[•Ä,¶,é]  
,ðNfŠfbfN,·,ê,îAfvf[fOf%of€ ,ð|—¹,Ä,«,Ü,·B

**d-v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,βACameraMan for Windows version 2.0 ,íŽÀs,Á,«,È,ç  
%oÁ“\«,ª, ,è,Û,·B

,±,lfvf[fOf%of€,)\Úx,É,Á,ç,Ä,ÍACameraMan ,É<LÚ,³,ê,Ä,ç,é»•ifTf|f'g'<Œû,É-â,ç#,í,¹,Ä,-  
,¾,¾,çB•Ä',Á,ÍAMotion Works (“d~b +1 (604) 685-9975AWeb fTfCfg  
<http://www.motionworks.com/>) ,É-â,ç#,í,¹,Ä,,¾,¾,çB

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßADragon's Lair ,lfZfbfgfAfbfv fvf[fOf%of€ ,ÍŽÀ[s,Á,«,È,ç  
,±,Æ,ª, ,è,Û,·B,±,lfvf[fOf%of€,íADragon's Lair ,lftf@fCf<,ð CD-ROM ,©,çfn[fh  
ffBfXfN,ÉfRfs[μ,Û,·BDRAGON.EXE ,ð'¼Ú CD-ROM ,©,ç<N"®,μ,Ä,,¾,¾,çBfv[fOf%of€  
,ì<N"®fRf}f"fh,ð [fXf^ [fg] fffj...[Û,½,í [fv[fOf%of€] fffj...[É'Ç%Á,Á,«,Û,·B  
[fXf^ [fg] fffj...[Û,½,í [fv[fOf%of€] fffj...[É<N"®fRf}f"fh,ð'Ç%Á,·,é•û-@,ð•Ž!,·,é,É,íA,±  
,lf{f^f"  ,ðfNfŠfbfN,μ,Ä,,¾,¾,çB

**d—v**

fRf“fsf...[f^,É””l%%o%ŽZfvf[]ZfbfT,a“<Ú,³,è,Ä,ç,È,ç[]ê[]#[]AShadowcaster ,í[]AMS-DOS  
f,[][fh,ÅŽÀ[]s,·,é•K—v,a, ,è,Ü,·[]BfRf“fsf...[f^,É””l%%o%ŽZfvf[]ZfbfT,a“<Ú,³,è,Ä,ç,é,©,Ç,æ  
,©,ª,í,©,ç,È,ç[]ê[]#,í[]AŽÀ[]s’t,ìfvf[]fOf%of€,ìff[]f^,ð•Ü’¶,μ[]AShadowcaster ,ð<N“® ,μ,Ü,·[]BfQ[][f€  
,ª[]³,μ,ŽÀ[]s,³,è,½,ç[]AfRf“fsf...[f^,É,í[]””l%%o%ŽZfvf[]ZfbfT,a“<Ú,³,è,Ä,“ ,è[]AZŽÿ,ìŽè[]#,ðŽÀ[]s,·,é•K—  
v,í, ,è,Ü,¹,ñ[]BfQ[][f€,ª[]³,μ,ŽÀ[]s,³,è,È,ç[]ê[]#,í[]AfQ[][f€,ð MS-DOS f,[][fh,ÅŽÀ[]s,·,é,½,ß,É[]AZŽÿ,ì,æ,æ  
,É,μ,Ü,·[]BMS-DOS f,[][fh,Å,í[]AWindows ,í[]f[]fŠ,© ,ç[]í[]œ,³,è[]AMS-DOS ,ìŠÂ«« ,ª[]ì,ç,è,Ü,·[]B

**Shadowcaster ,ð MS-DOS f,[][fh,ÅŽÀ[]s,·,é,É,í**

- 1 fv[]f[]Of%of€,ªŽÀ[]s’t,ì[]ê[]#,í[]|—¹,μ[]Af}fC fRf“fsf...[f^,Åfv[]f[]Of%of€,ìfAfCfRf“ ,ð’T,μ,Ü,·[]B
- 2 f}fEfX,ì%oEf{f^f“ ,Å[]Afvf[]f[]Of%of€,ìfAfCfRf“ ,ðfNfŠfbfN,μ[]A[fv[]f[]pfefB] ,ðfNfŠfbfN,μ,Ü,·[]B
- 3 [fv[]f[]Of%of€] f^fu,ðfNfŠfbfN,μ[]A[[]Ú×[]Ý’è] ,ðfNfŠfbfN,μ,Ü,·[]B
- 4 [MS-DOS f,[][fh] f^f[]fbfN f{fbfNfX,ª[]f“ ,É,È,Á,Ä,ç,é,±,Æ,ðŠm,© ,ß,Ü,·[]B
- 5 ,·,x,Ä,ìŠ],ç,Ä,ç,é,f\_CfAf[]fO f{fbfNfX,Å [OK] ,ðfNfŠfbfN,μ[]Afvf[]f[]Of%of€,ð[]Ä<N“® ,μ,Ü,·[]B

**d—v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•i[X,ì,½,β[ATimeActivator ,ðfCf" fXfg [f<, ,é'O,É 2 ,À,ìftf@fCf<,ì-¼'O,ð•İ,ì,é•K—v,ª, ,è,Ü,·[B ^É%º,ì'€[,ð,µ,È,ç[é[±,í[ATimeActivator ,lZfbfgfAfbfv fv[Of%of€,í[³,µ,-[s,í,è,È,ç,±,Æ,ª, ,è,Ü,·[B

**TimeActivator ,ðfCf" fXfg [f<, ,é,É,í**

1 [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,µ[A[CEÿ[ö] ,ðf]fCf" fg,µ,Ü,·[BŽŸ,É[A[ftf@fCf<,âftfHf<f\_] ,ðfNfŠfbfN,µ,Ü,·[B

2 [-¼'O] f{fbfNfX,À[AŽŸ,ì,æ,ª,É"ü—í,µ[A[CEÿ[öŠ]Žn] ,ðfNfŠfbfN,µ,Ü,·[B  
ODBC\*

3 \WINDOWS\SYSTEM ftfHf<f\_ ,É ODBC.DLL ,Æ ODBCINST.DLL ,Æ,ç,µftf@fCf<,ª, ,é,± ,Æ,ðŠm,©,β,Ü,·[BWindows ,ðfCf" fXfg [f<,µ,½ftfHf<f\_ª "WINDOWS" ,À,È,ç[é[±,í[A•É,ìftfHf<f\_ª\Ž!,ª,è,Ü,·[B

4 ODBC.DLL ftf@fCf<,ðf]fCf" fg,µ[A[ftf@fCf<] f[ffj... [ ,ðfNfŠfbfN,µ,Ü,·[B

5 [-¼'O,ì•i[X] ,ðfNfŠfbfN,µ[AŽŸ,ì,æ,ª,É"ü—í,µ,Ü,·[B  
ODBC.BAK

6 **Enter** fL[ ,ð%Ÿ,µ[AODBCINST.DLL ftf@fCf<,ðf]fCf" fg,µ,Ü,·[B

7 [ftf@fCf<] f[ffj... [ ,ì [-¼'O,ì•i[X] ,ðfNfŠfbfN,µ,Ü,·[B


8 ŽŸ,ì,æ,ª,É"ü—í,µ[A**Enter** fL[ ,ð%Ÿ,µ,Ü,·[B  
ODBCINST.BAK

9 TimeActivator ,lZfbfgfAfbfv fv[Of%of€,ð<N"® ,µ,Ü,·[BfCf" fXfg [f<,í[A[³,µ,Š®—¹, ,é,æ,ª ,É,È,è,Ü,·[B

**d—v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßAAlistair and the Alien Invasion ,íA³,µ,-  
fCf"fxfg [f<,³,è,É,ç,±,Æ,³, ,è,Ü,·BAlistair and the Alien Invasion ,ðfZfbfgfAfbfv,·,é,É,íAŽŸ,ì,æ,π  
,É,µ,Ü,·B,±,è,É,æ,Á,ÄAWindows ,íAfZfbfgfAfbfv fv [fOf%œfÉ Windows ,lfo [fWf#f" ,ð 3.1  
,Æ•Ö,·,æ,π,É,è,è,Ü,·B

**Alistair and the Alien Invasion ,ðŽÀs,Á,«,é,æ,π,É,·,é,É,í**

- 1 ,±,ìf{f^f"  ,ðNfŠfbfN,µAfVfXfef€ fGfffBf^ ,ð<N"® ,µ,Ä,,¾,³,çB
- 2 [fEfBf"fhfE] f [fj... [ì [WIN.INI] ,ðNfŠfbfN,µ,Ü,·B
- 3 [Compatibility] fZfNfVf#f" ,Éf [f<,ð^Ú"® ,µ,Ü,·B
- 4 [Compatibility] fZfNfVf#f" ,ÉŽŸ,ìs,ð'Ç%Á,µ,Ü,·B  
DSHELL=0x00200000
- 5 [ftf@fCf<] f [fj... [ì [fVfXfef€ fGfffBf^ ,ì—¹] ,ðNfŠfbfN,µ,Ü,·B
- 6 [í,í,ç] ,ðNfŠfbfN,µ,Ä WIN.INI ftf@fCf<,ì•iX,ð•Ü'¶,µ,Ü,·B
- 7 [fAfVfŠfP [fVf#f" ,ìŽÀs] ,ðNfŠfbfN,µAAlistair Alien Invasion ,lfZfbfgfAfbfv,ð'±s,µ,Ü,·B
- 8 Žè# 1 ` 6 ,ðœJ,è•Ö,µ,Ü,·B,¾,¾,µAŽè# 4 ,Á,íAWIN.INI ftf@fCf<,É'Ç%Á,µ,½s,ðíœ,µ,Ü,·B

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßIntel Pro Share ,Å 32 frfbfg fvf[fOf%of€  
,©,çCf[fW,ðfLffvf`ff,; ,é,Æ[A-à'è,ªN,« ,é,±,Æ,ª , ,è,Û,·B16 frfbfg fvf[fOf%of€,Æ 32 frfbfg fvf[fOf  
%of€,íA^Ù,É,éó'Ô,ÅŽÀs,³,ê,Å,ç,é,©,ç,Å,·B32 frfbfg fvf[fOf%of€  
,©,çCf[fW,ðfLffvf`ff,; ,é,É,íAflffvf`ff-ì^æ,ì`%æ,ð 16 frfbfg fvf[fOf%of€,ì"à'α  
,©,çŽn,ß,Û,·Bft[fU[,ª` ,'•ûCE` ,É,í 32 frfbfg,lfvf[fOf%of€,àŠÛ,ß,é,±,Æ,ª,Å,« ,Û,·ªA16  
frfbfg,lfvf[fOf%of€,©,çŽn,ß,é•K-v,ª , ,è,Û,·B

**□d—v**

,±,ìfo□[fWf#f“,ì Windows ,ìŽÀ□s’t,É IBM ThinkPad —p,ìfi□[fffBfi fhf%ofCfo,đfCf“fXfg□[f<, ,é□ê□#□A□³,μ,-  
fCf“fXfg□[f<, ,é,É,í□AfCf“fXfg□[f< fv□fOf%of€,đ 2 “xŽÀ□s, ,é•K—v,<sup>²</sup>, ,è,Û, :□B



**d—v**

Sierra On-Line ,ì Front Page Sports Football Pro ,í Afvf Of%€ ,đ MS-DOS f, [fh, ÅŽÀ s, , , é, É, Í %°¹, º³, µ, Ä ¶, ³, è, Û, ¹, ñ BMS-DOS f, [fh, Å, í A, ±, ì fo [fWf†] ,ì Windows , ì f, fŠ, ©, ç í œ, ³, è AMS-DOS , ì Š Å «, º, ç, è, Û, · B

**Front Page Sports Football Pro ,đ MS-DOS f, [fh, ÅŽÀ s, , , é, É, Í**

- 1 ŽÀ s 't, ì v f Of%€ ,đ |—¹, µ Af } fC fRf " f sf ... [f ^ , Å Front Page Sports Football Pro , ì v f Of%€ , ì f AfCfRf " , đ 'T, µ, Û, · B
- 2 f } f EfX, ì % Ef { f ^ f " , Å Afvf Of%€ , ì f AfCfRf " , đ fNfŠfbfN, µ A [fvf ¶ p f efB] , đ fNfŠfbfN, µ, Û, · B
- 3 [fvf Of%€ ] f ^ fu, đ fNfŠfbfN, µ A [Ú × Y ' è ] , đ fNfŠfbfN, µ, Û, · B
- 4 [MS-DOS f, [fh] f f fbfN f {fbfNfX, º f l f " , É, È, Á, Ä, ç, é, ±, Æ, đ Š m, ©, ß, Û, · B
- 5 , , x, Ä, ì Š, ç, Ä, ç, é f\_C f Af ¶ fo f {fbfNfX, Å [OK] , đ fNfŠfbfN, µ Afvf Of%€ , đ Å « N " ®, µ, Û, · B

d-v


,±,ìfQ[f€,íAfvfOf%œ,ðl—¹,μ,½Eä,É%ž“š,ª,È,,È,Á,½,æ,π,ÉE©,!,é,±,Æ,ª, ,è,Ü,·B,±,ìéq#,íAffBfXfN,ì“®ì,ªl—¹,·,é,ì,ð'Ò,Á,Ä,©,çAAAlt fL[,ð%ÿ,μ,È,ª,ç Space fL[,ð%ÿ,μA[•Â,¶,é],ðNfŠfbfN,μ,Ü,·B

Úx,É,Â,ç,Ä,íA,±,ìfQ[f€,É<LÚ³,è,Ä,ç,é»•iftf|fg'<Eû,É-â,çq#,í¹,Ä,,¾,¾,çB•Ä',Á,íACUC Software (+1 (800) 757-7707),É-â,çq#,í¹,Ä,,¾,¾,çB,Ü,½,íACUC Software ,ì Web fTfCfçg <http://www.cucsoftware.com>, ðŽQÆ,μ,Ä,,¾,¾,çB

**d—v**

AUTOEXEC.BAT ftf@fCf<,ì path fRf}f“fh,Å 128 •¶Žš,ð’ ,ì,éšÅ««•¶Žš—ñ,ª¶Ý’è,³,è,Ä,ç,é,Æ□ALotus cc:Mail for Windows version 2.x , ,æ,Ñ,»,è^È’O,ìfo□[fWf#f“ ,í□A,±,ìfo□[fWf#f“ ,ì Windows ,Ä□³,µ,- “@ì,µ,Ü,¹,ñ□B^È’O,ìfo□[fWf#f“ ,ì cc:Mail ,ðŽg—p,Ä,«,é,æ,æ,É, ,é,É,í□Apath fRf}f“fh,Å¶Ý’è,µ,Ä,ç ,éšÅ««•ì□ ,ð 128 •¶Žš^È“à,É,µ,Ü,·□BŽŸ,ì,æ,æ,É,µ,Ä,,³/₄,³,ç□B

**path fRf}f“fh,Å¶Ý’è,µ,Ä,ç,é•ì□ ,ð’Z,, ,é,É,í**

- 1 ,±,ìf{f^f“  ,ðfNfšfbfN,µ□Afvfxfef€ fGfffBf^ ,ð<N“@,µ,Ä,,³/₄,³,ç□B
- 2 [fEfBf“fhfE] f□fjf...□[ ,ì [Autoexec.bat] ,ðfNfšfbfN,µ,Ü,·□B
- 3 path fRf}f“fh,Éfj□[f<,ð^Ú“@,µ,Ü,·□Bpath fRf}f“fh,Ä,í□AšefffBfçEfNfgfš,ìfZf~fRf□f“ (;) ,Ä<æ□Ø,ç,è,Ä,ç,Ü,·□B
- 4 Šù,ÉfRf“fsf...□[f^ ,©,ç□í□œ,³,è,½fvf□fOf%of€,â ,Ü,èŽg,í,È,çfvf□fOf%of€,ìfffBfçEfNfgfš,ð□í□œ,µ,Ü,·□B
- 5 [ftf@fCf<] f□fjf...□[ ,ì [fvfxfef€ fGfffBf^ ,ì□|—¹] ,ðfNfšfbfN,µ,Ü,·□B
- 6 [ ,í,ç ] ,ðfNfšfbfN,µ,Ä AUTOEXEC.BAT ftf@fCf<,ì•ì□X,ð•Ù’¶,µ,Ü,·□B
- 7 fRf“fsf...□[f^ ,ð□Ä<N“@,µ□Acc:Mail for Windows version 2.0 ,ðŽÀ□s,µ,Ü,·□B ,±,ìfo□[fWf#f“ ,ì Windows —p,ÉšJ” ,³,è,½ cc:Mail ,É,Ä,ç,Ä,í□Afvf□fOf%of€,É<L□Ú,³,è,Ä,ç,é□»•ifTfj □[fg’<œù,É-â,ç□# ,í,¹,Ä,,³/₄,³,ç□B•Ä□’ ,Ä,í□ALotus Development Corporation (+1 (800) 343-5414) ,É-â,ç□# ,í,¹,Ä,,³/₄,³,ç□B,Ü,½,í□ALotus ,ì Web fTfCfG <http://www.lotus.com> ,ðŽQ□Æ,µ,Ä,,³/₄,³,ç□B

**d-v**

Windows ,\fo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f",ì ClickBook ,í"®ì,μ,È,ç,±  
,Æ,ª, ,è,Û,·B,±,\fo[fWf#f",ðŽg,α,ÆAfrf"fsf...[f^,ª%ž"š,μ,È,,È,é,±,Æ,ª, ,è,Û,·B  
,±,\fvf[fOf%of€,lfAfbfvfOfCE[fh fo[fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,íAClickBook ,É<LÛ,ª,è,Ä,ç,é»•ifTf|  
[fg'<CEù,É-â,ç#í,¹,Ä,,¾,³,çB

**d-v**

Windows ,\fo[fWf#f“ fAfbfv,É,æ,é•iX,ì,½,ßA,±,\fo[fWf#f“,ì Lucid Corp. ,ì Lightning ,ÍŽÀs,Á,«,È,ç  
%oÂ“\«,ª, ,è,Û,:B

,±,\fvf[fOf%of€,)\Úx,É,Á,ç,Ä,ÍALightning ,É<LÚ,³,ê,Ä,ç,é»•ifTf[f'g'<Œû,É-â,ç#,í,¹,Ä,-  
,¾,¾,çB•Ä',Á,ÍALucid Corp. (+1 (800) 967-5550) ,É-â,ç#,í,¹,Ä,,¾,¾,çB,Û,½,ÍALucid ,ì Web fTfCfçg  
<http://www.lucidcorp.com> ,đŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Windows ,lfO[fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßAMicrosoft f}fEfX fhf%ofCfo fo[fWf#f" 9.01 ,lfCf"fXfg[f< fvf[fOf%of€,íA³,μ,"@ì,μ,È,ç,±,Æ,³, ,è,Ü,·B,±,ì-â'è,É'í^,·,é,É,íAIntelliPoint 1.10 ,lfhf %ofCfo,đfCf"fXfg[f<,μ,Ä,,³/4,³,çB

**d-v**

dBASE version 5.0 ,đ,±,łfo[fWfj", ì Windows ,ĂŽÀ□s,μ,½□ê□±,É<N,«,éŠm" F□İ,Ý,ì-â'è,Æ□A,» ,ì'í□^•û-@,đ^è—,ĂŽİ,μ,Û,·□B,±,ì□İ•ñ,ì□ABorland International ,©,ç'ñ<ÿ,³,ê,Û,μ,½□B

-â'è fvf□fOf%œ€,'²'·,çftf@fCf<-¼,łffBfçEfnfgfŠ,É, ,é□ê□±□ARUN() ,ĂŽÀ□s,Ă,«,Û,¹,ñ□B

'í□^ dBASE version 5.0 for Windows ,ì□AWindows 3.1 ,Ă" @□İ,·,é,æ,±,ÉŠJ" ,³,ê,Ă,ç,é,½,β□A,±,ì,æ,±,É-â'è,²<N,«,Û,·□B,½,¾,μ□A'·,çftf@fCf<-¼,łffBfçEfnfgfŠ,đ dBASE ,Ă" FŽ" ,³,ê,é 8 •¶ŽŠ,łffBfçEfnfgfŠ-¼,Æ,·,é,©□ARUN() ŠÖ□" ,đŽg,±'O,É'·,çftf@fCf<-¼,đŽ□,ĂffBfçEfnfgfŠ,đ" K□Ø,É-¼'O,É•İ,ì,ê,ì□A,±,ê,É'í□^,Ă,«,Û,·□BftfçfpfX,ì•K—v, ,è,Û,¹,ñ□B

-â'è ftfH□[f€ ,đ□Ă□-%œ» ,μ,½,è□A□Ă'â%œ» ,μ,½,è,·,é,Æ□Afcfxf"fg,²-³çø,É,È,Ă,Ă,μ,Û,ç ,Û,·□B,½,Æ,ì,ì□ASAMPLES fffBfçEfnfgfŠ,ì ANIMALS.WFM ,Ă<N,±,è,Û,·□B

'í□^ dBASE version 5.0 for Windows ,ì□AWindows 3.1 ,Ă" @□İ,·,é,æ,±,ÉŠJ" ,³,ê,Ă,ç,é,½,β□A,±,ì,æ,±,É-â'è,²<N,±,è,Û,·□B,±,ì-â'è,É,ì□A'í□^•û-@,²,É,ç,±,Æ,²Šm,©,β,ç,ê,Ă,ç,Û,·□B

-â'è fffofbfK,²" @□İ,μ,Û,¹,ñ□B

'í□^ fffofbfK,ì□ADEFAULT.CFG ftf@fCf<,²" K□Ø,ÉfZfbfgfAfbfv,³,ê,Ă,ç,é,ì□A□³,μ," @□İ,μ,Û,·□BdBASE version 5.0 for Windows ,ì□AWindows 3.1 ,Ă" @□İ,·,é,æ,±,ÉŠJ" ,³,ê,Ă,ç,é,½,β□A,±,ì,æ,±,É-â'è,²<N,±,è,Û,·□B,±,ì-â'è,²<N,«,½□ê□±,ì□ADEFAULT.CFG ftf@fCf<,đ□İ,éfvf□fOf%œ€ ,É,Ă,ç,Ă Borland International ,É-â,ç□±,ì,¹,é,©□A,±,łftf@fCf<,²,É,ç,ç Borland BBS ,ĂŠm,©,β,Ă,,¾,³,ç□B

-â'è Command Window ,ìŠù'èftfHf"fg,đ•İ,ì,é,Æ□AdBASE ,²•s^À'è,É,È,è□A" dBASE May Have Become Unstable" ,Æ,ç,±f□fbfZ□[fW,²•\Žİ,³,ê,Û,·□B

'í□^ Command Window ,łftfHf"fg,ì•ì□X,Ă,«,Û,·□B,½,¾,μ□ADBASEWIN.INI ftf@fCf<,ì [CommandWindow] fzfnfvfj" ,Ă•ì□X,·,é•K—v,², ,è,Û,·□B^È%œ°,ì□A13 flfCf"fg,ì Arial ftfHf"fg,đ [CommandWindow] fzfnfvfj" ,É'Ç%œÁ,μ,½—á,Ă,·□B

InputPaneFont = Arial, 13  
ResultsPaneFont = Arial, 13

dBASE version 5.0 for Windows ,ì□AWindows 3.1 ,Ă" @□İ,·,é,æ,±,ÉŠJ" ,³,ê,Ă,ç,Û,·□B

-â'è ŽQ□Æ,Ă□A%œæ-É,ì%œE'[ ,đf}fEfx,ì%œEf{f^f" ,ĂfnfŠfbfn,·,é,Æ□AdBASE ,²%œž"š,μ,È,,È,è,Û,·□B

'í□^ dBASE version 5.0 for Windows ,ì□AWindows 3.1 ,Ă" @□İ,·,é,æ,±,ÉŠJ" ,³,ê,Ă,ç,é,½,β□A,±,ì,æ,±,É-â'è,²<N,±,è,Û,·□B,±,ì-â'è,É,ì□Aç»□Ý,ì,Æ,±,é'í□^•û-@,²,É,ç,±,Æ,²Šm" F,³,ê,Ă,ç,Û,·□B


,±,łfo□[fWfj" ,ì Windows ,É'í%œž,μ,½ dBASE ,đ" ũŽè,·,é•û-@,É,Ă,ç,Ă,ì□ABorland International ,É-â,ç□±,ì,¹,Ă,,¾,³,ç□B•Ă□' Borland International ,Ö,łfAfnfzfx•û-@,ì□AŽÿ,ì,Æ,·,è,Ă,·□B

fAfnfzfx•û- @	"d~b"Ö□İ,Û,½,ìfRf}f "fh
"d~b	+1 (800) 331-0877 +1 (408) 431-1064
BBS	+1 (408) 431-5096
fejnfjffç ftf  □[fg	+1 (408) 461-9123
CompuServe	GO Borland
Web ftfCfg	<a href="http://www.borland.com/">http:// www.borland.com/</a>





**d-v**

,±,ìfo[]fWf#f“,ì Windows ,Á,íffBfXfvfCfC fhf%ofCfo,Šg'£,³,è,½,½,ß[]AffBfXfvfCfC,ì%øð'œ“x,ª 640  
~ 480 ^ÈŠO,ìé#[]A,±,ìfvf[]fOf%of€,í³,μ,“ © []i,μ,Û,¹,ñ[]B  
ffBfXfvfCfC,ì%øð'œ“x,ð•ì,ì,é•û-@,ð•\Ž!,·,é,É,í[]A,±,ìf{f^f“ ,ðfNfŠfbfN,μ,Ä,,¾,³,ç[]B

**d-v**

Perceive Personal OCR for Hand Scanners, Windows 3.1 —p,ÉŠ”-  
Windows ,Á,í³,μ,“©,μ,È,ç,±,Æ,³, ,è,Û,·B

MaxSoft-Ocron, Inc. (4110 Clipper Court, Fremont, CA 94538,  
USA “d~b +1 (800) 933-1399 Web fTfCfg <http://www.maxsoft-ocron.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•iX,ì,½,βADragon Systems Inc. ,l ExecuVoice ,l"®ì,μ,È,ç,±  
,Æ,³, ,è,Û,·BExecuVoice ,đŽg,æ,ÆA^ê"Ê•ÛCÈì^á"½,lfGf%o[l,³<N,«AWindows ,³%ž"š,μ,È,,È,é,±  
,Æ,à, ,è,Û,·B

,±,lfvf[fOf%of€,ìÚx,É,Â,ç,Ä,íA,±,lfvf[fOf%of€,É<LÚ,³,è,Ä,ç,é»•ifTf|f|fg'<CÈù,É-â,ç#,í,¹,Ä,-  
,¾,³,çB•Ä',Ä,íADragon Systems Inc. ("d~b +1 (800) 825-5897A+1 (617) 965-5200AWeb fTfCfg  
<http://www.naturalspeech.com>) ,É-â,ç#,í,¹,Ä,,¾,³,çB


**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•i[X,ì,½,ßAAAt Your Service ,í“ @i,μ,È,ç,±,Æ,ª, ,è,Ü,·□B,Ü,½□A,±  
,lfvf[fOf%of€É,æ,Á,Ä□AWindows ,ª³,μ,“ @i,μ,È,,È,é,±,Æ,à, ,è,Ü,·□B  
,±,ì,½,ß□A,±,lfvf[fOf%of€,ÍfCf“fXfg[f<,μ,È,ç,±,Æ,ð,„□\$,μ,Ü,·□BMicrosoft ,Å,Í□A,±,lfvf[fOf%of€  
,lfAfbvfOfCE[fh,ÉŠÖ,·,éi•ñ,ð“üŽè,Á,«,Ü,¹,ñ,Å,μ,½□B,±,ì,½,ß□A,±,lfvf[fOf%of€  
,ªfAfbvfOfCE[fh,ª,è,È,ç□é□#,í□A,±,lfo[fWf#f“,ì Windows —p,ÉŠJ” ,ª,è,½“—l,lfvf[fOf%of€,ð“üŽè,·,é,±  
,Æ,ð,„□\$,μ,Ü,·□B

**d—v**

GroupWise Coaches ,đŽg,æ,Æ[Af}fEfX f|fCf“f^,af[]fj...[] fo[][,É^Ú“® ,μ[Af}fEfX,lfNfŠfbfN,lfVf~f... fCE[]fVf#f“ ,aŽÀ[]s,³,ê,Ü,·[]BGroupWise version 4.1 ,đŽÀ[]s,·,é,Æ[]A,±,lf[]fWf#f“ ,ì Windows ,lf[]fj... [][,ĂŽg,í,ê,Ă,ç,éftfHf“fg,^È'O,lf[]fWf#f“ ,ì Windows ,Æ,í^Ú,È,é,½,ß[]A,±,ì“®[] ,a,æ,Ü, <@“\,μ,È,ç,± ,Æ,^ ,è,Ü,·[]B,Ü,½[]Af}fEfX,lfNfŠfbfN,lfVf~f... fCE[]fVf#f“ ,íACEè,Ă,½f[]fj...[][,Ă[]s,í,ê,é,½,ß[]ACoach ,^âŽ~ ,μ,Ü,·[]B,±,ì-â'è,É'í[]^ ,·,é,É,í[]AZÿ,ì,æ,æ,É,μ,Ă,,³/4,³,ç[]B


**f[]fj...[][,ĂŽg,æftfHf“fg,đ•İ,ì,é,É,í**

- 1 ,±,lf{f^f“  ,đfNfŠfbfN,μ[]A[%æ-È,lfvf[]fpefB] f\_fCfAf[]fo f{fbfNfX,đŠJ,«,Ü,·[]B
- 2 [fffUfCf“] f^fu,đfNfŠfbfN,μ,Ü,·[]B
- 3 [Žw'è,·,é“•^] ,ì^è—,Ă [f[]fj...[]] ,đfNfŠfbfN,μ,Ü,·[]B
- 4 [ftfHf“fg] ,ì^è—,Ă [System] ,đfNfŠfbfN,μ,Ü,·[]B
- 5 [OK] ,đfNfŠfbfN,μ,Ü,·[]B

**d—v**

Intel ,ì LANDesk version 2.0 ,É•t'® ,·,é Meterwin <@"\,ðŽg,æ,Æ[]AWindows ,ª%ž“š,µ,È,,È,é,± ,Æ,ª ,è,Û,·[]B,±,ì-â'è,É'í[]^ ,·,é,É,í[]AfRf“fsf...[]f^ ,ð<N“® ,·,é,½,Ñ,ÉŽÀ[]s,³,è,éfvf[]fOf%of€ ,ð[]í[]œ,·,é•K— v,ª ,è,Û,·[]B

**METERWIN.EXE ,ªŽ©“®“I,ÉŽÀ[]s,³,è,È,ç,æ,æ,É,·,é,É,Í**

- 1 ,±,ìf{f^f“  ,ðNfŠfbfN,µ[]AfVfXfef€ fGfffBf^ ,ð<N“® ,µ,Ä,,¾,³,ç[]B
- 2 [fEfBf“fhfE] f[]ff...[][,ì [WIN.INI] ,ðNfŠfbfN,µ,Û,·[]B
- 3 [Windows] fZfNfVfçf“ ,Éfj[][fç< ,ð^Ú“® ,µ,Û,·[]B
- 4 METERWIN.EXE ,Æ,ç,æftf@fCf<-¼,ª "Load=" ,Û,½,Í "Run=" ,ì,ç,,é,©,ì[]s,É<L[]q,³,è,Ä,ç,Û,·[]B,±,± ,Åftf@fCf<-¼,ð[]í[]œ,µ,Û,·[]B
- 5 [ftf@fCf<] f[]ff...[][,ì [fVfXfef€ fGfffBf^ ,ì[]|—¹] ,ðNfŠfbfN,µ,Û,·[]B
- 6 [,í,ç] ,ðNfŠfbfN,µ,Ä WIN.INI ftf@fCf<,ì•í[]X,ð•Û'¶,µ,Û,·[]B
- 7 frf“fsf...[]f^ ,ð[]Ä<N“® ,µ,Û,·[]B

**d—v**

Novell NetWare User Tools ,íAMicrosoft ,ì NetWare flfbfgf[]fN fNf%ofCfAf“fg,Á,íŽg—  
p,Á,«,Ü,<sup>1</sup>,ñBNovell NetWare User Tools ,Á,íANetWare fT[]fo[],ÉÚ±,·,é,<sup>1</sup>/<sub>2</sub>,ß,ÉA“Á’è,ìf\_CfAf[]fO  
f{fbfNfX,<sup>a</sup>Žg,í,è,Ä,ç,Ü,·BMicrosoft ,ì 32 frfbfg NetWare flfbfgf[]fN fNf%ofCfAf“fg,Á,íA,±  
,é,ç,ìf\_CfAf[]fO f{fbfNfX,đfTf[]fg,μ,Ä,ç,Ü,<sup>1</sup>,ñBNovell NetWare User Tools ,đEp’±,μ,ÄŽg,π•K—  
v,<sup>a</sup> ,éê±,íA,±,ìfo[]fWf±f“,ì Windows ,đfCf“fXfg[]f<,·,é‘O,ÉŽg,Á,Ä,ç,<sup>1</sup>/<sub>2</sub>flfbfgf[]fN fftfgfEfFfA,đŽg—  
p,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çBÚ×,É,Á,ç,Ä,íAflfbfgf[]fNŠÇ—ŽÒ,É-â,ç±,í,<sup>1</sup>,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

Windows ,lfo [fWf#f" fAfbfv,É,æ,é•iX,ì,½,ßA1995 "N,æ,è'O,É,ç,è,½fZfbfgfAfbfv fvf [fOf%of€  
,íA³,µ,"@,µ,É,ç,±,Æ,ª, ,è,Ü,·B,±,è,ç,lfZfbfgfAfbfv fvf [fOf%of€,Ä,íA [fCf" fvf [fOf%of€  
,ìftfHf<f\_,ÆfAfcRf",ª,ç,è,É,ç,±,Æ,ª, ,è,Ü,·B,±,ì-à'è,É'í^, ,é,É,íAŽŸ,ì,æ,æ,É,µ,Ä,,¾,¾,çB

**,±,ìfvf [fOf%of€,ìftfHf<f\_,ÆfAfcRf",ð,è,é,É,í**

1 ,±,ìŽè,ðf, ,é,©A,Ü,½,í^óü,µ,Ü,·B

2 fZfbfgfAfbfv fvf [fOf%of€,ð'±s,µ,Ü,·B

3 fZfbfgfAfbfv fvf [fOf%of€,ªŠ@-¹,µ,½,çAfcRf"fsf... [f^,ðÄ·N" @,µ,Ü,·B

4 [fXf^ [fg] f {f^f",ðNfŠfbfN,µA [ftf@fcf<-¼,ðŽw'è,µ,ÄŽÀs] ,ðNfŠfbfN,µ,Ü,·B

5 [-¼'O] f {fbfNfX,ÄAŽŸ,ì,æ,æ,É"ü-í,µ,Ü,·B

grpconv

6 [OK] ,ðNfŠfbfN,µ,Ü,·B

GrpConv fvf [fOf%of€,ªŠ@-¹,µ,½,çA [fXf^ [fg] f {f^f",ðNfŠfbfN,µA [fvf [fOf%of€] ,ðf [fcf"fg,µ,Ü,·B,ç  
,,Ä,©,ìf [fj... [í^è—,ª•\Ž!,ª,èA [æ'ó] - ,µ,½ "Pilgrim" ,Æ,ç,æf [fj... [à•\Ž!,ª,è,Ü,·B [Pilgrim] ,ðf  
fcf"fg,µA·N" @, ,éfvf [fOf%of€,ìfAfcRf",ðNfŠfbfN,µ,Ü,·B



**d-v**

,±,ìfo[fWf#f“,ì Microsoft Excel ,íA,±,ìfo[fWf#f“,ì Windows ,ÉŠ®‘S,É‘í%ž,μ,Ä,ç,Û,<sup>1</sup>,ñB[^óü] fRf}f“fh,“,æ,Ñ [^óüfvfÆfrf...[] fRf}f“fh,ðŽg,ϣ,ÆAExcel ,ì%ž“š,âŽ~,“,é,±,Æ,<sup>3</sup>, ,è,Û,·B

,±,ì-â‘è,ì‘^·û-@,É,Â,ç,Ä,íAExcel ,É<LÚ,<sup>3</sup>,è,Ä,ç,é»•ifTf[f’<Æû,É-â,ç#,í,<sup>1</sup>,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB•Ä‘,Á,íAMicrosoft (+1 (800) 426-9400) ,É-â,ç#,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,Û,<sup>1</sup>/<sub>2</sub>,íAMicrosoft ,ì Web fTfCf g <http://www.naturalspeech.com> ,ðŽQÆ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[][fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[][fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€ ,í[]A,±,ìfo[]fWf#f“ ,ì Windows ,Å,í[]³,μ,“ ©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€ ,ìÚ[]×,É,Å,ç,Ä,í[]Afvf[]fOf%of€ ,ìŠ]” Ç³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B



,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]×,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[][fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,³/₄,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B



,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[]fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[][fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

,±,ìfvf[]fOf%of€,í[]A,±,ìfo[][fWf#f“,ì Windows ,Å,í[]³,μ,“©[]ì,μ,È,ç,±,Æ,³, ,è,Ü,·[]B  
,±,ìfvf[]fOf%of€,ì[]Ú[]x,É,Å,ç,Ä,í[]Afvf[]fOf%of€,ìŠ]”CE³,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B

**d-v**

"LINKBUG sees unknown version" ,Æ,ç,xf[]fbfZ[]fW,ª•\Ž!,³,è,½[]ê[]#[]A Fortran 77  
,í^È'O,ìfo[]fWf#f",Ä, ,è[]AfAfbfvfOfCE[]fh,ª•K-v,Ä,·[]B

,±,ìfo[]fWf#f",ì Windows -p,ÉŠJ",³,è,½fo[]fWf#f",ì"üŽè•û-@,É,Â,ç,Ä,Í[]A Fortran 77 ,É<L[]Ú,³,è,Ä,ç  
,é[]»•ifTf|[]fg'<CEû,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B•Ä[]',Ä,í[]A Abssoft ("d~b +1 (248) 853-0050[]A Web fTfCfçg  
<http://www.absoft.com>) ,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B



**d-v**

LANDESK ,ì 2.0 ^è~ ,ìfo[fWf#f“ ,Á,íAUSERTSR.EXE ,Æ,ç,xf[f,fŠí“fvfOf%of€ (TSR) ,žg,í,è,Ü,·B,± ,ìfvfOf%of€,žg,æ,AMicrosoft IPX/SPX ĆÝŠ·fvf[fgrf< (NWLINK.VXD)A,Ü,½,í Microsoft flfbfgf[fN<α—Lft[fxfX (VSERVER.VXD) ,žg,Á,½,Æ,«,ÉA,±,ìfo[fWf#f“ ,ì Windows ,žž“š,μ,È,- ,È,é,±,Æ,ž ,è,Ü,·B

,±,ìfo[fWf#f“ ,ì Windows —p,ÉŠ” ,ž,è,½f[f,fŠí“fvfOf%of€ (TSR) ,íAIntel ,ì BBS ,Ü,½,í Intel »•ifTf| [fg,©,ç“üžè,Á,«,Ü,·BBBS ,” ,æ,Ñ»•ifTf|[fg‘<Ćú,É,Á,ç,Á,íALANDESK ,É•t’® , ,éhfLf... f“fg,žžQÆ,μ,Ä,,¾,¾,çB

**d-v**

,±,ìfvf□fOf%of€,í□A,±,ìfo□[fWf#f“,ì Windows ,Á,í□³,μ,“@□ì,μ,È,ç,±,Æ,³, ,è,Ü,·□B

,±,ìfo□[fWf#f“,ì Windows —p,ÉŠJ” ,³,è,½fo□[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,í□ATraveling Software, Inc. (+1 (800) 487-4320□A+1 (425) 483-8088) ,É-â,ç□#,í,¹,Ä,,³/₄,³,ç□B,Ü,½,í□ATraveling Software ,ì Web fTfCfçg <http://www.travelingsoftware.com> ,ðŽQ□Æ,μ,Ä,,³/₄,³,ç□B

**d-v**

,±,lfvf[]Of%of€,í[]Af^fXfN fo[][,a[]í,ÉŽè'O,É•\Ž!,³,é,é[]Ý'è,Ä,í[]A[]³,μ,“®[]ì,μ,È,ç,±,Æ,a, ,è,Ü,·[]Bf^fXfN fo[][,ð[]í,ÉŽè'O,É•\Ž!,³,é,é,æ,æ,É[]Ý'è,μ,Ä Family Tree Maker ,ð<N“®,μ,æ,æ,Æ,·,é,Æ[]A-â'è,a<N,«,Ü,·[]B,±,ì-â'è,a<N,«,½[]ê[]‡,í[]AŽŸ,ì,æ,æ,É,μ,Ü,·[]B

**f^fXfN fo[][,ì[]Ý'è,ð•ì,ì,é,É,í**

1 [fXf^[][fg] f{f^f“,ðfNfŠfbfN,μ[]A[[]Ý'è] ,ðf]fCf“fg,μ,Ü,·[]BŽŸ,É[]A[f^fXfN fo[][,Æ [fXf^[][fg] f[]fj...[]] ,ðfNfŠfbfN,μ,Ü,·[]B

2 [í,ÉŽè'O,É•\Ž!} f`fFfbfN f{fbfNfX,ðf]ft,É,μ,Ü,·[]B

,±,lfvf[]Of%of€,ì[]Ú[]×,É,Ä,ç,Ä,í[]Afvf[]Of%of€,ìŠ]”CE³,É-â,ç[]‡,í,¹,Ä,,³/4,³,ç[]B

**d-v**

ProShare »•i,ÉŠÖ,•éî•ñ,íAIntel (“d~b +1 (800) 538-3373A+1 (916) 377-7000AWeb fTfCf9  
[www.intel.com](http://www.intel.com)) ,É-â,çî‡,í<sup>1</sup>,Ä,<sup>3/4</sup>,<sup>3</sup>,çB

**d—v**

,±,lfzfbfgfAfbfv fvffOf%of€,Á,ÍAPIF ftj@fCf<,ªi,ç,ê,Û,·□B,±,lfj@fCf<,í□A,±,lfj@fCf<,"ì Windows ,ÁfvffOf%of€,ðŽÀ□s,·,é'O,Éííœ,·,é•K—v,ª, ,è,Û,·□B

**fZfbfgfAfbfv fvffOf%of€,ìŽÀ□s't,Éí,ç,ê,½ PIF ftj@fCf<,ðííœ,·,é,É,í**

- 1 [fXf^□[fg] f{f^f" ,ðNfŠfbfN,μ□A[Ĉÿö] ,ðj|fCf"fg,μ,Û,·□BŽÿ,É□A[ftj@fCf<,âftjHf<f\_] ,ðNfŠfbfN,μ,Û,·□B
- 2 [ŽQ□Æ] ,ðNfŠfbfN,μ□AfvffOf%of€,ðfCf"fxfg□[f<,μ,½ffBfXfN,ì□¶,lfvf%ofX<L□t (+) ,ðNfŠfbfN,μ,Û,·□B
- 3 fvffOf%of€,ª•Û'¶,ª,è,Ä,ç,éftjHf<f\_ ,ðNfŠfbfN,μ□A[OK] ,ðNfŠfbfN,μ,Û,·□B
- 4 [-¼'O] f{fbfNfX,ÁŽÿ,ì,æ,æ,É"ü—í,μ,Û,·□B  
\*.PIF
- 5 [ĈÿöšŽn] ,ðNfŠfbfN,μ,Û,·□B
- 6 Ĉÿö,ª,è,½ PIF ftj@fCf<,ðNfŠfbfN,μ□A~~Del~~ fL□[,ð%ÿ,μ,Û,·□B
- 7 fCf"fxfg□[f<,μ,½fvffOf%of€,ðŽÀ□s,μ,Û,·□B,±,lfj@fCf<,"ì Windows ,Á,Í□A□V,μ,ç Windows ŠÁ<<,ÁŽg —p,Á,<<,é PIF ftj@fCf<,ªŽ©"®"í,Éí,ç,ê,Û,·□B

**d-v**

,±,ìfofbfNfAfbfv ft[]fBfŠfB,íAWindows 3.1 ,Å"®ì,·,é,æ,æ,ÉŠ",³,ê,Ä,ç,Ü,·B,»,ê^È~),ìfo[]fWf#f",ì  
Windows ,Ä,í',çftf@fCf<-¼,²Žg—p,Ä,«,é,æ,æ,É,È,Á,½,½,ßA,±,ìfv[]fOf%of€,í³,µ,"®ì,µ,È,ç,±  
,Æ,², ,è,Ü,·B

,±,ìfo[]fWf#f",ì Windows —p,ìA,±,ìft[]fBfŠfB,ìÚ×,É,Ä,ç,Ä,íA\ftfgfEfffA,ìŠ)"CE³,É-â,ç±,í¹,Ä,-  
,¾,³,çB

**d-v**

,±,ìfo[fWf#f“,ì Central Point Backup ,íAWindows 3.1 ,Å“@ì,·,é,æ,x,ÉŠj” ,³,ê,Ä,ç,Ü,·BWindows  
 ,ìfo[fWf#f“ fAfbfv,É,æ,é•ìX,ì,½,ßA,±,ìfvf[fOf%of€,ì<@“\,ì^ê•” ,ì³,μ,“@ì,μ,Ü,¹,ñB

,±,ìfvf[fOf%of€,ìfAfbfvfOfCE[fh fo[fWf#f“,ì“üŽè•û-@,É,Â,ç,Ä,íAfvf[fOf%of€,É<LÚ,³,ê,Ä,ç,é»•ifTf|  
 [fg’<CEú,É-â,ç#í,¹,Ä,,¾,¾,çB•Ä’ ,Å,íASymantec Corporation (+1 (800) 441-7234) ,É-â,ç#í,¹,Ä,-  
 ,¾,¾,çB,Ü,½,íASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßANavigator version 2.0 ,Æ,±,lfo[fWf#f",ì Windows ,Æ,ìŠŒ,Å∅,è'Ö,|,ð,·,é,±,Æ,í,Å,«,Ü,<sup>1</sup>,ñB,±,ê,É'í^,·,é,É,íAPackard Bell ,lfeNfjffj< fTf|lfg,É~A—  
□,μAfpfbf` ,ð"üŽè,·,é•K—v,<sup>3</sup>, ,è,Ü,·B

fppbf` ,ð"üŽè,·,é•ú-@,É,Å,ç,Ä,íAPackard Bell (+1 (800) 598-3000A+1 (900) 555-3388) ,É-  
â,ç□#,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B,Ü,<sup>1</sup>/<sub>2</sub>,íAPackard Bell ,ì Web fTfCfg <http://www.packardbell.com> ,ðŽQ□Æ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B



**d—v**

Windows ,lfo[fWf#f“ fAfbfv,É,æ,é•i[X,ì,½,βAQuickBooks version 2.0 ,” ,æ,Ñ 3.0 ,íA<@“\ ,ì^è•” ,â³,μ,“@ì,μ,Û,¹,ñB

QuickBooks version 2.0 ,” ,æ,Ñ 3.0 ,Åflfbfgf[fN fvfŠf“f^ ,ðŽg,æê#AfvfŠf“f^ fl[fq,Éflfbfgf[fN fpfX,âŠÖ~A•t, ,ç,è,Ä,ç,é•K—v,â, ,è,Û,· (,±,è,ðfvfŠf“f^ fl[fq,ìŠ,,è“- ,Ä,Æ,ç,ç,Û,·)B

fvfŠf“f^ fl[fq,ìŠ,,è“- ,Ä,ÉŠÖ,·éà-¾,ð•Ž!,·,é,É,íA,±,lf{f^f“ ,ðfNfŠfbfN,μ,Ä,,¾,¾,çB ,±,lfo[fWf#f“,ì Windows ,Å QuickBooks version 2.0 ,ðŽÅ[s,·,é,É,íAZÿ,ì,æ,æ,É,μ,Ä,,¾,¾,çB

**,±,lfo[fWf#f“,ì Windows ,Å³,μ,“@ì,·,é,æ,æ,ÉAQuickBooks ,lfCf“f^[ftfFfCfXî•ñ,ð•ì,ì,é,É,í**

- 1 ,±,lf{f^f“ ,ðfNfŠfbfN,μAMake Compatible fvf[fOf%of€ ,ð<N“@ ,μ,Û,·B
  - 2 [File] fffj...[ ,ì [Choose Program] ,ðfNfŠfbfN,μ,Û,·B
  - 3 [ftf@fCf<,ìêš] ,Å [f}fC fRf“fsf...[f^] ,ðfNfŠfbfN,μ,Û,·B
  - 4 QuickBooks ,lfvf[fOf%of€ ,â•Û‘¶,¾,è,Ä,ç,éfhf%ofCfu ,ðf\_fuf<fNfŠfbfN,μ,Û,·BQuickBooks ,íÊiAfhf %ofCfu C ,É•Û‘¶,¾,è,Ä,ç,Û,·B
  - 5 QuickBooks ,lfvf[fOf%of€ ,â•Û‘¶,¾,è,Ä,ç,éftfHf<f\_ ,ð‘T,μA,» ,lftfHf<f\_ ,ðfNfŠfbfN,μ,Û,·B
  - 6 QBW ,Æ,ç,æftf@fCf<,ð‘T,μA,» ,è,ðfNfŠfbfN,μ,Û,·B
  - 7 [Make Compatible] ,íA[Win 3.1 Style Controls] f`fFfbfN f{fbfNfX,âfif“ ,É,È,Á,Ä,ç,é,± ,Æ,ðŠm,©,β,Û,·B
  - 8 [File] fffj...[ ,ì [Save As] ,ðfNfŠfbfN,μ,Û,·B
  - 9 [File] fffj...[ ,ì [Exit] ,ðfNfŠfbfN,μ,Û,·B
- ,±,lfvf[fOf%of€,lfAfbfvfOfC[fh fo[fWf#f“,ì“üŽè•û-@ ,É,Ä,ç,Ä,íA\ftfgfEjfFA,ìŠJ“CE³,É-â,ç±,ì,¹,Ä,- ,¾,¾,çB,Û,½,íAIntuit Inc. ,ì Web fTfCfg <http://www.intuit.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

**d-v**

Microsoft Fortran PowerStation for MS-DOS and Windows ,íAWindows 3.1

,ìŠÀ«», ÅŽg, Á, ½, Æ, «, ÉAÀ, àÆø%É“l, É“ @i, , é, æ, x, ÉY’è, ³, è, Ä, ç, Ü, ·B, ±, ì, ½, ßAMicrosoft Fortran PowerStation , ð, ±, ìfo[fWf#f“, ì Windows , ÅŽg, x, Æ-â’è, ²<N, «, Ü, ·B-â’è, ²<N, «, é, ì, íAfo%ftfBfbfN fvfOf%of€, ìRf“fpfCf<Æä, ÉA, » , ìfvfOf%of€, ðŽg, Á, ½, Æ, «, Ä, ·B, ±, ì, Æ, «A’Éí, ìfo%ftfBfbfNfXo— í, ì’ä, í, è, Éf%of“f^fCf€ fGf%o[ , ²o—í, ³, è, Ü, ·B

, ±, ì-â’è, Éí^ , , é, É, íAfpfbf` , ðŽg—p, µ, Ü, ·BCE»ÝA, ±, ìfvfOf%of€, ì version 1.0a , Ä, í, È, Aversion 1.0 , ðŽg, Á, Ä, ç, é, éê# , íAÀVfo[fWf#f“, ð“üŽè, , é•K—v, ², , è, Ü, ·BfvfOf%of€, ìfo[fWf#f“, ð’², x, é, É, íABIN ftfHf\_j\_ðŠJ, «ALINK.EXE , ðŽÀs, µ, Ü, ·BfvfOf%of€, ìfo[fWf#f“, ² 1.0a , ìê# , íA"Version 1.0F" , Æ, ç , x•¶Žš—ñ, ²•Ž|, ³, è, Ü, ·B

**Microsoft Fortran PowerStation ,É’í,·,éfpfbf` ,ð“üŽè,·,é,É,í**

1 [fXf^ [fg] f{f^f“ , ðfNfŠfbfN, µA[ftf@fCf<-¼, ðŽw’è, µ, ÅŽÀs] , ðfNfŠfbfN, µ, Ü, ·B

2 [-¼’O] f{fbfNfX, ÉŽŸ, ì, æ, x, É“ü—í, µ, Ü, ·B

ftp.microsoft.com

3 [Softlib] , ðfNfŠfbfN, µ, Ü, ·B

4 [MSLFILES] , ðfNfŠfbfN, µ, Ü, ·B


5 [FPSFIX95.EXE] , ðfNfŠfbfN, µA, ±, ìftf@fCf<, ðf\_fEf“f [fh, µ, Ü, ·B

Fortran PowerStation , ìTfj [fg fTfCf, ð—~—p, , éê# , íA<http://www.microsoft.com/FortranSupport/> , ÉÚ’±, µ, Ü, ·B

**d—v**

Windows ,lfo[fWf#f" fAfbfv,É,æ,é•i[X,ì,½,ßA,±,lfvf[fOf%of€,í³,µ,fCf"fXfg[f<,³,è,È,ç,± ,Æ,ª, ,è,Ü,·B,±,ì-à'è,É'í^ , ,é,É,íAWIN.INI ftf@fCf<,ÉfRf}f"fhs,ð'Ç%Á,µ,Ü,·B,±,è,É,æ,Á,ÄA,± ,lfo[fWf#f",ì Windows ,íAfZfbfgfAfbfv fvf[fOf%of€,É Windows ,lfo[fWf#f",ð 3.1 ,Æ•Ö, ,æ,ª ,É,È,è,Ü,·B

**fZfbfgfAfbfv fvf[fOf%of€,ðŽÀs,Á,« ,é,æ,ª,É, ,é,É,í**

- 1 ,±,ìŽè# ,ð^óü, ,é, ©Af[f, ,µ,Ä, ", «,Ü,·B
  - 2 ,±,lf{f^f"  ,ðNfŠfbfN,µAfVfXfef€ fGffBf^ ,ð<N"® ,µ,Ä, ,¾,¾,çB
  - 3 [fEfBf"fhfE] f[fj...[ ,ì [WIN.INI] ,ðNfŠfbfN,µ,Ü,·B
  - 4 [Compatibility] fZfNfVf#f" ,É^Ú"® ,µ,Ü,·B
  - 5 [Compatibility] fZfNfVf#f" ,ÉŽŸ,ìs,ð'Ç%Á,µ,Ü,·B
- DSHELL=0x00200000
- 6 [ftf@fCf<] f[fj...[ ,ì [fvfXfef€ fGffBf^ ,ì|—¹] ,ðNfŠfbfN,µ,Ü,·B
  - 7 [ ,í,ç] ,ðNfŠfbfN,µ,Ä WIN.INI ftf@fCf<,ì•i[X,ð•Ú'¶,µ,Ü,·B
  - 8 fRf"fsf...[f^ ,ðÄ<N"® ,µAfZfbfgfAfbfv fvf[fOf%of€,ðŽÀs,µ,Ü,·B
  - 9 Žè# 2 ,©,ç 7 ,ðŽÀs,µ,Ü,·B,¾,¾,µAŽè# 5 ,Á,íAWIN.INI ftf@fCf<,É'Ç%Á,µ,½s,ðíœ,µ,Ü,·B

**d-v**

Windows , Reflection X version 4.0 , 4.1 , s, , 3/4, B  
x, , , AWRQ , -â, , 1, , 3/4, B~A- -@, , , , , B

<b>A- -@</b>	<b>"d~b" t, , 1/2, ^</b>
"d~b	+31 (70) 375-11-00
FAX	+31 (70) 356-12-44
-X•Ö	WRQ Europe, Buitenhof 47, 2513 AH Den Haag, The Netherlands

•Ä', , ê, AWRQ fXf^f} fT[fX, -â, , i, 1, , 3/4, B~A- -@, , , , , B

<b>• -@</b>	<b>"d~b" t, , 1/2, ^</b>
"d~b	+1 (206) 217-7100
FAX	+1 (206) 217-0293
-X•Ö	WRQ, 1500 Dexter Avenue North, Seattle WA 98109- 3051

, , 1/2, AWRQ , Web fTfCf g <http://www.wrq.com> , ŽQ , , , 3/4, B


**d—v**


Windows ,lfo [fWf#f" fAfbfv,É,æ,é•i[X,ì,½,β AMicrosoft f}fEfX f}f [fWff,Ü,½,í IntelliPoint ,Åf{f^f"Ú" @ (SnapTo) <@"\,ðŽg,æ,Æ AfGf% [ ffbfZ [fW,ª•\Ž!,³,è,Ü,·B,±,ì-à'è,ð %øðÆ^,·,é,É,í APOINTER.EXE , ,æ,Ñ POINTER.DLL ,Æ,ç,æftf@fCf<,ðfAfbfvfOfÆ [fh,·,é•K—v,ª, ,è,Ü,·B

**POINTER.EXE ftf@fCf<, ,æ,Ñ POINTER.DLL ftf@fCf<,ðfAfbfvfOfÆ [fh,·,é,É,í**

- 1 [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,μA [Y'è] ,ðfJfCf"fg,μ,Ü,·B ŽŸ,É AfRf"fgf [f< fpjlf<] ,ðfNfŠfbfN,μA [f}fEfX] fAfCfRf" ,ðf\_fuf<fNfŠfbfN,μ,Ü,·B
- 2 [‘S”É] f^fu,ðfNfŠfbfN,μA [•i[X] ,ðfNfŠfbfN,μ,Ü,·B  
Šù,É Microsoft f}fEfX,ª! ,î,è,Ä,ç,é ê [A È%º,ìžè [ž,ðžÀ [s,·,é•K—v,í, ,è,Ü,¹,ñ B
- 3 [·,·,×,Ä,ìfffOfCfX,ð•\Ž! ] ,ðfNfŠfbfN,μ,Ü,·B
- 4 [ [»‘çÆ³] f{fbfNfX,Å [Microsoft] ,ðfNfŠfbfN,μ,Ü,·B
- 5 [f,fff<] f{fbfNfX,Å AŽg,Å,Ä,ç,é f}fEfX,ìží—p,ðfNfŠfbfN,μA [OK] ,ðfNfŠfbfN,μ,Ü,·B  
,±,è,Å APOINTER.EXE , ,æ,Ñ POINTER.DLL ,l fAfbfvfOfÆ [fh f [fWf#f" ,ª AWindows ,l fZfbfgfAfbfv fffBfXfN,Ü,½,í CD-ROM , ©,çRfs [ ,³,è,Ü,·B

**'**

 AUTOEXEC.BAT ftf@fCf<,Å A—³Æø,È Mouse ,Ü,½,í Msinput ftfHf<f\_ ,ªžw'è,³,è,Ä,ç ,é ê [ ,í Aftf@fCf< fRfs [ fGf% [ ,ª<N,« ,é,±,Æ,ª, ,è,Ü,·BAUTOEXEC.BAT ftf@fCf<,É "SET MOUSE=C:\MOUSE" ,Ü,½,í "SET MSINPUT=C:\MSINPUT." ,Æ,ç,æ [s,ª,È,ç,±,Æ,ðŠm, ©,β,Ä, ,¾,¾,ç [BfGf % [ ,ª<N,« ,½ ê [ ,í A,±,ìžè [ ,ðf [ ,·,é, © A,Ü,½,í ° [ü,μ,Ä, ,¾,¾,ç [B,Ü, , AAUTOEXEC.BAT ftf@fCf<,ì "SET MOUSE" ,Ü,½,í "SET MSINPUT" ,Æ<L [q,³,è,Ä,ç,é [s,ð [C [ ,μ AWindows ,ð [Ä<N" @ ,μ,Ü,·B,» ,ìÆã A [ä,ìžè [ ,É [ ,Ä,ÄžÀ [s,μ,Ü,·B

 Šù,É Microsoft f}fEfX,ª! ,î,è,Ä,ç,à Af}fEfX f}f [fWff,Ü,½,í IntelliPoint ,ì<@"\,ðŽg,æ,ÆGf % [ ffbfZ [fW,ª•\Ž!,³,è,é ê [ ,í A V,μ,çftf@fCf<,ªfn [fh fffBfXfN,ì "K [ø,È ê [Š,ÉfRfs [ ,³,è,Ä,ç,Ü,¹,ñ B,± ,é,É'í ^ ,·,é,É,í AŽŸ,ì,æ,æ,É,μ,Ü,·B

**È'O,ìftf@fCf<,ð V,μ,çftf@fCf<,É'u,«Š·,ì,é,É,í**

- 1 [fXf^ [fg] f{f^f" ,ðfNfŠfbfN,μA [ÆŸ [ø] ,ðfJfCf"fg,μ,Ü,·B ŽŸ,É [ftf@fCf<,âftfHf<f\_] ,ðfNfŠfbfN,μ,Ü,·B
- 2 [-¼'O] f{fbfNfX,ÉŽŸ,ì,æ,æ,É"ü—í,μ,Ü,·B  
POINTER.\*
- 3 [ÆŸ [ðŠ]Žn] ,ðfNfŠfbfN,μ,Ü,·B  
POINTER.EXE ftf@fCf<, ,æ,Ñ POINTER.DLL ftf@fCf<,ª 2  
'gÆŸ [ø,³,è,Ü,·B È'O,ìfo [fWf#f" ,ìftf@fCf<,í A' È [í A"C:\MOUSE" A"C:\MSINPUT" A,Ü,½,í "C:\MSMOUSE" ,Æ,ç,æftfHf<f\_ ,É, ,è,Ü,·B
- 4 POINTER.EXE ftf@fCf<, ,æ,Ñ POINTER.DLL ftf@fCf<,ð AWindows  
,ðfCf" fXfg [f<,μ,½ftfHf<f\_ ,©,ç A È'O,ìfo [fWf#f" ,ª ,éftfHf<f\_ ,ÉfRfs [ ,μ,Ü,·B,± ,è,Ä A A È'O,ìftf@fCf<,ª V,μ,çftf@fCf<,É'u,«Š·,ì,ç,è,Ü,·B

**d-v**

QualiType FontHandler version 1.0 ,íAWindows 3.1 ,Á“@i,·,é,æ,æ,ÉŠJ” ,³,ê,Ä,ç  
,é,½,ßA,» ,ê^È~ ,lfo[fWf#f” ,ì Windows ,Á,íATrueType  
ftfHf“fg ,lfcf“fXfg[f<AFAf“fCf“fXfg[f<A, ,æ,ÑfOf<[fv%» ,ÉŠÖ ,·,é<@“\,ª³,µ,“@i,µ,È,ç,±,Æ,ª, ,è,Ü,·  
B,½,¾,µAFontHandler ,lfcf“fXfg[f<ï,ÿ,lftfHf“fg,ð•Žl,·,é<@“\Aftf“fvf<fv[f,ì^óü<@“\AAAdobe  
Type Manager ftfHf“fg ,lfcf“fXfg[f<AFAf“fCf“fXfg[f<A, ,æ,ÑfOf<[fv%» ,ÉŠÖ ,·,é<@“\,íA,±  
,lfo[fWf#f” ,ì Windows ,Á,à³,µ,“@i,µ,Ü,·B

V,µ,ç FontHandler ,ìÚ×,É,Ä,ç,Ä,íAQualiType FontHandler ,É<LÚ,³,ê,Ä,ç,é>•iftf|f’<Éù,É-  
â,ç# ,í,¹,Ä,,¾,³,çB

•Ä’ ,Á,íAQualiType ,É-â,ç# ,í,¹,Ä,,¾,³,çBfAfbfvfOfCE[fh fo[fWf#f” ,ð’•¶,·,éê# ,íA+1 (800) 950-  
2921 ,É-â,ç# ,í,¹,Ä,,¾,³,çB^ê“É“l,Èi•ñ,É,Ä,ç,Ä,íAQualiType (+1 (313) 822-2921) ,É“d~b,Ä-  
â,ç# ,í,¹,é,©A,Ü,½,í 74777.3435@compuserve.com ,É“dŽqf[f<Ä-â,ç# ,í,¹,Ä,-  
,¾,³,çB,Ü,½,íAQualiType ,ìWeb fTfCf <http://www.qualitytype.com> ,ðŽQÆ,µ,Ä,,¾,³,çB

**d—v**

Microsoft Sound System version 2.0 ,lfZfbfgfAfbfv fvffOf%of€ ,đŽÀs , ,é,ÆAfn[fh  
ffBfXfN,É ,éftf@fCf<,đă ,« , ,é,©,Ç,æ,©,đŠm" F , ,éfbfZ[fW,â•\Ž!,<sup>3</sup>é,Û,·B,±,ìè,íA•K, , [ ,ç,ç,!] ,đNfŠfbfN,μAŠù'¶,lftf@fCf<,đă ,« ,μ,È,ç,æ,æ,É,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>çB[ ,í,ç ] ,đNfŠfbfN, ,é,ÆAfrf"fsf... [f^,<sup>3</sup>  
%ž"š,μ,È,,È,èAWindows ,đĂfCf"fxfg[f<,μ,È, ,è,Î,È,ç,È,,È,è,Û,·B

**d—v**

,±,ìfo[]fWf#f",ì Windows ,Á,í[]ACirrus Logic WinMode ft[]fBfSfB,ðŽg,Á,Ä%æ-Ê,ìY'è,ð•ì,ì,È,ç,Á,-  
 ,¾,¾,ç[]B%æ-Ê%ð'œ"x[]A•Ž![]F,È,Ç,ìY'è,ð'[]@,·,é,É,í[]A[fXf^[]fg] f{f^f",ðfNfSfbfN,μ,Ä []Y'è] ,ðf]  
 fCf"fg,μ[]A[fRf"fgf[]f< fpf]f<] ,ðfNfSfbfN,μ,Ü,·[]BŽY,É[]A[%æ-Ê] ,ðfNfSfbfN,μ,Ü,·[]B  
 •Ž![]F,Æ%ð'œ"x,ðY'è,·,é,É,í[]A,±,ìf{f^f"  
 ,ðfNfSfbfN,μ,Ä,,¾,¾,ç[]B  
 %æ-Ê,ì%ð'œ"x,ð•ì[]X,·,é,É,í[]A,±,ìf{f^f"  
 ,ðfNfSfbfN,μ,Ä,,¾,¾,ç[]B  
 'à,«,çftfHf"fg,Ü,½,í[]-,¾,çftfHf"fg,É[]Ø,è'Ö,ì,é,É,í[]A,±,ìf{f^f"  
 ,ðfNfSfbfN,μ,Ä,,¾,¾,ç[]B  
 ŽÀ[]Ü,ì'â,«,¾,ÆffBfXfvfçfC,Á,ì•Ž! ,ð[]#,í,¹,é,É,í[]A,±,ìf{f^f"  
 ,ðfNfSfbfN,μ,Ä,,¾,¾,ç[]BffBfXfvfçfC,ìfŠftfçfbfVf... fç[]fg,í[]AMS-DOS fx[]fX,ì Clmode  
 ft[]fBfSfB,Á,à•ì[]X,Á,«,Ü,·[]BŽY,ì,æ,æ,É,ü-í,μ,Ü,·[]B

**ffBfXfvfçfC,ìfŠftfçfbfVf... fç[]fg,ð•ì,ì,é,É,í**

- 1 ,±,ìŽè[]#,ðf[]f,,·,é,ç[]A,Ü,½,í^ó[]ü,μ,Ü,·[]B
  - 2 [fXf^[]fg] f{f^f",ðfNfSfbfN,μ[]A[Windows ,ì[]-¹] ,ðfNfSfbfN,μ,Ü,·[]B
  - 3 [fRf"fsf...[]f^,ð[]Ä<N" @,·,é] ,ðfNfSfbfN,μ[]A[.í,ç] ,ðfNfSfbfN,μ,Ü,·[]B
  - 4 "Starting Windows ..." ,Æ,ç,çf[]fbfZ[]fW,ª•Ž! ,¾,¾,ç[]A**F8** fL[][,ð%ÿ,μ,Ä-f,μ,Ü,·[]B
  - 5 fRf}f"fh fvf[]f"fvfg,¾,¾,Ä Windows ,ð<N" @,·,é,½,ß,É **6** fL[][,ð%ÿ,μ[]A**Enter** fL[][,ð%ÿ,μ,Ü,·[]B
  - 6 fRf}f"fh fvf[]f"fvfg,ÅŽY,ì,æ,æ,É"ü-í,μ,Ü,·[]B  
 c:\windows\vgautil\clmode
  - 7 Clmode fvf[]fOf%œ,ÅfŠftfçfbfVf... fç[]fg,ð•ì,ì,Ü,·[]B
  - 8 Clmode fvf[]fOf%œ,ð[]-¹,μ[]A[fRf"fsf...[]f^,ð[]Ä<N" @,μ,Ü,·[]B
- ,±,ìfo[]fWf#f",ì Windows ,ÅŽg-p,Á,«,é WinMode fvf[]fOf%œ,ìfAfbfVfOfç[]f[] fo[]fWf#f",É,Ä,ç  
 ,Ä,í[]Afn[]f[]hfE[]f[]A,ìŠ] "ç³,É-à,ç[]#,í,¹,Ä,,¾,¾,ç[]B



**d-v**

Uninstaller 2 ,íA^È'O,ìfo[fWf#f",ì Windows —p,ÉŠJ",<sup>3</sup>,è,Ä,ç,Ü,·B,±,ì,½,ßA,±,ìfo[fWf#f",ì Windows ,Ä,íA<@"\,ì^è•",<sup>3</sup>µ,"@ì,µ,È,ç,±,Æ,<sup>3</sup>,è,Ü,·B,±,ìfo[fWf#f",ì Windows —p,ÉŠJ",<sup>3</sup>,è,½ Uninstaller ,ìÄVfo[fWf#f",ÉfAfbfvfOfCE[fh,·é,±,Æ,ð,µ,Ü,·B

Úx,Èî•ñA,"æ,ÑfTf[fjg,âfpjbf`<sup>3</sup>•K—v,Èê#íACyberMedia ,ì Web fTfCfjg <http://www.cybermedia.com> ,ðŽQÆ,µ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

Norton fCEfXfLf... [ fffBfXfN, íAFAT32 ('å—e—ÊfffBfXfN) ,É'í%ž,µ,Ä,ç,È,ç,½,ßA,±,ìfo [fWf+f", ì  
Windows ,Å³,µ,"® ì,µ,È,ç,±,Æ,ª, ,è,Û,·BfZfbfgfAfbfv fvf [Of%of€ ,ðŽÀs,·,é,Æ AfCEfXfLf...  
[ fffBfXfN,ð ì,·,·,é,©,Ç,κ,©,ðŠm" F,·,·,é f [fbfZ [fW,ª•\Ž!,³,è,Û,·B,±,ì ê [A,ç,ç,ì] ,ðfNfŠfbfN,µ,Ä,-  
,¾,³,çB

FAT32 ('å—e—ÊfffBfXfN) ,ÅŽg—p,Ä,«,é Å Vfo [fWf+f", ìfvf [Of%of€ ,ð"üŽè,·,é•û-@,É,Ä,ç  
,Ä,ì ASymantec »•i,É<LÚ,³,è,Ä,ç,é »•ifTf [fg' <CEû,É-â,ç [í,¹,Ä,,¾,³,çB •Ä',Ä,ì ASymantec  
Corporation ("d"b +1 (800) 441-7234 AWeb fTfCf g <http://www.symantec.com>) ,É-â,ç [í,¹,Ä,,¾,³,çB

**d-v**

,±,ìfo[fWf#f“,ì Norton Utilities ,íAFAT32 (‘å—e—ÊfffBfXfN) ,É‘í%ž,µ,Ä,ç,È,ç,½,ßA,±,ìfo[fWf#f“,ì  
Windows ,Ä³,µ,“®ì,µ,Û,¹,ñBNorton Utilities ,ðfCf“fXfg[f<,·,éê±,íAfZfbfgfAfbfv fvfOf%of€  
,ðŽÀs,·,é,ÆAfCEfXfLf...[ fffBfXfN,ðì—,·,é,©,Ç,æ,©,ðSm”F,·,éfbfZ[fW,³•\Ž!,³,è,Û,·B,±  
,ìê±A[,ç,ç,] ,ðfNfŠfbfN,µ,Ä,,¾,¾,çB,Û,½AfN[fh fffBfXfN,É 2GB ^Êã,ìó,«—  
ì^æ,³, ,éê±,íANorton ,²,Ý” ,ðfCf“fXfg[f<,µ,È,ç,Ä,,¾,¾,çB

FAT32 (‘å—e—ÊfffBfXfN) ,ÄŽg—p,Ä,«,éÄVfo[fWf#f“,ìfvfOf%of€,ð“üžè,·,é•û-@,É,Ä,ç  
,Ä,íASymantec »•i,É<LÚ,³,è,Ä,ç,é»•ifTf|f[fg‘<CEû,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä’,Ä,íASymantec  
Corporation (“d~b +1 (800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç±,í,¹,Ä,,¾,¾,çB

**d-v**

Norton fCEfXfLf... [ fffBfXfN, íAFAT32 ('å—e—ÊfffBfXfN) ,É'í%ž,µ,Ä,ç,È,ç,½,ßA,±,Ïfo [fWf+f", Ì  
Windows ,Ä³,µ,"® ì,µ,Û,¹,ñB

FAT32 ('å—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éÅVfo [fWf+f", Ìvfj [fOf%of€, ð"üŽè, ,é•û-@,É,Ä,ç  
,Ä,íASymantec »•i,É<LÚ,³,ê,Ä,ç,é»•ifTf [f'<CEû,É-â,ç,í,¹,Ä,,¾,³,çB•Ä',Ä,íASymantec  
Corporation ("d~b +1 (800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

**d-v**

fAf“fCfCE[fX fEfBfU[fh,íAFAT32 (‘â—e—ÊfffBfXfN) ,É‘î%ž,μ,Ä,ç,È,ç,½,ßA,±,ìfo[fWf+f“,ì Windows ,Ä³,μ,“@ì,μ,Û,¹,ñB

FAT32 (‘â—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éÅVfo[fWf+f“,ìfvf[fOf%of€,đ“üŽè,·,é•û-@,É,Å,ç ,Ä,íASymantec »•i,É<LÚ,³,ê,Ä,ç,é»•ifTf|f'<CEû,É-â,ç,í,¹,Ä,,¾,³,çB•Ä',Ä,íASymantec Corporation (“d~b +1 (800) 441-7234AWeb fTfCfG <http://www.symantec.com>) ,É-â,ç,í,¹,Ä,,¾,³,çB

**d-v**

Norton ftf@fCf< f}fI[fWff,íAFAT32 ('å—e—ÊfffBfXfN) ,É'î%ž,µ,Ä,ç,È,ç,½,ßA[CE³,É-ß,·] fRf}f“fh,³,µ,“®i,µ,Ü,¹,ñB,Ü,½A[íœftf@fCf<] f^fu,É,íAFAT32 fhf%ofCfu,ìftf@fCf<,í\ Ž,³,é,Ü,¹,ñB

FAT32 ('å—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éÅVfo[fWf#f“,ìvfjOf%of€,đ“üŽè,·,é•û-@,É,Ä,ç ,Ä,íASymantec »•i,É<LÚ,³,é,Ä,ç,é»•ifTf|f'<CEù,É-â,ç#í,¹,Ä,,¾,³,çB•Ä',Ä,íASymantec Corporation (“d~b +1 (800) 441-7234AWeb fTfCfG <http://www.symantec.com>) ,É-â,ç#í,¹,Ä,,¾,³,çB

**d-v**

,±,ìfo[fWf#f“,ìfXfs[fh fffBfXfN,Á,íAFAT32 (‘å—e—ÊfffBfXfN) ,ìfhf%ofCfu,ðÅ“K%»,·,é,±  
,Æ,í,Ä,«,Ü,<sup>1</sup>,ñB,Ü,<sup>1</sup>/<sub>2</sub>A,±,ìfo[fWf#f“,ì Windows ,ÄAfXfs[fh fffBfXfN,ÄfXf#fbfv ftj@fCf<,ðÅ“K  
%»,·,é,±,Æ,í,Ä,«,Ü,<sup>1</sup>,ñB

,±,ìfo[fWf#f“,ì Windows ,ÄŽg—p,Ä,«,éÅV,ìfvf[fOf%of€„ð“üŽè,·,é•ù-@,É,Ä,ç,Ä,íASymantec  
»•i,É<LÜ,<sup>3</sup>,é,Ä,ç,é»•ifTf|f[f’<CEù,É-â,ç#,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB•Ä’,Ä,íASymantec Corporation (“d”b +1  
(800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç#,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

Norton fffBfXfN fhfNf^ [ , í A, ±, lfo [fWf#f“ , ì Windows , Á, í ³, μ, “ @ [ , μ, Ü, ¹, ñ B Windows , lfo [fWf#f“  
fAfbfv, É, æ, é • ì X, ì, ½, ß Afn [fh fffBfXfN, ì f'f, Á • s ³, ÉfGf% [ , ð • \Ž, ³, è, é, ±, Æ, ð, , è, Ü, : B, Ü, ½ ANorton  
fffBfXfN fhfNf^ [ , Á, í FAT32 ( ' â — e — Ê fffBfXfN ) , lfhf% ofCfu, ð f'f, : , é, ±, Æ, ð, Á, «, Ü, ¹, ñ B  
, ±, lfo [fWf#f“ , ì Windows , Á Žg — p, Á, «, é A V, lfvf [fOf% of€ , ð “ ü Ž è , : , é • ù — @ , É, Á, ç, Ä, í ASymantec  
[ » • i, É < L Ü, ³, è, Ä, ç, é [ » • ifTfj [ [ fg ' < Æ ù, É — â, ç [ #, í, ¹, Ä, , ¾, ³, ç B • Ä [ , Á, í ASymantec Corporation ( “ d ~ b + 1  
(800) 441-7234 A Web fTfCfg <http://www.symantec.com> ) , É — â, ç [ #, í, ¹, Ä, , ¾, ³, ç B



**d-v**

,±,ìfo[]fWf#f",ì Norton Utilities ,íAFAT32 ('å—e—ÊfffBfXfN) ,É'í%ž,µ,Ä,ç,È,ç,½,ßA,±,ìfo[]fWf#f",ì Windows ,Ä,íŽÝ,ì<@"\,²µ,"@ì,µ,Û,¹,ñBfCf[]fW,Ä,íAFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,É,Ä,ç ,Ä,ìfCf[]fWî•ñ,ðì¬,Ä,«,Û,¹,ñBFAT32 ('å—e—ÊfffBfXfN) ,ìfhf %ofCfu,ìfCf[]fWî•ñ,²Ž©"@"ì,Éì¬,³,è,È,ç,æ,æ,ÉANorton fVfXfef€ fhfNf^[] ,ìÛ'è,ð•ìX,µ,Ä,- ,¾,¾,çB

Norton fffBfXfN fhfNf^[] ,Ä,íAFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,ðf'f,·,é,± ,Æ,²,Ä,«,Û,¹,ñB,Û,½Afn[]fh fffBfXfN,ìf'f,ÄA•s³,ÉfGf%[] ,²•\Žì,³,è,é,±,Æ,², ,è,Û,·B fXfs[]fh fffBfXfN,Ä,íAFAT32 ('å—e—ÊfffBfXfN) ,ìfhf%ofCfu,ðÄ"K%»,·,é,±,Æ,²,Ä,«,Û,¹,ñB fCf[]fWî•ñAfffBfXfN,ì@#[]A, ",æ,Ñff[]f^ ,ì~A'±[] ,ìZf"fT,ðŽg,í,È,ç,æ,æ,É,·,é,É,íAf}fEfX,ì %Ej{f^f",Ä,»,è,¾,è,ìZf"fT,ðfNfŠfbfN,µA[[]íœ] ,ðfNfŠfbfN,µ,Û,·B

Norton fvf[]fefNfVf#f",íAfn[]fh fffBfXfN,É 2GB ^Èä,ìó,«—e—Ê,², ,éèè±,íA—LCEø,É,µ,È,ç,Ä,- ,¾,¾,çBWindows •W€,ì,²,Ý" ,ðŽg—p,µ,Ä,,¾,¾,çB

FAT32 ('å—e—ÊfffBfXfN) ,ÄŽg—p,Ä,«,éÄVfo[]fWf#f",ìvf[]fOf%of€,ð"üŽè,·,é•û-@,É,Ä,ç ,Ä,íASymantec []»•i,É<LÛ,³,è,Ä,ç,é»•ifTf[]fg'<CEù,É-â,ç±,í,¹,Ä,,¾,¾,çB•Ä",Ä,íASymantec Corporation ("d"b +1 (800) 441-7234AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç±,í,¹,Ä,,¾,¾,çB

**d-v**

,±,ìfo[fWf#f“,ì F-PROT Professional ,Å,íAFAT32 (‘å—e—ÉfffBfXfN) ,ìfn[fh fffBfXfN,ìfu[fhg fZfNf^,ð’-  
□,·,é,±,Æ,ª,Ä,«,Ü,¹,ñB,Ü,½AFAT32 fhf%ofCfu,Ä,íA’-□,·,ìi□s□ó<μ,ðŽ!,·•\Ž!,ªŽA□Ü,æ,è,à□,Š@—  
¹,ðŽ!,μ,Ä,μ,Ü,κ,±,Æ,ª,è,Ü,·□BFAT32 fhf%ofCfu,ìfu[fhg fZfNf^,ÄfEfCf,fX,ð’-□,·,μ,æ,κ  
,Æ,·,é,Æ□ACEx□□f□fbfZ□[fW,ª•\Ž!,³,è,Ü,·,ªA[OK] ,ðfNfŠfbfN,·,é,Æ□A’-  
□,ª□³□í,É’±□s,³,è,Ü,·□BCEx□□f□fbfZ□[fW,ìf\_fCfAf□fO f{fbfNfX,ð•\Ž!,μ,È,ç,æ,κ,É,·,é,É,í□Afu□[fg  
fZfNf^,ð’-□,·,μ,È,ç,æ,κ,ÉÝ’è,ð•ìX,μ,Ü,·□Bfu□[fg fZfNf^,ð’-□,·,μ,È,ç,æ,κ,É,·,é,É,í□A[Scan Hard Drives  
task] ,ðfNfŠfbfN,μ□A[Task] f□fj...□[,ì [Properties] ,ðfNfŠfbfN,μ,Ü,·□BŽÿ,É [Boot Sectors] f`fFfbfN  
f{fbfNfX,ðfift,É,μ,Ü,·□B

□Ú□x,É,Ä,ç,Ä,í□ACommand Software Systems ,É-â,ç□‡,í,¹,Ä,,³/4,³,ç□B~A—□•û-@,íŽÿ,ì,Æ,¨,è,Å,·□B

**~A—□•û-  
@**                      **“d~b”Ô†□A^†□æ□A,¨,æ,ÑfAfhf  
ÇfX**

—X•Ö                      1061 E. Indiantown Road, Suite  
500, Jupiter, FL 33477

“d~b                      +1 (800) 423-9147 (“ì”„)  
+1 (561) 575-3200 (□»•ifTf|□[fg)

Web fTfCfg                      <http://www.commandcom.com>

**d-v**

,±,ìfo[]fWf#f“,ì Duncce ,íA,±,ìfo[]fWf#f“,ì Windows ,Á,í³,µ,“®ì,µ,È,ç,±,Æ,ª, ,è,Ü,·B  
,±,ìfvf[]fOf%of€,ìfAfbfvfOfCE[]fh fo[]fWf#f“,ð“üŽè,·,é•û-@,É,Â,ç,Ä,íAVector Development ,É-  
â,ç[]#,í,¹,Ä,,¾,³,çB~A—•û-@,íŽŸ,ì,Æ,“,è,Á,·B

<b>~A—•û- @</b>	<b>“d~b”Ô†A^†æA,“,æ,ÑfAfhf ÆfX</b>
---------------------	--

---

“d~b	(913) 539-6106
—X•Ö	Vector Development P.O. Box 831 Manhattan, KS 66505-0831
“dŽqf[]f<	vecdev@cjnetworks.com
Web fTfCfg	<a href="http://www.vecdev.com">http://www.vecdev.com</a>

**d-v**

,±,ìfo[fWf#f“,ì Partition Magic ,íAFAT32 (‘å—e—ÊffBfXfN) ,É’í%ž,μ,Ä,ç,È,ç,½,ßA³,μ,“®ì,μ,È,ç,± ,Æ,ª, ,è,Û,·B

FAT32 fhf%ofCfu,ÅŽg—p,Å,«,éfAfbvfOfCE[fh fo[fWf#f“,ìfvfOf%of€,ð“üŽè,·,é•û-@,É,Ä,ç ,Ä,íAPowerQuest ,ì Web fTfCfg <http://www.powerquest.com> ,ÉÚ’±,μ,Äà-¾,ðŽQÆ,μ,Ä,,¾,¾,çB

□**d—v**

,±,lfvf□fOf%of€ ,í FAT32 (‘â—e—ÊfffBfXfN) ,É‘í%ž,μ,Ä,ç,È,ç,½,β□A□³,μ,“@□ì,μ,È,ç,±,Æ,<sup>a</sup>, ,è,Ü,·□B  
FAT32 fhf%ofCfu,ÁŽg—p,Á,«,« ,éfAfbvfOfCE□[fh fo□[fWf#f“ ,lfvf□fOf%of€ ,đ“üŽè,·,é•û-@,É,Â,ç,Ä,Í□AHelix  
Software Company (“d~b +1 (800) 451-0551□A+1 (408) 988-3832□AWeb fTfCfjg  
<http://www.helixsoftware.com>) ,É-â,ç□#,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

**d-v**

,±,ìfo[]fWf#f“,ì d-Time ,íAFAT32 (‘å—e—ÊfffBfXfN) ,É‘í%ž,μ,Ä,ç,È,ç,½,ßA³,μ,“@[]i,μ,È,ç,± ,Æ,ª, ,è,Û,·B

FAT32 (‘å—e—ÊfffBfXfN) ,ÅŽg—p,Å,«,éfAfbfvfOfCE[]fH fo[]fWf#f“,ìfvf[]fOf%of€,ð“üŽè,·,é•û-@,É,Â,ç ,Ä,íAAcceleration Software ,É-â,ç[]#,í,¹,Ä,,¾,³,çB~A—[]•û-@,íŽÿ,ì,Æ,“ ,è,Å,·B

**A—[]•û-@      “d~b”Ô[]t,Û,½,íAfhfCEfX**

---

“d~b”Ô[]t      (360) 598-2456.  
“dŽqf[][]f<      support@accelerationsw.com  
Web fTfCfG      <http://www.accelerationsw.com>

**d-v**

QEMM version 8.0 ,Á,ÍAÁ“K%» ,:é,Æ,«,ÉŽg—p,³,ê,é Dosdata.sys ,Æ Dos-up.sys fhf  
%ofCfo,ªA^ê•” ,±,İfo[fWf#f” ,İ Windows ,É‘İ%ž,µ,Ä,ç,Ü,¹,ñB,±,ê,ç,İfhf  
%ofCfo,İÁVfo[fWf#f” ,İ“üŽè•û-@,É,Ä,ç,Ä,ÍAQEMM ,İf}ffj...fAfç,É<LÚ,³,ê,Ä,ç,é•û-@,Ä-â,ç±,í,¹,Ä,-  
,¾,³,çB•Ä’ ,Ä,ÍAQuarterdeck Corporation (“d~b +1 (800) 354-3222AWeb ftfCfg  
<http://www.quarterdeck.com>) ,É-â,ç±,í,¹,Ä,,¾,³,çB






**d—v**

Windows 98 ,É CleanSweep version 3.04 ,Ü,½,Í,» ,ê^È'O,ìfo [fWfjf] ,ì CleanSweep ,ðfCf“fXfg [f<, ,é,±,Æ,Í,„,§,Ä,«,Ü,¹,ñ BCleanSweep ,íA,ç,„,Ä,©,ìd—v,ÉfVfXfef€ ftf@fCf<,ð'u,«Š, ,í,Ä,µ,Ü,¼,ß AWindows 98 , ,æ,Ñ,Ü,© ,ìfAfvfŠfP [fVfjf]“ ,ª³,µ,“ ©ì,µ,È,È,é%oÄ“\ □«ª, ,è,Ü,·□B

CleanSweep version 3.04 ,Ü,½,Í,» ,ê^È'O,ìfo [fWfjf] ,ì CleanSweep ,ðfCf“fXfg [f<, ,é,éèèè,íAŽŸ,ì,æ,¼ ,É,µ,Ä,¾,³,ç□B

**CleanSweep version 3.04 ,Ü,½,Í,» ,ê^È'O,ìfo [fWfjf] ,ì CleanSweep ,ðfCf“fXfg [f<, ,é,É,Í**

1 ŽŸ,ìftf@fCf<,ðCEŸö,µ AfobfNfAfbfv,ðì□—,µ,Ü,·□B

-  Advapi32.dll
-  MFC42.dll
-  Olepro32.dll
-  Urlmon.dll
-  Wininet.dll

2 CleanSweep ,ðfCf“fXfg [f<,µ AMS-DOS f, [fh,ÄfRf“fsf... [f^ ,ðÄ<N“ ®,µ,Ü,·□B

3 Šù‘¶,ì .dll ftf@fCf<,ðAZèèè 1 ,Áì□—,µ,½fofbfNfAfbfv,É'u,«Š, ,í,Ü,·□B

4 fRf“fsf... [f^ ,ðÄ<N“ ®,µ,Ü,·□B

'□

 CleanSweep ,ìÚ□×,É,Ä,ç,Ä,í AQuarterdeck Corporation (“d~b +1 (800) 354-3222 AWeb fTfCg <http://www.quarterdeck.com>) ,É-â,çèè,í,¹,Ä,¾,³,ç□B



**d-v**

Internet Explorer 4.0 ,ÅAInterLeap 1.1 fAfhfCEfX fo[ 'uŠ·fvf[]fOf%of€ ,đŽÀ[]s,μ,È,ç,Å,-  
,¾,¾,ç[]BŽÀ[]s,·,é,Æ[]AfIfyfCE[][fefBf"fo fVfXfef€,đ[]Å<N" @,Å,«,È,,È,è,Ü,·[]B,±,lfvf[]fOf%of€  
,lfAfbfvfOfCE[][fh fo[][fWf#f",đ"üŽè,·,é•û-@,É,Å,ç,Å,í[]Afvf[]fOf%of€,ìŠJ" CE³,É-â,ç[]#,í,¹,Ä,,¾,¾,ç[]B

**d—v**

Internet Explorer 4.0 ,đfCf“fXfg[]f<,³,ê,Ä,ç,éŠÂ<<«,É[]ACEÃ,çfo[]fWf#f“,ì Internet Explorer ,đfCf“fXfg[]f<,μ,È,ç,Ä,,¾,³,ç[]BCEÃ,çfo[]fWf#f“,ì Internet Explorer ,É,æ,Á,Ä[]AInternet Explorer 4.0 ,³[]³,μ,<@”\,μ,È,,È,è,Ü,·[]BInternet Explorer 4.0 []ã,ÉCEÃ,çfo[]fWf#f“,ì Internet Explorer ,đfCf“fXfg[]f<,μ,Ä,μ,Ü,Á,½[]ê[]#,í[]A,Ü,, Internet Explorer ,đfAf“fCf“fXfg[]f<,μ[]AZŽÿ,É Internet Explorer 4.0 ,đ[]ÄfCf“fXfg[]f<,μ,Ä,,¾,³,ç[]B

**d-v**

NetMeter ,íAWindows 98 ĀfCf“f^[]f]fbfgÚ‘±,đŠm—š,·,é,±,Æ,<sup>2</sup>,Ā,«,Ü,<sup>1</sup>,ňB,±  
,ìft[]]fefBfŠfefB,ìfAfbfvfOfCE[]]fh fo[]]fWf#f“ ,đ“üŽè,-,é•ú-@,É,Ā,ç,Ā,íAStarfish ,ìf  
ftfgfEjfFA,É<LÚ,<sup>3</sup>,ê,Ā,ç,é»•ifTf][]]fg‘<Æú,É-â,ç# ,í,<sup>1</sup>,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB•Ā‘,Ā,íAStarfish Software ,É-  
â,ç# ,í,<sup>1</sup>,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,Ü,<sup>1</sup>/<sub>2</sub>,íAStarfish ,ì Web fTfCfg <http://www.starfish.com> ,đŽQÆ,μ,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

PhotoShop version 4.0 ,đŽg,ꝛê#;íA,»;ì'O,É Adobe ,ì Web fTfCfg (<http://www.adobe.com>) ,©,ç  
PhotoShop Update Version 4.01 ,đf\_fEf“f[]fh,μ[]AfCf“fXfg[]f<,μ,Á,,¾,³,ç[]B,±  
,ìfAfbfvfOf[]fh,É,æ,Á,Ä[]AWindows 98 ,Á PhotoShop ,đŽA[]s,·,é,Æ,«,É<N,±,é,ç,,Á,©,ì-â'è,ª  
%ođCE^,³,ê,Ü,·[]B

**d-v**

Windows 98 A,Ü,½,Í,» ,ê^È'O, Internet Explorer  
, Internet Explorer ,íAŠù,É Windows 98 fVfXfef€  
,ì^è•",Æ,μ,Ä<@"\,μ,Ä,φ,Ü,·BCEÄ, Internet Explorer ,đfCf"fXfg[f< ,·,é,ÆAfIfyf€[fefBf"fO  
fVfXfef€,³,μ,<@"\,μ,È,,È,è,Ü,·B

**d-v**

Windows 98 ,i,ç,,A,©,l<@“\,ªµ,“®i,µ,Ü,¹,ñB“Á,ÉAfAfvfšP[fVfjf“<κ—  
L<@“\,íAWindows 98 ,iŠg'£<@“\,ÆEYŠ·«,ª, ,è,Ü,¹,ñBWindows 98 ,Æ<κ,Éo%o×,³,é,é Version  
2.1A,Ü,½,íA;CEä,ífo[fWfjf“,ì NetMeeting ,ðfCf“fXfg[f<,µ,ÄŽÀs,µ,Ä,,¾,¾,çB

**d—v**

Windows 98 ä Microsoft Plus! for Windows 95 ,đfCf“fXfg[f<,μ,È,ç,Å,-  
,¾,³,çBfCf“fXfg[f<,;é,ÆAffXfNfgbfv,É%œ<¿,³, ,è,Û,·BMicrosoft Plus! for Windows 95  
,É,ÍAInternet Explorer ,È,ÇA,ç,,Å,©,ìĀ,çfo[fWf#f“ ,ìtf@fCf<,³ŠÛ,Û,ê,Û,·BMicrosoft Plus! for  
Windows 95 ,ÉŠÛ,Û,ê,Ā,ç,éŠg’£<@”\,ÍAŠù,É Windows 98 ,É’g,Ýž,Û,ê,Ā,ç,Û,·B  
Windows 98 ,ÉfAfbfvfOfCE[fh,;é’O,É Microsoft Plus! for Windows 95 ,đŠù,ÉfCf“fXfg[f<,μ,Ā,ç  
,½ê# ,ÍAfAf“fCf“fXfg[f<,μ,È,ç,Ā,,¾,³,çBfAf“fCf“fXfg[f<,;é,ÆAflfyfCE[fefBf“fO fVfXfef€,É  
%œ<¿,³, ,è,Û,·B

□d—v

,±,ì□»•i,í□AWindows 98 □ã,Å,íŽÀ□s,<sup>3</sup>,ê,Ü,<sup>1</sup>,ñ□Bf\ftfgfEjFfA,ì<sup>2</sup>□®,âfAfbfvfOfCE□[fh,É,Â,ç,Ä,í□A□»•i,ìŠ”-  
CE<sup>3</sup>,É-â,ç□‡,í,<sup>1</sup>,Ä,<sup>3/4</sup>,<sup>3</sup>,ç□B



**d-v**

,±,ì»•i,íAWindows 98 ã,Å,í³,μ,“®ì,μ,È,ç,±,Æ,³, ,è,Ü,·BfjftfgfEjFfA,ì'²® ,âfAfbfvfOfCE[fh,É,Â,ç  
,Ä,íA»•i,ìŠ”CE³,É-â,ç‡,í¹,Ä,,¾,³,çB

**d-v**

,±,ì»•i,ì<@”\,ì^ê•”,íAWindows 98 ã,Å,í³,µ,“®ì,µ,È,ç,±,Æ,ª, ,è,Ü,·Bf\  
ftfgfEjfA,ì²®®,âfAfbfvfOfCE[]fh,É,Â,ç,Ä,íA»•i,ìŠ”Æ³,É-â,ç±,í¹,Ä,,¾,³,çB

**d—v**

Internet Explorer 4.0 ,đŽÀ□s,μ,Ä,ç,éRf“fsf...□[f^,É Microsoft Money 97 ,đfCf“fXfg□[f<,·,é,Æ□AfIf“f  
%ofCf“ fgf%of“fUfNfVf†f“,“®□ì,μ,Û,<sup>1</sup>ñ□B,±,ê,í□AInternet Explorer 4.0 ,“ Microsoft Money 97  
,æ,è□V,μ,çfZfLf...fŠfefB f,ffç,đŽg—p,·,é,½,ß,Ä,·□BfIf“f%ofCf“ fgf%of“fUfNfVf†f“,“®□ì,·,é,æ,æ,É Money  
,đfAfbfvfOfÆ□[fh,·,é•û-@,É,Ä,ç,Ä,í□AMicrosoft Web fy□[fW  
(<http://www.microsoft.com/ie/ie40/download/128bit.htm>) ,đŽQ□Æ,μ,Ä,,¾,¾,¾,ç□B

□d—v

,±,ìfvf□fOf%of€ ,í□AInternet Explorer 4.0 ,ðŽÀ□s,μ,Ä,ç,éfRf“fsf...□[f^,Å,ÍŽÀ□s,Å,«,Ü,<sup>1</sup>,ñ□Bf\ftfgfEjFfA,ì<sup>2</sup>□® ,âfAfbfvfOf□f□fh,É,Å,ç,Ä,í□Afvf□fOf%of€,ìŠj”CE<sup>3</sup>,É-â,ç□‡,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

□d—v

,±,ìfvf□fOf%of€,í□AInternet Explorer 4.0 ,ðŽÀ□s,μ,Ä,ç,éfRf“fsf...□[f^,Å,í□³,μ,“®□ì,μ,È,ç,±  
,Æ,ª, ,è,Û, :□B\ftfgfEjFfA,ì²□® ,âfAfbfvfOfCE□[fh,É,Å,ç,Ä,í□Afvf□fOf%of€,ìŠj”CE³,É-â,ç□‡,í,¹,Ä,,³/₄,³,ç□B

**d-v**

,±,ìfvf[]fOf%of€,ì<@“\,ì^ê•”,í[]AInternet Explorer 4.0 ,đŽÀ[]s,μ,Ä,ç,éfRf“fsf...[]f^,Å,í[]³,μ,“®[]ì,μ,È,ç,±  
,Æ,ª, ,è,Û,:[]B[]f[]t[]f[]g[]f[]E[]f[]F[]A,ì²[]® ,âfAfbfvfOfCE[]f[]h,É,Â,ç,Ä,í[]Afvf[]fOf%of€,ìŠj”CE³,É-â,ç[]‡,í,¹,Ä,,³/₄,³,ç[]B

□d—v

Windows 95 fT□[frfX fpfbfN 1 ,đfAf“fCf“fXfg□[f<,μ,È,φ,Â,,¾,¾,φ□BInternet Explorer 4.0 ,ìVfFf<<@”\  
,žŽÀ□s,Â,«,È,,È,è,Û,·□B

**d—v**

^È'O,ìfo[fWf#f",ì Windows ,©,çfAfbfvfOfCE[fh,μ,Ä,ç,éèè±,ÅAfvf%ofO fAf"fh fvfCEfC'í%ž,ìTfEf"fh fJ[fh,ðŽg—p,μ,Ä,ç,é,Æ,«,íAAces of the Deep version 1.0 ,ìTfEf"fh,ðÄÄÝ'è,·,é•K— v,<sup>a</sup>, ,è,Ü,·BŽÝ,ì,æ,α,ÉAfTfEf"fh,ðÄÄÝ'è,μ,Ü,·B

1. Š,,èž,Ý"Ô±,È,Ç,ìÝ'è,ðŠm" F,μ,Ü,·B

- a. f}fC fRf"fsf...[f^,ðf}fEfX,ì%Ef{f^f",ÅfNfŠfbfN,μA[fvf[]pfefB] ,ðfNfŠfbfN,μ,Ü,·B
- b. [fffofCfX f}f[]fWff] f^fu,ðfNfŠfbfN,μ,Ü,·B
- c. [fTfEf"fhAfrrffl[]A, ",æ,ÑfQ[]f€,ìfRf"fgf[]f%] ,ì—x,ì [+], ðfNfŠfbfN,μ,Ü,·B
- d. Žg—p,μ,Ä,ç,éTfEf"fh fJ[fh,ðfNfŠfbfN,μ,Ü,·B
- e. [fvf[]pfefB] ,ðfNfŠfbfN,μ,Ü,·B
- f. [šf[]fX] f^fu,ðfNfŠfbfN,μ,Ü,·B
- g. 1 "Ô—Ú,ì I/O f[]fg fAfhfCEfX[]A2 "Ô—Ú,ì DMA[]A, ",æ,Ñ 2 "Ô—Ú,ì IRQ (IRQ ,<sup>a</sup> 1 ,Ä,ìèè±,í[]A,»,ì IRQ) ,ðf[]f,μ,Ä, ",«,Ü,·B

2. fTfEf"fh,ðÄÄÝ'è,μ,Ü,·B

- a. fQ[]f€,afCf"fxfg[]f<,³,è,Ä,ç,éfffBfCEfnfgfŠ,É^Ú" ©,μ,Ü,·B
- b. soundset.exe ,ðŽÄ[]s,μAfTfEf"fh fJ[fh,ðÄÄÝ[]o,μ,Ü,·Bfvf[]f"fvfg,<sup>a</sup>•Ž!,³,è,½,ç[]AŽèè± 1 ,Åf[]f,,μ,Ä, ",ç,½[]Ý'è,ðü—í,μ,Ü,·B



**d—v**

Windows 98 ,ÉAWindows 95 fT[fxfX fpfbfN 1 ,ðfCf“fXfg[f<,μ,È,ç,Ä,,¾,¾,çBfT[fxfX fpfbfN 1 ,íAWindows 95 —p,Ä,·BWindows 95 fT[fxfX fpfbfN,ÉŠÜ,Ü,ê,éŠg'£<@“\,ÆC³,íAŠù,É Windows 98 ,ÉŠÜ,Ü,ê,Ä,ç,Ü,·B

fT[fxfX fpfbfN,³fCf“fXfg[f<,³,ê,Ä,ç,é Windows 95 ,©,çfAfbfvfOfCE[fh,μ,½ê±,íAfT[fxfX fpfbfN,ðfAf“fCf“fXfg[f<,μ,È,ç,Ä,,¾,¾,çBfT[fxfX fpfbfN,í Windows 98 ,ÉŠÜ,Ü,ê,Ä,ç,ÄAfRf“fgf[f< fpf[f<,ì [fAfvfŠfP[fVf#f“,ì'Ç%oÁ,Æí[œ] ,ì^è—,É,í•Ž!,³,ê,Ü,¹,ñB

**d-v**

Norton Navigator ,ì,ç,,Â,©,ì<@”\,ÍAInternet Explorer 4.0 ,Á,ÍA³,μ,“©ì,μ,È,ç,±  
,Æ,ª, ,è,Ü,:B•â’«î•ñ,É,Â,ç,Ä,ÍASymantec ,É-â,ç,í,¹,Ä,,¾,¾,çB,±,ìfvfOj%of€,ìfAfbfvfOjCE[fh  
fo[fWfj” ,ì“üŽè•û-@,É,Â,ç,Ä,ÍA,±,ìfvfOj%of€,É<LÜ,¾,¾,ç,é»•ifTj|fg’<CEù,É-â,ç,í,¹,Ä,-  
,¾,¾,çB•Ä’ ,Á,ÍASymantec Corporation (+1 (800) 441-7234) ,É-â,ç,í,¹,Ä,-  
,¾,¾,çB,Ü,½,ÍASymantec ,ì Web fTfCfg <http://www.symantec.com> ,ðŽQÆ,μ,Ä,,¾,¾,çB

□d—v

,±,ìfAfvfŠfP□[fvf#f“,ð Internet Explorer 4.0 ,ìfAf“fCf“fXfg□[f<,ÉŽg—p,·,é,Æ□A—\Šú,μ,È,¢CE<%oÊ,ª<N,±  
,é,±,Æ,ª, ,è,Û,·□B

□d—v

Windows 98 ,É□AOLEUPD.EXE Version 2.1 ,ðfCf“fXfg□[f<,μ,È,ç,Å,,¾,¾,ç□BIInternet Explorer 4.0  
,jVfFf<<@“\,ªŽÅ□s,Å,«,,,È,,È,è,Ü,·□B

**d—v**

Windows 98 ,ÉAWindows 95 fT[fxfX fpfbfN 1 ,đfCf“fXfg[f<,μ,È,ç,Å,,¾,¾,çBfT[fxfX fpfbfN 1 ,íAWindows 95 —p,Å,·BWindows 95 fT[fxfX fpfbfN,ÉŠÜ,Ü,ê,éŠg'£<@“\,ÆC³,íAŠù,É Windows 98 ,ÉŠÜ,Ü,ê,Å,ç,Ü,·BfT[fxfX fpfbfN ,³fCf“fXfg[f<,³,ê,Å,ç,é Windows 95 ,©,çAfbfvfOfCE[fh,μ,½ê±,íAfT[fxfX fpfbfN ,đfAf“fCf“fXfg[f<,μ,È,ç,Å,,¾,¾,çBfT[fxfX fpfbfN ,í Windows 98 ,ÉŠÜ,Ü,ê,Å,ç,ÄAfRf“fgf[f< fpfif<,ì [fAfvfŠfP[fVf+f“,ì'Ç%Å,Æiœ] ,ì^ê—,É,í\ Ž,³,ê,Ü,¹,ñB

**d—v**

CyberLife Creatures 1.0 ,íAInternet Explorer 4.0 ,ÉŠ®'S,É,í'í%ž,μ,Ä,ç,Ü,¹,ñBCreatures “à,©,ç  
Creatures ,ì Web fTfCfg,ÉÚ'±,·,é,±,Æ,í,Ä,«, ,ACreature fLfbfg,ì^è•”,íA³,μ,“®ì,μ,È,ç,±  
,Æ,ª, ,è,Ü,·B[http://www.cyberlife.co.uk/creatures\\_frameset.htm](http://www.cyberlife.co.uk/creatures_frameset.htm) ,©,ç Creatures fAfbvfOfCE[fh  
fpfbfN 2 ,đf\_fEf“f[fh,μAfCf“fXfg[f<,μ,Ä,,¾,¾,çB,±,ífAfbvfOfCE[fh,É,æ,Ä,ÄA,±,ê,ç,ì-â'è,ª  
%øCE^,¾,ê,Ü,·B

**d-v**

Norton Utilities for Windows 95 ,íAWindows 98 FAT32 fffBfXfN,É'í%ž,μ,Ä,ç,È,ç,½,ßA^ê" ,lfvf[]fOf %of€,í³,μ," @ì,μ,Ü,¹,ñBÄVfo[]fWf#f" ,ì Norton Utilities ,đ"üŽè, .,é•ú-@,É,Ä,ç,Ä,íASymantec []»•i,É<L[]Ú,³,ê,Ä,ç,é[]»•ifTf][]f'g'<Æù,É-â,ç[]‡,í¹,Ä,,¾,³,ç[]B•Ä[]'Ä,íASymantec Corporation ("d"b +1 (800) 441-7234[]AWeb fTfCfg <http://www.symantec.com>) ,É-â,ç[]‡,í¹,Ä,,¾,³,ç[]B

**d-v**

Microsoft ISDN 1.1 Accelerator Package ,đ,±,lfó[fWf#f",ì Windows ,ÉfCf"fXfg[f<,:é,±  
,Æ,í,Ä,«,Ü,<sup>1</sup>,ñBWindows 98 ,É,íA[V,μ,cf\_fCf,,f<fAfbfv flfbfgf[fN<@"\," ,æ,Ñ,·,×,Ä,ì Accelerator  
Package <@"\,lfAfbfvff[fq fTf|f[fq,<sup>a</sup>SÜ,Ü,é,Ä,ç,Ü,·BISDN fffofCfX,đfCf"fXfg[f<,:éê#f,íAISDN fhf  
%ofCfo,<sup>a</sup> Windows 98 ,Ä"@ì,·,é,©,Ç,α,©,đfn[fhfEfFfA,ìŠ]"Æ<sup>3</sup>,É-â,ç#f,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB



**d-v**

Windows ,đÄfCf“fXfg[f<,μ,æ,α,Æ,μ,Ä,ç,Û,·BInternet Explorer 4.0 ,afCf“fXfg[f<,³,ê,Ä,ç  
,éê‡,íAWindows ,đÄfCf“fXfg[f<,:é'O,É Internet Explorer ,đAf“fCf“fXfg[f<,:é•K—v,³, ,è,Û,·B

**d-v**

,±,ìfo[fWf#f“,ì MS-IME ,íAWindows 98 ,É'í%ž,μ,Ä,ç,Ü,<sup>1</sup>,ñBfCf“fXfg[f<,·,é,ÆAÄN“®Eä,ÉVfXfef€  
,<sup>2</sup>•s^À'è,É,È,è,Ü,·B,±,ìfo[fWf#f“,ìfifjfE[fefBf“fO fVfXfef€,Æ<α,Éo%×,<sup>3</sup>,è,é MS-IME ,đŽg—p,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

,±,ìfo[fWf#f“,ì Agent 95 ,Ü,½,í Agent 97 ,íAWindows 98 ,Å,í“®ì,μ,Ü,<sup>1</sup>,ñBÚ×,É,Â,ç,Ä,íAÅŠñ,è,ì  
Connectix Corporation ,ìŽq%ïŽĐ,É-â,çí,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB•Ä‘,Á,íAConnectix Corporation (+1 (800)  
839-3627) ,É-â,çí,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

Internet Explorer 4.0 , Windows NT Workstation Version 4.0 , Windows NT Server Version 4.0 , Service Pack 3 , Windows NT Workstation Version 4.0 , Service Pack 3 , Windows NT Server Version 4.0 , Service Pack 3 , Windows NT Workstation Version 4.0 , Service Pack 3 , Windows NT Server Version 4.0 , Service Pack 3

1 [fXf^ [fg] f{f^f“ , Windows NT Workstation Version 4.0 , Service Pack 3 , Windows NT Server Version 4.0 , Service Pack 3 , Windows NT Workstation Version 4.0 , Service Pack 3 , Windows NT Server Version 4.0 , Service Pack 3

2 [-¼‘O] f{fbfNfX, AŽŸ, ð, æ, É“ü—í, µ, Ü, ·B  
regsvr32 rsabase.dll

3 [OK] , Windows NT Workstation Version 4.0 , Service Pack 3 , Windows NT Server Version 4.0 , Service Pack 3 , Windows NT Workstation Version 4.0 , Service Pack 3 , Windows NT Server Version 4.0 , Service Pack 3

**d-v**

Nuts & Bolts Registry Pro ,Æ Internet Explorer 4.0 ,ðŽÀs,·,é,ÆARegistry Pro Editor fEfBf“fhfE,ðI—  
¹,μ,½Æä,ÉA-³Æø,Èfy□[fW ftfH□[f<fg,lfGf%o□[,²<N,«,é,±,Æ,², ,è,Û,·BÚ□×,É,Â,ç,Ä□A,Û,½,Í Nuts &  
Bolts Registry Pro ,lfAfbfvfOfÆ□[fh,ÉŠÖ,μ,Ä,Í□A•Ä□',Ä,Í□AHelix Software Company (“d~b +1 (800)  
451-0551□A+1 (408) 988-3832□AWeb fTfCfg <http://www.helixsoftware.com>) ,É-â,ç□‡,í,¹,Ä,,¾,³,ç□B

**d-v**

Internet Explorer 4.0 ,ìV,μ,φ<@”\,ðŽg—p,·,é,ÆANuts & Bolts Trash Guard ,Æ Windows •W€  
,ì,²,Ý” ,ª³,μ,“®ì,μ,È,,È,é%oÂ”\«,ª, ,è,Ü,·BÚx,É,Â,φ,ÄA,Ü,½,Í Nuts & Bolts Trash Guard  
,ìfAfbfvfOfCEìfh,ÉŠÖ,μ,Ä,íA•Ä’,Ä,íAHelix Software Company (“d~b +1 (800) 451-0551A+1 (408)  
988-3832AWeb fTfCfg <http://www.helixsoftware.com>) ,É-â,φ‡,í,¹,Ä,,¾,³,φB


□d—v

Internet Explorer 4.0 ,Á,Í□AIBM Access Aptiva ft□[fefBfŠfefB,đŽÀ□s,Á,«,Ü,¹,ñ□B

ŽŸ,ì Web fTfCfg,É,Í□ACEÝŠ·□«,ì, ,éfo□[fWf#f“,ì IBM Access Aptiva ft□[fefBfŠfefB,“,æ,Ñ□X□V,³,ê,½,Ù,©,ì  
IBM fRf“f□[f|f“fg,ª, ,è,Ü,·□B,±,±,Á,Í□AZg—p,μ,Ä,ç,éfuƒ%ofEfU,ìCE¾CEè,Æ“~,¶CE¾CEè,đ'l'đ,·,é•K—  
v,ª, ,è,Ü,·□B

<http://www.us.pc.ibm.com/webcast/ie40/aptiva.html>

'□

 ,±,ìfŠf“fN,đfNfŠfN,·,é,Æ□Afcf“f^□[f|fbfg ft□[frfX fvf□f ofCf\_,đ%oi,μ,Ä Internet  
,Éf□fOf|f“ ,³,ê,Ü,·□B

**d—v**

Windows 98 ,É Windows 95 ,đfCf“fXfg[f<,μ,È,ç,Å,,¾,¾,çBWWindows 98 ,É Windows 95 ,đfCf“fXfg[f<, ,é,ÆA,Ç,ž,ç,lflyfœ[fefBf“fO fVfXfef€ ,àŽg—p,Å,« ,È,È,è,Û,·BWWindows 98 ,©,ç Windows 95 ,É-ß,é,±,Æ,¾,Å,« ,é,ì,íAWindows 95 ,©,ç Windows 98 ,ÉfAfbfvfOœ[fh,μ,½,Æ,« ,ÉAWindows 95 ,lfVfXfef€ ftj@fCf<,đ•Û‘¶,μ,Ä,“ ,ç,½ê±,¾,¯,Å,·B

**Windows 95 ,É-ß,é,É,í**

- 1 [fXf^ [fg] f{f^f“ ,đfNfŠfbfN,μA[‘è] ,đf|fCf“fg,μ,Û,·BŽŸ,ÉA[fRf“fgf[f< fpf|f<] ,đfNfŠfbfN,μA[fAfvfŠfP[fVf#f“ ,ì‘Ç%Á,Æíœ] fAfCfRf“ ,đf\_fuf<fNfŠfbfN,μ,Û,·B
- 2 [fCf“fXfg[f<,Æíœ] f^fu,Å [Windows 98 ,lfAf“fCf“fXfg[f<] ,đfNfŠfbfN,μA[OK] ,đfNfŠfbfN,μ,Û,·B [fCf“fXfg[f<,Æíœ] f^fu,É [Windows 98 ,lfAf“fCf“fXfg[f<] ,¾,È,çê±,íAWindows 95 ,É-ß,é,± ,Æ,í,Å,« ,Û,¹,ñB



**d—v**

,±,ìfo[fWf#f“,ì Windows ,Á,ì•ïX,ì,½,ßA“Á’è,ìfvfOf%œ,ÆŠÖ~A•t,¯,ç,è,Ä,ç,½ Wininet.dll  
ftf@fCf<,íAÁV,Á,í, ,è,Ü,¹,ñBfvfOf%œ,Á,±,ìftf@fCf<,²Žg,í,è,È,ç,æ,æ,É,·,é,½,ß,ÉAWinet.dll  
ftf@fCf<,ì-¼’O,ð•ïX,µ,È,¯,è,Î,È,è,Ü,¹,ñB

**Wininet.dll ,ì-¼’O,ð•ïX,·,é,É,í**

- 1 fGfNfXfvf[f%œ,ÁA,» ,ìfvfOf%œ,²fCf“fXfg[f<,³,è,Ä,ç,éftfHf<f\_,ðCE©,Á,¯,Ü,·B
- 2 Wininet.dll ftf@fCf<,²CE©,Á,©,Á,½,çAf}fEfX,ì%œE{f^f“,ÁfNfŠfbfN,µA[-¼’O,ì•ïX]  
,ðfNfŠfbfN,µ,Ü,·B
- 3 Wininet.old ,È,ÇA,±,ìftfHf<f\_,Á^è^Ó,ì-¼’O,ð“ü—í,µ,Ü,·B  
fvfOf%œ,ìftfHf<f\_,É, ,éftf@fCf<,ì-¼’O,¾,¯,ð•ïX,µ,Ä,,¾,³,çBWindows ftfHf<f\_,É, ,éftf@fCf<,ì-¼’O,ì•ïX,µ,È,ç,Ä,,¾,³,çB
- 4 fRf“fsf...[f^,ðÄ<N“® ,µ,Ü,·B  
fGfNfXfvf[f%œ,ðŽg,Á,Äftf@fCf<,ì-¼’O,ð•ïX,Á,«,È,çè±,íAZŽ,ìŽè±,É],Á,Ä’è,µ,Ü,·B
- 1 ,±,ìŽè±,ð^óü,·,é,©Af,µ,Ä,¯,«,Ü,·B
- 2 [fXf^ [fg] f{f^f“,ðfNfŠfbfN,µA[Windows ,ì|—¹] ,ðfNfŠfbfN,µ,Ü,·BŽŽ,ÉA[MS-DOS  
f,[fh,ÁÄ<N“® ,·,é] ,ðfNfŠfbfN,µ,Ü,·B
- 3 MS-DOS fvf“fvfg,ÁA,» ,ìfvfOf%œ,²fCf“fXfg[f<,³,è,Ä,ç  
,éfffBfœfNfgfŠ,É^Ú“® ,µ,Ü,·B,½,Æ,ì,îAfvfOf%œ,³ C:\Program Files\MyApp  
fffBfœfNfgfŠ,ÉfCf“fXfg[f<,³,è,Ä,ç,éè±,íAC:\ fvf“fvfg,ÁŽŽ,ì,æ,æ,É“ü—í,µ,Ü,·B  
cd \progra~1\MyApp  
ŽŽ,ÉAEnter fL[,ð%Ÿ,µ,Ü,·B
- 4 ŽŽ,ì,æ,æ,É“ü—í,µ,Ü,·B  
ren wininet.dll wininet.old  
ŽŽ,ÉAEnter fL[,ð%Ÿ,µ,Ü,·B
- 5 **Ctrl** fL[,Æ **Alt** fL[,ð%Ÿ,µ,È,²,ç **Del** fL[,ð%Ÿ,µ,ÄAfRf“fsf...[f^,ðÄ<N“® ,µ,Ü,·B

**d—v**

,±,ìfCf“fXfg[]f< CD-ROM ,ìfhf%ofCfo,“ ,æ,Ñ InControl Tools ,ðŽg,æ,Æ[]AWindows 98 ,æ³,µ,“ @[]ì,µ,È,,È,é %oA“\[]«,æ, ,è,Ü,·[]B

Windows 98 ,É,Í[]AfZfbfgfAfbfv’t,âfn[]fhfEfffA,ìCEÿ[]oŽž,ÉfCf“fXfg[]f<,³,è,½[]A[]Å[]V,ìfhf %ofCfo,æŠÜ,Ü,è,Ä,ç,Ü,·[]B,Ü,½[]A,±,è,ç,ìfhf%ofCfo,ÆCEÝŠ·[]«,ì, ,é[]Å[]V,ì InControl Tools ft[]f[]efBfŠfefB,àŠÜ,Ü,è,Ä,ç,Ü,·[]B,±,ì InControl Tools ft[]f[]efBfŠfefB,Í[]AŠù‘¶,ì InControl Tools ,ðfAfbfvfOfCE[]fh,·,é,Æ,«,,¾, Žg—p,µ,Ü,·[]B^É’O,É[]ACE³,ìfhf%ofCfo fffBfXfN,â CD-ROM ,©,çfCf“fXfg[]f<,µ,Ä,ç,É,ç[]è[]#[]A,±,è,ç,Í<@“\,µ,Ü,¹,ñ[]BInControl Tools ,æfCf“fXfg[]f<,³,è,Ä,ç ,É,ç[]è[]#,Í[]AZÿ,ìŽè[]#,ðŽÀ[]s,µ,È,ç,Ä,,¾,³,ç[]B

CE³,ì InControl Tools ,æfCf“fXfg[]f<,³,è,Ä,ç,é[]è[]#,Í[]AZÿ,ìŽè[]#,É[]],Á,ÄfAfbfvfOfCE[]fh,µ,Ä,,¾,³,ç[]B

**Windows 98 CD-ROM ,Á’ñ<ÿ,³,è,Ä,ç,é Diamond InControl Tools ft[]f[]efBfŠfefB,ðfCf“fXfg[]f<,·,é,É,Í**

- 1 Windows 98 CD-ROM ,ð CD-ROM fhf%ofCfu,É’}“ü,µ,Ü,·[]B
- 2 [fXf^[]fg] f{f^f“,ðfNfŠfbfN,µ[]A[ftf@fCf<-¼,ðŽw’è,µ,ÄŽÀ[]s] ,ðfNfŠfbfN,µ,Ü,·[]B
- 3 [-¼’O] f{fbfNfX,É[]AZÿ,ì,æ,æ,É“ü—Í,µ,Ü,·[]B

x:\Drivers\Display\Diamond\Disk1\Setup.exe  
,±,±,Å[]A"x" ,Í[]ACD-ROM fhf%ofCfu,ìfhf%ofCfu•¶Žš,Ä,·[]B


[]Å[]V,ìfhf%ofCfo,â[]Å[]V,ìfo[]fWf#“,ì InControl Tools ,ì[]Ú[]x,É,Ä,ç,Ä,Í[]A•Ä[]’,Ä,Í[]ADiamond ,ìf[]efNfjff< ftf[]f[]fg (+1 (541) 967-2450) ,É-â,ç[]#,í,¹,Ä,,¾,³,ç[]B,Ü,½,Í[]ADiamond ,ì Web ftfCfg <http://www.diamondmm.com> ,É[]Ú’±,µ[]ASupport ,ì Drivers/Firmware ,ðŽQ[]Æ,µ,Ä,,¾,³,ç[]B

**d-v**

Windows ,íAê—p,ì DVD fvfE[f,,[ f\ftfgfEfFfA,ª UDF ftf@fCf< fVfXfef€,,ÆEYŠ·□«,ª,È,¢%oÂ”\  
□«,ª, ,é,±,Æ,ðCEÏ□o,μ,Û,μ,½□BCDFS ftf@fCf< fVfXfef€,ð—~—p,Â,«,é,æ,æ,É,·,é,½,ß,É□AUDF ftf@fCf<  
fVfXfef€,ð-³CEø,É,μ,Â,,¾,¾,¾,¢□B

**UDF ftf@fCf< fVfXfef€,ð-³CEø,É,·,é,É,í**

- 1 .±,±,ðfNfŠfbfN,μ□AfvfXfef€ÏÝ’èft□[fefBfŠfefB,ð<N”@,μ,Â,,¾,¾,¾,¢□B
- 2 [□Ú□×□Ý’è] ,ðfNfŠfbfN,μ□A[fAfhfof“fX fgf%ofuf<fVf...□[fefBf“fo,ì□Ý’è] f\_fCfAf□fo f{fbfNfX,ì [UDF  
ftf@fCf< fVfXfef€,ðŽg—p•s%oÂ,É,·,é] f`fFfbfN f{fbfNfX,ðfjf“ ,É,μ,Û,·□B

’□  
 fVfXfef€ÏÝ’èft□[fefBfŠfefB,í□AZÏ,ì•û-@,Â<N”@,·,é,±,Æ,à,Â,«,Û,·□B[fXf^□[fg]  
 f{f^f“ ,ðfNfŠfbfN,μ□A[ftf@fCf<-¼,ðŽw’è,μ,ÄŽÀ□s] ,ðfNfŠfbfN,μ,Û,·□BŽÏ,É□A[-¼’O]  
 f{fbfNfX,É□umsconfig□v,Æ”ü—í,μ,Û,·□B

**d-v**

NetXray ,đŽÀs't,ÉAfrf"fsf...[f^,đXf^f"fofCó'Ô,âTfXfyf"fh f,[fh,É,·,é,ÆAfrf"fsf...  
[f^,ìÄ<N" @CEä,É NetXray ,³,μ," @ì,μ,È,,È,è,Û,·B

**fTfXfyf"fh f,[fh,đ-³CEø,É,·,é,É,í**

1 [fXf^ [fg] f{f^f",đNfŠfbfN,μA[Ý'è) ,đ]fCf"fg,μ,Û,·BŽŸ,ÉAfrf"fgf [f< fpf|f<] ,đNfŠfbfN,μ,Û,·B

2 ["dCE¹,ìŠÇ—] fAfcfrf" ,đf\_fuf:fNfŠfbfN,μ,Û,·B


3 [f,ffj^,ì"dCE¹,đø,é] f{fbfNfX,ÄA[È,μ] ,đ'ì'đ,μ,Û,·B

4 [fn [fh fffBfXfN,ì"dCE¹,đø,é] f{fbfNfX,ÄA[È,μ] ,đ'ì'đ,μ,Û,·B

5 [VfXfef€ fXf^f"fofC] f{fbfNfX,ÄA[È,μ] ,đ'ì'đ,μ,Û,·B

Ý'è,đ·ìX,·,é,ÆAfrf"fsf...[f^,³Xf^f"fofCó'Ô,âTfXfyf"fh f,[fh,É,È,ç,È,,È,éèè±,ìAfrf"fsf...  
[f^,ìf}ffj...fAfc,đŽQAE,·,é,©A,Û,½,ì,·,x,Ä,ª ["dCE¹,ìŠÇ—,ìvf|fpfefB] f\_fcAfcfo f{fbfNfX,É·\

'

 ,±,é,ç,ì€-Ú,ì,ç,,é,©A,Û,½,ì,·,x,Ä,ª ["dCE¹,ìŠÇ—,ìvf|fpfefB] f\_fcAfcfo f{fbfNfX,É·\  
Ž,³,é,È,çèè±A,»,ì<"\,ìAŽg—p,μ,Ä,ç,éfrf"fsf...[f^,Ä,ìTf] [fg,³,é,Ä,ç,Û,¹,ñB

**d-v**

Nuts & Bolts version 1.03 , ,æ,Ñ,»,ê^È'O,lfWfj",l Nuts & Bolts ,íAWindows 98  
,Á,í"®i,μ,Ü,<sup>1</sup>,ñBÁVfo[fWfj",É,Á,ç,Ä,íA•Ä',Á,íAHelix Software Company ("d~b +1 (800) 451-  
0551A+1 (408) 988-3832AWeb fTfCfG <http://www.helixsoftware.com>) ,É-â,ç,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**□d—v**

,±,ìfAfvfŠfP□[fVf†f“,ì Zip-Rescue ,ìfìfvfVf†f“,í□AWindows 98 ,Ä,í“ ©□i,μ,Ü,<sup>1</sup>,ñ□B

,±,ìfAfvfŠfP□[fVf†f“,ì□Å□Vfo□[fWf†f“,É,Ä,ç,Ä,í□ASymantec ,ì Web fTfCfg <http://www.symantec.com>

,ðŽQ□Æ,·,é,©□A,Ü,<sup>1</sup>/<sub>2</sub>,í Live-Update ,ðŽg,Ä,Ä Symantec ,ì FTP fTfCfg,ðŠm”F,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

□Ú□×,É,Ä,ç,Ä,í□A,±,ìfAfvfŠfP□[fVf†f“,É<L□Ú,<sup>3</sup>,ê,Ä,ç,é□»•ifTf|□[fg’<Æû,É-â,ç□‡,í,<sup>1</sup>,Ä,-

,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B•Ä□’,Ä,í□ASymantec Corporation (+1 (800) 441-7234□A+1 (541) 345-3322) ,É-â,ç□‡,í,<sup>1</sup>,Ä,-

,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

**d-v**

Intellitype software version 1.0 , ,æ,Ñ version 1.0a ,íAWindows 98  
,ÆŒÝŠ·«,ª ,è,Û,·B,½,¾,µAIntellitype Manager ,Û,½,íRf“fgf[f< fpfif<,ì [fL[f{ [fh]  
,đŽg,Á,ÄA"Ø,è'Ö,¡ (snap-to)" <@"\,đ—LŒø,É,·,é,ÆA[fXf^[fg] fffj...[đ³,µ,Žg—p,Ä,«,É,-  
,É,è,Û,·B"Ø,è'Ö,¡ (snap-to)" <@"\,đŽg,í,É,čê±,íA,±,ífbfZ[fW,í-³Ž<,µ,Ä,,¾,¾,čB  
ÄV,ìfo[fWf±“,ì Intellitype (11p32upd.exe) ,đŽg,ÆA,±,ì-â'è,í  
%øđŒ^,³,è,Û,·BÄV,ìfo[fWf±“ ,íA <http://premium.microsoft.com/support/downloads/dp2889.asp>  
,©,ç\_fEf“f[fh,·,é,±,Æ,ª,Ä,«,Û,·B

**d—v**

Windows 98 ,É,íAŠù,ÉÅV,ìfo[fWf#f“,ìf}fCfNf\ftfg flfbfgf[fN (MSN) ,aŠÜ,Ü,è,Ä,ç,Ü,·BMSN  
,đfCf“fXfg[f<,·é,½,ß,É MSN ,ì CD-ROM ,đŽg,æ•K—v,í, ,è,Ü,<sup>1</sup>,ñB

CD-ROM fhf%ofCfu,©,ç MSN ,ì CD-ROM ,đŽæ,èo,μ,Ä,,¾,<sup>3</sup>,çBMSN  
,ìfZfbfgfAfbfv,đŠŽn,·,é,É,íAWindows 98 ,ìffXfNfgfbfv,ì [f}fCfNf\ftfg flfbfgf[fN,ìfZfbfgfAfbfv]  
fAfCfRf“,đf\_fuf<fNfŠfbfN,μ,Ä,,¾,<sup>3</sup>,çB

MSN ,ì CD-ROM ,ÉŠÜ,Ü,è,Ä,ç,é“Á“T,đÄ,Ñ—~—p,·,éêë,íA“o~^”Ôt,đ“ü—í,·,é,æ,æ,  
,É<β,ç,è,½,çACD-ROM ,ìfpfbfP[fW,Ü,½,í-üŽq,É<LÚ<sup>3</sup>,è,Ä,ç,é“o~^”Ôt,đ“ü—í,μ,Ä,,¾,<sup>3</sup>,çBMSN  
,đ‘l,ñ,Ä,ç,½,¾,«, ,è,<sup>3</sup>,Æ,æ,<sup>2</sup>,‘,ç,Ü,·B



**d-v**

Oracle Version 8 ,l,ç,,Â,©,l<@"\,íAWindows 98 ,Â,í³,µ,“©i,µ,È,ç%oÂ"\<ç,ç,è,Û,·B—~—  
p,Â,«,éXV,É,Â,ç,Ä,íAOracle ,l Web fTfCfç <http://www.oracle.com> ,đŠm”F,µ,Ä,,¾,¾,çB

Úx,É,Â,ç,Ä,íAÄŠñ,è,l Oracle ,lŽq%oiŽĐ,É-â,çç,í,¹,Ä,,¾,¾,çB•Ä’,Ä,íAOracle (+1 (800) 252-  
0303A+1 (650) 506-1500) ,É-â,çç,í,¹,Ä,,¾,¾,çB

**d-v**

,±,ìfo[fWf#f“,ì Reachout ,íAWindows 98 ,ÆŒÝŠ·«,²,È,ç,½,ßA³,μ,“®ì,μ,Ü,¹,ňBfvfOf%of€  
,ìXV,âŠù'm,ì-â'è,É,Â,ç,Á,íA•Ä',Á,íAStac International ,ì Web fTfCfg (<http://www.stac.com> , ,æ,Ñ  
<http://support.stac.com>) ,ÉÚ'±,μ,Äà-¾,đŽQÆ,·,é,©A,Ü,½,í Stac ,ì»•ifTf|fg (+1 (800) 305-  
7822A+1 (619) 794-3700) ,É-â,ç,í,¹,Ä,,¾,³,çB

**d-v**

Novaback+ version 5.0 ,íAWindows 98 ,ÆŒÝŠ·«<sup>a</sup>, ,è,Ü,<sup>1</sup>,ñB,±,Ìfo«[fWf#f“,ìŒŸŠ·«,ÉŠÖ,·,é-  
â'èAfvfOf%of€,ìXVVA,Ü,<sup>1/2</sup>,í%Å“,È%oň”ð•û-@,É,Á,ç,Ä,íA•Ä',Ä,íANovaStor (“d~b +1 (805)  
579-6700Web fTfCfg <http://www.novastor.com>) ,É-â,ç#í,<sup>1</sup>,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

**d—v**

Mango Medley 97 ,íAWindows 98 ,ÆŒÝŠ·□«<sup>²</sup> , è,Ü·□B,½,¾,μAMedley 97 ,Å,íACEÃ,çfo□[fWf#f“,ì Cfgmgr32.dll ftf@fCf<,³fCf“fXfg□[f<,³,è,é,½,β□Afrf“fsf...□[f^,ð□Å<N“ @Œä,É□AZÏ,lfGf%□[<sup>²</sup><N,«,é%Å“\ □«<sup>²</sup> , è,Ü·□B

"RUNDLL. Powrprof.dll. ,)“Ç,Ý□ž,ÝfGf%□[<sup>²</sup>,Å·□BvfXfef€ ,É□Ú‘±,³,è,Ä,ç,éfffofCfX,<sup>²</sup><@“\,μ,Ä,ç,Ü,<sup>¹</sup>,ñ□B" ,±,lfGf%□[<sup>²</sup>,ð□œ<Ž,·,é,É,íAMedley 97,lfCf“fXfg□[f<Œä,É□AZÏ,ìžè□#,É□[<sup>²</sup>,Á,Ä‘€□ì,μ,Ä,,¾,<sup>³</sup>,ç□B

1 [fXf^□[fg] f{f^f“ ,ðfNfŠfbfN,μ□A[ftf@fCf<-¼,ðŽw’è,μ,ÄŽÀ□s] ,ðfNfŠfbfN,μ,Ü·□BŽÏ,É□A□uSFC.EXE□v,Æ“ü—í,μ,Ä□AfvfXfef€ ftf@fCf< f`fffbj□[<sup>²</sup>,ð<N“ @,μ,Ü·□B

2 [fvfXfef€ ftf@fCf< f`fffbj□[<sup>²</sup>] f\_fCfAf□fO f{fbfNfX,Å□A[ftf@fCf<,ìfXfLfff“,ðŽÀ□s,μfGf%□[<sup>²</sup>,ð‘T,·] ,²‘l’ð,<sup>³</sup>,è,Ä,ç,é,±,Æ,ðŠm“F,μ□A[Š]Žn] ,ðfNfŠfbfN,μ,Ü·□B

3 Cfgmgr32.dll ,” ,æ,Ñ Imagehlp.dll ,²ŒÃ,çfo□[fWf#f“,É‘u,«Š·,|,ç,è,Ä,ç,é,±,Æ,<sup>²</sup>·\ Ž!,<sup>³</sup>,è,½□è□#,íAWindows 98 ,ì CD-ROM ,ðŽg,Á,Ä□A—¼·ù,ìftf@fCf<,ð \Windows\System fffBfŒfNfgfŠ,É·œŒ<sup>³</sup>,μ,Ü·□B

4 frf“fsf...□[f^,ð□Å<N“ @,μ,Ü·□B

Mango Medley ,ì□V,μ,çfo□[fWf#f“,ì Mango Medley 98 ,ð—~—p,Å,«,Ü·□B□Ú□x,É,Ä,ç ,Ä,í□A·Ä□‘,Å,íAMangosoft Coporation (“d~b +1 (800) 698-2129□A+1 (970) 522-1582□AWeb fTfCfçg <http://www.mango.com>) ,É-â,ç□#,í,<sup>¹</sup>,Ä,,¾,<sup>³</sup>,ç□B

**d-v**

,±,ìfo[fWf#f“,ì Defiance ,íAWindows 98 ,ÆŒÝŠ·«,ª, ,è,Ü,<sup>1</sup>,ñBWindows 98  
,Æ,ìŒÝŠ·«,ð'ñ<ÿ, ,éXVQA, ,æ,ÑŠg'£ Force Feedback Joystick fTf|f|fg,íAfvf|fOf%of€  
,ì»'çŒ³, ©,ç'ñ<ÿ,<sup>3</sup>,ê,Ä,ç,Ü,·BÚ×,É,Ä,ç,Ä,íA•Ä',Ä,íAAvalon Hill Games (“d~b +1 (410) 426-  
9600AWeb fTfCfg <http://www.avalonhill.com>) ,É-â,ç‡,í,<sup>1</sup>,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**d-v**

,±,ìfo[fWf#f",ì VRSports Virtual Pool 2 ,ìAWindows 98 ,Á,í 256 F^Èä,ìF,ìY'è,ðŽg,Á,ÄÄ¶,·,é,± ,Æ,í,Ä,«,Ü,<sup>1</sup>,ñBfvf[fOf%of€,ì»'¢CE<sup>3</sup>,©,ç'ñ<ÿ,<sup>3</sup>,è,Ä,¢,éXVfvf[fOf%of€,ð~—p,·,é,ÆAS@'S,È 16 frfbfg,ìF",ðŽg,Á,Äfvf¢fC,Ä,«,é,æ,±,É,È,è,Ü,·B8 frfbfg,ìF,ðŽg,Á,Äfvf¢fC,·,é,É,ìAfQ[f€ ,ðŠŽn,·,é'O,ÉAWindows ,ìF",ð 256 F,É·ìX,μ,È,·,è,í,È,è,Ü,<sup>1</sup>,ñBFF",ð·ìX,·,é·ú-@,ìÚ×,É,Ä,¢ ,Ä,ìAWindows ,ìfwf<fv,ì [fL[f[f[h] f^fu,ÄA[uFv,Æ"ü—í,μAà-¾,ðŽQÆ,μ,Ä,,¾,<sup>3</sup>,¢B

'

fQ[f€"à,ìfjff...[,ðŽg,Á,Ä 256 F^Èä,É·ìX,·,é,ÆAVirtual Pool 2 ,ðÄfCf"fxfg[f<,·,é,æ,±,É<B,éfGf % [ ffbfZ[fW,<sup>3</sup>·Ž<sup>1</sup>,<sup>3</sup>,èAfQ[f€,è—<sup>1</sup>,·,é%Ä"«,<sup>3</sup>, ,è,Ü,·B,<sup>1</sup>/<sub>2</sub>,¾,μAÄfCf"fxfg[f<,·,é·K— v,í, ,è,Ü,<sup>1</sup>,ñBfQ[f€,ðÄ<N" @,·,é,ÆA·ìX,·,é'O,ÉŽg,Á,Ä,¢,½F",ÄfQ[f€,ð'±s,·,é,±,Æ,<sup>3</sup>,Ä,«,Ü,·B ,±,ìfo[fWf#f",ì Virtual Pool 2 ,ìXV,É,Ä,¢,Ä,ìA·Ä',Á,ìAVRSports ("d~b +1 (714) 553-6678Web fTfCf g <http://www.vrsports.com>) ,É-à,¢#,í,<sup>1</sup>,Ä,,¾,<sup>3</sup>,¢B

**d—v**

Microsoft Bookshelf 1996-1997 ,đfCf“fXfg[f< ,é,Æ,«ÉAMicrosoft Internet Explorer version 2.0 ,đfCf“fXfg[f< ,élfvfVf#f“ ,a , ,è,Û ,·B,½,¾,μAWindows 98 ,É,Í Internet Explorer version 4.0 ,ŠÛ,Û,ê,Ä,ç,é,½,ßAIInternet Explorer version 2.0 ,đfCf“fXfg[f< ,é,ÆAIInternet Explorer 4.0 ,ì,ç, - ,Ä, ©, ì<@“\,ª³,μ,<@“\,μ,È,ç%oÄ“\« ,a , ,è,Û ,·B

Microsoft Bookshelf 1996-1997 ,đfCf“fXfg[f< ,é,Æ,«ÉA[fjXf^f€] ,đ'í,Ôê# ,íAIInternet Explorer ,â [, ,x,Ä] ,đ'í'đ,μ,È,ç,æ,α,É,μ,Ä, ,¾,³,çB[•W€] ,đ'í,Ô,ÆAIInternet Explorer 2.0 ,ífCf“fXfg[f< ,é,Û,¹,ñB

**d-v**

,±,ìfAfvfŠfP□[fvf#f“,Á,í□AŠÁ<«,É,æ,Á,Ä“®ì,ª•s^À’è,É,È,é,±,Æ,ª, ,è,Ü,·□B,±,ì-  
à’è,ÉSÖ,µ,Ä,í,·,Ä,ÉS“F,³,è,Ä,“,è□AŠ”Ž®%ïŽĐfZfKfGf“f^□[fvf%ofCf[fX,æ,è□C□³,è,½f,fWf...  
□[f<,ª’ñ<Ÿ,³,è,Ä,“,è,Ü,·□BŽg—p’t□A-à’è,ª”□¶,µ,½□é□#,í^É%º,ì,“-â,ç□#,í,¹<Æù,Ü,Ä,“-â,ç□#,í,¹,ç,½,¾,-  
,©□AŠ”Ž®%ïŽĐfZfKfGf“f^□[fvf%ofCf[fX,ìz□[f€fy□[fW,æ,è□C□³f,fWf...□[f<,đ,²“üŽè,,¾,¾,ç□B

<http://www.sega.co.jp/sega/pc/>



**d-v**

,±,ìfAfvfšfP□[fvf#f“,í□Af\_fCfAf<fAfbfv flfbfgf□□[fN,ð—~—p,·,é□û,É□³□í,É“ @□ì,μ,È,ç%oÂ“\□«,ª, ,è,Û,·□B,±,ì-â'è,ÉšÖ,μ,Ä,í,·,Ä,Éf□□[f^fXš”Ž @%oižĐ,É,“,ç,Äšm”F,³,è,Ä,“,è,Û,·□B,±,ì□»•i,ÉšÖ,μ,Ä,ì,“-â,ç□#,í,¹,í^È %oo,ì,“-â,ç□#,í,¹<CEû,Û,Ä,“-â,ç□#,í,¹,,¾,³,ç□B

f□□[f^fX fz□[f€fy□[fW (<http://www.lotus.co.jp>) ,ìfTf|□[fg□î•ñ□A,Û,½,íf□□[f^fX fffXf^f}□[fTf|□[fg fwf<fvffXfN “d”b 03-5496-9847

**d-v**

»Ý,ŠÁ««Á,ÍA,Íª,«fXf^fWfI,î^è•”,ì<@“\,Á”ú- {CEè,ª“ü—Í,Á,«È,çêªª,ª,è,Ü,·B  
,±,ì-â’è,É’î,·éCªªf,fWf... [f<,íA^È%ºº,ìuf}fCfNf\ftfg ,íª,«fXf^fWfIv,ì Webfy [fW,ÅöŠ],ª,è,Ä,ç  
,Ü,·B

<http://www.microsoft.com/japan/office/hagakistudio/>

fCf“f^ [f]fbfg,Ö,ìÚ’±ŠÁ««ø,“Ž,ì,Á,È,çêªª,íA^È%ºº,ìuf}fCfNf\ftfgTf [f]gflfbfg [f]NŽ--  
±<Çv,Ü,Á,“-â,çª,í,¹,,¾,ª,çB

0120-37-0196 “i“y“újÖ“ú,øœ, 9:30-12:00, 13:00-17:30j

**□d—v**

flf€f□f“f\ftfgfEfffAŠ”Ž®%öiŽĐ,ì□u“ú- {CEê“ü—ÍVfXfef€Wnn95 R2.0□v,í□A□Ä<N“®Žž,É-â'è,ª,“,±,é  
%oÅ“\□«,ª, ,è,Û, :ª□A,±,ì-â'è,í□uWnn95 R2.5□v,Å%ođCE^,ª,ê,Ä,ç,Û,-□B□Ú,μ,,í□A^È%oª,lfTf|□lfg'<CEù,É,“-  
â,ç□‡,í,¹,,¾,¾,ç□B

flf€f□f“f\ftfgfEfffAŠ”Ž®%öiŽĐ

f\ftfgfEfffAfvf□f\_fNfg%oc<Æ•”

<Z□pfTf|□lfg

E-mail□F wnn95-info@omronsoft.co.jp

URL□F <http://www.omronsoft.co.jp/SP/>

**d-v**

,±,ìfAfvfšfP□[fvf#f“,í□AfAf“fCf“fXfg□[f<.,é□Ù,É□³□í,É“®□i,μ,È,¢%oÁ“\□«,<sup>3</sup>,è,Ü,·□B  
,±,ì-â'è,ÉŠÖ,μ,Ä,í,·,Å,ÉfG□[□EfAfC□Ef\ftfgŠ“Ž®%oiŽĐ,ÅŠm“F,<sup>3</sup>,è,Ä,“,è□A'î  
%ž,É,Ä,«,Ü,μ,Ä,ÍfG□[□EfAfC□Ef\ftfgŠ“Ž®%oiŽĐ,ìftf|□[fg'<CEû,É,“-â,¢□#,í,<sup>1</sup>,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢□B

□d—v

,±,ìfAfvfšfP□[fVf#f“,í□³□í,É“@□ì,μ,È,¢%°Á“\□«,ª, ,è,Ü,·□B,±,ì¢»□Û,í,·,Å,ÉfEfBfjff“fOf%of“□E\ftfgfEfFfAŠ”Ž®%°iŽĐ,ÅŠm”F,³,è,Ä,¨,è,Ü,·□B,±,ì□»•i,ÉŠÖ,μ,Ü,μ,Ä,í^È%°²,ìfTf|□[fg‘¢Éû,É,¨-â,¢□#,í,¹,-,¾,¾,¢□B

<fTf|□[fg^Ä“à>

□Z□Š□F160-0023□@“¢<ž“s□V□h<æ□¼□V□h3-11-20 fìftfBfXfXfNfGfA-BLD 2F□@fTf|□[fg%°Û  
“d”b□F03-3372-8440□AFax□F03-3372-8447□Aemail□Fsupport@winningrun.co.jp□Ahttp://  
[www.winningrun.co.jp/](http://www.winningrun.co.jp/)

□d—v

,±,ìfAfvfšfP□[fVf#f“,í□³□í,É“@□ì,μ,È,¢%°Á“\□«,ª, ,è,Û,·□B,±,ì¢»□Û,í,·,Å,ÉfEfBfjff“fOf%of“□E\ftfgfEfFfAŠ”Ž®%°iŽĐ,ÅŠm”F,³,è,À,“,è,Û,·□B,±,ì□»•i,ÉŠÖ,μ,Û,μ,Ä,í^È%°²,ìfTf|□[fg‘¢Éû,É,“-â,¢□#,í,¹,-,³/₄,³,¢□B

<fTf|□[fg^Ä“à>

□Z□Š□F160-0023□@“¢<ž“s□V□h<æ□¼□V□h3-11-20 fìftfBfXfXfNfGfA-BLD 2F□@fTf|□[fg%°Û  
“d”b□F03-3372-8440□AFax□F03-3372-8447□Aemail□Fsupport@winningrun.co.jp□Ahttp://  
[www.winningrun.co.jp/](http://www.winningrun.co.jp/)

