

userdict /NightingaleDict 80 dict put
NightingaleDict begin

/BD bind defbind def
/XD exch def BD
/BP /SV save def BD
/EP SV restore BD
/MS moveto show BD
/MSI moveto stringwidth rmoveto BD
/XF transform 0.25 sub round 0.25 add exch 0.25 sub round 0.25 add exch itransform BD
/DXF 0 dtransform round exch round exch idtransform pop BD
/MC newpath moveto curveto BD
/SL curveto closepath fill BD
/ML setlinewidth XF moveto XF lineto stroke BD
/stw 5 def
/blw 6 def
/ldw 8 def
/sfw 5 def
/STW stw setlinewidth BD
/BL blw ML BD
/SFL sfw ML BD
/LL ldw ML BD
/SDO exch stw 2 div add exch XF BD
/SUO exch stw 2 div sub exch XF BD
/SQW /qw (q)stringwidth pop def def
/SUNOMORE STW currentpoint qw 10 div sub SUO moveto exch qw add exch SUO lineto stroke BD
/SU STW currentpoint qw 10 div sub 3 -1 roll add SUO moveto exch qw add exch SUO lineto stroke BD
/Sd STW SDO moveto dup 0 lt pop pop XF moveto SDO lineto stroke XF moveto ifelse BD
/SD Sd show BD
/SDI Sd qw 0 rmoveto BD
/BM /th XD newpath 2 copy XF moveto th add XF lineto 2 copy th add XF lineto
 XF lineto closepath fill BD
/LHT /th XD newpath 2 copy XF moveto exch th add exch XF lineto 2 copy exch th add exch XF
 lineto XF lineto closepath fill BD
/BMU BM BD
/BMD BM BD
/BK XF/y XD/x XD/h XD/bkw(302)stringwidth pop .36275 mul def
 (302)x y MS x y moveto x y h add lineto

% 302 = 𐀀
 x bkw add y h add lineto x bkw add y lineto closepath fill
 (L)x y h add MS BD
/CH

%
char -- top bottom

gsave

false charpath pathbbox

% leaves llx lly urx ury on stack

exch pop 3 -1 roll pop exch

% leaves ury lly
on stack

grestore
BD

/braceOrigX 211 def
/braceOrigY 346 def
/braceHalfHt 559 braceOrigY sub def
/bracePWidth 20 def

% ourBrace is for music font size of this many points

/pT braceOrigY sub exch braceOrigX sub exch BD % Offset stacked points to an origin

/ourBrace

% Coords sucked out of a FH 3.1 EPS drawing of half brace

newpath
278 559 pT moveto
242 543 pT 178 485 pT 232 408 pT curveto
248.769 384.0886 pT 255 355 pT braceOrigX braceOrigY pT curveto
269 350 pT 290.47 384.8833 pT 267 424 pT curveto
246 459 pT 225 510 pT 278 559 pT curveto
closepath
BD

/BR

/ht XD/yTop XD/xLeft XD

gsave

xLeft yTop ht add translate

0 0 moveto

(\247)CH/cBot XD/cTop XD
cBot cTop eq % if equal. no PostScript font around. so homebrew it

—
— MFS bracePWidth div ht braceHalfHt div scale % Stretch brace H for staff size. V to ht
ourBrace fill
— 1.0 -1.0 scale % Flip vertically to do other half
ourBrace fill
—
—

— /cht cTop cBot sub abs def % Use PostScript font

— 1.0 ht cht div scale

gsave

0 cBot abs neg rmoveto(247)show

grestore

(352)CH/cBot XD/cTop XD

/cht cTop cBot sub abs def

0 cTop abs rmoveto(352)show

ifelse

grestore

BD