

Alpha L_AT_EX Menus

Version 3.2t

Tom Scavo

L_AT_EX*trscavo@syr.edu*

February 1997

List of Tables

Notes:

The command keys listed in these tables assume the flags `smartScripts` and `useDollarSigns` are set to true and false, respectively.

An ellipsis in the first column of a table means that the command requires additional input from the user.

An ellipsis in the `kLATEX Command` column of a table indicates that the command *wraps* the current selection or the chosen file.

LaTeX
Typeset
Goto
LaTeX Utilities
LaTeX Palette
Documents
Page Layout
Sectioning
Text Submenus
Math Submenus

Table 1: The short L_AT_EX menu

LaTeX
Typeset
Goto
LaTeX Utilities
LaTeX Palette
Documents
Page Layout
Sectioning
Text Style
Text Size
International
Environments
Boxes
Miscellaneous
Math Modes
Math Style
Math Environments
Formulas
Greek
Binary Operators
Relations
Arrows
Dots
Symbols
Functions
Large Operators
Delimiters
Math Accents
Grouping
Spacing

Table 2: The long L_AT_EX menu


```
tabular  tabular|l|c|  1|c|Typeset &  1c|Key Binding \  Typeset file.tex &
$Cmd T$ \  View file.dvi & $Shf Cmd V$ \  Print file.dvi & $Shf Cmd P$ \
Typeset Clipboard & $Shf Cmd T$ \  Typeset Selection &  \ dvips file.dvi & \
View file.ps &  \  Print file.ps &  \  bibtex file.aux &  \ makeindex file.
idx &  \  Other Files &  \ Remove Auxiliary Files &  \ Remove Temporary
Files &  \  tabular &  tabular|l|c|  1|c|Typeset &  1c|Key Binding \  &
\  &  \  &  \  &  \  Open file.ps &  \  &  \  &  \  Open file.
Table 3: The Typeset submenu \  &  \  &  \  &  \  tabular  tabular
```

Other Files	Key Binding
Open file.log	
Open file.aux	
Open file.toc	
Open file.lof	
Open file.lot	
Open file.idx	
Open file.blg	
Open file.ilg	
Open Any TeX File	*SHF CMD O*

Table 4: The **Other Files** submenu

Goto	Key Binding
LaTeX	*SHF CMD S*
BibTeX	
MakelIndex	
Next Tab Stop	*TAB*
Prev Tab Stop	*SHF TAB*
nth Tab Stop	*CTL TAB*
Next Command	*KPAD6*
Prev Command	*KPAD4*
Next Command Select	*SHF KPAD6*
Prev Command Select	*SHF KPAD4*
Next Command Select With Args	*SHF OPT KPAD6*
Prev Command Select With Args	*SHF OPT KPAD4*
Next Environment	*CMD KPAD6*
Prev Environment	*CMD KPAD4*
Next Environment Select	*SHF CMD KPAD6*
Prev Environment Select	*SHF CMD KPAD4*
Next Section	*CMD KPAD2*
Prev Section	*CMD KPAD8*
Next Section Select	*SHF CMD KPAD2*
Prev Section Select	*SHF CMD KPAD8*
Next Subsection	*KPAD2*
Prev Subsection	*KPAD8*
Next Subsection Select	*SHF KPAD2*
Prev Subsection Select	*SHF KPAD8*

Table 5: The **Goto** submenu

LaTeX Utilities	Key Binding
Choose Command?	*SHF CMD C*
Insert Literal Tab	*OPT TAB*
Insert Tab Stop	*OPT 8*
Delete Tab Stops	*CMD TAB*
Delete Comments	
Convert Quotes	
Convert Dollar Signs	
Short LaTeX Menu	

Table 6: The **LaTeX Utilities** submenu


```
tabular 1|c|Documents & 1|c|Command & 1|c|Key Binding \ New Document & &
$Shf Cmd N$ \ article & tabular[t]@-0.9exl .[]article. \ .[]. \ .
document. \ + ...+ \ .document. tabular & \ report & tabular[t]@-0.
9exl .[]report. \ .[]. \ .document. \ + ...+ \ .document. tabular & \
book & tabular[t]@-0.9exl .[]book. \ .[]. \ .document. \ + ...+ \ .
document.tabular & \ letter & tabular[t]@-0.9exl .[]letter. \ .. \ .. \
.. \ .document. \ .letter. \ .. \ + ...+ \ .. \ .letter. \ .
document. tabular & \ slides & tabular[t]@-0.9exl .[]slides. \ .[]. \ .
document. \ + ...+ \ .document.tabular & \ generic &tabular[t]@-0.9exl.[] \
<classname>. \ .[]. \ .document. \+ ...+ \ .document. tabular & \
options & & \ usepackage & +[]...+ & $Ctl Opt U$ \ filecontents & tabular
[t]@-0.9exl +filecontents<filename>+ \ + ...+ \ .filecontents. tabular
Table 7: The Documents submenu Rebuild Documents Submenu & & \tabular
```


tabular 1|c|Page Layout & 1|c|Command & 1|c|Key Binding \ maketitle &
Table 8 or The **Page Layout** submenu

Sectioning	LATEX Command	Key Binding
part	\part...	
chapter	\chapter...	
section	\section...	
subsection	\subsection...	
subsubsection	\subsubsection...	
paragraph	\paragraph...	
subparagraph	\subparagraph...	
appendix	\appendix	

Table 9: The **Sectioning** submenu

lot lotText submenus:

```

tabular  tabular@|l|l|l|  1|c|Text Style &1|c|Command &1|c|Key Binding \
emph & +...+ & $Ctl Opt E$  \ underline & +...+ & $Ctl Cmd U$  \ textup & +
...+ & \ textit & +...+ & $Ctl Opt I$  \ textsln & +...+ & $Ctl Opt S$  \
textsc & +...+ & $Ctl Opt H$  \ textmd & +...+ & \ textbf & +...+ & $Ctl
Opt B$  \ textrm & +...+ & $Ctl Opt R$  \ textsf & +...+ & $Ctl Opt W$  \
texttt & +...+ & $Ctl Opt Y$  \ textnormal & +...+ & \ tabular  &
tabular|l|i|i|@  1|c|Text Style &1|c|Command &1|c|Key Binding  em & +...+
& $Shf Ctl Opt E$  \&  & \ upshape & +...+ & \ itshape & +...+ & $Shf Ctl
Opt I$  \ slshape & +...+ & $Shf Ctl Opt S$  \ scshape & +...+ & $Shf Ctl
Opt H$  \ mdseries & +...+ & \ bfseries & +...+ & $Shf Ctl Opt B$  \
rmfamily & +...+ & $Shf Ctl Opt R$  \ sffamily & +...+ & $Shf Ctl Opt W$  \
ttfamily & +...+ & $Shf Ctl Opt Y$  \ normalfont & +...+ & \ tabular

```

Table 10: The **Text Style** submenus

Text Size	LATEX Command	Key Binding
<code>tiny</code>	<code>\tiny ...</code>	*CTL OPT 1*
<code>scriptsize</code>	<code>\scriptsize ...</code>	*CTL OPT 2*
<code>footnotesize</code>	<code>\footnotesize ...</code>	*CTL OPT 3*
<code>small</code>	<code>\small ...</code>	*CTL OPT 4*
<code>normalsize</code>	<code>\normalsize ...</code>	*CTL OPT 5*
<code>large</code>	<code>\large ...</code>	*CTL OPT 6*
<code>Large</code>	<code>\Large ...</code>	*CTL OPT 7*
<code>LARGE</code>	<code>\LARGE ...</code>	*CTL OPT 8*
<code>huge</code>	<code>\huge ...</code>	*CTL OPT 9*
<code>Huge</code>	<code>\Huge ...</code>	*CTL OPT 0*

Table 11: The **Text Size** submenu

International	LATEX Command
ð	\`{...}
ó	\'{...}
ô	\^{...}
ö	\" {...}
ő	\~{...}
ç	\c{c}
œ	\oe
æ	\ae
å	\aa
ø	\o
Ҫ	\c{C}
Ӯ	\OE
Ӯ	\AE
Ӯ	\AA
Ӱ	\O
Ӯ	\ss
ӷ	?`
Ӹ	!`

Table 12: The **International** submenu

