Octave C++ Classes

Edition 1.0 for Octave version 2.1.14
September 1993

John W. Eaton

Copyright © 1996, 1997 John W. Eaton.

This is the first edition of the documentation for Octave's C++ classes, and is consistent with version 2.1.14 of Octave.

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

Permission is granted to copy and distribute modified versions of this manual under the conditions for verbatim copying, provided that the entire resulting derived work is distributed under the terms of a permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual into another language, under the same conditions as for modified versions.

1 Acknowledgements

Contributors to Octave

In addition to John W. Eaton, several people have written parts of liboctave. (This has been removed because it is the same as what is in the Octave manual.)

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright © 1989, 1991 Free Software Foundation, Inc.
59 Temple Place - Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software—to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

   Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

   You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

   a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

   b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

   c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

   These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions

for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

   a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

   b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

   c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

   The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

   If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore,

by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

   If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

   It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

   This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

   Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a

version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

> *one line to give the program's name and a brief idea of what it does.*
> Copyright (C) 19*yy* *name of author*
>
> This program is free software; you can redistribute it and/or modify
> it under the terms of the GNU General Public License as published by
> the Free Software Foundation; either version 2 of the License, or
> (at your option) any later version.
>
> This program is distributed in the hope that it will be useful,
> but WITHOUT ANY WARRANTY; without even the implied warranty of
> MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
> GNU General Public License for more details.
>
> You should have received a copy of the GNU General Public License
> along with this program; if not, write to the Free Software
> Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

> Gnomovision version 69, Copyright (C) 19*yy* *name of author*
> Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
> This is free software, and you are welcome to redistribute it
> under certain conditions; type 'show c' for details.

The hypothetical commands '`show w`' and '`show c`' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than '`show w`' and '`show c`'; they could even be mouse-clicks or menu items—whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

> Yoyodyne, Inc., hereby disclaims all copyright interest in the program
> 'Gnomovision' (which makes passes at compilers) written by James Hacker.
>
> *signature of Ty Coon*, 1 April 1989
> Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

2 A Brief Introduction to Octave

This manual documents how to run, install and port Octave's C++ classes, and how to report bugs.

3 Arrays

3.1 Constructors and Assignment

Array<T>::Array (`void`) Constructor

Create an array with no elements.

Array<T>::Array (`int` *n* [`, const T &`*val*]) Constructor

Create an array with *n* elements. If the optional argument *val* is supplied, the elements are initialized to *val*; otherwise, they are left uninitialized. If *n* is less than zero, the current error handler is invoked (see Chapter 13 [Error Handling], page 45).

Array<T>::Array (`const Array<T> &`*a*) Constructor

Create a copy of the *Array*<*T*> object *a*. Memory for the *Array*<*T*> class is managed using a reference counting scheme, so the cost of this operation is independent of the size of the array.

`Array<T>&` **Array<T>::operator =** (`const Array<T> &`*a*) Operator

Assignment operator. Memory for the *Array*<*T*> class is managed using a reference counting scheme, so the cost of this operation is independent of the size of the array.

`int` **Array<T>::capacity** (`void`) `const` Method
`int` **Array<T>::length** (`void`) `const` Method

Return the length of the array.

`T&` **Array<T>::elem** (`int` *n*) Method
`T&` **Array<T>::checkelem** (`int` *n*) Method
`T&` **Array<T>::operator** () (`int` *n*) Method

If *n* is within the bounds of the array, return a reference to the element indexed by *n*; otherwise, the current error handler is invoked (see Chapter 13 [Error Handling], page 45).

`T` **Array<T>::elem** (`int` *n*) `const` Method
`T` **Array<T>::checkelem** (`int` *n*) `const` Method
`T` **Array<T>::operator** () (`int` *n*) `const` Method

If *n* is within the bounds of the array, return the value indexed by *n*; otherwise, call the current error handler. See Chapter 13 [Error Handling], page 45.

`T&` **Array<T>::xelem** (`int` *n*) Method
`T` **Array<T>::xelem** (`int` *n*) `const` Method

Return a reference to, or the value of, the element indexed by *n*. These methods never perform bounds checking.

`void` **Array<T>::resize** (`int` *n* [, `const T &`*val*]) Method

Change the size of the array to be *n* elements. All elements are unchanged, except that if *n* is greater than the current size and the optional argument *val* is provided, the additional elements are initialized to *val*; otherwise, any additional elements are left uninitialized. In the current implementation, if *n* is less than the current size, the length is updated but no memory is released.

`const T*` **Array<T>::data** (`void`) `const` Method

Array2 (`void`)
Array2 (`int` *n*, `int` *m*)
Array2 (`int` *n*, `int` *m*, `const T &`*val*)
Array2 (`const Array2<T> &`*a*)
Array2 (`const DiagArray<T> &`*a*)

`Array2<T>&` **operator =** (`const Array2<T> &`*a*)

`int` **dim1** (`void`) `const`
`int` **rows** (`void`) `const`

`int` **dim2** (`void`) `const`
`int` **cols** (`void`) `const`
`int` **columns** (`void`) `const`

`T&` **elem** (`int` *i*, `int` *j*)
`T&` **checkelem** (`int` *i*, `int` *j*)
`T&` **operator** () (`int` *i*, `int` *j*)

`void` **resize** (`int` *n*, `int` *m*)
`void` **resize** (`int` *n*, `int` *m*, `const T &`*val*)

`Array3` (**void**)
`Array3` (**int** *n*, `int` *m*, `int` *k*)
`Array3` (**int** *n*, `int` *m*, `int` *k*, `const T &`*val*)
`Array3` (**const** `Array3<T> &`*a*)

`Array3<T>&` **operator =** (`const Array3<T> &`*a*)

`int` **dim1** (`void`) `const`
`int` **dim2** (`void`) `const`
`int` **dim3** (`void`) `const`

`T&` **elem** (`int` *i*, `int` *j*, `int` *k*)
`T&` **checkelem** (`int` *i*, `int` *j*, `int` *k*)
`T&` **operator** () (`int` *i*, `int` *j*, `int` *k*)

`void` **resize** (`int` *n*, `int` *m*, `int` *k*)
`void` **resize** (`int` *n*, `int` *m*, `int` *k*, `const T &`*val*)

(void)
(int *n*)
(int *n*, `const T &`*val*)
(int *r*, `int` *c*)
(int *r*, `int` *c*, `const T &`*val*)
(const `Array<T> &`*a*)
(const `DiagArray<T> &`*a*)

`DiagArray<T>&` **operator =** (`const DiagArray<T> &`*a*)

`int` **dim1** (`void`) `const`
`int` **rows** (`void`) `const`

`int` **dim2** (`void`) `const`
`int` **cols** (`void`) `const`
`int` **columns** (`void`) `const`

`T&` **elem** (`int` *r*, `int` *c*)
`T&` **checkelem** (`int` *r*, `int` *c*)
`T&` **operator ()** (`int` *r*, `int` *c*)

`void` **resize** (`int` *n*, `int` *m*)
`void` **resize** (`int` *n*, `int` *m*, `const T &`*val*)

The real and complex `ColumnVector` and `RowVector` classes all have the following functions. These will eventually be part of an `MArray<T>` class, derived from the `Array<T>` class. Then the `ColumnVector` and `RowVector` classes will be derived from the `MArray<T>` class.

Element by element vector by scalar ops.

`RowVector` **operator +** (`const RowVector &`*a*, `const double &`*s*)
`RowVector` **operator -** (`const RowVector &`*a*, `const double &`*s*)
`RowVector` **operator *** (`const RowVector &`*a*, `const double &`*s*)
`RowVector` **operator /** (`const RowVector &`*a*, `const double &`*s*)

Element by element scalar by vector ops.

`RowVector` **operator +** (`const double &`*s*, `const RowVector &`*a*)
`RowVector` **operator -** (`const double &`*s*, `const RowVector &`*a*)
`RowVector` **operator *** (`const double &`*s*, `const RowVector &`*a*)
`RowVector` **operator /** (`const double &`*s*, `const RowVector &`*a*)

Element by element vector by vector ops.

`RowVector` **operator +** (`const RowVector &`*a*, `const RowVector &`*b*)
`RowVector` **operator -** (`const RowVector &`*a*, `const RowVector &`*b*)

`RowVector` **product** (`const RowVector &`*a*, `const RowVector &`*b*)
`RowVector` **quotient** (`const RowVector &`*a*, `const RowVector &`*b*)

Unary MArray ops.

`RowVector` **operator -** (`const RowVector &`*a*)

The `Matrix` classes share the following functions. These will eventually be part of an `MArray2<T>` class, derived from the `Array2<T>` class. Then the `Matrix` class will be derived from the `MArray<T>` class.

Element by element matrix by scalar ops.

`Matrix` **operator +** (`const Matrix &`a, `const double &`s)
`Matrix` **operator -** (`const Matrix &`a, `const double &`s)
`Matrix` **operator *** (`const Matrix &`a, `const double &`s)
`Matrix` **operator /** (`const Matrix &`a, `const double &`s)

Element by element scalar by matrix ops.

`Matrix` **operator +** (`const double &`s, `const Matrix &`a)
`Matrix` **operator -** (`const double &`s, `const Matrix &`a)
`Matrix` **operator *** (`const double &`s, `const Matrix &`a)
`Matrix` **operator /** (`const double &`s, `const Matrix &`a)

Element by element matrix by matrix ops.

`Matrix` **operator +** (`const Matrix &`a, `const Matrix &`b)
`Matrix` **operator -** (`const Matrix &`a, `const Matrix &`b)

`Matrix` **product** (`const Matrix &`a, `const Matrix &`b)
`Matrix` **quotient** (`const Matrix &`a, `const Matrix &`b)

Unary matrix ops.

`Matrix` **operator -** (`const Matrix &`a)

The `DiagMatrix` classes share the following functions. These will eventually be part of an `MDiagArray<T>` class, derived from the `DiagArray<T>` class. Then the `DiagMatrix` class will be derived from the `MDiagArray<T>` class.

Element by element MDiagArray by scalar ops.

`DiagMatrix` **operator *** (`const DiagMatrix &`a, `const double &`s)
`DiagMatrix` **operator /** (`const DiagMatrix &`a, `const double &`s)

Element by element scalar by MDiagArray ops.

`DiagMatrix` **operator *** (`const double &`s, `const DiagMatrix &`a)

Element by element MDiagArray by MDiagArray ops.

`DiagMatrix` **operator +** (`const DiagMatrix &`a, `const DiagMatrix &`b)
`DiagMatrix` **operator -** (`const DiagMatrix &`a, `const DiagMatrix &`b)

`DiagMatrix` **product** (`const DiagMatrix &`a, `const DiagMatrix &`b)

Unary MDiagArray ops.

`DiagMatrix` **operator -** (`const DiagMatrix &`a)

4 Matrix and Vector Operations

(void)
(int *r*, int *c*)
(int *r*, int *c*, double *val*)
(const Array2<double> &*a*)
(const Matrix &*a*)
(const DiagArray<double> &*a*)
(const DiagMatrix &*a*)

Matrix& **operator =** (const Matrix &*a*)

int **operator ==** (const Matrix &*a*) const
int **operator !=** (const Matrix &*a*) const

Matrix& **insert** (const Matrix &*a*, int *r*, int *c*)
Matrix& **insert** (const RowVector &*a*, int *r*, int *c*)
Matrix& **insert** (const ColumnVector &*a*, int *r*, int *c*)
Matrix& **insert** (const DiagMatrix &*a*, int *r*, int *c*)

Matrix& **fill** (double *val*)
Matrix& **fill** (double *val*, int r1, int c1, int r2, int c2)

Matrix **append** (const Matrix &*a*) const
Matrix **append** (const RowVector &*a*) const
Matrix **append** (const ColumnVector &*a*) const
Matrix **append** (const DiagMatrix &*a*) const

Matrix **stack** (const Matrix &*a*) const
Matrix **stack** (const RowVector &*a*) const
Matrix **stack** (const ColumnVector &*a*) const
Matrix **stack** (const DiagMatrix &*a*) const

Matrix **transpose** (void) const

Matrix **extract** (int r1, int c1, int r2, int c2) const

RowVector **row** (int *i*) const
RowVector **row** (char *s) const

ColumnVector **column** (int *i*) const
ColumnVector **column** (char *s) const

Matrix **inverse** (void) const
Matrix **inverse** (int &*info*) const
Matrix **inverse** (int &*info*, double &*rcond*) const

ComplexMatrix **fourier** (void) const
ComplexMatrix **ifourier** (void) const

DET **determinant** (void) const
DET **determinant** (int &*info*) const
DET **determinant** (int &*info*, double &*rcond*) const

Matrix **solve** (const Matrix &*b*) const
Matrix **solve** (const Matrix &*b*, int &*info*) const
Matrix **solve** (const Matrix &*b*, int &*info*, double &*rcond*) const

ComplexMatrix **solve** (const ComplexMatrix &*b*) const
ComplexMatrix **solve** (const ComplexMatrix &*b*, int &*info*) const
ComplexMatrix **solve** (const ComplexMatrix &*b*, int &*info*, double &*rcond*) const

ColumnVector **solve** (const ColumnVector &*b*) const
ColumnVector **solve** (const ColumnVector &*b*, int &*info*) const
ColumnVector **solve** (const ColumnVector &*b*, int &*info*, double &*rcond*) const

ComplexColumnVector **solve** (const ComplexColumnVector &*b*) const
ComplexColumnVector **solve** (const ComplexColumnVector &*b*, int &*info*) const
ComplexColumnVector **solve** (const ComplexColumnVector &*b*, int &*info*, double &*rcond*) const

Matrix **lssolve** (const Matrix &*b*) const
Matrix **lssolve** (const Matrix &*b*, int &*info*) const
Matrix **lssolve** (const Matrix &*b*, int &*info*, int &*rank*) const

ComplexMatrix **lssolve** (const ComplexMatrix &*b*) const
ComplexMatrix **lssolve** (const ComplexMatrix &*b*, int &*info*) const
ComplexMatrix **lssolve** (const ComplexMatrix &*b*, int &*info*, int &*rank*) const

ColumnVector **lssolve** (const ColumnVector &*b*) const
ColumnVector **lssolve** (const ColumnVector &*b*, int &*info*) const
ColumnVector **lssolve** (const ColumnVector &*b*, int &*info*, int &*rank*) const

ComplexColumnVector **lssolve** (const ComplexColumnVector &*b*) const
ComplexColumnVector **lssolve** (const ComplexColumnVector &*b*, int &*info*) const
ComplexColumnVector **lssolve** (const ComplexColumnVector &*b*, int &*info*, int &*rank*) const

Matrix& **operator +=** (const Matrix &*a*)
Matrix& **operator -=** (const Matrix &*a*)

Matrix& **operator +=** (const DiagMatrix &*a*)
Matrix& **operator -=** (const DiagMatrix &*a*)

Matrix **operator !** (void) const

ComplexMatrix **operator +** (const Matrix &*a*, const Complex &*s*)
ComplexMatrix **operator -** (const Matrix &*a*, const Complex &*s*)
ComplexMatrix **operator *** (const Matrix &*a*, const Complex &*s*)
ComplexMatrix **operator /** (const Matrix &*a*, const Complex &*s*)

ComplexMatrix **operator +** (const Complex &s, const Matrix &a)
ComplexMatrix **operator -** (const Complex &s, const Matrix &a)
ComplexMatrix **operator *** (const Complex &s, const Matrix &a)
ComplexMatrix **operator /** (const Complex &s, const Matrix &a)

ColumnVector **operator *** (const Matrix &a, const ColumnVector &b)
ComplexColumnVector **operator *** (const Matrix &a, const ComplexColumnVector &b)

Matrix **operator +** (const Matrix &a, const DiagMatrix &b)
Matrix **operator -** (const Matrix &a, const DiagMatrix &b)
Matrix **operator *** (const Matrix &a, const DiagMatrix &b)

ComplexMatrix **operator +** (const Matrix &a, const ComplexDiagMatrix &b)
ComplexMatrix **operator -** (const Matrix &a, const ComplexDiagMatrix &b)
ComplexMatrix **operator *** (const Matrix &a, const ComplexDiagMatrix &b)

Matrix **operator *** (const Matrix &a, const Matrix &b)
ComplexMatrix **operator *** (const Matrix &a, const ComplexMatrix &b)

ComplexMatrix **operator +** (const Matrix &a, const ComplexMatrix &b)
ComplexMatrix **operator -** (const Matrix &a, const ComplexMatrix &b)

ComplexMatrix **product** (const Matrix &a, const ComplexMatrix &b)
ComplexMatrix **quotient** (const Matrix &a, const ComplexMatrix &b)

Matrix **map** (d_d_Mapper f, const Matrix &a)
void **map** (d_d_Mapper f)

Matrix **all** (void) const
Matrix **any** (void) const

Matrix **cumprod** (void) const
Matrix **cumsum** (void) const
Matrix **prod** (void) const
Matrix **sum** (void) const
Matrix **sumsq** (void) const

ColumnVector **diag** (void) const
ColumnVector **diag** (int k) const

ColumnVector **row_min** (void) const
ColumnVector **row_min_loc** (void) const

ColumnVector **row_max** (void) const
ColumnVector **row_max_loc** (void) const

RowVector **column_min** (void) const
RowVector **column_min_loc** (void) const

RowVector **column_max** (void) const
RowVector **column_max_loc** (void) const

ostream& **operator** << (ostream &*os*, const Matrix &*a*)
istream& **operator** >> (istream &*is*, Matrix &*a*)

(**void**)
(**int** *n*)
(**int** *n*, double *val*)
(**const** Array<double> &*a*)
(**const** ColumnVector &*a*)

ColumnVector& **operator** = (const ColumnVector &*a*)

int **operator** == (const ColumnVector &*a*) const
int **operator** != (const ColumnVector &*a*) const

ColumnVector& **insert** (const ColumnVector &*a*, int *r*)

ColumnVector& **fill** (double *val*)
ColumnVector& **fill** (double *val*, int r1, int r2)

ColumnVector **stack** (const ColumnVector &*a*) const

RowVector **transpose** (void) const

ColumnVector **extract** (int r1, int r2) const

ColumnVector& **operator** += (const ColumnVector &*a*)
ColumnVector& **operator** -= (const ColumnVector &*a*)

ComplexColumnVector **operator** + (const ColumnVector &*a*, const Complex &*s*)
ComplexColumnVector **operator** - (const ColumnVector &*a*, const Complex &*s*)
ComplexColumnVector **operator** * (const ColumnVector &*a*, const Complex &*s*)
ComplexColumnVector **operator** / (const ColumnVector &*a*, const Complex &*s*)

ComplexColumnVector **operator** + (const Complex &*s*, const ColumnVector &*a*)
ComplexColumnVector **operator** - (const Complex &*s*, const ColumnVector &*a*)
ComplexColumnVector **operator** * (const Complex &*s*, const ColumnVector &*a*)
ComplexColumnVector **operator** / (const Complex &*s*, const ColumnVector &*a*)

Matrix **operator** * (const ColumnVector &*a*, const RowVector &*a*)

ComplexMatrix **operator** * (const ColumnVector &*a*, const ComplexRowVector &*b*)

ComplexColumnVector **operator** + (const ComplexColumnVector &*a*, const ComplexColumnVector &*b*)

ComplexColumnVector **operator -** (const ComplexColumnVector &*a*,
const ComplexColumnVector &*b*)

ComplexColumnVector **product** (const ComplexColumnVector &*a*,
const ComplexColumnVector &*b*)

ComplexColumnVector **quotient** (const ComplexColumnVector &*a*,
const ComplexColumnVector &*b*)

ColumnVector **map** (d_d_Mapper *f*, const ColumnVector &*a*)
void **map** (d_d_Mapper *f*)

double **min** (void) const
double **max** (void) const

ostream& **operator <<** (ostream &*os*, const ColumnVector &*a*)

(void)
(int *n*)
(int *n*, double *val*)
(const Array<double> &*a*)
(const RowVector &*a*)

RowVector& **operator =** (const RowVector &*a*)

int **operator ==** (const RowVector &*a*) const
int **operator !=** (const RowVector &*a*) const

RowVector& **insert** (const RowVector &*a*, int *c*)

RowVector& **fill** (double *val*)
RowVector& **fill** (double *val*, int c1, int c2)

RowVector **append** (const RowVector &*a*) const

ColumnVector **transpose** (void) const

RowVector **extract** (int c1, int c2) const

RowVector& **operator +=** (const RowVector &*a*)
RowVector& **operator -=** (const RowVector &*a*)

ComplexRowVector **operator +** (const RowVector &*a*, const Complex
&*s*)
ComplexRowVector **operator -** (const RowVector &*a*, const Complex
&*s*)
ComplexRowVector **operator *** (const RowVector &*a*, const Complex
&*s*)
ComplexRowVector **operator /** (const RowVector &*a*, const Complex
&*s*)

ComplexRowVector **operator +** (const Complex &*s*, const RowVector &*a*)
ComplexRowVector **operator -** (const Complex &*s*, const RowVector &*a*)
ComplexRowVector **operator *** (const Complex &*s*, const RowVector &*a*)
ComplexRowVector **operator /** (const Complex &*s*, const RowVector &*a*)

double **operator *** (const RowVector &*a*, ColumnVector &*b*)

Complex **operator *** (const RowVector &*a*, const ComplexColumnVector &*b*)

RowVector **operator *** (const RowVector &*a*, const Matrix &*b*)

ComplexRowVector **operator *** (const RowVector &*a*, const ComplexMatrix &*b*)

ComplexRowVector **operator +** (const RowVector &*a*, const ComplexRowVector &*b*)
ComplexRowVector **operator -** (const RowVector &*a*, const ComplexRowVector &*b*)

ComplexRowVector **product** (const RowVector &*a*, const ComplexRowVector &*b*)
ComplexRowVector **quotient** (const RowVector &*a*, const ComplexRowVector &*b*)

RowVector **map** (d_d_Mapper *f*, const RowVector &*a*)
void **map** (d_d_Mapper *f*)

double **min** (void) const
double **max** (void) const

ostream& **operator <<** (ostream &*os*, const RowVector &*a*)

(**void**)
(**int** *n*)
(**int** *n*, double *val*)
(**int** *r*, int *c*)
(**int** *r*, int *c*, double *val*)
(**const** RowVector &*a*)
(**const** ColumnVector &*a*)
(**const** DiagArray<double> &*a*)
(**const** DiagMatrix &*a*)

DiagMatrix& **operator =** (const DiagMatrix &*a*)

int **operator ==** (const DiagMatrix &*a*) const
int **operator !=** (const DiagMatrix &*a*) const

DiagMatrix& **fill** (double *val*)
DiagMatrix& **fill** (double *val*, int *beg*, int *end*)
DiagMatrix& **fill** (const ColumnVector &*a*)
DiagMatrix& **fill** (const RowVector &*a*)
DiagMatrix& **fill** (const ColumnVector &*a*, int *beg*)
DiagMatrix& **fill** (const RowVector &*a*, int *beg*)

DiagMatrix **transpose** (void) const

Matrix **extract** (int r1, int c1, int r2, int c2) const

RowVector **row** (int *i*) const
RowVector **row** (char *s) const

ColumnVector **column** (int *i*) const
ColumnVector **column** (char *s) const

DiagMatrix **inverse** (void) const
DiagMatrix **inverse** (int &*info*) const

DiagMatrix& **operator** += (const DiagMatrix &*a*)
DiagMatrix& **operator** -= (const DiagMatrix &*a*)

Matrix **operator** + (const DiagMatrix &*a*, double *s*)
Matrix **operator** - (const DiagMatrix &*a*, double *s*)

ComplexMatrix **operator** + (const DiagMatrix &*a*, const Complex &*s*)
ComplexMatrix **operator** - (const DiagMatrix &*a*, const Complex &*s*)

ComplexDiagMatrix **operator** * (const DiagMatrix &*a*, const Complex &*s*)
ComplexDiagMatrix **operator** / (const DiagMatrix &*a*, const Complex &*s*)

Matrix **operator** + (double *s*, const DiagMatrix &*a*)
Matrix **operator** - (double *s*, const DiagMatrix &*a*)

ComplexMatrix **operator** + (const Complex &*s*, const DiagMatrix &*a*)
ComplexMatrix **operator** - (const Complex &*s*, const DiagMatrix &*a*)

ComplexDiagMatrix **operator** * (const Complex &*s*, const DiagMatrix &*a*)

ColumnVector **operator** * (const DiagMatrix &*a*, const ColumnVector &*b*)

ComplexColumnVector **operator** * (const DiagMatrix &*a*, const ComplexColumnVector &*b*)

ComplexDiagMatrix **operator** + (const DiagMatrix &*a*, const ComplexDiagMatrix &*b*)
ComplexDiagMatrix **operator** - (const DiagMatrix &*a*, const ComplexDiagMatrix &*b*)

ComplexDiagMatrix **product** (const DiagMatrix &*a*, const ComplexDiagMatrix &*b*)

`Matrix` **operator +** (`const DiagMatrix &`*a*, `const Matrix &`*b*)
`Matrix` **operator -** (`const DiagMatrix &`*a*, `const Matrix &`*b*)
`Matrix` **operator *** (`const DiagMatrix &`*a*, `const Matrix &`*b*)

`ComplexMatrix` **operator +** (`const DiagMatrix &`*a*, `const ComplexMatrix &`*b*)
`ComplexMatrix` **operator -** (`const DiagMatrix &`*a*, `const ComplexMatrix &`*b*)
`ComplexMatrix` **operator *** (`const DiagMatrix &`*a*, `const ComplexMatrix &`*b*)

`ColumnVector` **diag** (`void`) `const`
`ColumnVector` **diag** (`int` *k*) `const`

`ostream&` **operator <<** (`ostream &`*os*, `const DiagMatrix &`*a*)

(**void**)
(**int** *r*, `int` *c*)
(**int** *r*, `int` *c*, `const Complex &`*val*)
(**const** `Matrix &`*a*)
(**const** `Array2<Complex> &`*a*)
(**const** `ComplexMatrix &`*a*)
(**const** `DiagMatrix &`*a*)
(**const** `DiagArray<Complex> &`*a*)
(**const** `ComplexDiagMatrix &`*a*)

`ComplexMatrix&` **operator =** (`const ComplexMatrix &`*a*)

`int` **operator ==** (`const ComplexMatrix &`*a*) `const`
`int` **operator !=** (`const ComplexMatrix &`*a*) `const`

`ComplexMatrix&` **insert** (`const Matrix &`*a*, `int` *r*, `int` *c*)
`ComplexMatrix&` **insert** (`const RowVector &`*a*, `int` *r*, `int` *c*)
`ComplexMatrix&` **insert** (`const ColumnVector &`*a*, `int` *r*, `int` *c*)
`ComplexMatrix&` **insert** (`const DiagMatrix &`*a*, `int` *r*, `int` *c*)

`ComplexMatrix&` **insert** (`const ComplexMatrix &`*a*, `int` *r*, `int` *c*)
`ComplexMatrix&` **insert** (`const ComplexRowVector &`*a*, `int` *r*, `int` *c*)
`ComplexMatrix&` **insert** (`const ComplexColumnVector &`*a*, `int` *r*, `int` *c*)
`ComplexMatrix&` **insert** (`const ComplexDiagMatrix &`*a*, `int` *r*, `int` *c*)

`ComplexMatrix&` **fill** (`double` *val*)
`ComplexMatrix&` **fill** (`const Complex &`*val*)
`ComplexMatrix&` **fill** (`double` *val*, `int r1, int c1, int r2, int c2`)
`ComplexMatrix&` **fill** (`const Complex &`*val*, `int r1, int c1, int r2, int c2`)

`ComplexMatrix` **append** (`const Matrix &`*a*) `const`
`ComplexMatrix` **append** (`const RowVector &`*a*) `const`
`ComplexMatrix` **append** (`const ColumnVector &`*a*) `const`
`ComplexMatrix` **append** (`const DiagMatrix &`*a*) `const`

ComplexMatrix **append** (const ComplexMatrix &*a*) const
ComplexMatrix **append** (const ComplexRowVector &*a*) const
ComplexMatrix **append** (const ComplexColumnVector &*a*) const
ComplexMatrix **append** (const ComplexDiagMatrix &*a*) const

ComplexMatrix **stack** (const Matrix &*a*) const
ComplexMatrix **stack** (const RowVector &*a*) const
ComplexMatrix **stack** (const ColumnVector &*a*) const
ComplexMatrix **stack** (const DiagMatrix &*a*) const

ComplexMatrix **stack** (const ComplexMatrix &*a*) const
ComplexMatrix **stack** (const ComplexRowVector &*a*) const
ComplexMatrix **stack** (const ComplexColumnVector &*a*) const
ComplexMatrix **stack** (const ComplexDiagMatrix &*a*) const

ComplexMatrix **transpose** (void) const

Matrix **real** (const ComplexMatrix &*a*)
Matrix **imag** (const ComplexMatrix &*a*)
ComplexMatrix **conj** (const ComplexMatrix &*a*)

ComplexMatrix **extract** (int r1, int c1, int r2, int c2) const

ComplexRowVector **row** (int *i*) const
ComplexRowVector **row** (char *s) const

ComplexColumnVector **column** (int *i*) const
ComplexColumnVector **column** (char *s) const

ComplexMatrix **inverse** (void) const
ComplexMatrix **inverse** (int &*info*) const
ComplexMatrix **inverse** (int &*info*, double &*rcond*) const

ComplexMatrix **fourier** (void) const
ComplexMatrix **ifourier** (void) const

ComplexDET **determinant** (void) const
ComplexDET **determinant** (int &*info*) const
ComplexDET **determinant** (int &*info*, double &*rcond*) const

ComplexMatrix **solve** (const Matrix &*b*) const
ComplexMatrix **solve** (const Matrix &*b*, int &*info*) const
ComplexMatrix **solve** (const Matrix &*b*, int &*info*, double &*rcond*)
const

ComplexMatrix **solve** (const ComplexMatrix &*b*) const
ComplexMatrix **solve** (const ComplexMatrix &*b*, int &*info*) const
ComplexMatrix **solve** (const ComplexMatrix &*b*, int &*info*, double
&*rcond*) const

ComplexColumnVector **solve** (const ComplexColumnVector &*b*) const
ComplexColumnVector **solve** (const ComplexColumnVector &*b*, int
&*info*) const
ComplexColumnVector **solve** (const ComplexColumnVector &*b*, int
&*info*, double &*rcond*) const

ComplexMatrix **lssolve** (const ComplexMatrix &*b*) const
ComplexMatrix **lssolve** (const ComplexMatrix &*b*, int &*info*) const
ComplexMatrix **lssolve** (const ComplexMatrix &*b*, int &*info*, int &*rank*) const

ComplexColumnVector **lssolve** (const ComplexColumnVector &*b*) const
ComplexColumnVector **lssolve** (const ComplexColumnVector &*b*, int &*info*) const
ComplexColumnVector **lssolve** (const ComplexColumnVector &*b*, int &*info*, int &*rank*) const

ComplexMatrix& **operator +=** (const DiagMatrix &*a*)
ComplexMatrix& **operator -=** (const DiagMatrix &*a*)

ComplexMatrix& **operator +=** (const ComplexDiagMatrix &*a*)
ComplexMatrix& **operator -=** (const ComplexDiagMatrix &*a*)

ComplexMatrix& **operator +=** (const Matrix &*a*)
ComplexMatrix& **operator -=** (const Matrix &*a*)

ComplexMatrix& **operator +=** (const ComplexMatrix &*a*)
ComplexMatrix& **operator -=** (const ComplexMatrix &*a*)

Matrix **operator !** (void) const

ComplexMatrix **operator +** (const ComplexMatrix &*a*, double *s*)
ComplexMatrix **operator -** (const ComplexMatrix &*a*, double *s*)
ComplexMatrix **operator *** (const ComplexMatrix &*a*, double *s*)
ComplexMatrix **operator /** (const ComplexMatrix &*a*, double *s*)

ComplexMatrix **operator +** (double *s*, const ComplexMatrix &*a*)
ComplexMatrix **operator -** (double *s*, const ComplexMatrix &*a*)
ComplexMatrix **operator *** (double *s*, const ComplexMatrix &*a*)
ComplexMatrix **operator /** (double *s*, const ComplexMatrix &*a*)

ComplexColumnVector **operator *** (const ComplexMatrix &*a*, const ColumnVector &*b*)

ComplexColumnVector **operator *** (const ComplexMatrix &*a*, const ComplexColumnVector &*b*)

ComplexMatrix **operator +** (const ComplexMatrix &*a*, const DiagMatrix &*b*)
ComplexMatrix **operator -** (const ComplexMatrix &*a*, const DiagMatrix &*b*)
ComplexMatrix **operator *** (const ComplexMatrix &*a*, const DiagMatrix &*b*)

ComplexMatrix **operator +** (const ComplexMatrix &*a*, const ComplexDiagMatrix &*b*)
ComplexMatrix **operator -** (const ComplexMatrix &*a*, const ComplexDiagMatrix &*b*)
ComplexMatrix **operator *** (const ComplexMatrix &*a*, const ComplexDiagMatrix &*b*)

ComplexMatrix **operator +** (const ComplexMatrix &*a*, const Matrix &*b*)
ComplexMatrix **operator -** (const ComplexMatrix &*a*, const Matrix &*b*)

ComplexMatrix **operator *** (const ComplexMatrix &*a*, const Matrix &*b*)
ComplexMatrix **operator *** (const ComplexMatrix &*a*, const ComplexMatrix &*b*)

ComplexMatrix **product** (const ComplexMatrix &*a*, const Matrix &*b*)
ComplexMatrix **quotient** (const ComplexMatrix &*a*, const Matrix &*b*)

ComplexMatrix **map** (c_c_Mapper *f*, const ComplexMatrix &*a*)
Matrix **map** (d_c_Mapper *f*, const ComplexMatrix &*a*)
void **map** (c_c_Mapper *f*)

Matrix **all** (void) const
Matrix **any** (void) const

ComplexMatrix **cumprod** (void) const
ComplexMatrix **cumsum** (void) const
ComplexMatrix **prod** (void) const
ComplexMatrix **sum** (void) const
ComplexMatrix **sumsq** (void) const

ComplexColumnVector **diag** (void) const
ComplexColumnVector **diag** (int *k*) const

ComplexColumnVector **row_min** (void) const
ComplexColumnVector **row_min_loc** (void) const

ComplexColumnVector **row_max** (void) const
ComplexColumnVector **row_max_loc** (void) const

ComplexRowVector **column_min** (void) const
ComplexRowVector **column_min_loc** (void) const

ComplexRowVector **column_max** (void) const
ComplexRowVector **column_max_loc** (void) const

ostream& **operator <<** (ostream &*os*, const ComplexMatrix &*a*)
istream& **operator >>** (istream &*is*, ComplexMatrix &*a*)

(**void**)
(**int** *n*)
(**int** *n*, const Complex &*val*)
(**const** ColumnVector &*a*)
(**const** Array<Complex> &*a*)
(**const** ComplexColumnVector &*a*)

ComplexColumnVector& **operator =** (const ComplexColumnVector &*a*)

int **operator ==** (const ComplexColumnVector &*a*) const
int **operator !=** (const ComplexColumnVector &*a*) const

ComplexColumnVector& **insert** (const ColumnVector &*a*, int *r*)
ComplexColumnVector& **insert** (const ComplexColumnVector &*a*, int *r*)

ComplexColumnVector& **fill** (double *val*)
ComplexColumnVector& **fill** (const Complex &*val*)
ComplexColumnVector& **fill** (double *val*, int r1, int r2)
ComplexColumnVector& **fill** (const Complex &*val*, int r1, int r2)

ComplexColumnVector **stack** (const ColumnVector &*a*) const
ComplexColumnVector **stack** (const ComplexColumnVector &*a*) const

ComplexRowVector **transpose** (void) const

ColumnVector **real** (const ComplexColumnVector &*a*)
ColumnVector **imag** (const ComplexColumnVector &*a*)
ComplexColumnVector **conj** (const ComplexColumnVector &*a*)

ComplexColumnVector **extract** (int r1, int r2) const

ComplexColumnVector& **operator +=** (const ColumnVector &*a*)
ComplexColumnVector& **operator -=** (const ColumnVector &*a*)

ComplexColumnVector& **operator +=** (const ComplexColumnVector &*a*)
ComplexColumnVector& **operator -=** (const ComplexColumnVector &*a*)

ComplexColumnVector **operator +** (const ComplexColumnVector &*a*,
double *s*)
ComplexColumnVector **operator -** (const ComplexColumnVector &*a*,
double *s*)
ComplexColumnVector **operator *** (const ComplexColumnVector &*a*,
double *s*)
ComplexColumnVector **operator /** (const ComplexColumnVector &*a*,
double *s*)

ComplexColumnVector **operator +** (double *s*, const
ComplexColumnVector &*a*)
ComplexColumnVector **operator -** (double *s*, const
ComplexColumnVector &*a*)
ComplexColumnVector **operator *** (double *s*, const
ComplexColumnVector &*a*)
ComplexColumnVector **operator /** (double *s*, const
ComplexColumnVector &*a*)

ComplexMatrix **operator *** (const ComplexColumnVector &*a*, const
ComplexRowVector &*b*)

ComplexColumnVector **operator +** (const ComplexColumnVector &*a*,
const ColumnVector &*b*)
ComplexColumnVector **operator -** (const ComplexColumnVector &*a*,
const ColumnVector &*b*)

ComplexColumnVector **product** (const ComplexColumnVector &*a*,
const ColumnVector &*b*)
ComplexColumnVector **quotient** (const ComplexColumnVector &*a*,
const ColumnVector &*b*)

ComplexColumnVector **map** (c_c_Mapper *f*, const
ComplexColumnVector &*a*)
ColumnVector **map** (d_c_Mapper *f*, const ComplexColumnVector &*a*)
void **map** (c_c_Mapper *f*)

Complex **min** (void) const
Complex **max** (void) const

ostream& **operator** << (ostream &*os*, const ComplexColumnVector &*a*)

(**void**)
(**int** *n*)
(**int** *n*, const Complex &*val*)
(**const** RowVector &*a*)
(**const** Array<Complex> &*a*)
(**const** ComplexRowVector &*a*)

ComplexRowVector& **operator** = (const ComplexRowVector &*a*)

int **operator** == (const ComplexRowVector &*a*) const
int **operator** != (const ComplexRowVector &*a*) const

ComplexRowVector& **insert** (const RowVector &*a*, int *c*)
ComplexRowVector& **insert** (const ComplexRowVector &*a*, int *c*)

ComplexRowVector& **fill** (double *val*)
ComplexRowVector& **fill** (const Complex &*val*)
ComplexRowVector& **fill** (double *val*, int c1, int c2)
ComplexRowVector& **fill** (const Complex &*val*, int c1, int c2)

ComplexRowVector **append** (const RowVector &*a*) const
ComplexRowVector **append** (const ComplexRowVector &*a*) const

ComplexColumnVector **transpose** (void) const

RowVector **real** (const ComplexRowVector &*a*)
RowVector **imag** (const ComplexRowVector &*a*)
ComplexRowVector **conj** (const ComplexRowVector &*a*)

ComplexRowVector **extract** (int c1, int c2) const

ComplexRowVector& **operator** += (const RowVector &*a*)
ComplexRowVector& **operator** -= (const RowVector &*a*)

ComplexRowVector& **operator** += (const ComplexRowVector &*a*)
ComplexRowVector& **operator** -= (const ComplexRowVector &*a*)

ComplexRowVector **operator +** (const ComplexRowVector &*a*, double *s*)

ComplexRowVector **operator -** (const ComplexRowVector &*a*, double *s*)

ComplexRowVector **operator *** (const ComplexRowVector &*a*, double *s*)

ComplexRowVector **operator /** (const ComplexRowVector &*a*, double *s*)

ComplexRowVector **operator +** (double *s*, const ComplexRowVector &*a*)
ComplexRowVector **operator -** (double *s*, const ComplexRowVector &*a*)
ComplexRowVector **operator *** (double *s*, const ComplexRowVector &*a*)
ComplexRowVector **operator /** (double *s*, const ComplexRowVector &*a*)

Complex **operator *** (const ComplexRowVector &*a*, const ColumnVector &*b*)

Complex **operator *** (const ComplexRowVector &*a*, const ComplexColumnVector &*b*)

ComplexRowVector **operator *** (const ComplexRowVector &*a*, const ComplexMatrix &*b*)

ComplexRowVector **operator +** (const ComplexRowVector &*a*, const RowVector &*b*)
ComplexRowVector **operator -** (const ComplexRowVector &*a*, const RowVector &*b*)

ComplexRowVector **product** (const ComplexRowVector &*a*, const RowVector &*b*)
ComplexRowVector **quotient** (const ComplexRowVector &*a*, const RowVector &*b*)

ComplexRowVector **map** (c_c_Mapper *f*, const ComplexRowVector &*a*)
RowVector **map** (d_c_Mapper *f*, const ComplexRowVector &*a*)
void **map** (c_c_Mapper *f*)

Complex **min** (void) const
Complex **max** (void) const

ostream& **operator <<** (ostream &*os*, const ComplexRowVector &*a*)

(**void**)
(**int** *n*)
(**int** *n*, const Complex &*val*)
(**int** *r*, int *c*)
(**int** *r*, int *c*, const Complex &*val*)
(**const** RowVector &*a*)
(**const** ComplexRowVector &*a*)
(**const** ColumnVector &*a*)
(**const** ComplexColumnVector &*a*)
(**const** DiagMatrix &*a*)
(**const** DiagArray<Complex> &*a*)
(**const** ComplexDiagMatrix &*a*)

ComplexDiagMatrix& **operator =** (const ComplexDiagMatrix &*a*)

int **operator ==** (const ComplexDiagMatrix &*a*) const
int **operator !=** (const ComplexDiagMatrix &*a*) const

ComplexDiagMatrix& **fill** (double *val*)
ComplexDiagMatrix& **fill** (const Complex &*val*)
ComplexDiagMatrix& **fill** (double *val*, int *beg*, int *end*)
ComplexDiagMatrix& **fill** (const Complex &*val*, int *beg*, int *end*)
ComplexDiagMatrix& **fill** (const ColumnVector &*a*)
ComplexDiagMatrix& **fill** (const ComplexColumnVector &*a*)
ComplexDiagMatrix& **fill** (const RowVector &*a*)
ComplexDiagMatrix& **fill** (const ComplexRowVector &*a*)
ComplexDiagMatrix& **fill** (const ColumnVector &*a*, int *beg*)
ComplexDiagMatrix& **fill** (const ComplexColumnVector &*a*, int *beg*)
ComplexDiagMatrix& **fill** (const RowVector &*a*, int *beg*)
ComplexDiagMatrix& **fill** (const ComplexRowVector &*a*, int *beg*)

ComplexDiagMatrix **transpose** (void) const

DiagMatrix **real** (const ComplexDiagMatrix &*a*)
DiagMatrix **imag** (const ComplexDiagMatrix &*a*)
ComplexDiagMatrix **conj** (const ComplexDiagMatrix &*a*)

ComplexMatrix **extract** (int r1, int c1, int r2, int c2) const

ComplexRowVector **row** (int *i*) const
ComplexRowVector **row** (char *s) const

ComplexColumnVector **column** (int *i*) const
ComplexColumnVector **column** (char *s) const

ComplexDiagMatrix **inverse** (int &*info*) const
ComplexDiagMatrix **inverse** (void) const

ComplexDiagMatrix& **operator +=** (const DiagMatrix &*a*)
ComplexDiagMatrix& **operator -=** (const DiagMatrix &*a*)

ComplexDiagMatrix& **operator +=** (const ComplexDiagMatrix &*a*)
ComplexDiagMatrix& **operator -=** (const ComplexDiagMatrix &*a*)

ComplexMatrix **operator +** (const ComplexDiagMatrix &*a*, double *s*)
ComplexMatrix **operator -** (const ComplexDiagMatrix &*a*, double *s*)

ComplexMatrix **operator +** (const ComplexDiagMatrix &*a*, const Complex &*s*)
ComplexMatrix **operator -** (const ComplexDiagMatrix &*a*, const Complex &*s*)

ComplexDiagMatrix **operator *** (const ComplexDiagMatrix &*a*, double *s*)
ComplexDiagMatrix **operator /** (const ComplexDiagMatrix &*a*, double *s*)

ComplexMatrix **operator +** (double *s*, const ComplexDiagMatrix &*a*)
ComplexMatrix **operator -** (double *s*, const ComplexDiagMatrix &*a*)

ComplexMatrix **operator +** (const Complex &*s*, const ComplexDiagMatrix &*a*)
ComplexMatrix **operator -** (const Complex &*s*, const ComplexDiagMatrix &*a*)

ComplexDiagMatrix **operator *** (double *s*, const ComplexDiagMatrix &*a*)

ComplexColumnVector **operator *** (const ComplexDiagMatrix &*a*, const ColumnVector &*b*)

ComplexColumnVector **operator *** (const ComplexDiagMatrix &*a*, const ComplexColumnVector &*b*)

ComplexDiagMatrix **operator +** (const ComplexDiagMatrix &*a*, const DiagMatrix &*b*)
ComplexDiagMatrix **operator -** (const ComplexDiagMatrix &*a*, const DiagMatrix &*b*)

ComplexDiagMatrix **product** (const ComplexDiagMatrix &*a*, const DiagMatrix &*b*)

ComplexMatrix **operator +** (const ComplexDiagMatrix &*a*, const Matrix &*b*)
ComplexMatrix **operator -** (const ComplexDiagMatrix &*a*, const Matrix &*b*)
ComplexMatrix **operator *** (const ComplexDiagMatrix &*a*, const Matrix &*b*)

ComplexMatrix **operator +** (const ComplexDiagMatrix &*a*, const ComplexMatrix &*b*)
ComplexMatrix **operator -** (const ComplexDiagMatrix &*a*, const ComplexMatrix &*b*)
ComplexMatrix **operator *** (const ComplexDiagMatrix &*a*, const ComplexMatrix &*b*)

ComplexColumnVector **diag** (void) const
ComplexColumnVector **diag** (int *k*) const

`ostream&` **operator** `<<` (`ostream &`*os*, `const ComplexDiagMatrix &`*a*)

5 Matrix Factorizations

(void)
(const Matrix &*a*, const char **balance_job*)
(const AEPBALANCE &*a*)

AEPBALANCE& **operator =** (const AEPBALANCE &*a*)

Matrix **balanced_matrix** (void) const
Matrix **balancing_matrix** (void) const

ostream& **operator <<** (ostream &*os*, const AEPBALANCE &*a*)

ComplexAEPBALANCE **(void)**
ComplexAEPBALANCE **(const** ComplexMatrix &*a*, const char
balance_job)
ComplexAEPBALANCE **(const** ComplexAEPBALANCE &*a*)

ComplexAEPBALANCE& **operator =** (const ComplexAEPBALANCE &*a*)

ComplexMatrix **balanced_matrix** (void) const
ComplexMatrix **balancing_matrix** (void) const

ostream& **operator <<** (ostream &*os*, const ComplexAEPBALANCE &*a*)

(void)
(const DET &*a*)

DET& **operator =** (const DET &*a*)

int **value_will_overflow** (void) const
int **value_will_underflow** (void) const

double **coefficient** (void) const
int **exponent** (void) const
double **value** (void) const

ostream& **operator <<** (ostream &*os*, const DET &*a*)

(void)
(const ComplexDET &*a*)

ComplexDET& **operator =** (const ComplexDET &*a*)

int **value_will_overflow** (void) const
int **value_will_underflow** (void) const

Complex **coefficient** (void) const
int **exponent** (void) const
Complex **value** (void) const

ostream& **operator <<** (ostream &*os*, const ComplexDET &*a*)

(void)
(const Matrix &*a*, const Matrix &, const char **balance_job*)
(const GEPBALANCE &*a*)

GEPBALANCE& **operator** = (const GEPBALANCE &*a*)

Matrix **balanced_a_matrix** (void) const
Matrix **balanced_b_matrix** (void) const
Matrix **left_balancing_matrix** (void) const
Matrix **right_balancing_matrix** (void) const

ostream& **operator** << (ostream &*os*, const GEPBALANCE &*a*)

(void)
(const Matrix &*a*)
(const Matrix &*a*, int &*info*)
(const CHOL &*a*)

CHOL& **operator** = (const CHOL &*a*)

Matrix **chol_matrix** (void) const

ostream& **operator** << (ostream &*os*, const CHOL &*a*)

(void)
(const ComplexMatrix &*a*)
(const ComplexMatrix &*a*, int &*info*)
(const ComplexCHOL &*a*)

ComplexCHOL& **operator** = (const ComplexCHOL &*a*)

ComplexMatrix **chol_matrix** (void) const

ostream& **operator** << (ostream &*os*, const ComplexCHOL &*a*)

(void)
(const Matrix &*a*)
(const Matrix&a, int &*info*)
(const HESS &*a*)

HESS& **operator** = (const HESS &*a*)

Matrix **hess_matrix** (void) const
Matrix **unitary_hess_matrix** (void) const

ostream& **operator** << (ostream &*os*, const HESS &*a*)

(void)
(const ComplexMatrix &*a*)
(const ComplexMatrix &*a*, int &*info*)
(const ComplexHESS &*a*)

ComplexHESS& **operator** = (const ComplexHESS &*a*)

ComplexMatrix **hess_matrix** (void) const
ComplexMatrix **unitary_hess_matrix** (void) const

ostream& **operator** << (ostream &*os*, const ComplexHESS &*a*)

(void)
(const Matrix &*a*, const char **ord*)
(const Matrix &*a*, const char **ord*, int &*info*)
(const SCHUR &*a*, const char **ord*)

SCHUR& **operator =** (const SCHUR &*a*)

Matrix **schur_matrix** (void) const
Matrix **unitary_matrix** (void) const

ostream& **operator <<** (ostream &*os*, const SCHUR &*a*)

(**void**)
(**const** ComplexMatrix &*a*, const char **ord*)
(**const** ComplexMatrix &*a*, const char **ord*, int &*info*)
(**const** ComplexSCHUR &*a*, const char **ord*)

ComplexSCHUR& **operator =** (const ComplexSCHUR &*a*)

ComplexMatrix **schur_matrix** (void) const
ComplexMatrix **unitary_matrix** (void) const

ostream& **operator <<** (ostream &*os*, const ComplexSCHUR &*a*)

(**void**)
(**const** Matrix &*a*)
(**const** Matrix &*a*, int &*info*)
(**const** SVD &*a*)

SVD& **operator =** (const SVD &*a*)

DiagMatrix **singular_values** (void) const
Matrix **left_singular_matrix** (void) const
Matrix **right_singular_matrix** (void) const

ostream& **operator <<** (ostream &*os*, const SVD &*a*)

(**void**)
(**const** ComplexMatrix &*a*)
(**const** ComplexMatrix &*a*, int &*info*)
(**const** ComplexSVD &*a*)

ComplexSVD& **operator =** (const ComplexSVD &*a*)

DiagMatrix **singular_values** (void) const
ComplexMatrix **left_singular_matrix** (void) const
ComplexMatrix **right_singular_matrix** (void) const

ostream& **operator <<** (ostream &*os*, const ComplexSVD &*a*)

(**void**)
(**const** Matrix &*a*)
(**const** Matrix &*a*, int &*info*)
(**const** ComplexMatrix &*a*)
(**const** ComplexMatrix &*a*, int &*info*)
(**const** EIG &*a*)

EIG& **operator =** (const EIG &*a*)

ComplexColumnVector **eigenvalues** (void) const

ComplexMatrix **eigenvectors** (void) const

`ostream&` **operator** `<<` (`ostream &`*os*, `const EIG &`*a*)

(**void**)
(**const** `Matrix &`*a*)
(**const** `LU &`*a*)

`LU&` **operator** `=` (`const LU &`*a*)

`Matrix` **L** (`void`) `const`
`Matrix` **U** (`void`) `const`
`Matrix` **P** (`void`) `const`

`ostream&` **operator** `<<` (`ostream &`*os*, `const LU &`*a*)

(**void**)
(**const** `ComplexMatrix &`*a*)
(**const** `ComplexLU &`*a*)

`ComplexLU&` **operator** `=` (`const ComplexLU &`*a*)

`ComplexMatrix` **L** (`void`) `const`
`ComplexMatrix` **U** (`void`) `const`
`Matrix` **P** (`void`) `const`

`ostream&` **operator** `<<` (`ostream &`*os*, `const ComplexLU &`*a*)

(**void**)
(**const** `Matrix &`*A*)
(**const** `QR &`*a*)

`QR&` **operator** `=` (`const QR &`*a*)

`Matrix` **Q** (`void`) `const`
`Matrix` **R** (`void`) `const`

`ostream&` **operator** `<<` (`ostream &`*os*, `const QR &`*a*)

(**void**)
(**const** `ComplexMatrix &`*A*)
(**const** `ComplexQR &`*a*)

`ComplexQR&` **operator** `=` (`const ComplexQR &`*a*)

`ComplexMatrix` **Q** (`void`) `const`
`ComplexMatrix` **R** (`void`) `const`

`ostream&` **operator** `<<` (`ostream &`*os*, `const ComplexQR &`*a*)

6 Ranges

(**void**)
(**const** `Range &`*r*)
(**double** *b*, `double` *l*)
(**double** *b*, `double` *l*, `double` *i*)

`double` **base** (`void`) `const`
`double` **limit** (`void`) `const`
`double` **inc** (`void`) `const`

`void` **set_base** (`double` *b*)
`void` **set_limit** (`double` *l*)
`void` **set_inc** (`double` *i*)

`int` **nelem** (`void`) `const`

`double` **min** (`void`) `const`
`double` **max** (`void`) `const`

`void` **sort** (`void`)

`ostream&` **operator** `<<` (`ostream &`*os*, `const Range &`*r*)
`istream&` **operator** `>>` (`istream &`*is*, `Range &`*r*)

`void` **print_range** (`void`)

7 Nonlinear Functions

(void)
(const *nonlinear_fcn*)
(const *nonlinear_fcn*, `const` *jacobian_fcn*)
(const `NLFunc &`*a*)

`NLFunc&` **operator =** (`const NLFunc &`*a*)

`nonlinear_fcn` **function** (`void`) `const;`

`NLFunc&` **set_function** (`const nonlinear_fcn` *f*)

`jacobian_fcn` **jacobian_function** (`void`) `const;`

`NLFunc&` **set_jacobian_function** (`const jacobian_fcn` *j*)

8 Nonlinear Equations

(void)
(const `NLEqn_options &`*opt*)

`NLEqn_options&` **operator =** (`const NLEqn_options &`*opt*)

`void` **init** (`void`)

`void` **copy** (`const NLEqn_options &`*opt*)

`void` **set_default_options** (`void`)

`void` **set_tolerance** (`double` *val*)

`double` **tolerance** (`void`)

(void)
(const `ColumnVector&, const` *NLFunc*)
(const `NLEqn &`*a*)

`NLEqn&` **operator =** (`const NLEqn &`*a*)

`void` **resize** (`int` *n*)

`void` **set_states** (`const ColumnVector &`*x*)

`ColumnVector` **states** (`void`) `const`

`int` **size** (`void`) `const`

`ColumnVector` **solve** (`void`)
`ColumnVector` **solve** (`const ColumnVector &`*x*)

`ColumnVector` **solve** (`int &`*info*)
`ColumnVector` **solve** (`const ColumnVector &`*x*, `int &`*info*)

9 Optimization

9.1 Objective Functions

(void)
(const *objective_fcn*)
(const *objective_fcn*, `const` *gradient_fcn*)
(const `Objective &`*a*)

`Objective&` **operator =** (`const Objective &`*a*)

`objective_fcn` **objective_function** (`void`) `const;`

`Objective&` **set_objective_function** (`const` *objective_fcn*)

`gradient_fcn` **gradient_function** (`void`) `const;`

`Objective&` **set_gradient_function** (`const` *gradient_fcn*)

9.2 Bounds

(void)
(int *n*)
(const `ColumnVector` *lb*, `const ColumnVector` *ub*)
(const `Bounds &`*a*)

`Bounds&` **operator =** (`const Bounds &`*a*)

`Bounds&` **resize** (`int` *n*)

`double` **lower_bound** (`int` *index*) `const;`
`double` **upper_bound** (`int` *index*) `const;`

`ColumnVector` **lower_bounds** (`void`) `const;`
`ColumnVector` **upper_bounds** (`void`) `const;`

`int` **size** (`void`) `const;`

`Bounds&` **set_bound** (`int` *index*, `double` *low*, `double` *high*)

`Bounds&` **set_bounds** (`double` *low*, `double` *high*)
`Bounds&` **set_bounds** (`const ColumnVector` *lb*, `const ColumnVector` *ub*)

`Bounds&` **set_lower_bound** (`int` *index*, `double` *low*)
`Bounds&` **set_upper_bound** (`int` *index*, `double` *high*)

`Bounds&` **set_lower_bounds** (`double` *low*)
`Bounds&` **set_upper_bounds** (`double` *high*)

`Bounds&` **set_lower_bounds** (`const ColumnVector` *lb*)
`Bounds&` **set_upper_bounds** (`const ColumnVector` *ub*)

`ostream&` **operator <<** (`ostream &`*os*, `const Bounds &`*b*)

9.3 Linear Constraints

(void)
(int *nclin*, int *nx*)
(int *nclin_eq*, int *nclin_ineq*, int *nx*)
(const ColumnVector &*lb*, const Matrix &*A*, const ColumnVector &*ub*)
(const Matrix &*A_eq*, const ColumnVector &*b_eq*, const Matrix &*A_ineq*,
const ColumnVector &*b_ineq*)
(const LinConst &*a*)

LinConst& **operator =** (const LinConst &*a*)

LinConst& **resize** (int *nclin*, int *n*)

Matrix **constraint_matrix** (void) const;

LinConst& **set_constraint_matrix** (const Matrix &*A*)

Matrix **eq_constraint_matrix** (void) const;
Matrix **ineq_constraint_matrix** (void) const;

ColumnVector **eq_constraint_vector** (void) const;
ColumnVector **ineq_constraint_vector** (void) const;

ostream& **operator <<** (ostream &*os*, const LinConst &*b*)

9.4 Nonlinear Constraints

(void)
(int *n*)
(const ColumnVector *lb*, const NLFunc *f*, const ColumnVector *ub*)
(const NLConst &*a*)

NLConst& **operator =** (const NLConst &*a*)

9.5 Quadratic Programming

(void)
(const ColumnVector &*x*, const Matrix &*H*)
(const ColumnVector &*x*, const Matrix &*H*, const ColumnVector &*c*)
(const ColumnVector &*x*, const Matrix &*H*, const Bounds &*b*)
(const ColumnVector &*x*, const Matrix &*H*, const LinConst &*lc*)
(const ColumnVector &*x*, const Matrix &*H*, const ColumnVector &*c*,
const Bounds &*b*)
(const ColumnVector &*x*, const Matrix &*H*, const ColumnVector &*c*,
const LinConst &*lc*)
(const ColumnVector &*x*, const Matrix &*H*, const Bounds &*b*, const
LinConst &*lc*)
(const ColumnVector &*x*, const Matrix &*H*, const ColumnVector &*c*,
const Bounds &*b*, const LinConst &*lc*)

virtual ColumnVector **minimize** (void)
virtual ColumnVector **minimize** (double &*objf*)
virtual ColumnVector **minimize** (double &*objf*, int &*inform*)
virtual ColumnVector **minimize** (double &*objf*, int &*inform*, ColumnVector &*lambda*) = 0;

virtual ColumnVector **minimize** (const ColumnVector &*x*)
virtual ColumnVector **minimize** (const ColumnVector &*x*, double &*objf*)
virtual ColumnVector **minimize** (const ColumnVector &*x*, double &*objf*, int &*inform*)
virtual ColumnVector **minimize** (const ColumnVector &*x*, double &*objf*, int &*inform*, ColumnVector &*lambda*)

ColumnVector **minimize** (double &*objf*, int &*inform*, ColumnVector &*lambda*)

9.6 Nonlinear Programming

(void)
(const ColumnVector &*x*, const Objective &*phi*)
(const ColumnVector &*x*, const Objective &*phi*, const Bounds &*b*)
(const ColumnVector &*x*, const Objective &*phi*, const Bounds &*b*, const LinConst &*lc*)
(const ColumnVector &*x*, const Objective &*phi*, const Bounds &*b*, const LinConst &*lc*, const NLConst &*nlc*)
(const ColumnVector &*x*, const Objective &*phi*, const LinConst &*lc*)
(const ColumnVector &*x*, const Objective &*phi*, const LinConst &*lc*, const NLConst &*nlc*)
(const ColumnVector &*x*, const Objective &*phi*, const NLConst &*nlc*)
(const ColumnVector &*x*, const Objective &*phi*, const Bounds &*b*, const NLConst &*nlc*)

NLP& **operator** = (const NLP &*a*)

int **size** (void) const

ColumnVector **minimize** (void)
ColumnVector **minimize** (double &*objf*)
ColumnVector **minimize** (double &*objf*, int &*inform*)
ColumnVector **minimize** (double &*objf*, int &*inform*, ColumnVector &*lambda*)

ColumnVector **minimize** (const ColumnVector &*x*)
ColumnVector **minimize** (const ColumnVector &*x*, double &*objf*)
ColumnVector **minimize** (const ColumnVector &*x*, double &*objf*, int &*inform*)
ColumnVector **minimize** (const ColumnVector &*x*, double &*objf*, int &*inform*, ColumnVector &*lambda*)

10 Quadrature

(**integrand_fcn** *fcn*)
(**integrand_fcn** *fcn*, `double` *abs*, `double` *rel*)

`virtual double` **integrate** (`void`)
`virtual double` **integrate** (`int &`*ier*)
`virtual double` **integrate** (`int &`*ier*, `int &`*neval*)
`virtual double` **integrate** (`int &`*ier*, `int &`*neval*, `double &`*abserr*) `= 0`

`Quad_options` (**void**)
`Quad_options` (**const** `Quad_options &`*opt*)

`Quad_options&` **operator =** (`const Quad_options &`*opt*)

`void` **init** (`void`)

`void` **copy** (`const Quad_options &`*opt*)

`void` **set_default_options** (`void`)

`void` **set_absolute_tolerance** (`double` *val*)

`void` **set_relative_tolerance** (`double` *val*)

`double` **absolute_tolerance** (`void`)
`double` **relative_tolerance** (`void`)

(**integrand_fcn** *fcn*)
(**integrand_fcn** *fcn*, `double` *ll*, `double` *ul*)
(**integrand_fcn** *fcn*, `double` *ll*, `double` *ul*, `double` *abs*, `double` *rel*)
(**integrand_fcn** *fcn*, `double` *ll*, `double` *ul*, `const ColumnVector &`*sing*)
(**integrand_fcn** *fcn*, `const ColumnVector &`*sing*, `double` *abs*, `double` *rel*)

(**integrand_fcn** *fcn*, `const ColumnVector &`*sing*)
(**integrand_fcn** *fcn*, `double` *ll*, `double` *ul*, `const ColumnVector &`*sing*,
`double` *abs*, `double` *rel*)

(**integrand_fcn** *fcn*)
(**integrand_fcn** *fcn*, `double` *b*, `IntegralType` *t*)
(**integrand_fcn** *fcn*, `double` *b*, `IntegralType` *t*, `double` *abs*, `double` *rel*)

(**integrand_fcn** *fcn*, `double` *abs*, `double` *rel*)

10.1 Collocation Weights

(**void**)
(**int** *n*, `int` *inc_l*, `int` *inc_r*)
(**int** *n*, `int` *inc_l*, `int` *inc_r*, `double` *l*, `double` *r*)
(**int** *n*, `double` a, `double` *b*, `int` *inc_l*, `int` *inc_r*)
(**int** *n*, `int` *inc_l*, `int` *inc_r*, `double` *l*, `double` *r*)
(**const** `CollocWt&`)

`CollocWt&` **operator =** (`const CollocWt&`)

`CollocWt&` **resize** (`int` *ncol*)

`CollocWt&` **add_left** (`void`)
`CollocWt&` **add_right** (`void`)

`CollocWt&` **delete_left** (`void`)
`CollocWt&` **delete_right** (`void`)

`CollocWt&` **set_left** (`double` *val*)
`CollocWt&` **set_right** (`double` *val*)

`CollocWt&` **set_alpha** (`double` *val*)
`CollocWt&` **set_beta** (`double` *val*)

`int` **ncol** (`void`) `const`

`int` **left_included** (`void`) `const`
`int` **right_included** (`void`) `const`

`double` **left** (`void`) `const`
`double` **right** (`void`) `const`
`double` **width** (`void`) `const`

`double` **alpha** (`void`) `const`
`double` **beta** (`void`) `const`

`ColumnVector` **roots** (`void`)
`ColumnVector` **quad** (`void`)
`ColumnVector` **quad_weights** (`void`)

`Matrix` **first** (`void`)
`Matrix` **second** (`void`)

`ostream&` **operator <<** (`ostream &`*os*, `const CollocWt &`*c*)

11 Ordinary Differential Equations

(void)
(const `ODE_options` &*opt*)

`ODE_options&` **operator =** (`const ODE_options` &*opt*)

`void` **init** (`void`)

`void` **copy** (`const ODE_options` &*opt*)

`void` **set_default_options** (`void`)

`void` **set_absolute_tolerance** (`double` *val*)

`void` **set_initial_step_size** (`double` *val*)

`void` **set_maximum_step_size** (`double` *val*)

`void` **set_minimum_step_size** (`double` *val*)

`void` **set_relative_tolerance** (`double` *val*)

`double` **absolute_tolerance** (`void`)
`double` **initial_step_size** (`void`)
`double` **maximum_step_size** (`void`)
`double` **minimum_step_size** (`void`)
`double` **relative_tolerance** (`void`)

(void)
(int *n*)
(const `ColumnVector` &*state*, `double` *time*, `const ODEFunc` &*f*)

`virtual int` **size** (`void`) `const`

`virtual ColumnVector` **state** (`void`) `const`

`virtual double` **time** (`void`) `const`

`virtual void` **force_restart** (`void`)

`virtual void` **initialize** (`const ColumnVector` &*x*, `double` *t*)

`virtual void` **set_stop_time** (`double` *t*)

`virtual void` **clear_stop_time** (`void`)

`virtual ColumnVector` **integrate** (`double` *t*)

`void` **integrate** (`int` *nsteps*, `double` *tstep*, `ostream` &*s*)

`Matrix` **integrate** (`const ColumnVector` &*tout*)
`Matrix` **integrate** (`const ColumnVector` &*tout*, `const ColumnVector` &*tcrit*)

12 Differential Algebraic Equations

(void)
(int *n*)
(const `ColumnVector &`*x*, `double` *time*, `DAEFunc &`*f*)
(const `ColumnVector &`*x*, `ColumnVector &`*xdot*, `double` *time*, `DAEFunc &`*f*)

`ColumnVector` **deriv** (`void`)

`virtual void` **initialize** (`const ColumnVector &`*x*, `double` *t*)
`virtual void` **initialize** (`const ColumnVector &`*x*, `ColumnVector &`*xdot*, `double` *t*)

`ColumnVector` **integrate** (`double` *t*)

`Matrix` **integrate** (`const ColumnVector &`*tout*, `Matrix &`*xdot_out*)
`Matrix` **integrate** (`const ColumnVector &`*tout*, `Matrix &`*xdot_out*, `const ColumnVector &`*tcrit*)

13 Error Handling

14 Installation

15 Bugs

Concept Index

A

acknowledgements ... 1
arrays ... 10

B

bounds ... 38
bugs, known ... 47

C

collocation weights ... 41
contributors ... 1
copyright ... 1

D

DAE ... 44

F

factorizations ... 31

I

installation ... 46
installation trouble ... 47
integration ... 41
introduction ... 9

K

known causes of trouble ... 47

L

linear Constraints ... 39

M

matrix factorizations ... 31
matrix manipulations ... 14

N

NLP ... 40
nonlinear Constraints ... 39
nonlinear equations ... 37
nonlinear functions ... 36
nonlinear programming ... 40
numerical integration ... 41

O

objective functions ... 38
ODE ... 43
optimization ... 38
orthogonal collocation ... 41

Q

QP ... 39
quadratic programming ... 39
quadrature ... 41

R

ranges ... 35

T

troubleshooting ... 47

V

vector manipulations ... 14

W

warranty ... 1

Function Index

(

(const ... 11, 12, 14, 17, 18, 19, 21, 24, 26, 28, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 43, 44
(double ... 35
(int .. 11, 12, 14, 17, 18, 19, 21, 24, 26, 28, 38, 39, 41, 43, 44
(integrand_fcn ... 41
(void) ... 11, 14, 17, 18, 19, 21, 24, 26, 27, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 43, 44

A

absolute_tolerance ... 41, 43
add_left ... 42
add_right ... 42
all ... 16, 24
alpha ... 42
any ... 16, 24
append ... 14, 18, 21, 22, 26
Array<T>::Array ... 10
Array<T>::capacity ... 10
Array<T>::checkelem ... 10
Array<T>::data ... 11
Array<T>::elem ... 10
Array<T>::length ... 10
Array<T>::operator ... 10
Array<T>::resize ... 11
Array<T>::xelem ... 10
Array2 ... 11

B

balanced_a_matrix ... 32
balanced_b_matrix ... 32
balanced_matrix ... 31
balancing_matrix ... 31
base ... 35
beta ... 42

C

checkelem ... 11, 12
chol_matrix ... 32
clear_stop_time ... 43
coefficient ... 31
cols ... 11, 12
column ... 14, 20, 22, 28
column_max ... 17, 24
column_max_loc ... 17, 24
column_min ... 16, 24
column_min_loc ... 16, 24
columns ... 11, 12
conj ... 22, 25, 26, 28
constraint_matrix ... 39
copy ... 37, 41, 43
cumprod ... 16, 24
cumsum ... 16, 24

D

delete_left ... 42
delete_right ... 42
deriv ... 44
determinant ... 14, 22
diag ... 16, 21, 24, 29
dim1 ... 11, 12
dim2 ... 11, 12
dim3 ... 11

E

eigenvalues ... 33
eigenvectors ... 33
elem ... 11, 12
eq_constraint_matrix ... 39
eq_constraint_vector ... 39
exponent ... 31
extract ... 14, 17, 18, 20, 22, 25, 26, 28

F

fill ... 14, 17, 18, 19, 20, 21, 25, 26, 28
first ... 42
force_restart ... 43
fourier ... 14, 22
function ... 36

G

gradient_function ... 38

H

hess_matrix ... 32

I

ifourier ... 14, 22
imag ... 22, 25, 26, 28
inc ... 35
ineq_constraint_matrix ... 39
ineq_constraint_vector ... 39

init 37, 41, 43
initial_step_size 43
initialize 43, 44
insert 14, 17, 18, 21, 25, 26
integrate 41, 43, 44
inverse 14, 20, 22, 28

J

jacobian_function 36

L

L 34
left 42
left_balancing_matrix 32
left_included 42
left_singular_matrix 33
limit 35
lower_bound 38
lower_bounds 38
lssolve 15, 23

M

map 16, 18, 19, 24, 26, 27
max 18, 19, 26, 27, 35
maximum_step_size 43
min 18, 19, 26, 27, 35
minimize 40
minimum_step_size 43

N

ncol 42
nelem 35

O

objective_function 38
operator 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43

P

P 34
print_range 35
prod 16, 24
product 12, 13, 16, 18, 19, 20, 24, 25, 27, 29

Q

Q 34
quad 42
quad_weights 42
quotient 12, 13, 16, 18, 19, 24, 26, 27

R

R 34
real 22, 25, 26, 28
relative_tolerance 41, 43
resize 11, 12, 37, 38, 39, 42
right 42
right_balancing_matrix 32
right_included 42
right_singular_matrix 33
roots 42
row 14, 20, 22, 28
row_max 16, 24
row_max_loc 16, 24
row_min 16, 24
row_min_loc 16, 24
rows 11, 12

S

schur_matrix 33
second 42
set_absolute_tolerance 41, 43
set_alpha 42
set_base 35
set_beta 42
set_bound 38
set_bounds 38
set_constraint_matrix 39
set_default_options 37, 41, 43
set_function 36
set_gradient_function 38
set_inc 35
set_initial_step_size 43
set_jacobian_function 36
set_left 42
set_limit 35
set_lower_bound 38
set_lower_bounds 38
set_maximum_step_size 43
set_minimum_step_size 43
set_objective_function 38
set_relative_tolerance 41, 43
set_right 42
set_states 37
set_stop_time 43
set_tolerance 37
set_upper_bound 38
set_upper_bounds 38
singular_values 33

size 37, 38, 40, 43
solve 15, 22, 37
sort 35
stack 14, 17, 22, 25
state 43
states 37
sum 16, 24
sumsq 16, 24

T

time 43
tolerance 37
transpose 14, 17, 18, 20, 22, 25, 26, 28

U

U 34
unitary_hess_matrix 32
unitary_matrix 33
upper_bound 38
upper_bounds 38

V

value 31
value_will_overflow 31
value_will_underflow 31

W

width 42

Table of Contents

1 Acknowledgements 1

Contributors to Octave 1

GNU GENERAL PUBLIC LICENSE 2

Preamble 2

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION 3

Appendix: How to Apply These Terms to Your New Programs .. 7

2 A Brief Introduction to Octave 9

3 Arrays 10

3.1 Constructors and Assignment 10

4 Matrix and Vector Operations 14

5 Matrix Factorizations 31

6 Ranges 35

7 Nonlinear Functions 36

8 Nonlinear Equations 37

9 Optimization 38

9.1 Objective Functions 38

9.2 Bounds 38

9.3 Linear Constraints 39

9.4 Nonlinear Constraints 39

9.5 Quadratic Programming 39

9.6 Nonlinear Programming 40

10 Quadrature 41

10.1 Collocation Weights 41

11 Ordinary Differential Equations 43

12 Differential Algebraic Equations 44

13 Error Handling 45

14 Installation 46

15 Bugs 47

Concept Index 48

Function Index 49