

Starting Octave

octave	start interactive Octave session
octave <i>file</i>	run Octave on commands in <i>file</i>
octave --help	describe command line options

Stopping Octave

quit or exit	exit Octave
INTERRUPT	(<i>e.g.</i> C-c) terminate current command and return to top-level prompt

Getting Help

help	list all commands and built-in variables
help <i>command</i>	briefly describe <i>command</i>
help -i	use Info to browse Octave manual
help -i <i>command</i>	search for <i>command</i> in Octave manual

Motion in Info

SPC or C-v	scroll forward one screenful
DEL or M-v	scroll backward one screenful
C-l	redraw the display

Node Selection in Info

n	select the next node
p	select the previous node
u	select the 'up' node
t	select the 'top' node
d	select the directory node
<	select the first node in the current file
>	select the last node in the current file
g	reads the name of a node and selects it
C-x k	kills the current node

Searching in Info

s	search for a string
C-s	search forward incrementally
C-r	search backward incrementally
i	search index & go to corresponding node
,	go to next match from last 'i' command

Command-Line Cursor Motion

C-b	move back one character
C-f	move forward one character
C-a	move the the start of the line
C-e	move to the end of the line
M-f	move forward a word
M-b	move backward a word
C-l	clear screen, reprinting current line at top

Inserting or Changing Text

M-TAB	insert a tab character
DEL	delete character to the left of the cursor
C-d	delete character under the cursor
C-v	add the next character verbatim
C-t	transpose characters at the point
M-t	transpose words at the point

[] surround optional arguments ... show one or more arguments

Killing and Yanking

C-k	kill to the end of the line
C-y	yank the most recently killed text
M-d	kill to the end of the current word
M-DEL	kill the word behind the cursor
M-y	rotate the kill ring and yank the new top

Command Completion and History

TAB	complete a command or variable name
M-?	list possible completions
RET	enter the current line
C-p	move 'up' through the history list
C-n	move 'down' through the history list
M-<	move to the first line in the history
M->	move to the last line in the history
C-r	search backward in the history list
C-s	search forward in the history list

history [-q] [N] list N previous history lines, omitting history numbers if -q

history -w [file] write history to file (~/.octave_hist if no file argument)

history -r [file] read history from file (~/.octave_hist if no file argument)

edit_history lines edit and then run previous commands from the history list

run_history lines run previous commands from the history list

[beg] [end] Specify the first and last history commands to edit or run.

If *beg* is greater than *end*, reverse the list of commands before editing. If *end* is omitted, select commands from *beg* to the end of the history list. If both arguments are omitted, edit the previous item in the history list.

Shell Commands

cd <i>dir</i>	change working directory to <i>dir</i>
pwd	print working directory
ls [options]	print directory listing
getenv (<i>string</i>)	return value of named environment variable
system (<i>cmd</i>)	execute arbitrary shell command string

Matrices

Square brackets delimit literal matrices. Commas separate elements on the same row. Semicolons separate rows. Commas may be replaced by spaces, and semicolons may be replaced by one or more newlines. Elements of a matrix may be arbitrary expressions, provided that all the dimensions agree.

[x, y, ...]	enter a row vector
[x; y; ...]	enter a column vector
[w, x; y, z]	enter a 2X2 matrix

Ranges

base : *limit*
base : *incr* : *limit*

Specify a range of values beginning with *base* with no elements greater than *limit*. If it is omitted, the default value of *incr* is 1. Negative increments are permitted.

Strings and Common Escape Sequences

A *string constant* consists of a sequence of characters enclosed in either double-quote or single-quote marks.

\\	a literal backslash
\"	a literal double-quote character
\'	a literal single-quote character
\n	newline, ASCII code 10
\t	horizontal tab, ASCII code 9

Index Expressions

<i>var</i> (<i>idx</i>)	select elements of a vector
<i>var</i> (<i>idx1</i> , <i>idx2</i>)	select elements of a matrix
<i>scalar</i>	select row (column) corresponding to <i>scalar</i>
<i>vector</i>	select rows (columns) corresponding to the elements of <i>vector</i>
<i>range</i>	select rows (columns) corresponding to the elements of <i>range</i>
:	select all rows (columns)

Global Variables

global *var1* ... Declare variables global.

Global variables may be accessed inside the body of a function without having to be passed in the function parameter list provided they are also declared global within the function.

Selected Built-in Variables

EDITOR	editor to use with edit_history
Inf, NaN	IEEE infinity, NaN
LOADPATH	path to search for function files
PAGER	program to use to paginate output
ans	last result not explicitly assigned
eps	machine precision
pi	π
realmax	maximum representable value
realmin	minimum representable value

automatic_replot	automatically redraw plots
do_fortran_indexing	Fortran-style indexing of matrices
implicit_str_to_num_ok	allow strings to become numbers
output_max_field_width	maximum numeric field width
output_precision	min significant figures displayed
page_screen_output	control whether output is paged
prefer_column_vectors	create column vectors by default
resize_on_range_error	automatic resizing of matrices
save_precision	digits stored by save command
silent_functions	suppress output from functions
warn_divide_by_zero	suppress divide by zero errors

commas_in_literal_matrix control handling of spaces in matrices

ignore_function_time_stamp ignore changes in function files during session

ok_to_lose_imaginary_part allow complex to real conversion

prefer_zero_one_indexing if ambiguous, prefer 0-1 style indexing

Arithmetic and Increment Operators

<code>x + y</code>	addition
<code>x - y</code>	subtraction
<code>x * y</code>	matrix multiplication
<code>x .* y</code>	element by element multiplication
<code>x / y</code>	right division, conceptually equivalent to $(\text{inverse}(y') * x')$
<code>x ./ y</code>	element by element right division
<code>x \ y</code>	left division, conceptually equivalent to $\text{inverse}(x) * y$
<code>x \ y</code>	element by element left division
<code>x ^ y</code>	power operator
<code>x .^ y</code>	element by element power operator
<code>- x</code>	negation
<code>+ x</code>	unary plus (a no-op)
<code>x ' </code>	complex conjugate transpose
<code>x .' </code>	transpose
<code>++ x (-- x)</code>	increment (decrement) <i>x</i> , return <i>new</i> value
<code>x ++ (x --)</code>	increment (decrement) <i>x</i> , return <i>old</i> value

Assignment Expressions

<code>var = expr</code>	assign expression to variable
<code>var (idx) = expr</code>	assign expression to indexed variable

Comparison and Boolean Operators

These operators work on an element-by-element basis. Both arguments are always evaluated.

<code>x < y</code>	true if <i>x</i> is less than <i>y</i>
<code>x <= y</code>	true if <i>x</i> is less than or equal to <i>y</i>
<code>x == y</code>	true if <i>x</i> is greater than <i>y</i>
<code>x >= y</code>	true if <i>x</i> is greater than or equal to <i>y</i>
<code>x > y</code>	true if <i>x</i> is equal to <i>y</i>
<code>x != y</code>	true if <i>x</i> is not equal to <i>y</i>
<code>x & y</code>	true if both <i>x</i> and <i>y</i> are true
<code>x y</code>	true if at least one of <i>x</i> or <i>y</i> is true
<code>! bool</code>	true <i>bool</i> is false

Short-circuit Boolean Operators

Operators evaluate left-to-right, expecting scalar operands. Operands are only evaluated if necessary, stopping once overall truth value can be determined. Operands are converted to scalars by applying the `all` function.

<code>x && y</code>	true if both <i>x</i> and <i>y</i> are true
<code>x y</code>	true if at least one of <i>x</i> or <i>y</i> is true

Operator Precedence

Here is a table of the operators in Octave, in order of increasing precedence.

<code>;</code> <code>,</code>	statement separators
<code>=</code>	assignment, groups left to right
<code> </code> <code>&&</code>	logical “or” and “and”
<code> </code> <code>&</code>	element-wise “or” and “and”
<code><</code> <code><=</code> <code>==</code> <code>>=</code> <code>></code> <code>!=</code>	relational operators
<code>:</code>	colon
<code>+</code> <code>-</code>	addition and subtraction
<code>*</code> <code>/</code> <code>\</code> <code>.*</code> <code>./</code> <code>.\</code>	multiplication and division
<code>'</code> <code>.'</code>	transpose
<code>+</code> <code>-</code> <code>++</code> <code>--</code> <code>!</code>	unary minus, increment, logical “not”
<code>^</code> <code>.^</code>	exponentiation

Statements

`for identifier = expr stmt-list endfor`
Execute *stmt-list* once for each column of *expr*. The variable *identifier* is set to the value of the current column during each iteration.

`while (condition) stmt-list endwhile`
Execute *stmt-list* while *condition* is true.

`break` exit innermost loop
`continue` go to beginning of innermost loop
`return` return to calling function

`if (condition) if-body [else else-body] endif`
Execute *if-body* if *condition* is true, otherwise execute *else-body*.

`if (condition) if-body [elseif (condition) elseif-body] endif`
Execute *if-body* if *condition* is true, otherwise execute the *elseif-body* corresponding to the first `elseif` condition that is true, otherwise execute *else-body*.

Any number of `elseif` clauses may appear in an `if` statement.

`unwind_protect body unwind_protect_cleanup cleanup end`
Execute *body*. Execute *cleanup* no matter how control exits *body*.

Defining Functions

`function [ret-list] function-name [(arg-list)]`
function-body
`endfunction`

ret-list may be a single identifier or a comma-separated list of identifiers delimited by square-brackets.

arg-list is a comma-separated list of identifiers and may be empty.

Basic Matrix Manipulations

`rows (a)` return number of rows of *a*
`columns (a)` return number of columns of *a*
`all (a)` check if all elements of *a* nonzero
`any (a)` check if any elements of *a* nonzero
`find (a)` return indices of nonzero elements
`sort (a)` order elements in each column of *a*
`sum (a)` sum elements in columns of *a*
`prod (a)` product of elements in columns of *a*
`min (args)` find minimum values
`max (args)` find maximum values
`rem (x, y)` find remainder of *x/y*
`reshape (a, m, n)` reformat *a* to be *m* by *n*

`diag (v, k)` create diagonal matrices
`linspace (b, l, n)` create vector of linearly-spaced elements
`logspace (b, l, n)` create vector of log-spaced elements
`eye (n, m)` create *n* by *m* identity matrix
`ones (n, m)` create *n* by *m* matrix of ones
`zeros (n, m)` create *n* by *m* matrix of zeros
`rand (n, m)` create *n* by *m* matrix of random values

Linear Algebra

`chol (a)` Cholesky factorization
`det (a)` compute the determinant of a matrix
`eig (a)` eigenvalues and eigenvectors
`expm (a)` compute the exponential of a matrix
`hess (a)` compute Hessenberg decomposition
`inverse (a)` invert a square matrix
`norm (a, p)` compute the *p*-norm of a matrix
`pinv (a)` compute pseudoinverse of *a*
`qr (a)` compute the QR factorization of a matrix
`rank (a)` matrix rank
`schur (a)` Schur decomposition of a matrix
`svd (a)` singular value decomposition
`syl (a, b, c)` solve the Sylvester equation

Equations, ODEs, DAEs, Quadrature

`*fsolve` solve nonlinear algebraic equations
`*lsode` integrate nonlinear ODEs
`*dassl` integrate nonlinear DAEs
`*quad` integrate nonlinear functions

`pererror (nm, code)` for functions that return numeric codes, print error message for named function and given error code

* See the on-line or printed manual for the complete list of arguments for these functions.

Signal Processing

`fft (a)` Fast Fourier Transform using FFTPACK
`ifft (a)` inverse FFT using FFTPACK
`freqz (args)` FIR filter frequency response
`sinc (x)` returns $\sin(\pi x)/(\pi x)$

Image Processing

`colormap (map)` set the current colormap
`gray2ind (i, n)` convert gray scale to Octave image
`image (img, zoom)` display an Octave image matrix
`imagesc (img, zoom)` display scaled matrix as image
`imshow (img, map)` display Octave image
`imshow (i, n)` display gray scale image
`imshow (r, g, b)` display RGB image
`ind2gray (img, map)` convert Octave image to gray scale
`ind2rgb (img, map)` convert indexed image to RGB
`loadimage (file)` load an image file
`rgb2ind (r, g, b)` convert RGB to Octave image
`saveimage (file, img, fmt, map)` save a matrix to *file*

Sets

`create_set (a, b)` create row vector of unique values
`complement (a, b)` elements of *b* not in *a*
`intersection (a, b)` intersection of sets *a* and *b*
`union (a, b)` union of sets *a* and *b*

Strings

`strcmp (s, t)` compare strings
`strcat (s, t, ...)` concatenate strings

C-style Input and Output

<code>fopen</code> (<i>name</i> , <i>mode</i>)	open file <i>name</i>
<code>fclose</code> (<i>file</i>)	close <i>file</i>
<code>printf</code> (<i>fmt</i> , ...)	formatted output to <code>stdout</code>
<code>fprintf</code> (<i>file</i> , <i>fmt</i> , ...)	formatted output to <i>file</i>
<code>sprintf</code> (<i>fmt</i> , ...)	formatted output to string
<code>scanf</code> (<i>fmt</i>)	formatted input from <code>stdin</code>
<code>fscanf</code> (<i>file</i> , <i>fmt</i>)	formatted input from <i>file</i>
<code>sscanf</code> (<i>str</i> , <i>fmt</i>)	formatted input from <i>string</i>
<code>fgets</code> (<i>file</i> , <i>len</i>)	read <i>len</i> characters from <i>file</i>
<code>fflush</code> (<i>file</i>)	flush pending output to <i>file</i>
<code>ftell</code> (<i>file</i>)	return file pointer position
<code>frewind</code> (<i>file</i>)	move file pointer to beginning
<code>freport</code>	print a info for open files
<code>fread</code> (<i>file</i> , <i>size</i> , <i>prec</i>)	read binary data files
<code>fwrite</code> (<i>file</i> , <i>size</i> , <i>prec</i>)	write binary data files
<code>feof</code> (<i>file</i>)	determine if pointer is at EOF

A file may be referenced either by name or by the number returned from `fopen`. Three files are preconnected when Octave starts: `stdin`, `stdout`, and `stderr`.

Other Input and Output functions

<code>save</code> <i>file var ...</i>	save variables in <i>file</i>
<code>load</code> <i>file</i>	load variables from <i>file</i>
<code>disp</code> (<i>var</i>)	display value of <i>var</i> to screen

Miscellaneous Functions

<code>eval</code> (<i>str</i>)	evaluate <i>str</i> as a command
<code>feval</code> (<i>str</i> , ...)	evaluate function named by <i>str</i> , passing remaining args to called function
<code>error</code> (<i>message</i>)	print message and return to top level
<code>clear</code> <i>pattern</i>	clear variables matching <i>pattern</i>
<code>exist</code> (<i>str</i>)	check existence of variable or function
<code>who</code>	list current variables

Polynomials

<code>compan</code> (<i>p</i>)	companion matrix
<code>conv</code> (<i>a</i> , <i>b</i>)	convolution
<code>deconv</code> (<i>a</i> , <i>b</i>)	deconvolve two vectors
<code>poly</code> (<i>a</i>)	create polynomial from a matrix
<code>polyderiv</code> (<i>p</i>)	derivative of polynomial
<code>polyreduce</code> (<i>p</i>)	integral of polynomial
<code>polyval</code> (<i>p</i> , <i>x</i>)	value of polynomial at <i>x</i>
<code>polyvalm</code> (<i>p</i> , <i>x</i>)	value of polynomial at <i>x</i>
<code>roots</code> (<i>p</i>)	polynomial roots
<code>residue</code> (<i>a</i> , <i>b</i>)	partial fraction expansion of ratio <i>a/b</i>

Statistics

<code>corrcoef</code> (<i>x</i> , <i>y</i>)	correlation coefficient
<code>cov</code> (<i>x</i> , <i>y</i>)	covariance
<code>mean</code> (<i>a</i>)	mean value
<code>median</code> (<i>a</i>)	median value
<code>std</code> (<i>a</i>)	standard deviation
<code>var</code> (<i>a</i>)	variance

Basic Plotting

<code>plot</code> [<i>ranges</i>] <i>expr</i> [<i>using</i>] [<i>title</i>] [<i>style</i>]	2D plotting
<code>gspplot</code> [<i>ranges</i>] <i>expr</i> [<i>using</i>] [<i>title</i>] [<i>style</i>]	3D plotting
<i>ranges</i>	specify data ranges
<i>expr</i>	expression to plot
<i>using</i>	specify columns to plot
<i>title</i>	specify line title for legend
<i>style</i>	specify line style

If *ranges* are supplied, they must come before the expression to plot. The *using*, *title*, and *style* options may appear in any order after *expr*. Multiple expressions may be plotted with a single command by separating them with commas.

<code>set</code> <i>options</i>	set plotting options
<code>show</code> <i>options</i>	show plotting options
<code>replot</code>	redisplay current plot
<code>closeplot</code>	close stream to <code>gnuplot</code> process
<code>purge_tmp_files</code>	clean up temporary plotting files
<code>automatic_replot</code>	built-in variable

Other Plotting Functions

<code>plot</code> (<i>args</i>)	2D plot with linear axes
<code>semilogx</code> (<i>args</i>)	2D plot with logarithmic x-axis
<code>semilogy</code> (<i>args</i>)	2D plot with logarithmic y-axis
<code>loglog</code> (<i>args</i>)	2D plot with logarithmic axes
<code>bar</code> (<i>args</i>)	plot bar charts
<code>stairs</code> (<i>x</i> , <i>y</i>)	plot stairsteps
<code>hist</code> (<i>y</i> , <i>x</i>)	plot histograms

`title` (*string*) set plot title

<code>axis</code> (<i>limits</i>)	set axis ranges
<code>xlabel</code> (<i>string</i>)	set x-axis label
<code>ylabel</code> (<i>string</i>)	set y-axis label
<code>grid</code> [<i>on</i> <i>off</i>]	set grid state
<code>hold</code> [<i>on</i> <i>off</i>]	set hold state
<code>ishold</code>	return 1 if hold is on, 0 otherwise

<code>mesh</code> (<i>x</i> , <i>y</i> , <i>z</i>)	plot 3D surface
<code>meshdom</code> (<i>x</i> , <i>y</i>)	create mesh coordinate matrices

Edition 1.1 for Octave Version 1.1.1. Copyright 1996, John W. Eaton (jwe@che.utexas.edu). The author assumes no responsibility for any errors on this card.

This card may be freely distributed under the terms of the GNU General Public License.

T_EX Macros for this card by Roland Pesch (pesch@cygnus.com), originally for the GDB reference card

Octave itself is free software; you are welcome to distribute copies of it under the terms of the GNU General Public License. There is absolutely no warranty for Octave.