# SMWCC 2.0 (Graphic Button)

This is a shareware product. This allows you to try the software before you buy it. If after evaluating this control, you decide to continue using it, you are required to register the control by remitting the registration fee of \$15 to us. See <u>How to register</u> for information on registering this control.

#### You should read the <u>How to install</u> section before you "install" the control!

This is a button which can have an optional graphic (Bitmap or Icon) and text in every available font, color and with Shadow. There is no interface needed and the control behaves just like a normal button, i.e. no initialization needed and wm\_Command messages with ID in wParam send after click on it.

Because the stlye dialog of this control is more complex it is explained in an <u>extra-topic</u>.

#### See also:

The style dialog How to install How to compile How to register

Other controls Other procucts

# The style dialog

All changes take effect immediately in the **Preview**. The size of the preview button can be adjusted using the mouse.

#### **Attributes:**

**Tab**, **Disable**, **Default**, **Group** and **Visble** should be known from the standard button. They have just the same effect.

#### **General Style:**

You can choose either Borland or Microsoft style. **Borland** style means that the buton has an angular form and **Microsoft** style means that the Button has a rounded rect just like the standard Windows button.

#### **Graphic:**

The button can display a graphic optionally. This can be either a **Bitmap**, an **Icon** or **None** for no graphic. If you haven't choosen the **None** option you have to enter the **ID** of the graphic in digits. For the **disabled** state the graphic with the **ID+1** will be used if such a graphic can be found. Then you can choose if the graphic should be centered (or stretched) over the full rect or only over the rectangle which remains without the rectangle for the text, via the **Full Rect** option. If you have selected the **Bitmap** option you can select the Stretch option for stretching the bitmap to the remaining rectangle (See Full rect option too) or only centering the bitmap.

#### Text:

With **Above**, **Below**, **Left**, **Right** and **No text** you can choose the position where the text should be displayed or that no text should be displayed. With the **Shadow** option the text will be displayed twice and transfered. Now you can select a background color too.

#### **Color:**

A simple ColorControl (see <u>Other Products!</u>) to select the color of the text and if Shadow was selected the color of the shadow.

#### Font (Button):

If you press this button a **common dialog** for choosing the font will be opened, there you can select the font and some effects which are used for displaying the text of the button. If you leave this dialog with **Standard** the default font of the dialog will be used.

# How to register

All SMWCC controls were created by:

## Sebastian Modersohn Softwaredevelopm ent



Heinestrasse 20 D 15370 Petershagen, Germany Phone: +49 33439 7462 CompuServe ID: 100340,1474

This is a shareware product. This allows you to try the software before you buy it. If after evaluating this control, you decide to continue using it, you are required to register the software by remitting the registration fee of \$15 to us.

To register "GO SWREG" inside CompuServe and register this control (GraphicButton) with the database ID 5197.

After CompuServe has send us your User ID we will send the source code **and** the DLL of the control via E-Mail as quickly as possible to you (normally after one or at most two days).

See also: Other controls Other procucts

# How to compile

1. the DLL

3. the interface unit

### 2. <u>the redistributable</u> <u>DLL</u> 4. <u>the control in a</u> <u>unit</u>

### 5. <u>a DLL with various</u> <u>controls</u>

# This topic gives important information on How to (re)compile parts of the custom control.

### 1. Compiling the DLL:

Therefore you only have to load **gbuttons.pas** into the IDE and compile it with Ctrl+F9. You will get a "Cant execute units and DLLs!"-error but with Ctrl+F9 you compile the units which are needed automatically too!

### 2. Compiling the redistributable DLL:

Just the same as in 1. but define a global symbol **REDIST** (use the Options|Compiler dialog!) and compile **gbuttons.pas** using the **Compiler|Compile project new** feature, to make sure that all used files are recompiled too!

### 3. Compiling the interface unit:

If you compile the interface unit **gbutton.pas** with the defined symbol **AUTOLOAD** (use the Options|Compiler dialog!) the interface unit will automatically load and free the DLL. Therefore the DLL has to be in the windows\system directory or in a directory which is specified in the Path environment variable (e.g. windows). If you don't want to store the DLL in these directories you have to load and free the DLL manually or you have to change the code in the interface unit!

### 4. Compiling a unit-version of the control:

Now it is possible to include the control in your program, that means you don't need to distribute the DLL! Therefore you have to compile the interface unit (color.pas) with the global defined symbol **NoDLL** (use the Options|Compiler dialog!). Make sure that wncolors.pas will be recompiled too! With including "**gbutton**" in the uses clause of your program the control will be automatically available. But for editing the control in RW you have to install the DLL of course.

### 5. Compiling a DLL which includes various controls:

Therefore the file **smwcc.pas** is included in the zip. Load this file into the IDE and make sure that the compiler will find the wnXXXXX file of each control (use Options| Directories...). If you want to redistribute the SMWCC.DLL, define a global symbol **REDIST** (use the Options|Compiler dialog!). First you should change the **NoOfCtls** constant to the number of controls you want to include. Then you should delete all bracket pairs { } of the code parts which begin with the name of a control you want to include (e.g. *{Color:} {some code}* to *{Color:}* some code ). After that you should be able to compile the DLL (may be you have to add/delete some commas or semicolons).

### See also:

The Graphic-Button

# How to install

You can copy the source files of the control in every directory you want. But the DLL (and this helpfile if you want to use the help in the Resource Workshop) has / have to be in a directory which is mentioned in your PATH statement or in your windows\system directory.

To install the custom control for the Resource Workshop chosse the menu item **Install Library...** from the menu **Options** while you are editing a dialog. Then a file dialog occurs there you can select the DLL you want to install.

If you want to remove a custom control or want to copy the DLL in an other directory you'll have to change the **workshop.ini** file in the **WINDOWS** directory (you'll see how and where).

With the RW of BC 4.x it's nearly the same but more comfortable.

To "install" a custom control for your program you should make sure that windows will find the library file. The most simply solution is to copy the DLL-files into the **WINDOWS**\ **SYSTEM** directory and to use the autoloading feature of the interface unit (see <u>How to</u> <u>compile</u>).

If you do not want this, copy the DLL in a directory which is in your **PATH** statement or give the full path string to the LoadLibrary statement in the app's Init constructor, something like that:

DLL:=LoadLibrary('c:\myprog\dlls\name.dll');

•••

See the demo code and the SDK help for more information about loading librarys.

See also: Other controls Other procucts

# **Other controls of the SMWCC pack**

We have planned to make BC++ versions of every control, i.e. we will "tranlsate" the import units. We want to try to make version for **both OWL versions**, but we will start with the OWL2 version. If you're interested have a look in the **BCPPWIN** Forum or **just contact us** for further information.

Note that we've changed to Library **3rd Party Products [20],** in the **BPASCAL** / **BDELPHI** Forum. All products from us will also be uploaded to the **WINSHARE** Forum, Library **Programming Related**. The newest versions will be available **earlier** in the WINSHARE Forum, because the Librarian of BPASCAL obviously needs more time.

Also available from

## Sebastian Modersohn Softwaredevelopme nt



Heinestrasse 20 D 15370 Petershagen, Germany Phone: +49 33439 7462 CompuServe ID: 100340,1474

are the following controls:

Name GraphicBtn	<b>Description</b> A button with optional graphic (bitmap or icon) and with optionally text in all fonts, using all styles, colors etc. Lots of features, good-looking. Makes design easier and language independent! The unregistered version is available via CompuServe, forum BPASCAL/BDELPHI, Library 3rd Party Products[20], file GBUTTON.ZIP. You can register The GraphicButton for \$15 in the forum SWREG. The database ID of The GraphicButton is <b>5197</b> .
Ctl3D Ctl	The Ctl3D control allows you to have the Ctl3D outfit for your dialogs by simply placing it into a dialog (while editing the dialog in Resource Workshop too!) The unregistered version is available via CompuServe, forum BPASCAL or BDELPHI, Library 3rd Party Products, file 3DCTL.ZIP. You can register The Ctl3D Control for \$10 in the forum SWREG. The database ID of the Ctl3D-control is <b>4672</b> .
Font Control	The Font control allows you to set a non-bold font for all controls specified by an ID-range. The unregistered version is available via CompuServe, forum BPASCAL or BDELPHI, Library 3rd Party Products, file FNTCTL.ZIP. You can register The Font Control for \$10 in the forum SWREG. The database ID of Font is <b>4673</b> .
Wheel	This is something like a scrollbar as a circle or a volume control. It has optional customizable scale with optional snap-mode; balance mode and all

	that in 3D-look!
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file Wheel.ZIP. You can register The Font
	Control for \$10 in the forum SWREG. The database ID of Font is <b>5025</b> .
HifiButton	This is a button which looks like a button of a CD-Player or something like
	that (just have a look!) with optional on/off LED.
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file HIFIBTN.ZIP. You can register The
	HifiButton for \$10 in the forum SWREG. The database ID of the HifiButton is
	4675.
PercentBar	This control is a "simply to use" percent bar.
	-supports CtI3D frame
	-customizable filled color
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file PBAR.ZIP. You can register The
	Percent Bar control for \$10 in the forum SWREG. The database ID of The
MicroScroll	percent bar is <b>4677</b> . The MicroScroll control is a mini-scrollbar which is normally used to
MICIOSCION	increase or decrease the value of the corresponding edit control.
	It can be partially disabled and supports units (for the edit values).
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file MSCROLL.ZIP. You can register the
	MicroScroll for \$10 in the forum SWREG. The database ID of the MicroScroll is
	4674.
Structo &	This is a control for simply drawing everything you want inside a dialog,
	and scroll your drawing (We used it to display metafiles and to write
	structural charts in dialogs).
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file MBTN_STR.ZIP.
	You can register the control only in connection with the
	MenuButton.
MenuButtor	
	pressed.
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file MBTN_STR.ZIP. You can register the Structo control in connection with the MenuButton for
	\$10 in the forum SWREG. The database ID of this pack is <b>4676</b> .
Text control	This is a control for simply placing all kinds of text in a dialog (all fonts,
	styles, justifications, colors and effects possible!).
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file TEXT.ZIP. You can register the Text
	control for \$10 in the forum SWREG. The database ID of the Text control is
	4678.
Color Control This is a control to make color-choosing easier than to call an extra	
	common-dialog!
	-it supports the 16 base-colors
	-You can choose 1 or 2 (foreground/background) colors
	-supports keyboard and mouse selection
	The unregistered version is available via CompuServe, forum BPASCAL or
	BDELPHI, Library 3rd Party Products, file COLOR.ZIP. You can register The
	Color Control for \$10 in the forum SWREG. The database ID of the Color
	control is <b>4671</b> .

### See also:

Other procucts

# **Other products**

Also available from

## Sebastian Modersohn Softwaredevelopme nt



Heinestrasse 20 D 15370 Petershagen, Germany Phone: +49 33439 7462 CompuServe ID: 100340,1474

are the following products:

### Name Description

Clip Controls An BP7-tool for adding buttons to the caption bar of **every** kind of window by only adding one or two lines of code and some bitmaps for the outfit. Features:

-supports Windows, MDI-Windows, MDI-Childs (with buttons in the menu bar if maximized), JanusWindows (from JanusW by Peter Sawatzki (necessary code included), see JANUSW.ZIP in BPASCAL (now BDELPHI) for more info), Dialogs and tDlgWindows

-supports Ctl3D-dialogs!!!

-TOTALLY style-guide conform

-supports tips (little yellow text windows, known as hints too) -demo code for all windows, if registered source code too The unregistered version is available via CompuServe, forum BPASCAL, library Debugger/Tools[13], file CLIPCON.ZIP. You can register The Clip

Controls for \$10 in the forum SWREG. The database ID of The Clip Controls is **4195**.

**Version for BC++ is in work!** If you are interested, just contact us or have a look in the BCPPWIN-Forum (search with CLIPCON)

### See also:

Other controls