

# DiskCataloger<sup>(TM)</sup>

## Trial Version

Version 1.00  
July, 1998

(C) Copyright Sheridan Software Systems, Inc., 1998  
35 Pinelawn Road  
Melville, N.Y. 11747 USA

Voice (887) DISKCAT  
Fax (516) 753-3661

e-mail [support.diskcataloger@shersoft.com](mailto:support.diskcataloger@shersoft.com)  
Internet <http://www.shersoft.com>

This document contains release notes for DiskCataloger. Information in this document is more current than that in the on-line Help.

**This is a TRIAL VERSION of DiskCataloger.**

**It has all the functionality of the retail version with no features disabled. It will operate for 15 days from the date you install it, at which time all DiskCataloger functions will stop operating. When you subsequently purchase and install the retail version of the product all catalog entries added during the trial period will be accessible.**

**If you choose to remove the TRIAL VERSION from your system, use the Windows' Add/Remove Programs function to uninstall the product. Note that a small (1 KB) text file called 'Catalog.-ID' is added to each writable disk that you catalog. These files can be safely deleted after the uninstall if you choose.**

**Note:** Consult the help file (SSCATALG.HLP) for information on how to use the features of DiskCataloger.

\*\*\* NOTE \*\*\*

*DiskCataloger is a 32-bit only product! It will ONLY work on Windows 95 and Windows 98.*

### **System Requirements:**

- \* A suitably equipped computer running a 32-bit Windows operating system (Windows 95, Windows 98). A minimum configuration of 16 MB of RAM and a 256-color video adapter is recommended.
- \* Approximately 10 MB of available disk space for a full installation.

### **New Features (Not Included In Documentation):**

- \* *A DisableEnable DiskCataloger program is now installed into the DiskCataloger directory. This program should only be used if you must disable DiskCataloger temporarily. The Disable function will remove DiskCataloger from the System Tray, Desktop, and Explorer. Please note that the Start menu will continue to contain a 'Find in Disk Catalog' after the Disable function is run. Reboot your computer to remove this menu item. The Enable*

function will start DiskCataloger and add it to the System Tray, Desktop, and Explorer. After Enabling DiskCataloger the 'Find in Disk Catalog' will not appear in the Start menu until a reboot is performed. After Enabling DiskCataloger it may be necessary to refresh Explorer (F5) to force DiskCataloger to appear in the left pane of Explorer.

**System Limitations:**

- \* Dragging Categories, Disks, Folders, and files within ZipFileFolders to the recycle bin will not delete the files in this release.
- \* Before running any Writeable CD ROM software, select DiskCataloger Properties and uncheck automatic prompt for that drive.
- \* If you receive the message 'This application uses CTL3D32.DLL, which is not the correct version. This version of CTL3D32.DLL is designed only for Windows NT' please note the following: This is the error message you get when you have multiple copies of CTL3DV2.DLL on your path (or otherwise accessible to Windows--i.e. in the directory containing your executable). There should only be one copy of this file on your system, preferably in \Windows\system. Try deleting any others. (Use Start Menu/Find File to track them down.)
- \* Some removable drives have the ability to be made nonremovable. DiskCataloger will not operate properly if this option is performed after registering the disk as removable.
- \* Performing operations on a registered disk that contains a ZipFileFolder that occupies most of the disk's capacity while in DiskCataloger can be slow.
- \* Moves from within a ZipFileFolder to Explorer act as a copy/paste.
- \* Extracting ZIP files from within ZipFileFolders may cause expected behavior. Please re-register the disk to correct any perceived inconsistencies.