

# Tera Term Pro version 2.0 Help Index

Jun 7, 1996

T. Teranishi

Copyright (C) 1994-1996 T. Teranishi  
All Rights Reserved.



Tera Term (Pro) , íftfŠ [f]ftfgfEjFfA, íf^ [f~fif<fGf~f...fCE [f^ [ ('Ê Mfvf [fOf %of€), Å [A^ È%º, ì "Á'¥, ðŽ [ , Á, Ä, ç, Û, · [B

- [EfvfŠfAf<f] [fg [Ú' ±
- [ETCP/IP (telnet) [Ú' ±
- [E "ú- {CEê î%ž
- [E %opCEê " Å Windows , É' î%ž, µ, ½%opCEêf, [fh
- [EVT100 '[-- , ífGf~f...fCE [fVf#f" ( , , æ, Ñ [AVT200, 300 , ì^ê•")
- [E TEK4010 '[-- , ífGf~f...fCE [fVf#f"
- [Eftf@fCf<" ]' —fvf [fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-VAN)
- [E f}fNf [CE¾CEê, É, æ, éŽ © " ® %º ^ "

## Tera Term , É, Ä, ç, Å

- '~ [iCE [AZg—p [ðCE [
- " ® [iŠÄ<<
- fGf~f...fCE [fVf#f"
- ðŽj
- [«—^ , ìCEv%ºæ
- Šù'm, ì-â'è
- Q & A
- pCEê [W

## Žg, ç, ©, ½

- fL [f{ [fh
- f}fEfX
- fqf"fg

## fRf}f"fh

- [File] f [fjf... [ [

[Edit] f[]fjf...[]  
[Setup] f[]fjf...[]  
[Control] f[]fjf...[]  
[Help] f[]fjf...[]

**TEK window ,lfRf}f“fh**

**fRf}f“fhf%ofCf“**

**[]Ý'èftf@fCf<**

Tera Term []Ý'èftf@fCf<  
fL[]f{[]fh[]Ý'èftf@fCf<

# '~`ìĀ ĀŽg—p`đĀ`

fłtfłgfEłFłfA: Tera Term Pro version 2.0 (Jun 7, 1996)  
`ìŽŌ: T. Teranishi (Ž>`¼` ,)

Copyright(C) 1994-1996 T. Teranishi All Rights Reserved.

, ±, łfvf`łfOf%of€ , łftfš`[łftfłgfEłFłfA, Ā, ·`B  
'~`ìĀ , í`A`ìŽŌ, º·ŪŽ` , μ, Ū, ·`B  
, ±, łfvf`łfOf%of€ , łŽg—p, É, æ, é`A, †, ©, È, é'šSQ, É'í, μ, Ā, à`A`ìŽŌ, í`Ó"C, đ·%o, †  
, Ū, ¹, ñ`B

## Žg—p`đĀ`

íŽŌ, É-³'f, Ā^È%oº, łŽ-, đ, μ, È, †, Ā, , ¾, ¾, †`B`ìŽŌ, É~A—` , μ, Ā, †, ½, ¾, -, ê, î<-  
%oĀ, ·, é, ±, Æ, à, , è, Ū, ·`B, » , ê^ÈŠŌ, í, †, ì, æ, †, ÉŽg—p, μ, Ā, à` , †, Ū, ¹, ñ`B

- 1) flšłfwłfłk^ÈŠŌ, ìĀ` , Ā'¼, ì`l, É"z·z, ·, é`B
- 2) "z·z, ·, é, ±, Æ, É, æ, Ā, Ā, " <à, đ"¾, é`B  
(ŽGŽ`™ , ì·t~^ , âftfš`[łftfłgfłW"™ , ì`»·i, ÉŽŭ~^ , μ, ½, †`ê`†, íĀä^ê·ñ, đ)
- 3) , » , ì'¼`A'~`ìĀ -@, É, Ó, ê, é`s^×`B

—v-]`AŽ; -â`Afofo, ì·ñ` , í`A  
teranishi@rikvax.riken.go.jp  
, Ū, Ā, †, †, ¼`B

## `ìŽŌ, ©, †, ìŽŌŽ«

fłfO·ñ`A—v-], đ'—, Ā, Ā, , ¾, ¾, Ā, ½, ·, x, Ā, ì·ŭ`A , , è, º, Æ, †, ², ´, †  
, Ū, ·`B"Ā, É`AŠJ" , ì`%oŠú, ©, †·Ā¾`AfełXfg`A, » , μ, Ā`é" , đ, μ, Ā, -  
, ¾, ¾, Ā, ½`l`X, ÉŠ'ŽŌ, μ, Ū, ·`B, Ū, ½`A"z·złpfłfP`łfW, ÉŠŪ, Ū, ê, Ā, †, é  
%o`pĀê·ł` , ì`ì` , đŽè` , , μ, Ā, †, ½, ¾, †, ½`ALuigi M Bianchi Ž , ÉŠ  
'ŽŌ, μ, Ū, ·`B, » , μ, Ā`APC98 —  
płł`[ł{`[łh`Y'èłtf@łCł , ì`ì` , , æ, ñfełXfg, ì`Ū, É`AĀöŽR`K'jŽ , Æ'â~a—  
Ā`LŽ , ì, ²<|—í, º"¾, †, ê, Ū, μ, ½, ±, Æ, đ , , è, º, ½, Žv, †, Ū, ·`B

“®ïŠÂ<<

f\ftfgfEfgfA

Tera Term Pro ,í^È%º,ì OS ,Å“®ì,μ,Û,·B

MS-Windows 95  
MS-Windows NT

'□: Tera Term Pro ,í 32-bit fAfvfŠfP□[fVf†f“ ,Å,·BWindows 3.1 —  
p,É,Í□ATera Term ver. 1.X ,đŽg—p,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B,Û,<sup>1</sup>/<sub>2</sub>□ATera Term Pro  
,É•t'® ,ì **TTMACRO.EXE** ,Æ **KEYCODE.EXE** ,í 16-bit  
ŽÀ□sftf@fCf<,Å,·(□«—^ 32-bit %º»,ì—\`è)□B

fn□[fhfEfgfA

f,fff€,Û,<sup>1</sup>/<sub>2</sub>,Í□AfC□[fT□[fifbfgf{□[fh,<sup>a</sup>•K—v,Å,·B

## —öžj

Tera Term, íĀ³X□A“ú- {Āĕĕ'[-fGf~f...fĀ□[f^□[,Æ,μ,ÄŠJ” ,³,ĕ,Ä,«,Ü,μ,½,ª□A  
ver. 1.2 ,©,ç%opĀĕĕf,□[fh,ª%oÁ,í,è,Ü,μ,½□B%opĀĕĕ Windows ,Ä,àŽg—p,·,é,±  
,Æ,ª,Ä,«,Ü,·□B

### Tera Term Pro ver. 2.0 Jun 7, 1996

32-bit”Ä, Telnet ,Ä,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-  
Ú(SendBreak=), f□[fg”Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"),  
fRf}f“fhf%ofCf“(fzfXfgfŠfXfg)'t,ìfRf□f“fg, [Setup] Serial port  
f\_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f“□B

### Tera Term ver. 1.3 Jun 7, 1996

Telnet ,Ä,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-Ú(SendBreak=), f□  
□[fg”Ô□t•t,«fzfXfg-¼(—á: "myhost.mydomain:23"), fRf}f“fhf  
%ofCf“(fzfXfgfŠfXfg)'t,ìfRf□f“fg, [Setup] Serial port  
f\_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%oEf{f^f“□B

### Ver. 1.2 Dec 18, 1995

Quick-VAN, f}fNf□fRf}f“fh'½□”Ç%oÁ (□§Āĕ□\‘ċ, subroutine, include file),  
“ú- {Āĕĕ’%opĀĕĕf,□[fh, f}fEfX’€□i-@•ï□X□A scroll buffer on/off,  
fL□[f{□[fh□Ý'èftf@fCf<,É [Shortcut keys] fZfNfVf#f“Ç%oÁ□A ftf@fCf<“]’—  
fffBfĀfNfgfŠ•Ú‘¶%oÁ”\,É,È,é□A fRf}f“fhf%ofCf“fVfVf#f“Ç%oÁ (/FD=  
/H)□A read-only options 'Ç%oÁ (QVLog=, QVWinSize=, ZmodemAuto,  
BPAuto, VTFontSpace=, HideTitle=)□B

### Ver. 1.1 Jul 22, 1995

f}fNf□fRf}f“fh'½□”Ç%oÁ(ftf@fCf<□^—□□A•¶Žš—ñ□^—□), f□f^fL□[,  
□Ý'èftf@fCf<,ì read-only option (ConfirmDisconnect=), log ,Æ file  
send□Alog ,Æfvf□fgfRf<“]’—,ì“~ŽžŽÄ□s,ª%oÁ”\,É,È,é□B

### Ver. 1.0 Jul 3, 1995

ZMODEM, B-Plus, DEC “ÄŽĕftfHf“fg, bold font Žg—p/•sŽg—p, telnet  
□Ú'±'t,É□l—¹,·,é,Æ,«,ìŠm”F, Telnet AYT, bold/blink ‘®□«,ì•¶Žš□F□Ý'è%oü  
—Ç, "Terminal size = window size" fVfVf#f“, fRf}f“fhf%ofCf“fVfVf#f“Ç  
%oÁ (/W=, /X=, /Y=, /KR=, /KT=), □Ý'èftf@fCf<,ì read-only options  
(XmodemLog=, BPLog=, ZmodemLog=, ZmodemEscCtl=,  
ZmodemDataLen=, ZmodemWinSize=), f}fNf□□V<@”\  
(pause/start/endf{f^f“, fVfXfef€•ï□”Ç%oÁ, fRf}f“fh'½□”Ç%oÁ, •¶Žš—  
ñ'è□”,ìASCII fR□[fh,É,æ,é•\Āĕ»)□B

### Ver. 0.9 Apr 25, 1995

XMODEM, 3D dialog box (CTL3D.DLL'î%ož), XTERM sequence (title,ì•ï□X),

ftf@fCf<f}f|[]fWff, ©, ç drag&drop, Åtext file send, Popup menu, bold/blink, lfjf%[][]Ý'è (bold font"pŽ~), ANSI escape sequence (fjf %[]Žw'è, fj[]fj<•Ú'¶/•æ<A), log&file send%ü—Ç (binary, append, pause/start), log fileÄ¶¶<@"\, keyboardÝ'èftf@fCf<, lftf@fCf<-¼, đŽw'è, fj}fNf[]fRf}f"fh'Ç%Á, fvfŠf"f^ftfHf"fjgŽw'è (read-only option), C1[]\$Æä•¶Žš-³Ž<, ,é/,μ,È,¢ (read only option), telnet binary option (read-only option)[]B

**Ver. 0.8 Feb 17, 1995**

f}fNf[] (Tera Term Language)[]B

**Ver. 0.7 Jan 27, 1995**

Local echo, VT<->TEK auto change enable/disable, TCP port#[]Ý'è, telnet enable/disable, TEK ,Æftf@fCf<"[]'—<@"\, đ DLL %», TEK color emulation, TEK line style, F10 key, fRf}f"fhf%ofCf"•İ[]X[]B

**Ver. 0.6 Oct 31, 1994**

VT200 , ìescape sequence, É, æ, é key []Ý'è, User fL[]['è<, 'Help' button on dialog box, read-only options[]B

**Ver. 0.5 Oct 3, 1994**

JISŠ; Žš, ftf@fCf<"[]'—<@"\ (protocol , È, μ text, Kermit), window size, Æterminal size , đ"Æ—\$%», IME []\$Æä, []Ý'è[]€-Ú, ìÇ%Á, dinamic link libraries, XWINDOW •— copy&paste, transmit delay (serial port), answerback, host list, ".tt" file "pŽ~, fRf}f"fhf%ofCf"•İ[]X[]B

**Ver. 0.4 May 16, 1994**

TEK , ìcopy/paste, ^ó[]ü<@"\ (VT, TEK), •\Ž![]F[]Ý'è (VT, TEK), VT , ì%æ-ÊftfCfY[]Ý'è, telnet NAW option, VT200/300 <@"\, ì^ê•", keyboard []Ý'è, Clear page, Reset terminal, Send break, Reset port[]B

**Ver. 0.3 Mar 29, 1994**

Telnet option negotiation, TEK GIN, window caption []Ý'è, Font []Ý'è, code •İŠ•[]Ý'è, BS key •İŠ•[]Ý'è, File Open/Save , New session, Clear buffer (VT), Clear screen (TEK), ".tt" file[]B

**Ver. 0.2 X X, 1994**

Port []Ý'è dialog[]BHelp , ìÆ'Æ`[]B

**Ver. 0.1 X X, 1994**

TCP port (Windows Sockets) 'î%ž[]BMDI Žd—l, â, ß, é[]B%Á"\ , ÈfZfbjVf}f"[]" , í[]Aserial port , í4, Â, TCP , íf[]f, fŠ, Æ Windows Sockets , ìÆÅŠ, Ü, Å[]B

**Ver. 0.0 Feb 24, 1994**

MDI Žd—I BSerial port ,ì,Ý Å'å4fZfbfVf#f“ BVT100, TEK4010 ,ì emulation  
,ìĀ'Ā` Bcopy&paste <@"\,'.ini'file B

☐«—^,ìĈv%ooæ

TTMACRO.EXE, KEYCODE.EXE ,ì 32-bit %oo»  
fCf“fXfg☐[f%oo☐[☐AfAf“fCf“fXfg☐[f%oo☐[  
Win 95 ‘î%oožf\_fCfAf☐fOf{fbfNfX☐Afwf<fvftf@fCf<



## Šù'm,ì-â'è

TTMACRO.EXE ,Æ KEYCODE.EXE ,Í 16-bit fvf[]fOf%of€ ,Å,·[]Bf}fNf[]ftf@fCf<-  
¼,É'·,çftf@fCf<-¼,đŽg—p,·,é,±,Æ,Í,Å,«,Ü,<sup>1</sup>,ñ[]B[]«—^ 32-bit %o»,·,é—\`è,Å,·[]B

Kermit Send, Zmodem Send, Quick-VAN Send

f\_fCfAf[]fOf{fbfNfX,Å,Í[]AfXfy[]fX,<sup>a</sup>“r”†,É“ü,Á,½ftf@fCf<-¼ (—á: "abc def.dat")  
,Í[]ADOS€`Ž® ("abcdef~.dat") ,Å•\Ž!,<sup>3</sup>,ê,Ä,μ,Ü,ç,Ü,·[]B,±,ì-â'è,Í[]«—  
^,ìfo[]fWf†f“ ,Å%ođ€^,<sup>3</sup>,ê,é—\`è,Å,·[]B

NT 3.51 ,ì IME (“ú-{€ê“ü—ÍfVfXfef€),É,Â,ç,Ä-â'è,<sup>a</sup> ,é[]ê[]†,Í[]A^È%o<sup>o</sup>,ì[]€-  
Ú,đ[]ìŽÒ,É•ñ[][],μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

- ,Å,«,é,<sup>3</sup>/<sub>4</sub>,`<i'ì“l,È[]Ç[]ó
- IME ,ìŽí—p (MS-IME, ATOK ,È,Ç[]B•i[]” ,à,Á,Ä,é[]ê[]†,Í”ä,x,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç)
- MS-Office ,â^ê'<sup>3</sup>/<sub>4</sub>~Y,È,ÇfCf“fXfg[]f<,μ,½f[][]fvf[],ìŽí—p
- "Can't use IME" ,È,Ç,ìfGf%o[]f[]fbfZ[]fW,<sup>a</sup>,Å,é,©,Ç,α,©

## fgf~f...fCE [fvf#f“

□EDEC VT100 ,Æ VT200/300 ,ì^ê•”

VT100 ,Å,í'í%ž,μ,Ä,ç,È,ç ANSI fGfXfP□[fvfV□[fPf“fX(fJf%o□[Žw'è“™),É,à'í  
%ž,μ,Ä,ç,Ü,·□B

Bold (<'²)'®□«,ì•¶Žš,É'í,μ,Ä□Abold fXf^fCf<,ìftfHf“fg,ìŽg—p/•sŽg—  
p,ª'í'đ,Å,«□A,Ü,½□F,đ•t, ,Ä•\Ž|,·,é,±,Æ,ª,Å,«,Ü,·□B

Blink (“\_—Å)'®□«,ì•¶Žš,íŽÀ□Û,É,í“\_—Å,<sup>1</sup>, ,□A□F•t,«•¶Žš,Å•\Ž|,<sup>3</sup>,ê,Ü,·□B

”{Šp•¶Žš□AVT52 f,□[fh,É,í'í%ž,μ,Ä,ç,Ü,<sup>1</sup>,ñ□B

□ETektronix TEK4010 ,Æ□ã^Ê<@Ží,ì^ê•”

## Q & A

Q. **ŽŮ, Ö, Ì - v - ] Až - â Af of O, Ì • ñ , É, Â, Ç, Ä**

Q. **ŽŮ, Ö, Ì ~ A - ] teranishi@rikvax.riken.go.jp , Ö, Ç, x, ¼ Bž -**  
**â "™, ð, , é ' O, É A, Å, «, é, ¾, -, ±, ì fwf < fv, â • t ' ® • ¶ ' , É " š, l, a, È, ç, ©, Ç, x, ©, ¾, a, µ, Ä, Ý, Ä, -**  
**, ¾, ¾, ç B f l f b f g f [ f N, â f z f X f g, Ì Š Â «, É Š Ö ~ A, , é Ž ž - â, Í A, " < ß, , Ì U, µ, ç • û, É • , ç**  
**, Ä, Ý, Ä, , ¾, ¾, ç B**

f of O, Ì • ñ , É • ù, Í A Tera Term  
, ì fo [ f W f f " , Æ A Š Ö Ç W, , é, Æ, " , à, í, ê, é ¶ • ñ ( < @ ž í A f C [ f T [ f l f b f g f { [ f h A T C P / I P  
f f t f g A W i n d o w s , Ì Ž í - P, È, Ç), ð • t, % Á, , Ä, , ¾, ¾, ç B

Q & A **W - v - ] Až - â Af of O, Ì • ñ , É ' O, É, " Ç, Ý, , ¾, ¾, ç B**

Q. Windows 3.1 , Å Tera Term , Í " ® , «, Ü, , © ?

A. Tera Term Pro , Í " ® , «, Ü, ¹, ñ B Windows 3.1 - p, É, Í A Tera Term ver. 1.X  
, ð Ž g - p, µ, Ä, , ¾, ¾, ç B, µ, Í, ç, , Ì Š Ö, Í Tera Term ver. 1.X , Ì Š " , ð Ç p ± , , é - \ ' è, Å, • B

Q. Tera Term , Ì A V " Å, Í, Ç, ±, Å " ü Ž è, Å, «, Ü, , © ?

A. ^ È % ° , Ì anonymous ftp f T f C f g, Ì f f B f Ç f N f g f Š , © , ç " ü Ž è, Å, «, Ü, • B

ftp://riksun.riken.go.jp/pub/pc/misc/terminal/teraterm/

ftp://utsun.s.u-tokyo.ac.jp/PC/terminal/teraterm/

( [ ä < L, Ì f T f C f g A f f f B f Ç f N f g f Š , Í « - ^ • Ì X, ¾, è, é % Á " \ «, a , , è, Ü, • B )

, Ü, ½ A N I F T Y - S e r v e , Å, à " ü Ž è % Á " \ , Å, • B ( G O F I L E F I N D , Å Ç Æ Ÿ ö, µ, Ä, , ¾, ¾, ç B )

Q. NIFTY-Serve , â PC-VAN , È, Ç, Ì BBS , É Š Ö, , é Ž ž - â B

A. NIFTY-Serve , Ì f q f " f g

PC-VAN , Ì f q f " f g

, ð " Ç, ñ, Å, , ¾, ¾, ç B

Q. f z f X f g, É U ' ±, Å, «, Ü, ¹, ñ B

A. ^ È % ° , Ì, ±, Æ, ð Š m " F, µ, Ä, Ý, Ä, , ¾, ¾, ç B

f R f " f g f [ f < f p f l f < , Ì f l f b f g f [ f N, Ì Y " è B

' ¼, Ì TCP/IP f A f v f Š f P [ f v f f " , Ì Ž g, Ì, Ü, , © ? ( ' ¼, Ì Windows - p telnet, FTP,

WWW f u f % o f E f U, DOS , Ì telnet , È, Ç)

f z f X f g - ¼, Ü, ½, Í IP f A f h f Ç f X, Í, , Ä, Ä, Ü, , © ?

' ¼, Ì f } f v f " , Å, » , Ì f z f X f g, É U ' ±, Å, «, Ü, , © ?

Q. f \_ f C f A f < f A f b f v TCP/IP (PPP) U ' ±, Å A Tera Term , ð Ž g, x, É, Í, Ç, x, µ, ½, ç, æ, ç  
, Ì, Å, , © ?

**A.** Tera Term ,δ<N“ ®,·,é‘O,É□APPP □Ú‘±,δŠm—š,μ,Ä,,¾,¾,ç□BWindows 95 ,ì□ê□±,í□A□uf\_fCfAf<fAfbfv flfbfgf□□[fN□v,δŽg—p,μ,Ü,·□BPPP □Ú‘±,ÉŠÖ,·,é□Ý‘è- @,É,Ä,ç,Ä,í□AWin 95 ,ìfwf<fv,δCE©,é,©□Afvf□fofCf\_□[.É•,ç,Ä,,¾,¾,ç□BPPP □Ú‘±,±Šm—š,μ,½,ç Tera Term ,δ<N“ ®,μ□A[File] New connection fRf}f“fh,Ä□AfzfXfg-¼,Ü,½,í IP fAfhfCEfX,δ“ü—í,μ,ÄzfXfg,É□Ú‘±,δ,μ,Ü,·□BPPP □Ú‘±,ì□ê□±□AfVfŠfAf<f|□[fg,ìfVfXfef€ ,±□§CEä,μ,Ü,·□B Tera Term ,ìfVfŠfAf<f| □[fg□Ú‘±<@“\,í□A□]—^ ,ìfpf\fRf““É□M“I□Ú‘±,ì,½,β,ì,à,ì,Ä□APPP □Ú‘± ,Æ,íŠÖEW, ,è,Ü,¹,ñ□B

**Q.** PC98 ,Ä Ctrl+\ ,±“ü—í,Ä,«,Ü,¹,ñ□B

**A.** Ctrl+\ ,ÉCEÀ,ç, ,□A, ,é□§CEä•¶Žš,±“ü—í,Ä,«,È,ç- â‘è,ìf†□[fU□[fL□[‘è<` ,δ,·,é,±,Æ,Ä%øδCE^ ,Ä,«,Ü,·□B□Ú,μ,- ,í□ufL□[f{□[fh□Ý‘èftf@fCf<□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** Zmodem Send “™ ,ìf\_fCfAf□fof{fbfNfX,Ä□AfXfy□[fX•¶Žš,δšÜ,±ftf@fCf<- ¼,±•Ž|,¾,ê,Ü,¹,ñ□B

**A.** □uŠù‘m,ì-â‘è□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** f}fNf□ftf@fCf<-¼,É‘·,çftf@fCf<-¼,±Žg,!,Ü,¹,ñ□B

**A.** □uŠù‘m,ì-â‘è□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** IME (“ú-{CEê“ü—ìfVfXfef€),ÉŠÖ,·,é-â‘è□B

**A.** □uŠù‘m,ì-â‘è□v,δ“Ç,ñ,Ä,,¾,¾,ç□B

**Q.** **[Edit] Paste (Copy)** ,ì fVf#□[fgf]fbfgfL□[.í Alt+V (Alt+C)

,É,È,Á,Ä,Ü,·,±□A•□‘É,í Ctrl+V (Ctrl+C) ,Ä,í,É,ç,ì,Ä,·,©?

**A.** Ctrl+V ,í□AfzfXfg,É ^V •¶Žš,δ‘—□o,·,é,½,β,ÉŽg,±

,Æ,±, ,é,ì,Ä□AffftfHf<fg,Ä,í□AfVf#□[fgf]fbfgfL□[.É,μ,Ä,ç,Ü,¹,ñ□BCtrl+V ,δ **[Edit]**

**Paste** ,ìfVf#□[fgf]fbfgfL□[.É,·,é•û-@,í□A□ufVf#□[fgf]fbfgfL□[.ì□Ý‘è□v,δ“Ç,ñ,Ä,- ,¾,¾,ç□B

**Q.** -^ŽĐ,ì unix ,Ä,í□AŽÀ□s‘t,ìfVf□fof%of€,δ‘t‘f,·,é,ì,É DEL fL□[.δ

%oÿ,μ,Ü,·,±□ATera Term ,Ä,í Delete (,Ü,½,í DEL) fL□[.δ%oÿ,μ,Ä,àfvf□fof%of€ ,δŽ~,β,ç,ê,Ü,¹,ñ□B

**A.** ,±,±,ÄCE¾,±□uDEL fL□[.δ%oÿ,·□v,Æ,í DEL fR□[fh (\$7F) ,ì‘—□o,δ^Ó-

ì,μ,Ü,·□BTera Term ,ìffftfHf<fg,Ä,í□APC fL□[f{□[fh,ì "Delete" (,Ü,½,í "DEL")

fL□[.í□AVT ‘[--,ì"Remove" fL□[.ÉŠ,,,è“-Ä,Ä, ,è□ADEL fR□[fh,ì‘—□o,μ,Ü,¹,ñ (VT

‘[--,É DEL fL□[.í,É,ç,ì,Ä)□BDelete fL□[.Ä DEL fR□[fh,δ‘—□o,¾,¾,é,É,í□A^È

%oº,ì,æ,±,É **KEYBOARD.CNF** ,δ□‘,«Š·,!,Ä%oº,¾,¾,ç□B

IBM-PC/AT 101 (106) fL□[f{□[fh,ìê□±

**[User keys]**

**User1=339,0,\$7F**

PC-9801 fL[f{[fh,ìê#  
[User keys]  
User1=57,0,\$7F

Ú,μ,,íufL[f{[fhY'èftf@fCf<v,đ“Ç,ñ,Å,,¾,³,çB

Q. %½,©,ì”žq,É TEK window ,äÿŽè,ÉŠJ,ç,Ä,μ,Ü,æ  
ì,Å,·,ªA,É,ñ,Æ,©,É,è,Ü,¹,ñ,©?

A. [Setup] Terminal ,Å **Auto change (VT<->TEK)** ,Æ,ç,æ€-Ú,đ off  
É,μ,Ä,,¾,³,çBOn ,É,É,Á,Ä,ç,é,ÆATEK4010 ,Æ,ç,æOf%ftfBfbfN'[--  
,ìRf“fgf[f<fv[fPf“fX,đŽóM,μ,½,Æ,« TEK window ,äŽ©“®“l,ÉŠJ,«,Ü,·B

Q. XMODEM/ZMODEM/B-Plus/Quick-VAN ,É,æ,éftf@fCf<“]’—,ª,æ,Ü,,ç  
«,Ü,¹,ñB

Q. fffj...[.ì **XMODEM/ZMODEM/B-Plus/Quick-VAN** ,äŠD[F,É,È,Á,Ä,ç  
,ÄŽg,ì,Ü,¹,ñB

A. uXMODEM ,ìfqf“fgv  
uZMODEM ,ìfqf“fgv  
uB-Plus ,ìfqf“fgv  
uQuick-VAN ,ìfqf“fgv

,đ“Ç,ñ,Å,,¾,³,çB

Q. fXfNf[f<fofbftf@,ì—É,đ800s^Èã,É,Å,«,Ü,¹,ñ,ªA,à,Á,Æ’[.â,¹,Ü,¹,ñ,©?

A. Win 3.1 —p,ì Tera Term ,Å,í,Å,«,Ü,¹,ñBWin 95, Win NT —p,ì Tera Term  
Pro ,Å,ìfXfNf[f<fofbftf@,ì—É,đÅ’â10000s,Ü,ÅY’è,Å,«,Ü,·B

Q. f}fNf[.đ,Â,©,Á,ÄAf,fff€,ÉY’èRf}f“fh (AT...),đ•i”s’—,è,æ  
,Æ,μ,Ü,μ,½,ªA’—,é,ì,ª’—,·,—,Äf,fff€,ªRf}f“fh,đ³í,É,æ,¯,Ä,¯,Ü,¹,ñB

A. f,fff€,É,æ,Á,Ä,íA, ,éfRf}f“fh[s,đ^—,μ,Ä,éŠÔ,ÉAZÿ,ìRf}f“fh,ª’—  
,ç,è,Ä,,é,ÆA^—‘t,ìRf}f“fh,đfLfff“fZf<.,éA,Æ,ç,æ,æ,æ,É,à,ì,ª, ,è,Ü,·Bf,fff€  
,©,çuOKv,ª—^,½,ì,đŠm”F,μ,½CEã,ÉŽÿ,ìRf}f“fh,đ’—,é,æ,æ  
,É,·,é,©A[Setup]Serial port ,Å **Transmit delay** ,ì msec/line  
,ìl,đ’[.â,μ,Ä,Ý,Ä,,¾,³,çB(—á,ì,ì 200 msec/line ,É,·,é)

Q. CERü,ª¼Špfj^fjfi,É%»»,¯,Ä,μ,Ü,ç,Ü,·B

A. fRf“fgf[f<fpjlf<,đŽg,Á,Ä•t’®,ìftfHf“fg (**TSPECIAL.TTF**)  
,đfCf“fXfg[f<,μ,Ä,,¾,³,çB

Q. CERü (DEC “ÁŽêftfHf“fg),đ•\

Žì,³,¹,é,ÆAü,ÉCE,,ŠÔ,ª,Å,«,½,èA•Ó,ÆŠp,ª,È,β,ç,©,É,Â,È,ª,ç,È,©,Á,½,è,μ,Ü,·  
B

A. Tera Term ,Å,í DEC “ÁŽêftfHf“fg,đ•\Žì,³,¹,é,½,βA“ÆŽ©,ì True Type

ftfHf“fg”Tera Special” (TSPECIAL.TTF) ,đ—p,č,Û,·□B%œ-Ê,É•\  
Ž,³,¹,é,Æ,«,í□A•□’Ê,ì•¶Žš,ìftfHf“fg,Æ”~,¶’â,«,³,ÉfXfP□[f<,μ,Û,·,ª□A,»,)”{—  
|,É,æ,Á,Ä,í□ACer□ü,ÉCE,,ŠÔ,ª,Â,«,é,È,Ç,Ì-â’è,ª”□¶,μ,Û,·□B,³,Û,´,Û,È’â,«,³□A□c%  
;”ä,ìftfHf“fg,É ”Tera Special” ,đŠ®’S,É“K□‡,³,¹,é,ì,í•s%œÂ”\  
,È,ì,Å□A•□’Ê,ì•¶Žš,ìftfHf“fg,ìŽí—p,â’â,«,³,đ,č,ë,č,ë•Ī,Ī,Å□A-â’è,ª<N,«,É,č  
,à,ì,đŽg—p,μ,Ä,,³/₄,³,č□B

**Q.** Š;Žšf,□[fh,đ **JIS** ,â **EUC** ,É,μ,½,Æ,« Shift-JIS ,ìŠ;Žš,đŽó□M,·,é,Æ Tera  
Term ,ªfnf“fOfAfbfv,μ,Û,·□B

**A.** □uC1 □§CEä•¶Žš,đŽg—p,μ,È,č□v,æ,α,É□Ý’è,μ,Ä,,³/₄,³,č

**Q.** [Setup] Terminal ,Å **Kanji-Out** ,đ□Ý’è,μ,æ,α,Æ,μ,Û,μ,½,ª□A ^[(H  
,³/₄,´,ªŠD□F,É,È,Á,Ä’Ī’đ,Ā,«,Û,¹,ñ□B

**A.** □u□³,μ,,È,č "Kanji-Out" ,đŽg—p%œÂ”\,É,·,é□B□v,đ“Ç,ñ,Ā,,³/₄,³,č□B

## —pCEêW

### B-Plus

fAf[]šfj,ì BBS[]ACompuServe ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]B“ú-  
{,Å,í NIFTY-Serve ,ÅŽg—p,³,ê,Ä,ç,Ü,·[]B

### Kermit

fAf[]šfj,ìfRf[]f“frfA‘âŠw,ÅŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BKermit  
fvf[]fgfRf<,É‘í%ž,μ,½f\ftfg,ª[]A‘½,,ì PC, OS —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·[]BTera Term ,ì  
Kermit ,í[]i,ì,Æ,±,ëŠî-{}“l<@”\,μ,©Ž[]Á,Ä,ç,È,ç,ì,Å[]A-{}%øÆ,ì Kermit  
,É”ä,x,é,Æ“]’—‘¬“x,ª, ,Ü,è‘¬,, ,è,Ü,¹,ñ[]B

### Quick-VAN

“ú-{} ,ì BBS[]APC-VAN ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BXMDEM  
fvf[]fgfRf<,ðfx[]fX,É,μ,Ä,é,æ,x,Å,·,ª[]A“]’—‘¬“x,ð, ,°,é,½,ß,ì[]H·v“™ ,ª,È,³,ê,Ä,  
ç,Ü,·[]B

### TCP/IP

fCf“f^[]f[]fbfg,ÅŽg—p,³,ê,Ä,ç,éff[]f^“]’—,ð[]\$CEä,·,é,½,ß,ìfvf[]fgfRf<[]B

### TEK4010

Tektronix ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B[]},âfOf%øfv,È,Ç,ð·\Žì,·,é,±,Æ,ª,Å,«[]A,©,Ä,Ä,í  
%øÈŠw<Z[]pCEn,ì•ª-ì,Å[]L,—p,ç,ç,ê,Ä,ç,½,æ,x,Å,·[]BCE»[]Ý,í[]AX Window  
ŠÂ««,È,Ç,ÉŽæ,Ä,Ä‘Ö,í,ç,ê,Ä,Ä, ,è,Ü,·,ª[]ATEK fGf~f...fCE[]f^[][,ðŽg—p,μ,Ä,ç  
,é[]l,í,Ü,¾,Ü,¾,ç,Ü,·([]žÒ,àŠÜ,ß,Ä)[]B‘â•“•ª,ìft[]fU[][,í Tera Term ,ì TEK  
fGf~f...fCE[]fVf#f“<@”\,ðŽg,x,±,Æ,í,È,ç,Å,μ,â,x[]B

### TEK window

TEK ‘[--,ìfGf~f...fCE[]fVf#f“ ,ð,·,éEfBf“fhfE,Å[]Af^fCfgf<•¶Žš—ñ,ì^ê”Ô  
%øE,É[]uTEK[]v,Æ·\Žì,³,ê,Ä,ç,Ü,·[]BTera Term ,ð<N“® ,μ,½,Æ,«,í\  
Žì,³,ê,Ü,¹,ñ[]B[Control] Open TEK fRf}f“fh,Å[]ATEK window ,ðŠJ,,±  
,Æ,ª,Å,«,Ü,·[]B

### Telnet

TCP/IP ,ðŽg—p,μ[]AfzfXfgfRf“fsf...[]f^[][,Æ‘[--,ð[]Ú‘±  
,·,é,½,ß,ìfvf[]fgfRf<[]B[]Å<ß,í[]ANifty-Serve ,È,Ç,ì BBS ,É[]Ú‘±,·,é,½,ß,É,àŽg—  
p,³,ê,Ä,ç,Ü,·[]B

### VT100

DEC ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B,©,Ä,Ä[]AUnix ,â VAX/VMS “™ ,ìfRf“fsf...[]f^[][,ì‘[--  
,Æ,μ,Ä[]L,—p,ç,ç,ê,Ä,ç,Ü,μ,½[]BCE»[]Ý,í[]A VT100 ,» ,ì,à,ì,í,Ü,Æ,ñ,ÇŽg—  
p,³,ê,Ä,ç,Ü,¹,ñ,ª[]A,» ,ìžd—l,ªŽ—ŽÀ[]ã,ì·W[]€ ,Æ,È,Ä,Ä,ç,é,½,ß[]APC ,â  
f[][]fNfxfe[]fVf#f“ ,Å“®, VT100 fGf~f...fCE[]f^[][,ª½,[]ç,ê,Ä,ç,Ü,·[]BVT220

,â VT382 ,È,Ç,Í□AVT100,ì□ã^ÊÆÝŠ·'[-,ì-¼'O,Å,·□B

### VT window

Tera Term ,ìf□fCf“fEfBf“fhfE,ì,±  
,Æ,Å,·□B<N“® ,μ,½,Æ,« ,ÉÆ» ,ê,éfEfBf“fhfE,Å□Af^fCfGf<•¶Žš—ñ,ì^ê”Ô  
%oE,É□uVT□v,Æ•Ž! ,³,ê,Ä,ç,Ü,·□BVT '[-,ìfGf~f...fCE□[fVf#f“ ,ð,μ,Ü,·□B

### Winsock

Windows Sockets ,ì—<sup>a</sup>□BMS-Windows ,Å TCP/IP ŠÅ<« ,ðŽÀÆ» ,· ,é,½,β,ìf\  
ftfgfEfGfA,ì<KŠi□BWINSOCK.DLL ,Æ,ç,æftf@fCf<,ðŠÜ,þf\ftfg,ð Windows  
,ÉfCf“fXfG□[f<,· ,é,Æ□Atelnet, WWW, ftp ,È,Ç,ì TCP/IP ,ðŽg—  
p,· ,éfAfvfŠfP□[fVf#f“ ,<sup>a</sup>Žg—p%oÅ“\,É,È,è,Ü,·□BWindows 95 ,Æ Windows NT  
,É,í Winsock 'í%ožf\ftfg, <sup>a</sup>•W□€“Y•t,³,ê,Ä,ç,Ü,·□B

### XMODEM

1977 "N,É Ward Christensen ,É,æ,Á,ÄŠJ” ,³,ê,½ftf@fCf<“]’—  
fvf□fgfRf<□B,» ,ìCEã XMODEM/CRC, XMODEM-1k ,È,Ç,ìŠg’f\fvf□fgfRf<, <sup>a</sup>ŠJ”-  
,³,ê,Ü,μ,½□B“]’—’—“x, <sup>a</sup>x,ç□A8-bit fR□[fh,· ,x,Ä,ðÊ,·Ê□M%oň□ü,Å,È,¯ ,é,ìŽg—  
p,Å,« ,È,ç,È,Ç,ì□SCEÀ, <sup>a</sup> ,è,Ü,·□B

### YMODEM

XMODEM ,ðŠg’f\ ,μ,½ftf@fCf<“]’—fvf□fgfRf<□B,È,° ,© Tera Term ,Å,íí  
%ož,μ,Ä,ç,Ü,¹,ñ□B

### ZMODEM

XMODEM, YMODEM ,ð(,» ,ê,ç,ìCE’CE` ,ð,Æ,Ç,β,È,ç,Ü,Ç,É)%oü—  
Ç,μ,½ftf@fCf<“]’—fvf□fgfRf<□BfGf%o□[’ù□³<@“\, <sup>a</sup><-  
%o» ,³,ê□A□SCEä•¶Žš,ì^ê•” ,ðÊ,³,È,ç%oň□ü,É,à’í%ož,μ□A“]’—’—“x,ð, ,° ,é,½,β,ì  
□H•v, <sup>a</sup>,É,³,ê,Ä,ç,Ü,·□B



## fL[f{[fh

IBM-PC/AT 101 (106) fL[f{[fh^ÈŠO,lfL[f{[fh,đŽg—  
p,,:éêëþ,â□AZ©•ª,ì□D,«,ÉfL[’è<` ,É,μ,½,çêëþ,lfL[f{[fh□Ý’èftf@fCf<,đ□’,«Š·  
,l,Ä,,¾,¾,ç□B

,»,ì¼,ìÝ’è,í [Setup] Keyboard ,Å,Å,«,Ü,·□B

f□f^fL□[ (Meta key)

[Setup] Keyboard ,Å **Meta key** ,đ’l’đ,,:é,Æ□AAIt fL□[,đf□f^fL□[,Æ,μ,ÄŽg,α  
,±,Æ,ª,Å,«,Ü,·□B—á,ì,î□AAIt+A ,đ%oÿ,·,Æ□AESC A ,đ’—  
□o,μ,Ü,·□Bf□f^fL□[f,□[fh,Å,í□A^È%oº,ìfVfþ□[fgf]fbfgfL□[,í^ê•”,đ□œ,ç,ÄŽg—  
p,Å,«,É,,É,è,Ü,·□B

fVfþ□[fgf]fbfgfL□[

VT window

**fqf“fg:** □ufVfþ□[fgf]fbfgfL□[,ìÝ’è□v

**Alt+C** ,Ü,½,í **Ctrl+INS**

f}fEfX,Å’l’đ,μ,½•¶Žš—ñ,đfNfŠfbfvf{□[fh,ÖfRfs□[,μ,Ü,·□B

**Alt+V** ,Ü,½,í **Shift+INS**

fNfŠfbfvf{□[fh,ì’t,ì•¶Žš—ñ,đfzfXfg,Ö’—□o,μ,Ü,·□B

**Alt+R**

fNfŠfbfvf{□[fh,ì’t,ì•¶Žš—ñ,đfzfXfg,Ö’—□o,μ□A’±,ç,Ä%oü□sfR□[fh,à’—  
□o,μ,Ü,·□B

**Alt+T**

Telnet ,ì AYT (Are You There) fRf}f“fh,đ’—□o,μ,Ü,·□B’Ê□ifzfXfg,í,±  
,ê,ÉCEÄ%ož,μ,Ä%o½“™,©,ìf□fbfZ□[fW,đ’—,è•Ô,μ,Å,«,Ü,·□BTelnet  
□Ú’±,ì,Æ,«,¾,¾,~Žg—p,Å,«,Ü,·□B

**Alt+B**

fufCE□[fN□M□t,đ’—□o,μ,Ü,·□B

**Alt+F4**

Tera Term ,đ□l—¹,μ,Ü,·□B

**Ctrl+Esc**

fAfvfŠfP□[fVfþf“,ì□Ø,è’Ö,ì,đ,μ,Ü,·□B

TEK window

**Alt+C** ,Ü,½,í **Ctrl+INS**

f}fEfX,Å’l’đ,¾,ê,½—ì^æ,ì%oæ’œ,đfNfŠfbfvf{□[fh,ÖfRfs□[,μ,Ü,·□B

**Alt+V** ,Ü,½,í **Shift+INS**

VT window ,Æ“~,¶□B

**Alt+R**

VT window ,Æ“~,¶□B

**Alt+F4**

TEK window ,ð•Â,¶,Ü,·□B

**Ctrl+Esc**

VT window ,Æ“~,¶□B

## f}fEfX

VT window

### □¶f{f^f“ ,Åfhf%fbfO

• ¶Žš—ñ,đ'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

### □¶f{f^f“ ,đf\_fuf<fNfŠfbfN

1Ĉê'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

### □¶f{f^f“ ,đfgfŠfbfvf<fNfŠfbfN

1□s'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,·,é□B

### %oE,Ü,½,í'tf{f^f“ ,Åfhf%fbfO

• ¶Žš—

ñ,đ'í'đ,μ□A,» ,ê,đfNfŠfbfvf{□[fh,ÉfRfs□[,μ□A,<sup>3</sup>,ç,É,» ,ê,đfzfXfg,Ö'—  
□o,·,é□B

### %oE,Ü,½,í'tf{f^f“ ,đfNfŠfbfN

fNfŠfbfvf{□[fh,ì't,ì•¶Žš—ñ,đfzfXfg,Ö'—□o,·,é□B

### f^fCf<fCf<fo□[,ì□ã,Å□¶f{f^f“ ,đf\_fuf<fNfŠfbfN

fEfCf“fhfEfTfCfY(fEfCf“fhfE,ìŽÀ□Ü,ì'ã,«,<sup>3</sup>),af^□[f~fif<fTfCfY('[-,ì~\_—  
□“l,É%œ-Ê,ì'ã,«,<sup>3</sup>)  
,Æ^Ü,È,é,Æ,«□AfEfBf“fhfEfTfCfY,đf^□[f~fif<fTfCfY,Æ“~,¶,É,È,é,æ,α  
,É•ì□X,μ,Ü,·□B,» ,ìĈã□A,à,α^ê“xf^fCf<fCf<fo□[,đf\_fuf<fNfŠfbfN,·,é,Æ□A,  
à,Æ,ìfEfCf“fhfEfTfCfY,É-β,è,Ü,·□B

### Ctrl fL□[,đ%oŸ,μ,È,ª,ç□¶f{f^f“ ,đfNfŠfbfN

f□fjf...□[fo□[,ª,È,~,ê,ì□Af|fbfvfAfbfvf□fjf...□[,ªĈ» ,ê,Ü,·□Bf□fjf...  
□[fo□[,đ□Á,·,É,ì□A[Setup] Window ,Å **Hide menu bar** ,đ'í'đ,μ,Ä,-  
,¾,<sup>3</sup>,ç□B

### Alt fL□[,đ%oŸ,μ,È,ª,ç□¶f{f^f“ ,ÅfEfBf“fhfE,đfhf%fbfO

Tera Term ,đ /H (hide title)  
f|fvfVf†f“ ,Å<N“® ,μ,½□ê□#□AfEfBf“fhfE,đ^Ú“® ,μ,Ü,·□B

### Alt fL□[,đ%oŸ,μ,È,ª,ç%oEf{f^f“ ,đfNfŠfbfN

Tera Term ,đ /H (hide title)  
f|fvfVf†f“ ,Å<N“® ,μ,½□ê□#□AfEfBf“fhfE,đ□Å□-%o» ,μ,Ü,·□B

### ftf@fCf<,đfhf%fbfO,μ□AfEfBf“fhfE,Éfhf□fbfv

ftf@fCf<,đ'—□M,μ,Ü,·□BŠžŽšfR□[fh□A%oü□sfR□[fh,í•iš·,<sup>3</sup>,ê,Ü,·□B

TEK window

**␣{f^f“ ,Åfhf%fbfO**  
%æ'œ,đ'l'đ,μ,Û,·B

**%E,Û,½,l'tf{f^f“ ,đNfŠfbfN**  
VT window ,Æ“~,␣B

**CtrlfL␣[,đ%Ÿ,μ,È,ª,ç␣{f^f“ ,đ%Ÿ,·**  
VT window ,Æ“~,␣B

## faq“fg

Tera Term ,iŋŸ’è-@  
fŋfO,iŽæ,è•ûŋAfŋfO,iŋÄŋŋ<@”\  
NIFTY-Serve ,ifq“fg  
PC-VAN ,ifq“fg  
XMODEM ,ifq“fg  
ZMODEM ,ifq“fg  
B-Plus ,ifq“fg  
Quick-VAN ,ifq“fg  
fVf‡ŋ[ifq]fbfgfLŋL,iŋŸ’è

## Tera Term ,ìÝ'è-@

Tera Term ,ìÝ'è,í[A[Setup] fffj...[l,lfRf}f“fh,Å,Ù,Æ,ñ,Ç,“,±,È,±,±,  
,Æ,ª,Å,«,Ü,·B,Ü,½AÝ'èftf@fCf<,ð'¼Ú•ÒW,;é,±  
,Æ,É,æ,Á,ÄA,æ,èx,©,çÝ'è,ðs,±,Æ,ª,Å,«,Ü,·B  
□“ Tera Term Ý'èftf@fCf<,ìÇ,Ýž,Ýé—pflfvfVf#f“

# f[]fO, iZæ, è, ©, 1/2[]Af[]fO, i[]Ä[]¶[]<@""\

f[]fO (log) <@""\, ð, Â, ©, ¤, Æ[]AfzfXfg, ©, ç'—, ç, ê, Ä, «, 1/2•¶Žš, ðftf@fCf<, É•Û'¶, ·, é, ±, Æ, ¢, Ä, «, Ü, ·[]B

## f[]fO, iZæ, è, ©, 1/2

^È%°°, iZè[]¶, É, µ, 1/2, ¢, Ä, Ä, , 3/4, ¢, ¶[]B

1. [File] Log fRf}f"fh, ðŽÀ[]s, ·, é[]B

2. "Tera Term: Log" f\_fCfAf[]fOf{fbfNfX, ¢Æ» , é, é[]B  
•Û'¶, ·, éftf@fCf<, ðftf@fCf<-1/4, ð **File Name:** , É"ü—í, ·, é[]B

**Binary** , ð'l'ð, ·, é, Æ[]AfzfXfg, ©, ç'—  
, ç, ê, 1/2•¶Žš, í, ·, x, Äftf@fCf<, É[]', «[]ž, Ü, ê, é[]B

**Binary** , ð'l'ð, µ, È, ç, Æ[]AŠ; Žš[]A  
%ü[]sfR[]fh, í•İŠ, ¢, ê, Ä[]', «[]ž, Ü, ê, é[]BfGfXfP[]fVfV[]fPf"fx, í[]', «[]ž, Ü, ê, È,  
ç[]B

**Append** , ð'l'ð, ·, é, Æ[]Aftf@fCf<, ¢, ·, Ä, É'¶[]Ý, ·, é[]è[]¶[]A'Ç

%°Á, µ, Ä[]', «[]ž, Ü, ê, é[]B

**Append** , ð'l'ð, µ, È, ç, Æ[]Aftf@fCf<, ¢, ·, Ä, É'¶[]Ý, ·, é[]è[]¶[]A[]ä[]', «, ¢, ê, é[]B

3. OKf{f^f", ð%°ÿ, ·, Æ[]A"Tera Term: Log" , Æ, ç  
, ¤fAfCfRf", ¢Æ» , é[]Af[]fO, ¢ŠŽn, ¢, ê, é[]Bf[]fO, ðŽæ, Ä, Ä, ç, éŠÔ, à[]A^ê•", i[]<@""\  
, ð[]œ, ç, Ä, ·[]É, É Tera Term , ðŽg—p, ·, é, ±, Æ, ¢, Ä, «, é[]B

4. f[]fO, ð[]|—

<sup>1</sup>, µ, 1/2, è[]A't'f, µ, 1/2, ç[]è[]¶, í[]AfAfCfRf", ðf\_fuf<fNfŠfbfN, µ, Ä\_fCfAf[]fOf{fbfNfX  
, ð•\Ž|, ¢, ¢[]A**Close** , Ü, 1/2, í **Pause** f{f^f", ð%°ÿ, ·[]B**Pause** f{f^f", ð  
%°ÿ, ·, Æ**Start** f{f^f", É•İ, í, é, Ì, Ä[]A, » , é, ð%°ÿ, ·, Æf[]fO, ¢[]ÄŠ], ¢, ê, é[]B

•Û'¶, µ, 1/2ftf@fCf<, í[]A[]uf[]f, ' []v""™, ðGfffBf^, ÅÆ©, é, ±  
, Æ, ¢, Ä, «, Ü, ·, ¢[]AfGfXfP[]fVfV[]fPf"fx""™, ðŠÜ, ñ, 3/4ftf@fCf<, í[]Af[]fO, i[]Ä[]¶[]<@""\  
, ðŽg, Ä, ÄÆ©, é, Æ•Ö—~ , Ä, ·[]B

## f[]fO, i[]Ä[]¶[], i, µ, ©, 1/2

fVf[]fOf%°f[]f}f[]fWff, âftf@fCf<f}f[]fWff, ðŽg, Ä, Ä[]AfRf}f"fhf%°fCf", ð[]A

**TERATERM /R=<f[]fOf[]f@fCf<-1/4>**

, Ì, æ, ¤, ÉŽw'è, µ, Ä Tera Term

, ðŽÀ[]s, µ, Ü, ·[]B, ·, é, Æ[]A, , 1/2, ©, àfzfXfg, ©, ç•¶Žš, ¢'—, ç, ê, Ä, «, 1/2, ©, Ì, æ, ¤

,É□Af□fOftf@fCf<,đ□Ä□¶,·,é,±,Æ,ª,Å,«,Ü,·□B

,Ü,½,Í□A[File] New connection ,Å **Host:** ,ì□Š,É

**/R=<f□fOftf@fCf<-¼>**

,Æ“ü—í,μ,Ä,à□Af□fOftf@fCf<,ª□Ä□¶,Å,«,Ü,·□B



## NIFTY-Serve ,lfqf“fg

NIFTY-Serve ,Ö, ì telnet □Ú' ±-@,ª, í, ©, ç, È, ç □ê □±, í □A □]— ^, ì • û-@ (, ç, í, ä, é f p f \ f R f “ “ Ê □ M), Å NIFTY-Serve ,Ö □Ú' ±, µ □A "GO TELNET" f R f } f “ f h, Å TELNET f □ f j f ... □[, Ö □ s, « □ A telnet □Ú' ±, ì ^ Å “ à (telnet to NIFTY Serve) ,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Š ž Š f, □ [ f h, ì □ Y ' è

[Setup] Terminal , Å Š ž Š f, □ [ f h, ì □ Y ' è, ð, µ, Ä, , ¾, ¾, ç □ B ' Ê □ í, í □ A Ž ó □ M □ A ' — □ M, Æ, à **SJIS** (Shift-JIS) , É, µ, Ü, · □ B

f □ f O f C f “ Ž ž, ì f v f □ f “ f v f g "Enter Connection-ID --->" , Å "SVC" , Æ “ ü — í, ·, é, Æ, «, É ^ È % ° °, ì, æ, x, É f l f v f V f # f “ , ð • t, ~ % ° ° Á, ì, é, ±, Æ, É, æ, è Š ž Š f R □ [ f h, ì Ž í — p, º Ž w ' è, Å, «, Ü, · □ B Tera Term ' x, ì Š ž Š f R □ [ f h, ì □ Y ' è, à, » , è, É, í, ¹, Å % ° °, ¾, ç □ B

Connection-ID            Tera Term , ì Š ž Š f, □ [ f h

-----  
**SVC** , Ü, ½, í **SVC/SJISSJIS**

**SVC/EUC**                    **EUC**

**SVC/NJS1**                    **JIS**, Kanji-In: **ESC\$B**, Kanji-Out: **ESC(J**

**SVC/OJS1**                    **JIS**, Kanji-In: **ESC\$@**, Kanji-Out: **ESC(J**

ftf@fCf<, ì f A f b f v f □ □ [ f h □ A f \_ f E f “ f □ □ [ f h, ·, é □ ê □ ± □ A

□ u B-Plus , lfqf“fg □ v

□ u XMODEM , lfqf“fg □ v

,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

## PC-VAN ,lfqf“fg

Š;Žšf,[]fh,ì[]Ý’è

[Setup] Terminal ,ÅŠ;Žšf,[]fh,ì[]Ý’è,đ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B’Ê[]í,í[]AŽó[]M[]A’—[]M,Æ,à  
**SJIS** (Shift-JIS) ,É,μ,Ü,·[]B

Telnet ,Å PC-VAN ,É[]Ú’±

,μ[]Aftf@fCf<,lfAfbfvf[]fh[]Af\_fEf“f[]fh,đ,·,é[]ê[]‡,í[]A•K, ,fofCfifŠflfvfVf‡“ ,Å[]Ú’  
±,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç(1996“N6ĀŽĀ>[]Ý)[]B[]Ú,μ,,í[]A[]uQuick-VAN ,lfqf“fg[]v,đ“Ç,ň,Å,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

## XMODEM ,lfqf“fg

XMODEM ,í□A8 bit fR□[fh (\$00-\$FF ,ì•¶Žš,·,×,Ä),đŠ®‘S,É’É,·%ñ□ü,đ—p,ç,È,ç ,ÆŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data,<sup>a</sup> 7 bit ,<sup>3</sup>/<sub>4</sub>,Á,<sup>1</sup>/<sub>2</sub>,è□Aftf□□[□\$CEä,<sup>a</sup> Xon/Xoff ,<sup>3</sup>/<sub>4</sub>,Á,<sup>1</sup>/<sub>2</sub>,è,·,é,Æ□AXMODEM ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Å **Data** ,đ **8** bit ,É,μ□A**Flow control** ,đ **hard** (CTS/RTS) ,© **none** ,É,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□Bf,ff€(fzfXfg)’æ,ì□Ý’è,à“<sup>-</sup>,¶,É,μ,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

Telnet ,ì□ê□‡

,à,μ□<sup>3</sup>,μ,“]’—,Å,«,È,ç□ê□‡,ífofCfifŠf|fvfVf‡f“ ,Å telnet □Ú’±,μ,Ä,Ý,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□BfofCfifŠf|fvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“ ,É /**B** f|fvfVf‡f“ ,đ,Â,<sup>-</sup>,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B  
□” Telnet ,ìfofCfifŠf|fvfVf‡f“

,Ç,æ,μ,Ä,à□<sup>3</sup>□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’æ,ì XMODEM fRf}f“fh,đ□<sup>3</sup>,μ,-  
□Ý’è,“,æ,ÑŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,<sup>1</sup>/<sub>2</sub>□ã,Å□AXMODEM  
,ìf□fO,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

## ZMODEM ,lfqf“fg

ZMODEM ,íA7 bit %oñü,Á,íŽg—p,Á,«,Ü,<sup>1</sup>,ñB

fVfŠfAf<f[fq,ìê±

Data ,<sup>a</sup> 7 bit,<sup>3/4</sup>,ÆAZMODEM ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñB[Setup] Serial port ,Á **Data** ,<sup>đ</sup>  
**8** bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çBf,ff€(fzfXfg)‘α,ìY’è,à“~,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

Telnet ,ìê±

,à,μ<sup>3</sup>,μ,“]’—,Á,«,È,çê±,í\$CEä•¶Žš,đ,·, x,ÄGfXfP[fv,μ,Ä,Ý,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,çB,»,è,Á,à,<sup>3/4</sup>,ß,Èê±,ífofCfifŠfifvfVf#f“ ,Á telnet □Ú’±,μ,Ä,Ý,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,çBfofCfifŠfifvfVf#f“ ,Á□Ú’±,·,é,É,íA

fRf}f“fhf%ofCf“,É /B fifvfVf#f“ ,đ,Â,~,é,©A

Tera Term Y’èftf@fCf<,đ‘,«Š·,ì,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB  
□“ Telnet ,ífofCfifŠfifvfVf#f“

,Ç,α,μ,Ä,à<sup>3</sup>í,É“]’—,Á,«,È,çê±,íAfzfXfg’α,ì ZMODEM fRf}f“fh,đ<sup>3</sup>,μ,-  
Y’è,“,æ,ŇŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,<sup>1/2</sup>ã,ÁAZMODEM  
,ífO,đŽæ,èAìŽÒ,É’—,Á,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

,Ü,<sup>1/2</sup>A^È%o<sup>o</sup>,ìY’è,đ,·,é,Æ•Ö—~,Á,·B

□“ ZMODEM ŽóM,ìŽ©“®<N“®

□“ ZMODEM ‘—M,đ’-,·,é,<sup>1/2</sup>,ß,ìY’è

## B-Plus ,lfqf“fg

B-Plus ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,<sup>1</sup>,ñB,Ü,<sup>1/2</sup>AB-Plus ,í CompuServe ,â NIFTY-Serve “™ ,ì BBS , ©,ç,lf\_fEf“f[fh/,Ö,lfAfbfvf[fh,ì,<sup>1/2</sup>,ß,<sup>3/4</sup>, ,ÉŽg—p,μ,Ä,- ,<sup>3/4</sup>,<sup>3</sup>,çBTera Term ,ì B-Plus ,í PC (‘ÉMf\ftfg)ŠÔ,ìftf@fCf<“]’—,É‘í%ž,μ,Ä,ç ,Ü,<sup>1</sup>,ñB

fVfŠfAf<f|[fg,ìê#AData ,<sup>a</sup> 7 bit ,<sup>3/4</sup>,ÆAB-Plus ,<sup>a</sup>Žg,!,Ü,<sup>1</sup>,ñB[Setup] Serial port ,Á **Data** ,đ 8 bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çBf,fff€(fzfXfg)‘α,ìÝ’è,à“ ,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

,Ü,<sup>1/2</sup>AŽŸ,ìÝ’è,đ,·,é,Æ•Ö—~ ,Á,·B  
□” B-Plus f\_fEf“f[fh,ìŽ©“®<N“®

□<sup>3</sup>,μ,“]’—,Á,«,È,çê# ,íAB-Plus ,lfO,đŽæ,Á,ÄiŽÒ,É’—,Á,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

## Quick-VAN ,lfqf“fg

Quick-VAN ,í□APC-VAN ,Æ,ç,× BBS ,Å—p,ç,ç,ê,Ä,ç,éftf@fCf<“]’—  
fvf□fgfRf<,Å,·□BQuick-VAN ,í□A7 bit %oñ□ü,Å,ÍŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data ,<sup>a</sup> 7 bit ,<sup>3/4</sup>,Æ□A Quick-VAN ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Å **Data**  
,<sup>đ</sup> 8 bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□Bf,fff€(fzfXfg)’×,ì□Ý’è,à“<sup>˘</sup>,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B

Telnet ,ì□ê□‡

PC-VAN ,É□Ú’±,·,é□ê□‡,í□A•K, ,fofCfifŠfifvfVf‡f“ ,<sup>đ</sup>Žw’è,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç  
(1995”N12ĀŽĀ»□Ý)□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /B fifvfVf‡f“ ,<sup>đ</sup>,Å,˘,é,©□A

Tera Term □Ý’èftf@fCf<,<sup>đ</sup>□’,«Š,ì,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B  
□” Telnet ,lfofCfifŠfifvfVf‡f“

,Ü,<sup>1/2</sup>□AŽŸ,ì□Ý’è,<sup>đ</sup>,·,é,Æ“]’—‘—“x,<sup>a</sup>%oü’P,·,é□ê□‡,<sup>a</sup>, ,è,Ü,·□B  
□” Quick-VAN ,ì window size

,Ç,×,μ,Ä,à□<sup>3</sup>□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’×,ì Quick-VAN fRf}f“fh,<sup>đ</sup>□<sup>3</sup>,μ,-  
Žw’è,μ,Ä,ç,é,±,Æ,<sup>đ</sup>Šm”F,μ,<sup>1/2</sup>□ã,Å□AQuick-VAN ,lf□fO,<sup>đ</sup>Žæ,è□A□ìŽO,É’—,Á,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,ç□B

## fvf#[]fgfjfbfgfL[],ì[]Ý'è

fL[]f{[]fh[]Ý'èftf@fCf<,ì **[Shortcut keys]** fZfNfVf#f" ,ð[]',«Š·,!,é,Æ[]A^È  
%°°,ìfVf#[]fgfjfbfgfL[],ðŽ©·ª,ì[]D,«,ÈfL[],ÉŠ,,,è"-,Ä,é,±,Æ,ª,Å,«,Ü,·[]B

[Shortcut keys] ,ì[]€-Ú <@"\\ ffftjHf<fg,ì[]Ý'è (IBM-PC/AT)

<b>EditCopy</b>	<b>[Edit] Copy</b> fRf}f"fh	,È,µ (Alt+C)
<b>EditPaste</b>	<b>[Edit] Paste</b> fRf}f"fh	,È,µ (Alt+V)
<b>EditPasteCR</b> (Alt+R)	<b>[Edit] Paste&lt;CR&gt;</b> fRf}f"fh	,È,µ
<b>LineUp</b>	^ê[]sfXfNf[]f<fAfbfv	Ctrl+[]ª
<b>LineDown</b>	^ê[]sfXfNf[]f<f_fEf"	Ctrl+[]«
<b>PageUp</b>	^êfy[]fWfXfNf[]f<fAfbfv	Ctrl+PageUp
<b>PageDown</b>	^êfy[]fWfXfNf[]f<f_fEf"	Ctrl+PageDown
<b>BuffTop</b>	fobftf@,ì[]æ"ª,ÖfXfNf[]f< Ctrl+Home	
<b>BuffBottom</b>	fobftf@,ì[]ÅÆã,ÖfXfNf[]f< Ctrl+End	
<b>SendBreak</b>	fuf[]fN[]M[]t'—[]o	,È,µ (Alt+B)

—á,!,ì[]A Ctrl+V ,ð **[Edit] Paste** ,ÉŠ,,,è"-,Ä,½,ç[]ê[]‡,í[]A  
fL[]f{[]fh[]Ý'èftf@fCf<,ì **[Shortcut keys]** fZfNfVf#f" ,Å[]A

### EditPaste=1071

,Æ,µ,Ä,,¾,³,ç (IBM-PC/AT fL[]f{[]fh,ì[]ê[]‡)[]B

## [File] f[]fj...[]

### New connection...

□V,μ,ϕfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,μ,Ü,·□B

### Log...

Žó□M,<sup>3</sup>,ê,é•¶Žš,ðftf@fCf<,É□',«□ž,Ý,Ü,·□B

### Send file...

ftf@fCf<,ð'—□M,μ,Ü,·□B

### Transfer

Kermit/XMODEM/ZMODEM/B-Plus/Quick-VAN  
fvf[]fgfRf<,Åftf@fCf<,ð"']'—,μ,Ü,·□B

### Change directory...

ftf@fCf<"']'—,ì,½,ß,ìffBfÆfNfgfŠ,ð•ï□X,μ,Ü,·□B

### Print...

Æ»□Ý,ì%œ-Ê,Ü,½,Í□Af}fEfX,Å'I'ð,<sup>3</sup>,ê,½•¶Žš,ð^ó□ü,μ,Ü,·□B

### Disconnect

□Ú'±,ð□Ø,è,Ü,·□BTCP/IP □Ú'±Žž,Å Auto window close  
f|fvfVf†f",<sup>3</sup>'I'ð,<sup>3</sup>,ê,Ä,ϕ,é□ê□#□ATera Term ,ð□I—<sup>1</sup>,μ,Ü,·□B

### Exit

Tera Term ,ð□I—<sup>1</sup>,μ,Ü,·□BfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,<sup>3</sup>,ê,Ä,ϕ,  
,é□ê□#,Í□A□Ú'±,ð□Ø,è,Ü,·□B



## New connection ([File] f\ffj...[I])

V,μ,ϕzfzXfg,Ü,½,ÍVfŠfAf<f|[]f,ÉÚ'±,μ,Ü,·B,·,Å,ÉÚ'±,³,ê,Ä,ϕ,é,Æ,«,ÍA•Ê,ì  
Tera Term fzfbVfþf“,ð<N“®,μ,Ü,·B

## "New connection" f\_fCfAf[]fOf{fbfNfX

### TCP/IP

#### Host

Ú'±,·,ézfzXfg-¼,Ü,½,Í IP address ,ðfL[]f{[]fh,Å“ü—  
Í,μ,ÄŽw'è,·,é,©[]AfŠfXfg,ì't,©,ç'l'ð,μ,Ä,,¾,¾,ϕ[]BfŠfXfg,ð•Ò[]W,·,é,É,Í  
[Setup] TCP/IP ,ðŽg,Á,Ä,,¾,¾,ϕ[]B,Ü,½[]AfzfXfg-¼,¾,¾,·,Å,È,^È%º,ì,æ,α  
,É[]AfRf}f“fhf%ºfCf“•¶Žš—ñ,ðŽw'è,·,é,±,Æ,à,Å,«,Ü,·B

**myhost.mydomain** 'Êí,ÍzfzXfg-¼,Ü,½,Í IP address,¾,·

**myhost.mydomain:23** fzfzXfg-¼,Æf|[]fg”Ô[]t

**foohost.foodomain /F=FOOHOST.INI** fzfzXfg-¼+[]Ý'èftf@fCf<-  
¼,ðŽw'è

**/C=1** fVfŠfAf<f|[]fg,ðŽw'è,·,é,±,Æ,à%ºÅ”\

**/R=LOG.DAT** fzfzXfg,âf|[]fg,ÉÚ'±,¹,·,É[]Af[]OfTf@fCf<,ì“à—e,ðÄ[]¶

#### Telnet

Telnet fvf[]fgfRf<,ðŽg—p,μ,Ü,·B'Êí,Í'l'ð,μ,Ä,,¾,¾,ϕ[]B

#### TCP port#

Telnet ,ðŽg—p,·,é[]ê[]#[]A'Êí,Í23,É,μ,Ä,,¾,¾,ϕ[]B

### Serial

#### Port

Ú'±,·,éVfŠfAf<f|[]fg,ð **COM1, COM2, COM3, COM4** ,ì't,©,ç'l'ð,μ,Ä,-  
¾,¾,¾,ϕ[]B

## Log ([File] f fff... [I])

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ðftf@fCf<, É' , «ž, Ý, Ü, ·B  
□" f fO, ÌŽæ, è • û Af fO, ÌÄ ¶¶<@"

"Log" f\_fCfAf fOf {fbfNfX(ftf@fCf<-¼Žw'è)

### File Name

□' , «ž, pftf@fCf<, Ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'Í'ð, μ, Ä, , ¾, ¾, çB

### Binary

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ð, » , Ì, Ü, Üftf@fCf<, É' , «ž, Ý, ½, ç ê ¶, Í'Í'ð, μ, Ä, , ¾, ¾, çB'Í'ð, μ, È, ç ê ¶, Í AŠ žšfR [fh A  
%ü s • ¶Žš, Í • ĨŠ , ¾, ê AfGfXfP [fvfV [fPf" fX, ÌŽæ, è œ, ©, ê, Ä, ©, ç □' , «ž  
, Ü, ê, Ü, ·B

### Append

, , Ä, É' ¶ ¶Ý, ·, éftf@fCf<, É' Ç%Á, μ, Ä □' , «ž, Ý, ½, ç ê ¶, Í'Í'ð, μ, Ä, -  
¾, ¾, çB'Í'ð, μ, È, ç ê ¶, Í ä □' , «, ¾, è, Ü, ·B

"Log" f\_fCfAf fOf {fbfNfX(ftf@fCf<, Ö □' , «ž, Ý' t)

### Close

Close f {f^f" , ð%Ÿ , ·, Æftf@fCf<, Ö, Ì □' , «ž, Ý, ð | —¹, μ, Ü, ·B

### Pause/Start

Pause f {f^f" , ð%Ÿ , ·, Æftf@fCf<, Ö, Ì □' , «ž, Ý, ð ^ ê Žž' t' f, μ, Ü, ·B, ±, Ì, Æ, «  
Pause f {f^f" , Í Start f {f^f" , É • Ĩ%» , μ, Ü, ·B, » , Ì Ć ä Start f {f^f" , ð  
%Ÿ , ·, Æ □' , «ž, Ý, ð Ä Š J, μ, Ü, ·B

## Send file ([File] f [jfj...])

ftf@fCf<,đ'—M,μ,Ü,·B

"Send file" f\_fCfAf\_fOf{fbfNfX('—M'O,ìftf@fCf<-¼Žw'è)

### File Name

'—M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-  
,¾,¾,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,·,ê,Î,È,è,Ü,¹,ñB

### Binary

ftf@fCf<,l"à—e,đ,»ì,Ü,Ü'—M,μ,½,çê±,í'l'đ,μ,Ä,-  
,¾,¾,çB'l'đ,μ,È,çê±,íAŠ;ŽšfR[fhA%üS•¶Žš,ª•İŠ,³,ê,Ä'—  
M,³,êATAB (\$09), LF (\$0A), CR (\$0D)^ÈŠO,ì\$Æä•¶Žš,í'—  
M,³,ê,Ü,¹,ñB

"Send file" f\_fCfAf\_fOf{fbfNfX('—M't)

### Close

Close f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—M,đ'tŽ~,μ,Ü,·B

### Pause/Start

Pause f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—M,đ^êŽž't'f,μ,Ü,·B,±,ì,Æ,«  
Pause f{f^f",í Start f{f^f",É•İ%»,μ,Ü,·B,»ìÆã Start f{f^f",đ  
%Ÿ,·,Æ'—M,đÄŠJ,μ,Ü,·B

## **Transfer ([File] f[]ffj...[])**

### **Kermit**

Kermit fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **XMODEM**

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **ZMODEM**

ZMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **B-Plus**

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **Quick-VAN**

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

## Kermit ([File] Transfer f[ff...[l])

Kermit fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### **Receive**

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Send  
fRf}}f“fh,đŽÀ[s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[B

### **Get...**

fzfXfg’x,ì Kermit ,<sup>a</sup> server ,ì[ó’Ô,ìŽž,É[Atera Term ,©,çzfXfg’x  
,ìftf@fCf<—<sup>1</sup>/<sub>4</sub>,đŽw’è,μ,Äftf@fCf<,đŽó[M,μ,Ü,·[B

### **Send...**

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Receive  
fRf}}f“fh,Ü,<sup>1</sup>/<sub>2</sub>,ÍServer fRf}}f“fh,đŽÀ[s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[B

### **Finish**

fzfXfg’x,<sup>a</sup> server ,ì[ó’Ô,ì,Æ,«[A,»),ê,đ%ođ[œ,μ,Ü,·[B

## Kermit Get ([File] Transfer f fff...l)

Kermit fvf ffgfRf<,Åftf@fCf<,đŽóM,μ,Ü,·BfzfXfg'α,ì Kermit ,ª server  
,ìó'Ô,ìŽž,É,±,lfRf}f"fh,đŽg—p,μ,Ä,,¾,¾,çB

### "Kermit Get" f\_fCfAf\_fOf{fbfNfX

ŽóM,μ,½,çzfzXfg'α,ìftf@fCf<,ìftf@fCf<-¼,đ"ü—í,μ,Ä,-  
,¾,¾,çBŽóM,μ,½ftf@fCf<,íACE»Ý,ìffBfCEfNfgfŠ,ì't,ÉAfzfXfg'α  
,Æ"~,ìftf@fCf<-¼,Å•Ù'¶,¾,è,Ü,·B,à,μftf@fCf<-¼,ª MS-DOS  
,ìCE`Ž® ,æ,è',çê#A',ç•"ª,íØ,èŽì,Ä,ç,è,Ü,·B

## Kermit Send ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉzfXfg'α, ì Kermit , ì Receive  
fRf}f"fh, Ü, ½, Í Server fRf}f"fh, ðŽÀ s, µ, Ä, , ¾, ³, çB

### "Kermit Send" f\_fCfAf\_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -  
, ¾, ³, çB, ·, Å, É'¶Y, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,  
±, Æ, à, Å, «, Ü, ·BuŠù'm, ì-â'èv

## XMODEM ([File] Transfer f[ff]...[l])

XMODEM fvf[fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[B

### Receive...

ftf@fCf<,ðŽó[M,μ,Û,·[B,»,’O,ÉfzfXfg‘α,ì XMODEM ,ì—  
[MfRf}f“fh,ðŽÀ[s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[B

### Send...

ftf@fCf<,ð’—[M,μ,Û,·[B,»,’O,ÉfzfXfg‘α,ì XMODEM  
,ìŽó[MfRf}f“fh,ðŽÀ[s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[B

XMODEM,lfqf“fg



## XMODEM Receive ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'¤,ì XMODEM ,ì—  
[]MfRf}f"fh,đ<N"® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### File Name

Žó[]M,·,éftf@fCf<,ìftf@fCf<-<sup>1</sup>/<sub>4</sub>,đ"ü—í,Ü,<sup>1</sup>/<sub>2</sub>,í'l'đ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Option

#### Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìfìfvfVf#f" (Checksum/CRC/1K) ,đ'l'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]BfzfXfg'¤,ìfìfvfVf#f" ,Æ"- ,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]#,í  
Checksum ,đ'l'đ,μ,Ä,Ý,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

#### Binary

fofCfifŠftf@fCf<,đŽó[]M,·,é[]ê[]#,í'l'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B<t,ÉfefLfXfgftf@fCf<,đŽó[]M,·,é[]ê[]#,í'l'đ,μ,È,ç,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

XMODEM ,ìfqf"fg

## XMODEM Send ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đ'—[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'α,ì XMODEM ,ìŽó[]MfRf}f"fh,đ<N" ®,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### File Name

'—[]M,·,éftf@fCf<,ìftf@fCf<-<sup>1</sup>/<sub>4</sub>,đ"ü—í,Ü,<sup>1</sup>/<sub>2</sub>,í'l'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B,·,Ä,É'¶[]Ý,·,éftf@fCf<,Ä,È,¯,ê,î,È,è,Ü,<sup>1</sup>,ñ[]B

### Option

#### Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf[]f" (**Checksum/CRC/1K**),đ'l'đ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]BfzfXfg'α,ìf[]vfVf[]f",Æ"¯,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]¶,í  
**Checksum**,đ'l'đ,μ,Ä,Ý,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

XMODEM ,ìf[]f"fg

## ZMODEM ([File] Transfer f[ffj]f...[l])

ZMODEM fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM ,ì—  
[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,³,¢[B

### Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM  
,ìŽó[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,³,¢[B

ZMODEM ,lfqf“fg

## ZMODEM Send ([File] Transfer f fjf... [I])

ZMODEM fvf ffgfRf<, Åftf@fCf<, ð'— M, µ, Ü, · B, » , ì' O, ÉzfXfg'α, ì ZMODEM , ì'—  
MfRf}f"fh, ð<N" ® , µ, Ä, , ¾, ¾, ç B

### "ZMODEM Send" f\_fCfAf\_fOf{fbfNfX

'— M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü— Í, Ü, ½, Í' I' ð, µ, Ä, -  
, ¾, ¾, ç B, ·, Å, É' ¶ Y, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñ B" ~ Žž, É • i" , ìftf@fCf<, ð' I' ð, ·, é,  
±, Æ, à, Å, «, Ü, · B uŠù'm, ì-â'è v

### Binary

fofCfifŠftf@fCf<, ð'— M, ·, é, Æ, «, Í' I' ð, µ, Ä, -  
, ¾, ¾, ç B<t, ÉfefLfXfgftf@fCf<, ð'— M, ·, é ê ¶, Í' I' ð, µ, È, ç, Å, , ¾, ¾, ç B

ZMODEM , ìfqf"fg

## B-Plus ([File] Transfer f[]ff...[])

B-Plus fvf[]fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[]B

### Receive

ftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf\_fEf“f[][]fhfRf}f“fh,đ<N“® ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢[]B

### Send...

ftf@fCf<,đ’—[]M,μ,Ü,·[]B,»,’O,É BBS  
,ìfAfbfvf[][]fhfRf}f“fh,đ<N“® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢[]B

B-Plus ,ìfqf“fg

## B-Plus Send ([File] Transfer f...)

B-Plus fvf ffgfRf<,Åftf@fCf<,ð'—M,μ,Ü,·B,»,ì'O,É BBS  
,lfAfbfvf [fhfRf}f"fh,ð<N" ©,μ,Ä,,¾,³,çB

### "B-Plus Send" f\_fCfAf\_fOf{fbfNfX

'—M,·,éftf@fCf<,iftf@fCf<-¼,ð"ü—Í,Ü,½,í'l'ð,μ,Ä,-  
,¾,³,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,¹,ñB

B-Plus .lfqf"fg

## Quick-VAN ([File] Transfer f[]fj...[])

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[]B

### Receive

ftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf\_fEf“f[][]fhfRf}f“fh,đ<N“® ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Send...

ftf@fCf<,đ’—[]M,μ,Ü,·[]B,»,’O,É BBS  
,ìfAfbfvf[][]fhfRf}f“fh,đ<N“® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

Quick-VAN ,ìfqf“fg

## Quick-VAN Send ([File] Transfer f fjf... [I])

Quick-VAN fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, É BBS  
, ìfAfbfvf [fhfRf} f"fh, ð<N" ©, µ, Ä,, ¾, ¾, çB

### "Quick-VAN Send" f\_fCfAf\_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -  
, ¾, ¾, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB" ~Žž, É•j", ìftf@fCf<, ð'í'ð, ·, é,  
±, Æ, à, Å, «, Ü, ·B uŠù'm, ì-â'èv

Quick-VAN ,ìfqf"fg



## Change directory ([File] f\ffj...)

ftf@fCf<" ]'—, ì, ½, ß, ìfffBfĈEfNfgfŠ, ð•ï X, μ, Ü, · B

## "Change directory" f\_fCfAf\fof{fbfNfX

V, μ, çfffBfĈEfNfgfŠ, ð"ü— í, μ, Ä,, ¾, ³, ç B

**Print ([File] f fjf... [I])**

"^óü"f\_fCfAf\_fOf{fbfNfX

^óü"íí,ì'ð

"Sfy[fW",ð'í'ð,·,é,ÆACE>Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"í'ð,μ,½•"•a",ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½•¶Žš,ð^óü,μ,Û,·B

## [Edit] f[]ffj...[]

### Copy

f}}fEfX,Å'í'ð,μ,½•¶Žš—ñ,ð[]AfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]B  
'[]^Ó: 'Ê[]í,í[]A,±,ìfRf}}f“fh,ðŽg,α•K—  
v,í, ,è,Ü,<sup>1</sup>,ñ[]Bf}}fEfX,Å•¶Žš,ð'í'ð,·,é,Æ[]AŽ©“®“l,ÉfNfŠfbfvf{[]fh,ÖfRf  
s[][,<sup>3</sup>,ê,Ü,·[]B'í'ð,<sup>3</sup>,ê,Ä,ç,é•¶Žš—ñ,ð[]ÄfRfs[][,·,é[]ê[]±,É,±,ìfRf}}f“fh,ðŽg  
—p,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ,Ü,·[]B

### Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ[]A'±,ç,Ä%ü[]sfR[]fh,à'—  
[]o,μ,Ü,·[]B

### Clear screen

%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

### Clear buffer

fXfNf[][]f<fofbftf@[][,ì“à—e,Æ%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

## [Setup] fñfj...ñ

### Terminal...

'[--fGf~f...fÆ[fVf#f" ,ìñÝ'è,ð,μ,Û,·ñB

### Window...

%ooæ-Ê•\Ž|,ìñÝ'è,ð,μ,Û,·ñB

### Font...

ftfHf"f g,ð•ïñX,μ,Û,·ñB

### Keyboard...

fL[f{[f h,ìñÝ'è,ð,μ,Û,·ñB

### Serial port...

fVfŠfAf<f|ñ[f g,ìñÝ'è,ð,μ,Û,·ñB

### TCP/IP...

TCP/IP ,ìñÝ'è,ð,μ,Û,·ñB

### General...

,» ,ì'¼,ìñÝ'è,ð,μ,Û,·ñB

### Save setup...

Æ»ñÝ,ìñÝ'è,ð Tera Term ñÝ'èftf@fCf<,É•Û'ñ,μ,Û,·ñB

### Restore setup...

ñÝ'èftf@fCf<,ì"à—e,É,μ,½,<sup>a</sup>,Á,Ä Tera Term ,ðñÝ'è,μ,È," ,μ,Û,·ñB

## Terminal ([Setup] f f f f... [I])

"Terminal setup" f f C f A f f f O f { f b f N f X

### Terminal size

f ^ [ f ~ f i f < f T f C f Y ( ' [ -- % o æ - Ê , ì ~ \_ \_ [ f T f C f Y ) [ B % o i X [ c  
, ì • ¶ Ž š [ " , Å Ž w ' è , μ , Ü , · [ B f E f C f " f h f E f T f C f Y ( Ž À [ Ü , ì % o æ - Ê , ì ' å , « , <sup>3</sup> )  
, Æ • K , , μ , à " ~ , ¶ , Å , Í , , è , Ü , <sup>1</sup> , ñ [ B

### Term size = win size

, ±  
, ì f i f v f V f f f " , ð ' l ' ð , μ , ½ [ ê [ # [ A f ^ [ f ~ f i f < f T f C f Y , Æ f E f B f " f h f E f T f C f Y , ð [ í , É "  
™ , μ , , μ , Ü , · [ B

### Auto window resize

, ±  
, ì f i f v f V f f f " , ð ' l ' ð , μ , ½ [ ê [ # [ A f ^ [ f ~ f i f < f T f C f Y , Æ • ï [ X , <sup>3</sup> , è , ½ , Æ , « , É [ A f E f C f "  
f h f E f T f C f Y , à " ~ , ¶ ' å , « , <sup>3</sup> , É Ž © " ® " l , É • ï [ X , <sup>3</sup> , è , Ü , · [ B

### New-line (receive)

**CR+LF** , ð ' l ' ð , μ , ½ [ ê [ # [ A Ž ó [ M , <sup>3</sup> , è , ½ % o ü [ s • ¶ Ž š CR (\$0D) , ð CR+LF  
(\$0D \$0A) , É • Ĩ Š , μ , Ü , · [ B

### New-line (transmit)

**CR+LF** , ð ' l ' ð , μ , ½ [ ê [ # [ A ' \_ [ M Ž ž , É % o ü [ s • ¶ Ž š CR (\$0D) , ð CR+LF  
(\$0D \$0A) , É • Ĩ Š , μ , Ü , · [ B

### Local echo

f L [ [ " ü \_ l " ™ , É , æ , è ' \_ [ o , · , é • ¶ Ž š , ð , » , ì , Ü , Ü % o æ - Ê , É • \ Ž | , μ , Ü , · [ B

### Answerback

f z f X f g , © , ç ENQ (\$05) • ¶ Ž š , ð ' \_ , ç , è , Ä , « , ½ Ž ž , É [ A ' \_ , è • Ô , · • ¶ Ž š \_  
ñ [ B • ¶ Ž š \_ ñ ' † , É Š Ü , Ü , è , é • \ Ž | • s % o Ä " \ , È • ¶ Ž š ( [ \$ Ç ä • ¶ Ž š ) , Í [ A " \$ " , Æ  
, » , è , É , Ä , Ä , ASCII f R [ [ f h ( 2 Ç E . . . , ì 16 [ i " ) , Å • \ Ç » , μ , Ä , , <sup>3</sup> / 4 , <sup>3</sup> , ç [ B \_  
á , | , Í [ A • ¶ Ž š \_ ñ " ABC < CR > < LF > "  
, ð f A f " f T [ [ f o f b f N , · , é [ ê [ # [ A Ž Ÿ , ì , æ , æ , É " ü \_ l , μ , Ä , , <sup>3</sup> / 4 , <sup>3</sup> , ç [ B

**ABC\$0D\$0A**

### Kanji (receive)

f z f X f g , © , ç ' \_ , ç , è , Ä , , é Š ž Ž š f R [ [ f h ( **SJIS, EUC, JIS** , ì 3 Ž í \_ p ) [ B

### JIS 7bit katakana (receive)

fzfXfg, ©, ç' —, ç, ê, Ä,, é""¼Šp" •Ð%¼¼-¼fR[]fh,ª 7 bit ,Å•\Œ»,,³,ê,Ä,ç,é  
(SO/SI ,ð—p,ç,½fVftfg[]\$Œä,ð—p,ç,Ä,ç,é)[]ê[]‡,É'Í'ð,µ,Ä,-  
,¾,¾,ç[]B**Kanji (receive)** ,ª **JIS** ,ì[]ê[]‡,ì,Ý—LŒø,Å,·[]B

### **Kanji (transmit)**

'—[]o,·,éŠžŽšfR[]fh (**SJIS, EUC, JIS** ,ì3Ží—Þ)[]B

### **JIS 7bit katakana (transmit)**

'—[]o,·,é""¼Šp" •Ð%¼¼-¼fR[]fh,ð7bit,Å•\Œ»,,·,é (SO/SI ,ð—p,ç  
,½fVftfg[]\$Œä,ð—p,ç,é)[]ê[]‡,É'Í'ð,µ,Ä,,¾,¾,ç[]B**Kanji (transmit)** ,ª  
**JIS** ,ì[]ê[]‡,ì,Ý—LŒø,Å,·[]B

### **Kanji-in (transmit)**

**Kanji (transmit)** ,ª **JIS** ,ì,Æ,«,ÉŽg—  
p,·,éfGfXfP[]fVfV[]fPf"fX(ŠžŽšfR[]fh,ð GO ,ÉŽwŽ!,·,éfV[]fPf"fX[]B  
^[\$@ ,Ü,½,Í ^[\$B )[]BfzfXfg, ©, ç' —, ç, ê, Ä,-  
,éfGfXfP[]fVfV[]fPf"fX,Í,Ç,ž,ç,Å,à[]\,ç,Ü,¹,ň[]B

### **Kanji-out (transmit)**

**Kanji (transmit)** ,ª **JIS** ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[]fVfV[]fPf"fX (ASCII  
,Ü,½,Í JIS f[][]f} ŽšfR[]fh,ð GO ,ÉŽwŽ!,·,éfV[]fPf"fX[]B ^[(B ,Ü,½,Í  
^[(J )[]BfzfXfg, ©, ç' —, ç, ê, Ä,,éfGfXfP[]fVfV[]fPf"fX,Í,Ç,ž,ç,Å,à[]\,ç  
,Ü,¹,ň[]B

'[]^Ó: ^[(H ,íffftfHf<fg,Å,Í'Í'ð,Å,«,Ü,¹,ň[]B  
[]" ^[(H ,ð'Í'ð%Å"\,É,·,é[]B

### **Auto switch (VT<->TEK)**

fGfXfP[]fVfV[]fPf"fX,ð"»•Ê,µ,Ä[]AŽ© "®"Í,É VT window , ©, ç TEK  
window ,Ö[]\$Œä,ð^Ú,µ,Ü,·(t,à"—I)[]B

### **Terminal ID**

fzfXfg,É•ň[][],·,é Terminal ID[]BTerminal ID ,Í telnet ,ì terminal type  
,Æ,Í^á,ç,Ü,·[]BTelnet ,ì terminal type ,ð•í[]X,·,é,É,Í **[Setup] TCP/IP**  
fRf}f"f'h,ðŽg—p,µ,Ä,,¾,¾,ç[]B

## Window ([Setup] f f f f... [L])

"Window setup" f f C f A f f f O f { f b f N f X

### Title

f E f C f " f h f E, ì, ì f ^ f C f g f < [ B

### Cursor shape

f j [ f f <, ì C ` [ B **Block, Vertical line, Horizontal line**  
, ì 3, Â, ©, ç ' l, x, Ü, · [ B

### Hide menu bar

f [ f j f... [ f o [ [ , ð [ Á, µ [ A f | f b f v f A f b f v f [ f j f... [ [ , ð Ž g — p % o Â " \, É, µ, Ü, · [ B f |  
f b f v f A f b f v f [ f j f... [ [ , ì f [ f j f... [ f o [ [ , ¢ [ Á, |, ½ [ ó ' Ô, Å [ A C t r l f L [ [ , ð  
% o Ÿ, µ, È, ¢, ç f } f E f X, ì [ f { f ^ f " , ð f N f Š f b f N, ·, é, Æ C E » , ê, Ü, · [ B

### Scroll buffer

f X f N f [ [ f < f o f b f t f @ [ [ , ð Ž g — p % o Â " \  
, É, µ, Ü, · [ B, Ü, ½ [ A f X f N f [ [ f < f o f b f t f @, ì [ s [ " , ¢ [ Ý ' è, Å, «, Ü, · [ B [ s [ " , ì  
10000 ^ È [ ã, É, ì [ Ý ' è, Å, «, Ü, ¹, ñ [ B f [ f, f Š, ¢ ' «, è, È, ¢ [ ê [ ¢, ì " K " -  
, É C E , , ç, ³, ê, Ü, · [ B

### Color

**Text** • ¶ Ž š, ì [ F

**Background** " w C E i, ì [ F

**Attribute** [ F, ð [ Ý ' è, µ, ½, ¢ • ¶ Ž š, ì ' ® [ « (Normal, Bold, Blink)

**Reverse** • ¶ Ž š, ì [ F, Æ " w C E i, ì [ F, ð C E ð Š, µ, Ü, · [ B

## Font ([Setup] f f f f... [L])

ftfHf“fg,đ•ïX,μ,Ü,·B

### "Font setup" f fCfAf fOf {fbfNfX

#### Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,l't,©,ç'l'đ,μ,Ä,,¾,¾,çB

#### Size

ftfHf“fg,lftfCfY,đf|fCf“fg” ,ÅŽw'è,μ,Ä,,¾,¾,çB

#### Enable bold style

Bold (<'²)'® «,ì•¶Žš,đ bold fXf^fCf<,lftfHf“fg,Å•\Ž|,·,é,æ,κ

,É,μ,Ü,·B,±,ìé¶A%œ-

Ê,ÉfSf~,ªŽc,Á,½,èA×,©,ç•¶Žš,ª,Â,Ô,ê,Ä“Ç,Ý,É,,È,Á,½,è,·,é,±,Æ,ª,  
,è,Ü,·B

'¶: Tera Term •t'® ,lftfHf“fg Tera Special ,Í,±

,lf fCfAf fOf {fbfNfX,Å,Í'l'đ,Å,«,Ü,¹,ñBTera Term ,É,æ,Á,ÄŽ©“®“l,ÉŽg—  
p,¾,é,Ü,·B



## Keyboard ([Setup] f fjf... [I])

### "Keyboard setup" f fCfAf fOf {fbfNfX

#### BS Key

Backspace key ,đ%Ÿ,μ,½Žž,ÉfzfXfg,Ö'—□o,·,é•Ÿš□**BBS**  
(\$08)□**ADEL** (\$7F) ,ì,ç,ı,ç,©□**BBS** ,đ'ı'đ,μ,½,Æ,«,Å,à Ctrl+Backspace  
,Å DEL •Ÿš,đ'—□o,Å,«,Ü,·(t,à“—l)□B

#### IME

IME (“ú- {Œê“ü—ÍfVfXfef€) ,đŽg—p,·,é□ê□#□**Enable IME**  
,đ'ı'đ,μ,Ä,,¾,¾,ç□**Inline input** ,đ'ı'đ,·,é,Æ□AfCf“f%ofCf““ü—  
Í,ª,Å,«,Ü,·□B“ú- {Œê“Å^ÈŠO,ì MS-Windows ,Å Tera Term ,đŽg—  
p,·,é□ê□#,Í **Enable IME** ,đ'ı'đ,μ,È,ç,Å,,¾,¾,ç□B

#### Meta key

Alt fL□[ ,đf□f^fL□[ (meta key) ,Æ,μ,ÄŽg,ç,Ü,·□B—á,ı,î□AAlt+A ,đ  
%Ÿ,·,Æ□AESC A ,đ'—  
□o,μ,Ü,·□Bf□f^fL□[f,□[fh,Å,Í□AfVf#□[fgf]fbfgfL□[ ,í^ê•” ,đ□œ,ç,ÄŽg—  
p,Å,«,È,,È,è,Ü,·□B

IBM-PC/AT 101 (106) fL□[f{□[fh^ÈŠO,ìfL□[f{□[fh,đŽg—  
p,·,é□ê□# ,â□AŽ©•ª,ì□D,«,ÈfL□[ 'è<` ,É,μ,½,ç□ê□# ,ÍfL□[f{□[fh□Y'èftf@fCf<,đ□',«Š·  
,ı,Ä,,¾,¾,ç□B

## Serial port ([Setup] f f j f ... [I])

"Serial port setup" f f C f A f f f O f { f b f N f X

### Port

Žg—p,·,éj[]f g []B

### Data, Stop, Baud rate, Flow control, Parity

fVfŠfAf<f[]f g,lfpf%of f f ^ [][,Å,·[]B[]Ú'±,·,éj,fff€“™,ì[]Ý'è,É, ,í,<sup>1</sup>,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,ç[]B

'[]:       **Data** ,ð 7 ,É,·,é,Æ[]AXMODEM, ZMODEM, B-PLUS, Quick-  
VAN ,É,æ,éftf@fCf<“]’—,í,Å,«,Ü,<sup>1</sup>,ñ[]B,Ü,<sup>1/2</sup> **Flow control** ,ð **Xon/Xoff**  
,É,·,é,Æ[]AXMODEM, Quick-VAN ,É,æ,éftf@fCf<“]’—,í,Å,«,Ü,<sup>1</sup>,ñ[]B

### Transmit delay

Tera Term ,<sup>a</sup>•¶Žš(□s),ð’—□o,μ,<sup>1/2</sup>, ,ÆŽÿ,ì•¶Žš(□s),ð’—  
□o,·,é,Ü,Å,ì’Ò,¿ŽžŠÔ[]B’P^Ê,íf~fŠ•b,Å,·[]B1•¶Žš(□s)  
,<sup>2</sup>,Æ,ì’Ò,¿ŽžŠÔ,ð[]Ý’è,Å,«,Ü,·[]BTera Term ,©,ç’â—Ê,ì•¶Žš,ð’—  
□o,μ,<sup>1/2</sup>,Æ,«,Éj,fff€,âfzfXfg,<sup>a</sup>•¶Žš,ðŽæ,è,±,Ú,·[]ê[]‡,É,í“K”-  
,È’Ò,¿ŽžŠÔ,ð[]Ý’è,μ,Ä,Ý,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç[]B

## TCP/IP ([Setup] f fjf... [I])

"TCP/IP setup" f fCfAf fOf {fbfNfX

### Host list

[File] New connection

,đŽÀ s,μ,½ŽŽ,ÉĚ» ,ê,éf fCfAf fOf {fbfNfX,lfzfXfgfŠfXfg,ª•Ò W,Å,« ,Ü,· Bfz  
fXfg-¼,Ü,½,Í IP address ,đfŠfXfg,É%oÁ,!,é,±,Æ,ª,Å,« ,Ü,· B,æ,Ü'±  
,·,éfzfXfg,đ,±,lfŠfXfg,É"o~^,μ,Ä,¨, ,Æ•Ö—~ ,Å,· B  
,Ü,½ AfzfXfg-¼,¾,¯ ,Å,È,^È%ooº,ì,æ,α,ÈfRf}f"fhf%oofCf"•¶Žš—  
ň,đfŠfXfg,É"o~^,·,é,±,Æ,à,Å,« ,Ü,· B

**myhost.mydomain** 'Éí,lfzfXfg-¼,Ü,½,Í IP address ,¾,¯

**myhost.mydomain:23** fzfXfg-¼,Æf| [fg"Ôt

**foohost.foodomain /F=FOOHOST.INI** fzfXfg-¼+Y'èftf@fCf<-

¼,đŽw'è

**/C=1** fVfŠfAf<f| [fg,đŽw'è,·,é,±,Æ,à%oÁ"

**/R=LOG.DAT** fzfXfg,âf| [fg,ÉÜ'±,¹, ,É Af fOf tf@fCf<,ì"à—e,đÄ¶¶

### Auto window close

,±,lf|fvfVf#f" ,đ'í'đ,·,é,Æ AfzfXfg,Æ,ìÜ'±,ªØ,è,½,Æ,«Ž©"®"I,É Tera  
Term ,đ|—¹,μ,Ü,· B

### TCP port#

Žg—p,·,é| [fg"Ôt+BTelnet ,đŽg—p,·,é,Æ,« ,Í A'Êí23,É,μ,Ü,· B

### Telnet

Telnet fvf ffgfRf<,đŽg—p,μ,Ü,· B'Êí,Í'í'đ,μ,Ä,,¾,¾,ç B

### Terminal type

Telnet ,ÅÜ'±,μ,½,Æ,« AfzfXfg,É•ň,·,é terminal type B

## General ([Setup] f fjf... [I])

"General setup" f fCfAf fOf {fbfNfX

### Default port

Tera Term , ðfRf} f“fhf%ofCf“fpf%of [f^ [ , È, μ, Å<N“ ® , μ, ½, Æ, «, É Ú’ ±  
, , éf [ [fg, ðŽí—p (TCP/IP , Ü, ½, Í **Serial**) [B

### Language

%opCEê/“ú- {CEê f, [fh, ðŽw’è, μ, Ü, · [B’Êí, í“ú- {CEêf, [fh (**Japanese**)  
, É, μ, Ä, , ¾, ¾, ç [B%opCEêf, [fh (**English**) , Í%opCEê Windows , ÅŽg—  
p, , é [ê [ß, ÉŽw’è, μ, Ü, · [B

## Save setup ([Setup] f fjf... [I])

CE»Ÿ, ìŸ'è, ð Tera Term Ÿ'èftf@fCf<, É•Ů'Ÿ, μ, Ü, ·B

## "Save setup" f\_fCfAf\_fOf{fbfNfX

Tera Term Ÿ'èftf@fCf<, ìftf@fCf<-¼, ðŽw'è, μ, Ä, -  
, ¾, ³, çBŽw'è, μ, ½ftf@fCf<, º, ·, Å, É'ŸŸ, ·, éêê‡, íăŸ', «, ³, ê, Ü, ·Bftf@fCf<-  
¼, ìŠg'£Žq, ðÈ—ª, μ, ½ê‡A".INI" ,ªŠg'£Žq, Æ, È, è, Ü, ·B

## Restore setup ([Setup] f fjf... [I])

Tera Term □Ý'èftf@fCf<,l"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð□Ý'è,μ,È,¨,μ,Ü,·□B

### "Restore setup" f\_fCfAf□fOf{fbfNfX

,·,Å,É'¶□Ý,·,é Tera Term □Ý'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¢□Bftf@fCf<-¼,lšg'£Žq,ð□È—ª,μ,½□ê□#□A".INI" ,ªšg'£Žq,Æ,È,è,Ü,·□B

## [Control] f f f ...

### Reset terminal

Ctrl-C

### Are you there

Telnet , ì AYT (Are You There) f R f } f " f h , ð ' — o , μ , Ü , · B ' Ê ð í f z f X f g , í , ± , ê , É Ç Ä % ž , μ , Ä % ½ " ™ , © , ì f f b f Z [ f W , ð ' — , è • Ô , μ , Ä , « , Ü , · B Telnet  
U ' ± , ì , Æ , « , ¾ , ~ Ž g — p , Å , « , Ü , · B

### Send break

Ctrl-] or Ctrl-^

### Reset port

Ctrl-C or Ctrl-Z  
U ' ± , ì , Æ , « , ¾ , ~ Ž g — p , Å , « , Ü , · B

### Open TEK

TEK window , ð Š j , « , Ü , · B

### Close TEK

TEK window , ð • Â , ¶ , Ü , · B

### Macro

f } f N f , ð Ž À s , μ , Ü , · B

## [Help] f f f... [

### Index

, ±, ÷, f w f < f v, ð • \ Ž |, μ, Ü, · □ B

### Using help

f w f < f v, ÷ Ž g, ç • û, ÷ à - ¾, ð • \ Ž |, μ, Ü, · □ B

### About Tera Term...

Tera Term , É Š Ö, ·, é □ ^ • ñ, ð • \ Ž |, μ, Ü, · □ B



## TEK window ,lfRf}f“fh

[File] f□fjf...□[

[Edit] f□fjf...□[

[Setup] f□fjf...□[

[VT] f□fjf...□[

[Help] f□fjf...□[

## [File] f f f f ... [ (TEK window)

### Print...

%æ-Ê'S'ì,Ü,½,í Af}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%æ'æ,ð^óü,μ,Ü,·B

### **Exit**

TEK window,ð•Â,¶,Ü,·B

## Print (TEK window [File] f fjf... [I])

"^óü" f\_fCfAf\_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW" ,ð'í'ð,·,é,ÆACE»Ý,ì%æ-Ê,ð^óü,μ,Û,·B  
"í'ð,μ,½•"•a",ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½-ì^æ,ì  
%æ'æ,ð^óü,μ,Û,·B

## [Edit] f[]ffj...[] (TEK window)

### Copy

f}fEfX,Å'ì'ð,<sup>3</sup>,ê,<sup>1/2</sup>—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

### Copy screen

%œ-Ê'S'ì,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

### Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ,Û,·[]B

### Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ[]A'±,¢,Ä%ö[]sfR[]fh,à'—  
[]o,μ,Û,·[]B

### Clear screen

%œ-Ê,ð[]Á<Ž,μ,Û,·[]B

## [Setup] f[]ffj...[] (TEK window)

### Window...

%oæ-Ê•\Ž!,ì[]Ý'è,đ,μ,Û,·[]B

### Font...

ftfHf“fg,đ•ï[]X,μ,Û,·[]B

## Window (TEK window [Setup] f[]fj...[])

"Window setup" f\_fCfAf[]fOf{fbfNfX

### Title

fEfBf"fhfE,lf^fCfgef<[]B

### Cursor shape

f[][]f[]f<,ìCE`[]BBlock, Vertical line, Horizontal line  
,ì3,Â,©,ç'l,x,Ü,·[]B

### Color emulation

•[]Žš,âfOf%oftfBfbfN,ì[]F,ðŽw'è,·,éfGfXfP[][fvfV[][fPf"fX,ð—  
LCEø,É,μ,Ü,·[]B,±  
,ìf[]f[]f[]f[]f",ð'l'ð,·,é,Æ[]A'l'ð,μ,È,ç[]ê[]±,É"ä,x[]f[]f,š[]Á"i—Ê,ª'[]  
%oÁ,μ,Ü,·[]B·K—v,ì,È,ç[]ê[]±,í'l'ð,μ,È,ç,Â,,¾,¾,ç[]BŽg—  
p,·,é[]ê[]±,í[]AfEfCf"fhfE,ð,Â,«,é,¾,¾,~[]¬,¾,-  
,μ[]AfffBfXfvfCEfC,ð,Â,«,é,¾,¾,~[],È,ç·Ž;[]F[]"f,[][fh(16[]Ff,[][fh"™)  
,É,·,ê,î[]Af[]f,š[]Á"i—Ê,ðCE,ç,·,±,Æ,ª,Â,«,Ü,·[]B

### Hide menu bar

f[]fj...[][fo[][,ð[]Á,μ[]Af|fbfvfAfbfvf[]fj...[][,ðŽg—p%oÁ"\,É,μ,Ü,·[]Bf|  
fbfvfAfbfvf[]fj...[][,í[]f[]f...[][fo[][,ª[]Á,ì,½[]ó'Ô,Â[]ACtrl fL[][,ð  
%oÿ,μ,È,ª,çf}fEfX,ì[]f{f^f",ðfNfšfbfN,·,é,ÆCE»,ê,Ü,·[]B

### Color

**Text** •[]Žš,ì[]F

**Background** "wCEi,ì[]F

**Reverse** •[]Žš,ì[]F,Æ"wCEi,ì[]F,ðCEðŠ·,μ,Ü,·[]B

## Font (TEK window [Setup] f...fj...)

ftfHf“fg,đ•ïX,μ,Ü,·B

### "Font setup" f\_fCfAf\_fOf{fbfNfX

#### Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,³,çB

#### Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,³,çB

## [VT] fff... (TEK window)

VT window ,Ö^Ú,è,Û,·B



## [Help] f f f... (TEK window)

### Index

, ±, ÷, f w f < f v, ð • \ Ž |, μ, Ü, · □ B

### Using help

f w f < f v, ÷ Ž g, ç • û, ÷ à - 3/4, ð • \ Ž |, μ, Ü, · □ B

### About Tera Term...

Tera Term , É Š Ö, ·, é □ î • ñ, ð • \ Ž |, μ, Ü, · □ B

## Tera Term Y'èftf@fCf<

<N"®Žž,Ü,½,íA[Setup] Restore setup ,đŽÀ[s,μ,½,Æ,«A<sup>a</sup>Y'èftf@fCf<,l"à—  
e,É,μ,½,<sup>a</sup>,ϕ Tera Term ,<sup>a</sup>‰Šú‰»,<sup>3</sup>,ê,Ü,·BfRf}f"fhf%ofCf",ÁY'èftf@fCf<-  
¼,đŽw'è,·,é,±,Æ,<sup>a</sup>,Á,«,Ü,·BfRf}f"fhf%ofCf",Áftf@fCf<-  
¼,đŽw'è,μ,È,ϕêê#A<sup>a</sup>Y'èftf@fCf< **TERATERM.INI** ,<sup>a</sup>"Ç,Ýž,Ü,ê,Ü,·Bftf@fCf<-  
¼,ÌŠg'£Žq,đÈ—<sup>a</sup>,μ,½êê#,íA".INI",Á, ,é,Æ,Ý,È,<sup>3</sup>,ê,Ü,·B

«»Y,ìY'è,đY'èftf@fCf<,É•Ú'¶,·,é,É,íA[Setup] Save setup ,đŽÀ[s,μ,Ä,-  
,¾,<sup>3</sup>,ϕB

Tera Term ,ìY'è,íA[Setup] fffj...[l,lfRf}f"fh,Á,Ü,Æ,ñ,Ç,·,±,È,κ,±  
,Æ,<sup>a</sup>,Á,«,Ü,·B,Ü,½A<sup>a</sup>Y'èftf@fCf<,đ¼Ú•ÖW,·,é,±  
,Æ,É,æ,Á,ÄA,æ,è×,©,ϕY'è,đ[s,κ,±,Æ,<sup>a</sup>,Á,«,Ü,·B  
" Tera Term Y'èftf@fCf<,l"Ç,Ýž,Ýê—pflfvfVf#f"

TeraTerm Y'èftf@fCf<,l—á

## Tera Term □Ý'èftf@fCf<,ì—á

^È%ºº,É Tera Term □Ý'èftf@fCf<,ì—á,đŽ!,μ,Ü,·□B,±,ì—á,íffftfHf<fg,É,È,Á,Ä,ç,Ü,·□B

### [Tera Term]

; Tera Term Pro version 2.0

**Version=2.0**

; Language (English/Japanese)

**Language=**

; Port type (serial/tcpip)

**Port=**

; Window positions

**VTPos=-2147483648,-2147483648**

**TEKPos=-2147483648,-2147483648**

; Terminal size

**TerminalSize=80,24**

; Terminal size = window size (on/off)

**TermIsWin=off**

; Auto window resizing option (on/off)

**AutoWinResize=off**

; New-line code to be received (CR/CRLF)

**CRReceive=CR**

; New-line code to be transmitted (CR/CRLF)

**CRSend=CR**

; Local echo (on/off)

**LocalEcho=off**

; Answerback

**Answerback=**

; Kanji code to be received (SJIS/EUC/JIS)

**KanjiReceive=SJIS**

; JIS Katakana code to be received (7/8)

**KatakanaReceive=8**

; Kanji code to be transmitted (SJIS/EUC/JIS)

**KanjiSend=SJIS**  
; JIS Katakana to be transmitted (7/8)  
**KatakanaSend=8**  
; Kanji-in sequence to be transmitted (@/B)  
**KanjiIn=B**  
; Kanji-out sequence to be transmitted (J/B)  
**KanjiOut=J**

; Auto window switching (VT<->TEK) (on/off)  
**AutoWinSwitch=off**

; Terminal ID  
**TerminalID=VT100**

; Window title  
**Title=Tera Term**

; Cursor shape (block/vertical/horizontal)  
**CursorShape=block**

; Hide menu bar and enable popup menu (on/off)  
**PopupMenu=off**

; Enable scroll buffer (on/off)  
**EnableScrollBuff=on**  
; Scroll buffer size (max 10000 lines)  
**ScrollBuffSize=100**

; Text and background color  
**VTColor=0,0,0,255,255,255**  
; Bold color  
**VTBoldColor=0,0,255,255,255,255**  
; Blink color  
**VTBlinkColor=255,0,0,255,255,255**

; Text and background color for TEK window  
**TEKColor=0,0,0,255,255,255**

; TEK color emulation (on/off)  
**TEKColorEmulation=off**

; Font  
**VTFont=Terminal,0,13,1**

```
;      Bold style font (on/off)
EnableBold=off
;      Font for TEK window
TEKFont=Terminal,0,8,1

;      Backspace key (BS/DEL)
BSKey=BS

;      IME (on/off)
IME=on
;      IME inline input (on/off)
IMEInline=on

;      Meta key (on/off)
MetaKey=off

;      Serial port parameters
;      Port number (1/2/3/4)
ComPort=1
;      Baud rate (110/300/600/1200/2400/4800/9600/
;      19200/38400/57600/115200)
BaudRate=9600
;      Parity (even/odd/none)
Parity=none
;      Data (7/8)
DataBit=8
;      Stop (1/2)
StopBit=1
;      Flow control (x/hard/none)
FlowCtrl=none
;      Transmit delay per character (in msec)
DelayPerChar=0
;      Transmit delay per line (in msec)
DelayPerLine=0

;      TCP/IP parameters
;      TCP port#
TCPPort=23
;      Telnet flag (on/off)
Telnet=on
;      Telnet terminal type
TermType=vt100
;      Auto window closing option (on/off)
```

## **AutoWinClose=on**

; Binary flag for Send File and Log (on/off)

**TransBin=off**

; XMODEM option (checksum/crc/1k)

**XmodemOpt=checksum**

; Binary flag for XMODEM Receive and ZMODEM Send (on/off)

**XmodemBin=on**

; Default directory for file transfers

**FileDir=**

; Telnet host list (the max number of hosts is 99).

; You can edit this list in the [Setup] TCP/IP dialog box.

**:[Hosts]**

; Host name

**;Host1=myhost.mydomain**

; IP address

**;Host2=111.11.1.1**

; Host name with option

**;Host3=myhost.mydomain /F=myhost.ini**

; COM1 port

**;Host4=/C=1**

; Replay a log file

**;Host5=/R=readme.txt**

## Tera Term □Ý'èftf@fCf<,ì“Ç,Ý□ž,Ý□ê—pfIfvfVf#f“

^È%º,ì□Ý'è,đ,·,é,É,í□Af+□[fU□[,í Tera Term  
□Ý'èftf@fCf<,đ'¼□Ú•Ò□W,μ,È,·,ê,î,È,è,Ü,<sup>1</sup>,ñ□B

- EŽó□M,μ,½•□Žš,đ,·,x,Ä•Ž!,·,é,æ,α,É,·,é□B
- EJIS Š;Žš'—□o,ìŽž□A□<sup>3</sup>,μ,,È,ç "kanji-out" fV□[fPf“fX ^[(H,đŽg—p%ºÄ“\  
·,É,·,é□B
- E^ê“x,ÉfXfNf□□[f<,·,é□Á'â,ì□s□”,đ□Ý'è,·,é□B
- E•□Žš(□s)ŠÔ,É,·,«,Ü,đ,·,·,é□B
- Ef^fCf<gf<fo□[,đ□Á,·□B
- ETEK GIN report ,ìf}fEfXfR□[fh,ì'l,đ□Ý'è,·,é□B
- ETelnet ,ìf□fO
- EKermit ,ìf□fO
- EXMODEM ,ìf□fO
- EZMODEM ,ìf□fO
- EZMODEM '—□M,ì□Ý'è
- EZMODEM ,Ä,·,x,Ä,ì□\$Çä•□Žš,đfGfXfP□[fv,·,é□B
- EZMODEM Žó□M,ìŽ©“®<N“®
- EB-Plus ,ìf□fO
- EB-Plus Žó□M,ìŽ©“®<N“®
- EQuick-VAN ,ìf□fO
- EQuick-VAN ,ì window size
- E2fofCf<g•□Žš(Š;Žš),ì1fofCf<g-Ú,Æ2fofCf<g-  
Ú,ìŠÔ,É□\$Çä•□Žš“™,ª“ü,Á,½□ê#□A1fofCf<g-Ú,đ-<sup>3</sup>Çø,É,·,é□B
- EfvfŠf“f^ftfHf“fg,ìŽw'è
- EC1 □\$Çä•□Žš(\$80-\$9F),đŽg—p,μ,È,ç□B
- ETelnet ,ìfofCfifŠfIfvfVf#f“
- ETCP/IP %ºñ□ü□Ø'f,ìŠm“F,đ,μ,È,ç□B

## ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!,·,é,æ,κ,É,·,é,É,ÍAÝ'èftf@fCf<,ì [Tera Term]  
fZfNfVf¶f",ÉA

### debug=on

,Æ,ç,κs,đ'Ç%Á,μ,Ä,,¾,¾,çBShift+Esc ,đ  
%Ÿ,·,ÆfffofbfOf,¶[fh,É,È,è,Ü,·BfffofbfOf,¶[fh,đ%đœ,·,é,É,Í,à,κ^ê"x  
Shift+Esc ,đ%Ÿ,μ,Ä,,¾,¾,çB

fffofbfOf,¶[fh,Á,ÍAZóM,μ,½ff¶f^,đ^È%º,ì<K'¥,Á•¶Žš,É•İŠ,μ,Ä•\Ž!,μ,Ü,·B

\$00-\$1F: ^@ - ^\_,đ•\Ž!  
\$20-\$7E: ,»,ì,Ü,Ü•¶Žš,Æ,μ,Ä•\Ž!  
\$7F: <DEL>,đ•\Ž!  
\$80-\$FF: ¶Aã^Ê bit ,đ0,É,μ,ÄA\$00-\$7F,Æ"~,¶<K'¥  
,Á•¶Žš,É•İŠ,μA"½"]•¶Žš,Æ,μ,Ä•\Ž!B

ffftfHf<fg:  
**debug=off**



## ☐³,μ,,È,ç "kanji-out" ,đŽg—p%oÂ"\\,É,.,é☐B

^ê•",)fVfXfef€,\p,ç,ç,ê,Ä,ç,é "kanji-out" fV☐[fPf"fX ^[(H ,í☐AJIS/ISO ,)KŠi,É☐],Á,Ä,ç,Ü,¹,ñ☐B-{“-É•K—v,ì, ,é☐é☐#^ÈŠO,ÍŽg—p,μ,È,ç,Á,- ,¾,³,ç☐BffftfHf<fg,Á,ÍŠÔ^á,ç,đ-h,®,½,ß **[Setup] terminal** f\_fCfAf☐fOf{fbfNfX,Á ^[(H ,í'đ,Á,«,Ü,¹,ñ☐B

^[(H ,đ'í'đ,Á,«,é,æ,ɣ,É,.,é,É,í☐A☐Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“,É☐A

### **AllowWrongSequence=on**

,Æ,ç,ɣ☐s,đ'Ç%oÁ,μ,Ä,,¾,³,ç☐Bf\_fCfAf☐fOf{fbfNfX,Á'í'đ,Á,«,é,æ,ɣ,É,È,è,Ü,·☐B

ffftfHf<fg:

### **AllowWrongSequence=off**

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é□B

VT window ,Å,í%œ-Ê,ìfXfNf□□[f<,ð'¬,,·,é,½,ß,É□A^ê"x,É•i□"□sfXfNf□□[f<,·,é,±  
,Æ,ª, ,è,Ü,·□B

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]**  
fZfNfVf†f",É□A

**ScrollThreshold=<□s□"(10□i□@□)">**

,Æ,ç,¤□s,ð'Ç%Á,μ,Ä,,¾,³,ç□B

ffftfHf<fg:

**ScrollThreshold=12**

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,éB

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,é,É,íAÝ'èftf@fCf<,ì [Tera Term] fzfnfvf+f“,ÉA^È  
%º,ìs,đ'Ç%A,μ,Á,,¾,¾,çB

**VTFontSpace=<dx1>,<dx2>,<dy1>,<dy2>**

,½,¾,μA

<dx1> ,íŠe•Šš,ìŠš,É, , , ,é,·,«,ÛB

<dx2> ,íŠe•Šš,ì%E'š,É, , , ,é,·,«,ÛB

<dy1> ,íŠeš,ìšš,É, , , ,é,·,«,ÛB

<dy2> ,íŠeš,ì%º'š,É, , , ,é,·,«,ÛB

'P^Ê,í,ç, , , ,é,àA%æ'fB

—á:

**VTFontSpace=0,1,0,0** Še•Šš,ì%E'š,É1%æ'f•ª,ì,·,«,Û,đ, , , ,éB

**VTFontSpace=0,0,1,0** Šeš,ìšš,É1%æ'f•ª,ì,·,«,Û,đ, , , ,éB

fftfHf<fg:

**VTFontSizeOffset=0,0,0,0**

## f^fCfgr<fo [ ,đÁ,·B

f^fCfgr<fo [ ,đÁ,·,É,íAŸ'èftf@fCf<,ì [Tera Term] fZfNfVf#f",ÉA^È  
%o<sup>o</sup>,l[s,đ'Ç%oÁ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**HideTitle=on**

ffftfHf<fg:

**HideTitle=off**

,Ü,<sup>1</sup>/<sub>2</sub>AŸ'èftf@fCf<,í',«Š·,|,,ÉAfRf}f"fhf%ofCf",Å /H  
flfvfVf#f",đŽw'è,μ,Ä,àAf^fCfgr<fo [ ,đÁ,·,±,Æ,<sup>a</sup>,Ä,«,Ü,·B

f^fCfgr<fo [ ,đÁ,·,ÆAfjff... [fo [ ,à"žž,ÉÁ,|,Ü,·B  
fEfBf"fhfE,đ^Ú"®,<sup>3</sup>,<sup>1</sup>,é,É,íAAIt fL [ ,đ  
%oŸ,μ,È,<sup>a</sup>,çf}fEfX□f{f^f",ÅfEfBf"fhfE,đfhf%ofbfO,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çBf|  
fbfvfAfbfvf□fjff... [ ,đ·\Ž|,<sup>3</sup>,<sup>1</sup>,é,É,íACtrl fL [ ,đ  
%oŸ,μ,È,<sup>a</sup>,çf}fEfX□f{f^f",đfNfŠfbfN,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

## TEK GIN report ,lf}fEfXfR[]fh

fzfXfg'x,lfAfvfŠfP[]fVf#f",É,æ,Á,Ä[]ATEK window ,@ GIN f,[]fh(fNf[]fXfwfA[]fj[]f\ f<,ªCE»,ê[]A[]À•W"ü—í,ª%oÁ"\,È[]ó'Ô),É,È,Á,½,Æ,«[]A, ,éfL[][,ð%oÿ,·,Æ TEK window ,ífNf[]fXfwfA[]fj[]f\ f<,ì[]À•W,ÆfL[][,ì ASCII fR[]fh,ðfzfXfg,Ö•ñ[][],μ,Û,·[]B

GIN f,[]fh,Åf}fEfX,ì[]f{f^f",ð%oÿ,μ,½,Æ,«,É[]À•W,Æ,Æ,à,É'—[]o,·,é fL[]fR[]fh ,ð[]Ý'è,·,é,É,í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É[]A

**TEKGINMouseCode=<key code(10[]i[]@[])">**

,Æ,ç,¸[]s,ð'Ç%oÁ,μ,Ä,,¾,³,ç[]B

ffftfHf<fg:

**TEKGINMouseCode=32**

(32,íSpace ,ìASCII fR[]fh)

## Telnet ,lfO

Y'èftf@fCf<, [Tera Term] fzfnfvf#“ ,ÉA

**TelLog=on**

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,ÆAfzfXfg,Æ Tera Term ,lŠÔ, telnet ,loption negotiation  
,l“à—e,ðftf@fCf< **TELNET.LOG** ,É<L~^,μ,Û,·B

ffftfHf<fg:

**TelLog=off**

## Kermit ,lfO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,ÉA

**KmtLog=on**

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,Æ[AfzfXfg,Æ Tera Term ,ìŠÔ,Å Kermit ,ð—p,ç  
,½ftf@fCf<"]—,ð,·,é,Æ,« ,ÉACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **KERMIT.LOG**  
,É<L~^,μ,Ü,·B

ffftfHf<fg:

**KmtLog=off**

## XMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

**XmodemLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å XMODEM ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<  
**XMODEM.LOG** ,É<L~^,μ,Û,·B

ffftfHf<fg:

**XmodemLog=off**



## ZMODEM ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

**ZmodemLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å ZMODEM ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<  
**ZMODEM.LOG** ,É<L~^,μ,Û,·B

ffftfHf<fg:

**ZmodemLog=off**

## ZMODEM ,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,éB

ZMODEM ,Å,íA'ÊM%ñü,â^ê•",ì§Œä•¶Žš,ð'Ê,<sup>3</sup>,È,ç,±  
,Æ,ð'z'è,μ,ÄA,»,ê,ç,ðfGfXfP[fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,<sup>1</sup>,É'u,«Š·,!,é),æ,×  
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,<sup>3</sup>,È,ç%ñü,ìê¶,Í'—,<sup>a</sup>,×,Ü,,ç  
,«,Ü,<sup>1</sup>,ñB,»,ì,æ,×,Èê¶,íAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf¶f“,ÉA

### ZmodemEscCtl=on

,Æ,ç,×s,ð'Ç%Á,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,é,æ,×  
,É,È,è,Ü,·B

ffftfHf<fg:

### ZmodemEscCtl=off

## ZMODEM '—□M,ì□Ý'è

^È%º,ì2,Â□s(1,Â,<sup>3</sup>/<sub>4</sub>, -, Â, à%ºÂ), ð□Ý'èftf@fCf<, Ì [Tera Term] fZfNfVf#f", É'Ç  
%ºÁ, ·, é, Æ□AZMODEM '—□M, ÉŠŌ, ·, é□Ý'è, ð, ·, é, ±, Æ, <sup>a</sup>, Â, «, Ü, ·□B, ±, ê, ç, Ì□Ý'è, Í  
ZMODEM Žó□M, É, Í%ºe<¿, ð— ^, ¡, Ü, <sup>1</sup>, ñ□B

**ZmodemDataLen=<ff□[f^fTfufpfPfbfg, Ì□Á'á'·(fofCfG□")>**

**ZmodemWinSize=<'—□M, ÌfEfBf"fhfEfTfCfY(fofCfG□")>**

ffftfHf<fg:

**ZmodemDataLen=1024**

**ZmodemWinSize=0**

□Ý'è%ºÁ"\, È<ff□[f^fTfufpfPfbfg, Ì□Á'á'·>, Ì'Í, Í0□` 1024, Â, ·□B'á'—, È%ºñ□ü, âfGf  
%º□[, Ì'½, ç%ºñ□ü, ðŽg—p, µ, ½, è□AfzfXfg, Ìff□[f^□—□"\—Í, <sup>a</sup>'á, ff□[f^, ðŽæ, è, ±  
, Ú, ·□ê□‡, Í□A□—, <sup>3</sup>, È'Í, ð□Ý'è, ·, é, Æ□AfGf  
%º□["™, Ì□áŠQ, É'Í, µ, Ä□A, æ, è^À'è, Èftf@fCf<'—□M, ð□s, ±  
, Æ, <sup>a</sup>, Â, «, Ü, ·□BfVfŠfAf<f|□[fgŽg—  
pŽž, Âf{□[fC□[fg, <sup>a</sup>'á, ç□ê□‡, Í□A□Ý'è'Í, æ, è, à□—, <sup>3</sup>, ç'Í, <sup>a</sup>Žg—p, <sup>3</sup>, ê, é, ±, Æ, <sup>a</sup>, ·, è, Ü, ·□B

□Ý'è%ºÁ"\, È<'—□M, ÌfEfBf"fhfEfTfCfY>, Ì'Í, Í-32768□` 32767, Â, ·□B—  
á, ¡, Í□A'Í, ð30000, É, ·, é, Æ□A-ñ30000fofCfG, É^è%ºñ□Aff□[f^fpfPfbfg, Ì'—  
□M, ð<x, Ý□AfzfXfg, ©, çŠm" F, ðŽæ, è, Ü, ·□B'Í, ð•%º(fEfBf"fhfEfTfCfY-<sup>3</sup>CEÀ'á, É'Í%ºž)  
, É, ·, é, Æ□AfzfXfg, ©, çfGf%º□[, Ì•ñ□□, <sup>a</sup>, È, ç, ©, —, è□A^è  
%ºñ, à<x, Ü, ·, Éff□[f^fpfPfbfg, ð'—□M, µ, Â, Ä, —□A□Á'áCEÀ, Ì'—  
□M'—"x, <sup>a</sup><sup>3</sup>/<sub>4</sub>, ç, ê, Ü, ·□BfzfXfg, â%ºñ□ü, Ì"\—Í, É, æ, Á, Ä, Í□AfEfBf"fhfEfTfCfY, ð, ·, é'Í, æ  
, è'á, «, ·, é, Æ□A□<sup>3</sup>Í, Èftf@fCf<'—□M, <sup>a</sup>, Â, «, È, -  
, È, Á, ½, è□A"ñ□Í, ÉŽžŠŌ, <sup>a</sup>, ©, ©, Á, ½, è, ·, é, ±, Æ, <sup>a</sup>, ·, è, Ü, ·□B

## ZMODEM ŽÓM,İŽ © “® <N“®

Ÿ'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

**ZmodemAuto=on**

,Æ,ç,æ□s,đ'Ç%oÁ,·,é,Æ□AfzfXfg'æ,ì ZMODEM '—  
□M(f\_fEf“f□□[fh)fRf}f“fh,đŽÀ□s,μ,½,Æ,«,É□AŽ©“®“I,É Tera Term ,ì ZMODEM  
ŽóM,ªŠJŽn,<sup>3</sup>,ê,é,æ,æ,É,È,è,Ü,·□B

ffftfHf<fg:

**ZmodemAuto=off**

## B-Plus ,lf fO

Y'èftf@fCf<,i [Tera Term] fzfnfvf#f“ ,É A

**BPLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å B-Plus ,ð—p,ç  
,½ftf@fCf<"]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **BPLUS.LOG**  
,É<L~^,μ,Ü,·B

ffftfHf<fg:

**BPLog=off**

## B-Plus ŽóM,ìŽ©“®<N“®

Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

**BPAuto=on**

,Æ,ç,¸s,ð'Ç%oÁ,·,é,ÆANifty-Serve “™,ì BBS ,ÅAB-Plus  
,ì\_fEf“f[fhfRf}f“fh,ðŽÀs,μ,½,Æ,«,ÉAŽ©“®“I,É Tera Term ,ì B-Plus  
ŽóM,ªŠŽn,<sup>3</sup>,ê,é,æ,¸,É,È,è,Û,·B

ffftfHf<fg:

**BPAuto=off**

## Quick-VAN ,lf□fO

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“ ,É□A

**QVLog=on**

,Æ,ç,⌘□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg,Æ Tera Term ,ìŠÔ,Å Quick-VAN ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É□ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<

**QUICKVAN.LOG** ,É<L~^,μ,Ü,·□B

ffftfHf<fg:

**QVLog=off**

## Quick-VAN ,ì window size

ìÝ'èftf@fCf<,ì [Tera Term] fzfnfvf#f" ,ÉA

**QVWinSize=<window size (10i"("³))>**

,Æ,ç,æ[s,ð'Ç%Á,·,é,ÆAQuick-VAN fvf[]fgfRf<,Å—p,ç  
,ç,è,éfEfCf"fhfEftfCfY,Æ,ç,æfpf%of[]f^[][,ðÝ'è,·,é,±,Æ,ª,Å,«,Ü,·B

ìÝ'è%Á"\,ÈfEfCf"fhfEftfCfY,ì'l,íA1`99,Å,·B^è"Ê,ÉA%ñü,ª\•ª,É,·,ÀfGf  
%[][,ª,È,çê[]#AfEfCf"fhfEftfCfY,ð'å,«,·,  
,·,ê,î,·,é,Ü,ÇA"']—'—'x,ªEü[]ã,µ,Ü,·B,½,¾,µA'á'—,È%ñü,âfGf%[][,ì'½,ç  
%ñü,ðŽg—p,µ,½,è[]AfzfXfg,â PC ,ªff[]f^,ðŽæ,è,±  
,Ú,µ,½,è,·,éê[]#,É,íAfEfCf"fhfEftfCfY,ª'å,«,·,·,é,Æ<t,É"']—'—'x,ª'á  
%º,µ,Ü,·B

,Ü,½AŽÀ[]Û,É—p,ç,ç,è,éfEfCf"fhfEftfCfY,ì'l,íA Tera Term 'æ,ìÝ'è'l,ÆAfzfXfg  
(PC-VAN) 'æ,ìÝ'è'l,ì[]—,³,ç•û,É,È,è,Ü,·B,µ,½,ª,Á,ÄA Tera Term  
,ìÝ'è'l,ð, ,é'l,æ,è'å,«,·,·,é,ÆA,»,è^È[]ã"']—'—'x,í•ï%»µ,È,,È,è,Ü,·B

ffftfHf<fg:

**QVWinSize=8**



**2fofCfg•ŤŽš(Š;Žš),ì1fofCfg-Ú,Æ2fofCfg-  
Ú,ÌŠÔ,ÉŤŤä•ŤŽš™,ª“ü,Á,½êŤŤA1fofCfg-Ú,ð-  
³Ťø,É,·,éŤB**

fzfXfg,©,ç'—,ç,ê,Ä,,é2fofCfg•ŤŽš(Š;Žš™),ì1fofCfg-Ú,Æ2fofCfg-  
Ú,ÌŠÔ,ÉŤŤä•ŤŽš(—á,!,Ì%üŤŤ•ŤŽš™,ª“ü,Á,Ä,àŤTera Term  
,ìfftfHf<fg,Å,Ì2fofCfg•ŤŽš,àŤŤä•ŤŽš,àŤ³,µ,Žæ,è^µ,í,ê,Û,·ŤB

Ť'èftf@fCf<,ì **[Tera Term]** fzfNfvfŤf“,ÉŤA

### **CtrlInKanji=off**

,Æ,ç,ŤŤs,ð'ç%Á,·,é,ÆŤA2fofCfg•ŤŽš,ì1fofCfg-Ú,ìŤä,ÉŤŤä•ŤŽš™,ª—  
^,½êŤŤA1fofCfg-Ú,ð-³Ťø,É,µ,Û,·ŤB,±,ìŤä,É2fofCfg-Ú,ª—  
^,Ä,àŤAfvŤŤ~ ,Æ,µ,Ä•Ž!,³,ê,Û,·ŤB2fofCfg•ŤŽš,ðŤ³,µ,-  
^µ,í,É,çfAfvŤŤŤPŤŤfŤŤf“,Å,ÌŤA,±,ì,æ,Ť,É,µ,½,Û,Ť,ªŤA%æ-É,ì•ŤŽš%»»,ªŤ,É,-  
,É,é%Ä”ŤŤ«ª, ,è,Û,·ŤB—á,!,ÌŤAŠ;Žš,ì1fofCfg-Ú,ìŤä,É  
%üŤŤ•ŤŽš,ðŤo,µ,ÄŤA,»ìŤä,É2fofCfg-Ú,ÌŤo,³,È,çŤA,Æ,ç,ŤfAfvŤŤŤPŤŤfŤŤf“,ª, ,Á  
,½,Æ,·,é,ÆŤA,»ìŠ;Žš,ÍŽì,Ä,ç,ê,Û,·ªŤA%üŤŤ•ŤŽš^ÈŤŤ~ ,É—^,é•ŤŽš,ª  
%»»,ª, ,ÉŤì,Ý,Û,·ŤB

fftfHf<fg:

### **CtrlInKanji=on**

## fvfŠf“f^ftfHf“fg,ìŽw’è

VT window ,ì%œ-Ê,đ^óü,·,é,Æ,«,ÉŽg—  
p,·,éftfHf“fg,đŽw’è,μ,Û,·BffftfHf<fg,Â,íA%œ-Ê•\Ž!—p,ìftfHf“fg([**Setup**  
**Font** ,ÂŽw’è,<sup>3</sup>,ê,éftfHf“fg),Æ“<sup>~</sup>,¶,à,ì,đ^óü—p,ÉŽg—  
p,μ,Û,·BfvfŠf“f^ftfHf“fg,đŽw’è,·,é,É,íAŽÿ,ìŽè¶,É,μ,½,<sup>a</sup>,Á,Ä,,¾,<sup>3</sup>,çB

1) [**Setup**] **Font** ,Â%œ-Ê•\Ž!—p,ìftfHf“fg,đ,ç,ë,ç,ë•ì,í,ÄA^óü,μ,Ä,Ý,éB

2) D,Ý,ì^óü—pftfHf“fg,<sup>a</sup>CE©,Â,©,Á,½,ç[**Setup**] **Save setup**  
,ÂY’èftf@fCf<,ÉCE»Y,ìY’è,đ•Û’¶B

3) uf¶f,· ¶v,È,Ç,ìGffBf^,ÂY’èftf@fCf<,đŠJ,«A[**Tera Term**] fZfNfvf¶f“,É  
**PrnFont=** ,ÂŽn,Û,é¶s,đ’Ç%Á,·,éB**VFont=** ,É’±,·¶Žš—ñ(—á,í,î“•W€-  
¾’©,**0,-19,128**”),đ **PrnFont=** ,ìĀă,ÉfRfs[·,·,éB¶Y’èftf@fCf<,đ•Û’¶B

4) %œ-Ê—p,ìftfHf“fg,đ,à,Æ,ìY’è,É,à,Ç,·B

—á:

**PrnFont=** •W€-¾’©,**0,-19,128**

ffftfHf<fg:

**PrnFont=**

## C1 [§CEä•¶Žš (\$80-\$9F) ,đŽg—p,μ,È,ç]B

Tera Term ,ìŠžŽšf,[]fh(ŽóM),đ **EUC** , © **JIS** ,É,μ,Ä]A Teraminal ID ,đ VT2XX  
,Ü,½,í]A VT3XX ,É,μ,Ä,ç,éê]A]Shift-JIS  
,ìŠžŽš,đŽóM,·,é,Æ]Afnf“fOfAfbfv,·,é,±,Æ,ª, ,è,Ü,·]B

,±,ê,í]A]Shift-JIS fR[]fh,ì†,É C1 [§CEä•¶Žš (\$80-9F) ,ªŠÜ,Ü,ê,Ä,ç  
,é,½,ß,É]A,» ,é,ç,đ[§CEä•¶Žš,Æ,μ,Ä%ođŽß,μ,Ä,μ,Ü,ç]A'[--,ìó'Ô,ª,“, ©,μ,-  
,È,é, ©,ç,Å,·]B

—á,ì,î]AfzfXfg,É,æ,Á,Ä,í]fOfCf“Žž,È,Ç,É **SJIS**(Shift-JIS), **EUC**, **JIS** ,È,Ç,ì]Ží—  
p,ìŠžŽšfR[]fh,đ'[-- ,É'—,è]A,Ç,í]R[]fh,ª]³,μ,•\Žì,ª,ê,Ä,é, ©ft[]fU[] ,É“ü—  
í,ª,¹,é]A,Æ,ç,ª,±,Æ,ª, ,è]A,±,ì,æ,ª,Éê]A,É-â'è,ª”]¶,μ,Ü,·]B

,à,μ]A,±,ì,æ,ª,Éó'Ô,É,È,Á,½]ê]A]A[**Control**] **Reset terminal** ,Å'[--  
,ìó'Ô,đfŠfZfbfg,μ,Ä,,¾,¾,ç]B

,±,ì,æ,ª,È-â'è,đ,ª,¯,é,É,í]A3,Â,ì•û-@,ª, ,è,Ü,·]B

1) ŠžŽšf,[]fh(ŽóM),đ **SJIS** ,É]Ý'è,·,é]B

2) **[Setup] Terminal** ,Å **Terminal ID** ,đ **VT1XX** (—á,ì,î **VT100**) ,É,·,é]B

3) ]Ý'èftf]fCf<,ì **[Tera Term]** fZfNfvf]f“ ,É

**Accept8BitCtrl=off**

,Æ,ç,ª]s,đ'Ç%oÁ,μ]A C1 [§CEä•¶Žš,Æ,μ,Ä'—,ç,ê,Ä,«,½•¶Žš,đ-³Ž<,·,é,æ,ª,  
,É]Ý'è,·,é]B

ffftfHf<fg:

**Accept8bitCtrl=on**

## Telnet „lf of Cfif Šf lfvf Vf f“

fzfXfg,É telnet □Ú'±,μ□Aftf@fCf<“]’— (XMODEM “™),Å CR •¶Žš,đ’—  
□o,·,é□é□#□ATera Term ,lfftfHf<fg,Å,Í CR+NUL (\$0D \$00) ,É•İŠ·,μ,Ä,©,ç’—  
□o,μ,Ü,·□BfofCfifŠf lfvf Vf f“ ,Å telnet □Ú'±,·,é,Æ□A,±,ì,æ,α,È•İŠ·,Í,“,±,È,ç  
,Ü,<sup>1</sup>,ñ□B

□Ý’èftf@fCf<,ì **[Tera Term]** fZfNfVf f“ ,É□A

### TelBin=on

,Æ,ç,α□s,đ’Ç%oÁ,·,é,Æ□ATelnet □Ú'±,·,é,Æ,«fofCfifŠf lfvf Vf f“ ,đ—p,ç  
,Ü,·(fzfXfg,<sup>a</sup>Í%oŽ,μ,Ä,ç,ê,ì)□B

,Ü,<sup>1</sup>/<sub>2</sub>□A□Ý’èftf@fCf<,í□’,«Š·,|,·,É□AfRf}f“fhf%ofCf“,É /**B**  
flfvfVf f“ ,đ,Ä,¯,Ä,à□AfofCfifŠf lfvf Vf f“ ,đŽw’è,Å,«,Ü,·□B

fftfHf<fg:

**TelBin=off**

## TCP/IP %oňüØ'f,ìŠm" F,đ,μ,È,ç B

Unix "™,lfzfXfg,É telnet ,ÁfOfCf" ,μ,Ä,ç,éó'Ô,ÅA%oňü,đ<-  
\$"l,ÉØ'f,·,é,ÆAfvfZfX,Žc,Á,½,Û,Û,É,É,é,±,Æ,a, ,è,Û,·B,â,p,đ"¾,È,çê†,  
đœ,«A³,μ,ç•û-@,ÁfOfAfEfg,·,é,æ,κ,É,μ,Ä,,¾,³,çB

Tera Term ,fftfHf<fg,Å,í TCP/IP Ú'±Žž,É **[File] Disconnect** ,Û,½,í **[File] Exit**  
,Å%oňü,đ<\$"l,ÉØ'f,·,é,Æ,«,ÉA"Disconnect ?" ,Æ,ç,κfbfZ[fW,đ·\  
Ž!,μ,Äft[fU[,ÉŠm" F,đ,μ,Û,·B

Ý'èftf@fCf<,ì **[Tera Term] fzfnfvf†**" ,ÉA

### ConfrimDisconnect=off

,Æ,ç,κs,đ'Ç%oÁ,·,é,ÆA%oňü,đ<\$Ø'f,·,é,Æ,«,Éft[fU[,ÉŠm" F,đ,μ,Û,¹,ňB

fftfHf<fg:

### ConfrimDisconnect=on

## fRf}f“fhf%ofCf“

Tera Term Pro ,đ<N“® , , ,é,Æ,«,lfRf}f“fhf%ofCf“(fVf#[]fgyjfbfg,lfŠf“fN[]æ),iĚ`Ž®

**TTERMPRO [<host name / host address>[:<TCP port#>]]**  
**[/B] [/C=<serial port#>]**  
**[/F=<setup file>] [/FD=<file transfer directory>]**  
**[/H] [/K=<keyboard setup file>]**  
**[/KR=<kanji code (receive)>] [/KT=<kanji code (transmit)>]**  
**[/P=<TCP port#>] [/R=<replay file>] [/T=<telnet flag>]**  
**[/W="<window title>"]**  
**[/X=<window pos (x)>] [/Y=<window pos (y)>]**  
**[;<comment>]**

,±,±,Å:

**<host name>[:<TCP port#>]** Host name (with TCP port#)  
**<host address>[:<TCP port#>]** IP address (with TCP port#)

**/B** Telnet binary option (default: none)

**/C=<serial port#>**

**/C=1** COM1

**/C=2** COM2

**/C=3** COM3

**/C=4** COM4

**/F=<setup file>**

**/F=TERATERM.INI** (default)

**/FD=<file transfer directory>**

**/H** Hide title bar (default: none)

**/K=<keyboard setup file>**

**/K=KEYBOARD.CNF** (default)

**/KR=<kanji code (receive)>**

**/KR=SJIS**

**/KR=EUC**

**/KR=JIS**

**/KT=<kanji code (transmit)>**

**/KT=SJIS**

**/KT=EUC**

**/KT=JIS**

**/P=<TCP port#>**

**/P=23** (default (telnet))

**/R=<replay file>**

**/T=<telnet flag>**

**/T=1** Telnet enable (default)

**/T=0** Telnet disable

**/W="<window title>"**

**/X=<window position (x)>**

**/Y=<window position (y)>**

**;<comment>** Comment. Should be last in the command line.

—á:

**TTERMPRO**

**TTERMPRO myhost.mydomain**

**TTERMPRO myhost.mydomain:23**

**TTERMPRO 111.111.11.11**

**TTERMPRO myhost.mydomain /T=0 /P=7**

**TTERMPRO /C=1**

**TTERMPRO /F=TELNET.INI**

**TTERMPRO foohost.foodomain /F=FOOHOST.INI**

**TTERMPRO /C=2 /F=MYSETUP.INI**

**TTERMPRO /K=MYKEY.CNF /W="My host"**

**TTERMPRO /R=README.TXT ; replay a file**

**TTERMPRO myhost /B /X=100 /Y=50**

## fL[f{[fhY'èftf@fCf<

fL[f{[fhY'èftf@fCf<,É,æ,Á,ÄA VT '[-,lfL[,ð PC ,ì, ,éfL[,ÉŠ,,è-  
,Ä,½,èAft[fU['è<`fL[,ÆA,»lfL[,ð%oY,μ,½,Æ,«,É'—o,·,é•qŽš—  
ñ,ðŽw'è,μ,½,è,·,é,±,Æ,ª,Å,«,Ü,·B

fRf}f“fh%oofCf“,ÅfL[f{[fhY'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,·,é,±  
,Æ,ª,Å,«,Ü,·Bftf@fCf<-¼,ðŽw'è,μ,È,çê#Aftf@fCf< **KEYBOARD.CNF**  
,ª“Ç,Ýž,Ü,ê,Ü,·Bftf@fCf<-¼,ìŠg'£Žq,ðÈ—ª,μ,½ê#íA".CNF",Å, ,é,Æ,Ý,È,³,  
ê,Ü,·B

IBM-PC/AT 101(106) fL[f{[fh,ðŽg—p,μ,Ä,ç,ÄAfL['è<` ,ðffXf^f}fCfY,·,é•K—  
v,ª,È,çê#íAfL[f{[fhY'èftf@fCf<,í•K—v, ,è,Ü,¹,ñBffXf^f}fCfY,·,é•K—v,ª,  
,éê#íA"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é **IBMKEYB.CNF** ,ðRfs[,μ,Ä  
**KEYBOARD.CNF** ,ðì¬,μA,»,ê,ð•ÒW,μ,Ä,,¾,³,çB

NEC PC9801 fVfŠ[fY,lfL[f{[fh,ðŽg—p,μ,Ä,ç  
,éê#íA"z•zfpfbfP[fW,ÉŠÜ,Ü,ê,Ä,ç,é **PC98KEYB.CNF** ,ðRfs[,μ,Ä  
**KEYBOARD.CNF** ,ðì¬,μA•K—v,ª, ,é,î,»,ê,ð•ÒW,μ,Ä,,¾,³,çB

fL[f{[fhY'èftf@fCf<,ìE`Ž®,íA"z•zftf@fCf<,ÉŠÜ,Ü,ê,Ä,ç,é **KEYCODEJ.TXT**  
,ð“Ç,ñ,Å  
,,¾,³,çB

fL[f{[fhY'èftf@fCf<,ì—á



## fL[f{[fhY'èftf@fCf<,ì—á

,±,ì—á,Í Tera Term ,lffftfHf<fg,É,È,Á,Ä,ç,Ü,·B(IBM-PC/AT 101 (106) fL[f{[fh)

### [VT editor keypad]

;Up arrow key

**Up=328**

;Down arrow key

**Down=336**

;Right arrow key

**Right=333**

;Left arrow key

**Left=331**

;End key

**Find=335**

;Insert key

**Insert=338**

;Delete key

**Remove=339**

;Home key

**Select=327**

;PageUp key

**Prev=329**

;PageDown key

**Next=337**

### [VT numeric keypad]

;Num pad 0 key

**Num0=82**

;Num pad 1 key

**Num1=79**

;Num pad 2 key

**Num2=80**

;Num pad 3 key

**Num3=81**

;Num pad 4 key

**Num4=75**

;Num pad 5 key

**Num5=76**

;Num pad 6 key

**Num6=77**

;Num pad 7 key

**Num7=71**

;Num pad 8 key

**Num8=72**

;Num pad 9 key

**Num9=73**

;Cntrl + Num pad '+' key

**NumMinus=1102**

;Num pad '+' key

**NumComma=78**

;Num pad '.' key

**NumPeriod=83**

;Num pad Enter key

**NumEnter=284**

;Num pad NumLock key

**PF1=325**

;Num pad '/' key

**PF2=309**

;Num pad '\*' key

**PF3=55**

;Num pad '-' key

**PF4=74**

### **[VT function keys]**

;F6 key

**F6=64**

;F7 key

**F7=65**

;F8 key

**F8=66**

;F9 key

**F9=67**

;F10 key

**F10=68**

;F11 key

**F11=87**

;F12 key

**F12=88**

;Shift + F3 key

**F13=573**

;Shift + F4 key

**F14=574**

;Shift + F5 key

**Help=575**

;Shift + F6 key

**Do=576**

;Shift + F7 key

**F17=577**

;Shift + F8 key

**F18=578**

;Shift + F9 key

**F19=579**

;Shift + F10 key

**F20=580**

### **[Shortcut keys]**

**EditCopy=off**

**EditPaste=off**

**EditPasteCR=off**

; Ctrl + up-arrow

**LineUp=1352**

; Ctrl + down-arrow

**LineDown=1360**

; Ctrl + PageUp

**PageUp=1353**

; Ctrl + PageDown

**PageDown=1361**

; Ctrl + Home

**BuffTop=1351**

; Ctrl + End

**BuffBottom=1359**

**SendBreak=off**

### **[User keys]**

;Example of user key definitions.

;

; F1 key: character string

**;User1=59,0,telnet myhost**

;

; F2 key: control characters

**;User2=60,0,\$0D\$0A**

;

; F3 key: CR character with new-line code conversion (CR -> CR/CR+LF)

**;User3=61,1,\$0D**

