



□GŠŮf}fNf□,İŠT—v

□GŠŮf}fNf□,İŠT—v

•İ□“,İŽg,č•Ů    Ž@,É,Â,č,Ä    ŠÖ□“,É,Â,č,Ä    fGf%□□,İ□^—□

'É□í,İfRf}f“fh,đŽÀ□s,.,é•¶

'}“üCEn•¶

ftf@fCf<CEn•¶

fj□[f\<^Ú“@CEn•¶

fNfŠfbfvf{□[fhCEn•¶

□í□œCEn•¶

„,İ'¼•Ö□WCEn•¶

CEŸ□öCEn•¶

fEfBf“fhfECEn•¶

f□fjf...□[CEn•¶

„,İ'¼,İfRf}f“fhCEn•¶

f□fbfZ□[fWCEn

message□C    question

beep□C play, playsync

debuginfo    showvars

title

fvf□fOf%of€ŽÀ□sCEn

run□Crunsync□Crunsync2

f}fNf□□\$CEäCEn

endmacro, endmacroall

execmacro

disabledraw□Cenabledraw

disablebreak

disableinvert, enableinvert

fuf□fbfN

if

while

break

continue

goto•¶,Æf%ofxf<

ftfuf<□[f`f“

disableerrmsg, enableerrmsg

“ü—íCEn

inputpos  
menu, mousemenu  
inputŠÖ  
inputcharŠÖ  
iskeydownŠÖ

INlftf@fCf<En

writeinistr  
writeininum  
getinistrŠÖ, getininumŠÖ,

fCfWfXfgfŠEn

openreg      createreg  
writeregstr, writeregnum  
getregstrŠÖ, getregnumŠÖ  
closereg

Ÿ'èEn

config      loadkeyassign  
envchanged  
setwindowsize setwindowpos  
showwindow

GŠÜŠÇ—

DDE

fNfŠfbf{[fh,Æ•i",Æ,ì,â,è,Æ,è

**MS-DOS** for Windows95 **5.0**

Help Version 2.11.00

Copyright (C) 1992-96 by Microsoft Corporation

associated by Microsoft Corporation

MS-DOS 5.0

MS-DOS 5.0

## □GŠŮf}fNf□,İŠT—v

□@□GŠŮf}fNf□,í□□uf}fNf□“o~^□v,Åftf@fCf<,ð“o~^,μ,Ä□C,»è,ðCEÄ,Ñ□o,·CE` ,ÄŽg,ç ,Ü,·□Bf}fNf□,İŠg'£Žq,ªMAC,İftf@fCf<,Å,È,·,è,İ,ç,·,Ü,¹,ñ□B,Ü,½□Cf}fNf□ftf@fCf<,í□GŠŮ- { 'í□iHIDEMARU.EXE□j,Æ“·,¶ftfHf<f\_ ,É'u,ç,Ä,·,·K—v,ª, ,è,Ü,·□B

□@f}fNf□,í50CEÄ,Ü,Å“o~^,·,é,± ,Æ,ª,Å,«,Ü,·□B,Ü,½□□uf}fNf□ŽÄ□s□vRf}f“fh,â□ufL□[ '€□ì,ì“Ç,Ý□ž,Ý□v,Æ□ufL□[ '€□ì,ì□Ä□¶□vRf}f“fh,È,Ç,ð Žg,Á,ÄŽÄ□s,·,é,±,Æ,ª,Å,«,Ü,·□B

□@□GŠŮf}fNf□,í□CŠeŽí,ì“@□ì,ðŽÄ□s,·,é,·¶,Æ□C— ,è,ð□\$CEä,·,é□\$CEä·¶,©,ç,È,è,Ü,·□B·¶,İfZf~fRf□f“ ,Å<æ□Ø,ç,È,·,è,İ,ç,·,Ü,¹,ñ□BfZf~fRf□f“ ,ª- ³,ç□ê□±,í□□ufZf~fRf□f“ ,ª-³,ç□v,Æ,í·É,İfGf%□□[ ,ª□o,é,ì,Å'□^Ó,μ,Ä,·,¾,³,ç□B

□@□³,μ,ç—á□F  
**gofiletop;**  
**insert "A";**  
**down; right; insert "A";**

□@□³,μ,,È,ç—á□F  
**gofiletop**  
**insert "A"**

□@□\$CEä·¶,í□C—á,ì,İif·¶,È,Ç,ì,æ,ª,É,bCE¾CEè,Æ,æ,Ž—,½,à,ì,ª, ,è,Ü,·□B,±,ì□ê□±□CfZf~fRf□f“ ,í,ç ,è,Ü,¹,ñ□B

```
if( x != 0 ) {  
    golinetop;  
}
```

□@□GŠŮf}fNf□,ì·¶,âfL□[f□□[fh,í□C,·,x,Ä□—·¶Žš,¾,·,Å<L□q,μ,Ü,·□B

□@fRf□f“fg,ð“ü,è,é,É,í,b++CE¾CEè,Æ“—l,É//,ªŽg,ì,Ü,·□B

□@□GŠŮf}fNf□,Á,í·ï□”,ðŽg,ª,±,Æ,ª,Å,«,Ü,·□B·ï□”,É,í□”·l·ï□”,Æ·¶Žš—ñ·ï□”,ª, ,è□C,±,è,ç,ðŽg,Á,ÄŠeŽí,ì %□□ŽŽ,ð,·,é,±,Æ,ª,Å,«,Ü,·□B□”·l·ï□”,í# ,ÄŽn,Ü,è□C·¶Žš—ñ·ï□”,í\$,ÄŽn,Ü,è,Ü,·□B

```
#n = 100 * 50 + 10 + strlen( $x );  
$s = rightstr( "Ä“;” + $x + ”,±,é,í,±,é,í”, 20 );
```

□@call,Æreturn,ðŽg,Á,ÄfTfuf<□[f`f“ ,ð□ì,é,±,Æ,à,Å,«,Ü,·□BfTfuf<□[f`f““à,Åf□□[ff<·ï□”,ðŽg,ç ,½,ç□ê□±,í□C# #,Ü,½,í\$,ÄŽn,Ü,é·ï□”,ðŽg,ç,Ü,·□B

□@•ĭ□",ì,ù,©□C□GŠŮ,É,í,ç,,Ā,©,ì"à•""l,È'l,ð•\Œ»,·,éfl□[f□□[fh,ª'ŕ□Ÿ,μ,Û,·□B—  
á,!,ĭ□Cquestion•ŕ,ðžÀ□s,·,é,Æ,»,ìŒ<%oÊ(□u,í,ç□v,ð'l,ň,¾,©□u,ç,ç,!□v,ð'l,ň,¾,©),ªresult,Æ,ç,æ'l,Æ,μ,Ä•\  
Œ»,³,ê,Û,·□B,±,ê,ç,ðžg,Ā,Ā□ðŒ□•ªŠò,È,Ç,à%oĀ"\,Ā,·□B

□@□GŠŮ,ĭf}fNf□,í□A,W,OŒĀ,Û,Ā"o~^,·,é,±,Æ,ª,Ā,«,Û,·,ª□Afl□[Š,,,è"—,Ā%oĀ"\  
,È,ì,í,P"Ô,©,ç,T,O"Ô,Û,Ā,ì,T,OŒĀ,¾,¯,Ā,·□B

fGf%□[,ì□^—□

□@□GŠÚf}fNf□ŽÀ□s't,É□AŠefRf}f"fh,ĀfGf%□[,"□□μ,½□ê□#□i—á□Fappendsave  
"abc.txt",đŽÀ□s,μ,½□ê□#,Éabc.txt,ª'□□Ý,μ,È,©,Á,½"™□□□A fGf%□[ f□f b f Z □[ f W,ª•\  
Ž!,³,ê□Aresult==false,Æ,È,è,Ü,·□B□i□³□í□I—¹Žž,íresult==true,Ā,·□j

□@f}fNf□ŽÀ□s't,É□ACEy"÷,ÈfGf%□[,É,æ,Á,Āfr□[fv%□¹,ª-Ā,é,æ,π,È,±,Æ,ª"□□μ,½□ê□#□A%□¹-  
Ā,ç,,É□A'ã,í,è,Éresult==false,Æ,È,è,Ü,·□B

□@f}fNf□□i□-Žž,É,í□A fGf%□[,ìŽž,ì□^—□,à□\•ª□I—□□μ,Ā,,³/₄,³,ç□B

—á□F

```
appendsave "abc.txt";  
if( !result ) {  
    message "abc.txt,Ö,ì'Ç%□Á□',«□ž,Ý,ÉŽ,"s,μ,Ü,μ,½□B";  
    endmacro;  
}
```

□@disableerrmsg•□,đŽÀ□s,·,é,Æ□A,»,"ê^È□~fGf%□[ f□f b f Z □[ f W,í^ê□Ø•\Ž!,³,ê,È,,È,è,Ü,·□B

## '}' "üCEn • ¶

□@}' "üCEn, ì • ¶, Æ, μ, Ä □ C ^ È % °, ì, à, ì, ª, , è, Ü, · □ B

-½—ß	<@“\
dupline	□s, ì “ ñ □ d % »
insert	• ¶ Ž š — ñ, ì ’ } “ ü
insertfix	• ¶ Ž š — ñ, ì ’ } “ ü, » , ì, Q
insertline	<ó □ s ’ } “ ü
insertreturn	% ü □ s
overwrite	• ¶ Ž š — ñ, ì □ ä □ ‘, «
tab	f ^ f u
undelete	□ í □ œ “ à — e • œ C E ³

□@insert • ¶, ì □ C f p f % o f □ f ^ , Å Ž w ’ è, ³, è, ½ • ¶ Ž š — ñ, ì ’ } “ ü, μ, ½, ì, ÿ □ C f j □ [ f f < , ð ’ } “ ü, μ, ½ • ¶ Ž š — ñ, ì □ Ä C E ä, É ^ Ú “ @ , μ, Ü, · □ B

□@insertfix • ¶, ì insert, Æ “ — ì, É • ¶ Ž š — ñ, ì ’ } “ ü, μ, Ü, ·, ª □ C f j □ [ f f < , ì ^ Ú “ @ , μ, Ü, ¹, ñ □ B

□@overwrite • ¶, ì □ C f p f % o f □ f ^ , Å Ž w ’ è, ³, è, ½ • ¶ Ž š — ñ, ð □ ä □ ‘, «, μ, ½, ì, ÿ □ C f j □ [ f f < , ð □ ä □ ‘, «, μ, ½ • ¶ Ž š — ñ, ì □ Ä C E ä, É ^ Ú “ @ , μ, Ü, · □ B

□@—á □ F

```
insert "ABC";
insertfix "□Ä“i□G•v"
overwrite "ABC" + $a;
```

□@%ü □ s • ¶ Ž š, ì ’ } “ ü, É, ì □ C • ¶ Ž š f R □ [ f h 10 (line-feed), ð ’ } “ ü, μ, Ü, · □ B

□@—á □ F

```
insert "\x0A";
```

□@, Ü, ½, Í Ž Ÿ, ì, æ, x, É, μ, Ä, à, ©, Ü, †, Ü, ¹, ñ ;

```
insert "\n";
```

□@insertreturn • ¶, ì □ C % ü □ s f L □ [ , ð % Ÿ, μ, ½, ì, Æ ’ S, “ ~, ¶, “, «, ð, μ, Ü, · □ B f p f % o f □ f ^ , ì, , è, Ü, ¹, ñ □ B, ÿ, È, Ý, É, ±, ì f R f } f “ f h, ì C E » □ Ý, ì f, □ [ f h, ª □ ä □ ‘, « f, □ [ f h, © ’ } “ ü f, □ [ f h, ©, É, æ, Ä, Ä “ @ □ ì, ª ^ Ú, È, è, Ü, ·, ì, Å ’ □ ^ Ó, ª • K — v, Ä, · □ B ’ } “ ü f, □ [ f h, Å, ì “ @ □ ì, ð Š ú ’ Ò, ·, é □ ê □ †, ì □ C ^ È % °, ì, æ, x, É, ·, é • K — v, ª, , è, Ü, · □ B

```
if( overwrite ) {
    overwriteswitch; insertreturn; overwriteswitch;
} else {
    insertreturn;
```

}

□@tab□Cdupline□Cinsertline□Cundelete•¶,ì" © □í,í□C'í%ž,·,é□GŠÛ,ìfRf}f"fh,Æ"¬,¶,Å,·□B



## ftf@fCf<CEn•¶

□@ftf@fCf<CEn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@“\
exit	□I— <sup>1</sup>
exitall	‘S□I— <sup>1</sup>
newfile	ftf@fCf<,ì□V<K□ì□—
print	^ó□ü
quit	”jŠü,μ,Ä□I— <sup>1</sup>
save	ftf@fCf<,ì□ã□’,«•Ü’¶
saveexit	•Ü’¶,μ,Ä□I— <sup>1</sup>
saveall	‘S•Ü’¶
saveexitall	‘S•Ü’¶□I— <sup>1</sup>
saveupdatedall	‘S•Ü’¶ì□X□Vftf@fCf<,ì,Ý□
savefelf	□ã□’,«•Ü’¶ì□%ºü□s=LF□j

□@print•¶,ì□Af\_fCfAf□fOf{fbfNfX,ð□o,μ,Ü,<sup>1</sup>,ñ□Bf\_fCfAf□fOf{fbfNfX,ÄŽw’è, ,é□€—Ü,ì□GŠÜ’æ,Ä“K”–  
,ÉCE^,ß,ç,ê,Ä,μ,Ü,ç,Ü,·□B□u’l’ð,μ,½”íí,ì,Ý□v,ìf`fFbfNf{fbfNfX,ì□A,à,μ”íí’l’ð,<sup>3</sup>,è,½□ó’Ó,<sup>3</sup>/<sub>4</sub>,Æ,□,Ž,Æ  
%ºðŽß,<sup>3</sup>,è□A’¼,ì□€—Ü,ì’O%ºñ,ì^ó□ü,ìŽž,ì’l,<sup>ª</sup>,»,ì,Ü,ÜŽg—p,<sup>3</sup>,è,Ü,·□B

□@exit,âexitall,È,Ç,ì□GŠÜ,ð□I—<sup>1</sup>,<sup>3</sup>,<sup>1</sup>,Ä,μ,Ü,æ•¶,ðŽÄ□s,·,é,Æ□Af}fNf□,à,ç,Á,μ,â,É□I—<sup>1</sup>,μ,Ä,μ,Ü,ç  
,Ü,·□B□GŠÜ,ð□I—<sup>1</sup>,<sup>3</sup>,<sup>1</sup>,Ä,àf}fNf□,ì’±□s,μ,½,ç□ê□#,ísetactivehidemaru,âclosehidemaru,ðŽg,æ•K—v,<sup>ª</sup>, ,è,Ü,  
·□B

□@,Ü,½□C^È%º,ì•¶,ìfpf%of□f^,Äftf@fCf<-¼,ðŽw’è,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□Bf\_fCfAf□fOf{fbfNfX,ì□o,Ü,<sup>1</sup>,ñ□B

-½—ß	<@“\
appendsave	•Éftf@fCf<,Ö,ì’Ç%ºÁ•Ü’¶
changenam	ftf@fCf<-¼,ì•ĩ□X
insertfile	f□[fj<^É’u,Ö,ì”Ç,Ý□ž,Ý
loadfile	ftf@fCf<,ð•Ä,¶,ÄŠj,
openfile	ftf@fCf<,ðŠj,
readonlyopenfile	□’Š,; <ÖŽ~,Äftf@fCf<,ðŠj,
readonlyloadfile	□’Š,; <ÖŽ~,Äftf@fCf<,ð•Ä,¶,ÄŠj,
saveas	ftf@fCf<,ì-¼’O,ð•t, ,Ä•Ü’¶

□@—á□F

**openfile "ABC.TXT";**

□@openfile•¶,Æsaveas•¶,ì□Cftf@fCf<C`Ž®,ð“Žž,ÉŽw’è, ,é,±,Æ,<sup>ª</sup>,Ä,«,Ü,·□Bfpf%of□f^,ì^È%º,ì,æ,æ,  
,ÉfRf“f},Äæ□Ø,Ä,Ä•K—v,È,à,ì,ðŽw’è,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

openfile ftj@fCf<-¼ [ ,sjis | unicode | euc]  
saveas ftj@fCf<-¼ [ ,sjis | unicode | euc] [ , lf]

□@sjis,í'Éí,ìftj@fCf<Ě`Ž®□Aunicode,íUnicodeĚ`Ž®□Aeuc,íEUCĚ`Ž®,đ^Ó-í,μ,Û,·□B  
□@openfile,ìê□#,í,R,Âftj@fCf<Ě`Ž®,đŽw'è,·,é,±  
,Æ,ª,Ä,«,Û,·,ª□A'Éí,ìĚ`Ž®,ÆUnicodeĚ`Ž®,íŽ©"®,"»'f,μ,Äfì□[fvf",·,é,æ,κ,É,È,Á,Ä,ç  
,é,ì,Ä□AZÀ□Û,íeuc,đŽw'è,·,é,ì,μ,©^Ó-í,ª,·,è,Û,¹,ñ□B  
□@saveas,ìê□#,í□A,¿,á,ñ,ÆŽw'è,³,ê,½Ě`Ž®,Ä·Û'¶,μ,Û,·□B%½,àŽw'è,μ,È,ç□ê□#□ACE»□Ýfì□[fvf",μ,Ä,ç  
,éftj@fCf<,ìĚ`Ž®,Ä,»,ì,Û,Û·Û'¶,³,ê,Û,·□B,³,ç,É□Alf,đŽw'è,·,é,Æ□A%ü□s=LF,ìĚ`Ž®,Ä·Û'¶,³,ê,Û,·□B

□@—á□F  
**saveas "ABC.TXT", unicode;**

**openfile•¶,ì— <Z□□□□□**

□@ŽÄ,í□Aopenfile,É,í— <Z,ª,·,è,Û,·□Bopenfile,ìjpf  
%of□f^,É,í□Ahidemaru.exe,đ<N"®",·,éfvfvf¶f",ª,»,ì,Û,ÛŽw'è,Ä,«,Û,·□B

□@openfile "/r " + \$filename□@,Æ,·,é,Æ□Areadonlyopenfile,Æ"~,¶,É,È,è,Û,·□B

□@openfile ""□@,Æ,·,é,Æ□Anewfile,Æ"~,¶,É,È,è,Û,·□B

□@openfile "/(0,0,100,100)" ,Æ,·,é,Æ□A0,0□`100,100,ìftj@fCfY,ì□GŠÛ,ª<N"®",³,ê,Û,·□B

□@,³,ç,É□A□GŠÛ,É,í%B,μfvfvf¶f",Ä/h,Æ,ç,κ,ì,ª,·,è,Û,·□B,±  
,é,đŽw'è,·,é,Æ□A□GŠÛfGffBf^,ªfXfef<fXf,□[fh,É,È,è□A%æ-É,©,çĚ©,ì,È,-  
,È,é□·f}fNf□,ìŽÀ□s,ª"ñ□í,É□,·,É,È,è,Û,·□B

□@openfile "/h " + \$filename

□@,Ä,·□B,È,·□ACE©,ì,È,È,Ä,½□GŠÛ,ìf}fNf□,ì't,Ä□,í,ç,¹,Ä,·,°È,ç,ÆĚã,Äft□[fU,ª%½,ª,È,ñ,¾,©,í,©,ç,È,-  
,È,è,Û,·□B(^ ^);

□@,½,¾,μ□A,±,é,ç,ìfvfvf¶f",ì□ACE»□Ýf}fNf□,đŽÀ□s,μ,Ä,ç,é□GŠÛ,ª□A□V<K□ì□-³,é,½□GŠÛ,Ä,·,Ä,Ä,í,ç  
,·,Û,¹,ñ□B,È,ª,È,ç□A□V<K□ì□-³,é,½□GŠÛ,ªopenfile,đŽÀ□s,·,é,Æ□A,»,ìftj@fCf<,đloadfile,Æ"~—  
l,É^μ,Ä,Ä,μ,Û,κ,©,ç,Ä,·□B

□@,±,ìê□#,í□Achangename,đŽg,Ä,Âftj@fCf<-¼,đ"nul",É,·,é,È,Ç,μ,Ä'î□^,μ,Ä,·,¾,³,ç□B

**f\_fCfAf□fOf{fbfNfX,đ□o,·ftj@fCf<Ěn•¶**

□@ŽÄ,í□Af\_fCfAf□fOf{fbfNfX,đ□o,·ftj@fCf<Ěn•¶,à,·,è,Û,·□B

-½—ß	<@"\
APPENDSAVE	•Êftf@fCf<,Ö,ì'Ç%Á•Û'¶
CHANGENAME	ftf@fCf<-¼,ì•ïX
INSERTFILE	fj[]f^Ê'u,Ö,ì"Ç,Ýž,Ý
LOAD	ftf@fCf<,ð•Â,¶,ÄŠ,
OPEN	ftf@fCf<,ðŠ,
SAVEAS	ftf@fCf<,ì-¼'O,ð•t,~,Ä•Û'¶

[]@,±,ê,ç,ì•¶,É,Ípf%of[]f^,ª, ,è,Û,¹,ñ[]Bft[]fU,ª,n,jf{f^f",ð%Ÿ,µ,Ä^—  
 [],ª[]-CE+, ,é,Æresult==true,É,È,è,Û,·[]BŽ,"s,µ,½,è[]Aflfff"fZf<,³,è,½[]ê[]#,Ífalse,É,È,è,Û,·[]B

## fj[]fj<^ú“@CEn•¶

[]@fj[]fj<^ú“@CEn,ì•¶,Æ,μ,Ä[]C^È%º,ì,à,ì,ª, ,è,Ü,·[]B

-½—ß	<@”\
down	fj[]fj<%º^ú“@
gofileend	fj@fCf<,ì[]ÅCEä,É^ú“@
gofiletop	fj@fCf<,ì[]æ“ª,É^ú“@
gokakko	‘í%ºž,·,éš‡CEÉ,É^ú“@
golastupdated	[]ÅCEä,É•Ö[]W,μ,½[]š,É^ú“@
goleftkakko	‘{’,É^ú“@
golineend	[]s,ì[]ÅCEä,É^ú“@
golineend2	~_—[]s--,É^ú“@
golinetop	[]s,ì[]æ“ª,É^ú“@
golinetop2	~_—[]s“ª,É^ú“@
gorightkakko	‘}’,É^ú“@
goscreenend	%ºæ-É,ì[]ÅCEä,É^ú“@
goscreentop	%ºæ-É,ì[]æ“ª,É^ú“@
gowordend	‘PCEé,ì[]ÅCEä,É^ú“@
gowordtop	‘PCEé,ì[]æ“ª,É^ú“@
halfnextpage	”¼ŽŸfy[]fW
halfprevpage	”¼•ª‘Ofy[]fW
jump	Žw’è[]s,É^ú“@
left	fj[]fj<¶^ú“@
moveto	”C^Ó,ì^É‘u,Ö,ìfj[]fj<^ú“@ (CEä[]q)
movetolineno	”C^Ó,ì^É‘u,Ö,ìfj[]fj<^ú“@ (CEä[]q)
nextfunc	ŽŸ,ìšÖ[],É^ú“@
nextpage	ŽŸfy[]fW
prevfunc	‘O,ìšÖ[],É^ú“@
prevpage	‘Ofy[]fW
right	fj[]fj<%ºE^ú“@
rollup	fXfNf[]f<fAfbfv
rollup2	fXfNf[]f<fAfbfv,Q
rolldown	fXfNf[]f<f_fEf”
rolldown2	fXfNf[]f<f_fEf”,Q
up	fj[]fj<[]ã^ú“@
wordleft	‘PCEé[]¶
wordright	‘PCEé%ºE
wordrightsahlen	‘PCEé%ºE(fTf<fj”•—)
prevpos	‘O,ìfj[]fj<^É‘u,É^ú“@

[]@up[]Cdown[]Cright[]CleftfRf}f”fh,í’P“Æ,Å,àžg,!,ü,·,ª[]Cfpf

%of^,đžw'è,·,é,Æ,».,ì·a,Ü,Æ,ß,Ä^Ú" ®,·,é,æ,æ,É,È,è,Ü,·Bfpf%of^,É,í""l,đžw'è,μ,Ä,,¾,¾,çB

@—áF

**up 100;**

**down #a + #b \* 100;**

@,·,È,Ý,É,±,ì,S,Ä,ìj[]f^Ú" ®fRf}f"fh,¾,·,í[]—¹R[]fh,Æ,μ,ÄC

[]@,μ,Ä,àj[]f^Ú" ®,μ,½ê±,í true

[]@j[]f^Ú" ®,μ,È,©,Á,½ê±,í false

,đ·Ô,μ,Ü,·B

@movetofRf}f"fh,í"C^Ó,ì^Ê'u,Éj[]f^Ú" ®,μ,Ü,·Bfpf%of^,Æ,μ,Ä,wÄ·W,Æ,xÄ·W,đžw'è,μ,Ä,-  
¾,¾,çB""l,Ä,È,ç,Æ,ç,·,Ü,¹,ñB

**moveto ,wÄ·W, ,xÄ·W**

@,xÄ·W,íftf@fCf<,ìæ"ª,đ,O,Æ,μ,Ä",;[]C,wÄ·W,í^è"Ôq'x,ì^Ê'u,đ,O,Æ,μ,Ä",;½'l,Ä,·B

@,·,È,Ý,ÉCE»Ý,ìj[]f^Ê'u,íx,Æy,Ä·\CE»,¾,è,Ü,·B—á,;[]Cj[]f^,đCE»Ý,ìy^Ê'u,ì1/2,ì  
%ÓŠ,É^Ú" ®,·,é,É,íC^È%º,ì,æ,æ,É,μ,Ü,·Bx,ây,í"à""l,È'l,đ·\CE»,·,éL[]f[]fh,Ä,·B

**moveto x, y/2;**

@movetolineno,íAXYÄ·W,ì'ã,í,è,ÉufGfffBf^"lqv,ÉCEvZZ,μ,½s"Ôt,ÆCE..."Ôt,Åj[]f  
f<^Ú" ®,μ,Ü,·B

**movetolineno CE..."Ôt, s"Ôt**

@CE..."Ôt,íAf^fu·qšš,í,P,Ä,Æ,μ,Ä",;½"Ôt,Ä,·Bmoveto,Æ^á,çACE..."Ôt,às"Ôt,à,P,©,çžn,Ü,è,  
Ü,·B,½,Æ,;ì,ftf@fCf<,ìæ"ª,É^Ú" ®,·,é,É,íA

**movetolineno 1, 1;**

@,Ä,·B,·,È,Ý,ÉAcolumn,ì·Ô,·'l,í,O,©,çžn,Ü,é,ì,Ä'^Ó,μ,Ä,,¾,¾,çB

@[]u"í^l'đ,μ,È,ª,ç,ìj[]f^Ú" ®qv,Æ,ç,xfRf}f"fh,í,·,è,Ü,¹,ñB·Ê"rbeginse| ,đžÀs,μ,Ä,©,çj[]f  
f<^Ú" ®,·,é,±,Æ,É,æ,Ä,Ä"í^l'đ,μ,Ä,,¾,¾,çB

## fNfŠfbfvf{[]fhCEn•¶

[]@fNfŠfbfvf{[]fhfCEn,ì•¶,Æ,μ,ÄC^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—β	<@”\
appendcopy	’Ç%ºÁ•;ŽĚ
appendcut	’Ç%ºÁ□Ø,è”²,«
beginrect	BOX”í^í’ì’ðŠjŽn
beginsel	”í^í’ì’ðŠjŽn
pasterect	BOX“\,è•t,¯
copy	•;ŽĚ
copyline	□s,ð•;ŽĚ
copyword	’PCEè,ð•;ŽĚ
cut	□Ø,è”²,«
escape	”í^í’ì’ð,ðŽæ,è□Á,·
paste	“\,è•t,¯
refcopy	^ø—p•t,«•;ŽĚ
selectall	,,x,Ä,ð’ì’ð
selectline	□s,ì’ì’ð
selectword	’PCEè,ì’ì’ð
showcliphist	fNfŠfbfvf{[]fh—š—ð,ì•\Ž;
poppaste	“\,è•t,¯□{—š—ð—β,μ
getcliphist	fNfŠfbfvf{[]fh—š—ð,©,ç,ìŽæ,è□o,μ
clearcliphist	fNfŠfbfvf{[]fh—š—ð,ì□Á<Ž

[]@”í^í’ì’ð,ð,μ,Ä,ç,é□ó’Ô,ÄescapefRf}f“fh,ðŽg,æ,Æ□C”í^í’ì’ð,ìŽæ,è□Á,³,è,Ä,μ,Ü,ç,Ü,·,ª□Cseltopx□Cselcopy□Cselendx□Cselendy,ì’ì,ìŽŸ,ì”í^í’ì’ð,ðŠjŽn,·,é,Ü,Ä•ÜŽ□,³,è,Ü,·□B

[]@getcliphist,í□Afpf%of□f^,Æ,μ,ÄfqfXfgfŠ□[,ì”Ô□†,ðŽw’è,μ,Ä,,¾,¾,ç□B,O,ª□Á□V,ì—š—ð□A,P,ª,P,Ä’O□A,Q,ª,Q,Ä’O,Æ,ç,æ<i□‡,Ä,·□BŽæ,è□o,μ,É□¬CE÷,·,é,Æ□Aresult == true,É,È,è,Ü,·□B’¶□Ý,μ,È,ç”Ô□†,ðŽw’è,μ,¾,è□A□í”□GŠÜ,ª,ç,È,ç,È,ç,ì□è□‡,íresult == false,Æ,È,è,Ü,·□B

[]@fNfŠfbfvf{[]fh,©,ç•¶Žš—  
ñ,ðŽæ,è□o,μ,Ä□A,»è,ð•ï□”,É’ã“ü,μ,½,è□A•ï□”,ì’ì,ðfNfŠfbfvf{[]fh,Éfzfbfg,μ,½,è,·,é,±,Æ,à,Ä,«,Ü,·□BfNfŠfbfvf{[]fh,Æ,ì•¶Žš—ñ,ì,à,è,Æ,è,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

## ☐í☐œ☐En•☑

☐@☐í☐œ☐En,ì•☑,Æ,μ,Ä☐C^È%°ò,ì,à,ì,ª, ,è,Ü,·☐B

-½—β	<@”\
backspace	Backspace
delete	Del
deleteafter	fj☐[fj<,æ,è☐ä,ë,ð☐í☐œ
deletebefore	fj☐[fj<,æ,è’O,ð☐í☐œ
deleteline	☐s☐í☐œ
deleteword	’P☐È,ì☐í☐œ☐ifj☐[fj<,ì☐ä,ë,¾, ¯☐j
deletewordall	’P☐È,ì☐í☐œ☐i’S•”☐j
deletewordfront	’P☐È,ì☐í☐œ☐ifj☐[fj<,æ,è’O,ì•”•ª,¾, ¯☐j

☐@delete•☑,ÍDelfL☐[,Æ“¯,☑“®☐ì,ð,μ,Ü,·☐B”í^í’ð,³,è,½☐ó’Ô,¾,Æ,»,”í^í,ð☐í☐œ,μ,Ü,·☐B

,>,ì'¼•ÒWÆn•¶

□@,>,ì'¼•ÒWÆn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—β	<@”\
casechange	‘â•¶žš□^□→•¶žš,ì•İŠ.
indent	fCf”fff”fg
redo	,â,è'¼,μ,ì,â,è'¼,μ
reopen	•Ò□W,ì,â,è'¼,μ
shifftab	□s'í'ð,ì•âš®
tab	‘í'ð”í'í,ìf^fu,É,æ,éfCf”fff”fg
tohankaku	”¼šp•¶žš,É•İŠ.
tolower	□→•¶žš,É•İŠ.
tospace	f^fu-><ó””•İŠ.
totab	<ó””->f^fu•İŠ.
toupper	‘â•¶žš,É•İŠ.
tozenkakuhiro	‘Sšp,ð,ç,ª,È,É•İŠ.
tozenkakukata	‘Sšpjjf^jjfi,É•İŠ.
undo	,â,è'¼,μ
unindent	<tjCf”fff”fg
capslockforgot	CapsLock,μ,í,·,ê,ì□¥□³
imeconvforgot	,©,Èšžš•İŠ.,μ,í,·,ê,ì□¥□³

□@indent,âtohankaku,È,Ç,í□A”í'í'í'ð,μ,½□ó'Ô,ÅŽÀ□s,μ,È,·,ê,î^Ó-ì,ª, ,è,Ü,¹,ñ□B



## CEYÖÖEñ•¶

□@CEYÖÖEñ,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Û,·□B

-½—ß	<@”\
finddown	%ºCEó•â
findup	□ãCEó•â
getsearch	CEYÖÖ•¶Žš—ñ,ìŽæ“¾
gosearchstarted	CEYÖÖŠŽn^Ê’u,Ö-ß,é
searchdown	%º•ûCEüCEYÖÖ
searchup	□ã•ûCEüCEYÖÖ
replacedown	%º•ûCEü’uŠ·
replaceup	□ã•ûCEü’uŠ·
replaceall	‘S’uŠ·
replaceallfast	□,‘-‘S’uŠ·
<u>setsearch</u>	CEYÖÖfofbftf@,ì□Y’è
goupdatedown	•Ò□Wf}□[fN,ì%ºCEYÖÖ
goupdateup	•Ò□Wf}□[fN,ì%ºCEYÖÖ
clearupdates	•Ò□Wf}□[fN,ìfNfŠfA
<u>grep</u>	grep,ìŽÀ□s□ifpf%of□f^•t,«□j
<u>grepdialog</u>	grep,ìŽÀ□s□if_fCfAf□fOf{fbfNfX•t,«□j
<u>localgrep</u>	CE»□Y,ì“à—e,©,çgrep,ðŽÀ□s

□@findup□Cfinddown□Cgetsearch•¶,É,ífpf%of□f^,ª•K—v, ,è,Û,¹,ñ□Bgetsearch•¶,íj□[f^  
f<^Ê’u,ì’PCEê,ðCEYÖÖ•¶Žš—ñ,Æ,μ,Ä□GŠÛ“à•”,ÉŽæ“¾, ,é-½—ß,Ä,·□B

□@searchup□Csearchdown•¶,ì□Cf\_fCfAf□fOf{fbfNfX,ÄŽw’è, ,éfpf%of□f^,ð“~Žž,ÉŽw’è, ,é,æ,π,É,È,Á,Ä,ç  
,Û,·□Bfpf%of□f^,ì^È%º,ì,æ,π,ÉfRf“f},Ä•æ□Ø,Á,Ä•K—v,È,à,ì,ðŽw’è,μ,Ä,¾,¾,ç□B

searchdown CEYÖÖ•¶Žš—ñ [,word] [,casesense] [,regular] [,fuzzy] [,linknext]  
searchup CEYÖÖ•¶Žš—ñ [,word] [,casesense] [,regular] [,fuzzy] [,linknext]

□@word,ðŽw’è, ,é,Æ□C^PCEêCEYÖÖ,É,È,è,Û,·□Bcasesense,ì’â•¶Žš□^□-•¶Žš,ì<æ•Ê,ð, ,é,Æ,ç,π^Ó-  
; ,Ä□CŽw’è,μ,È,ç□ê□±,ì<æ•Ê,¾,è,È,è,Û,·□Bregular,ð•t, ,é,Æ□³<K•\CE»,ÄCEYÖÖ,μ,Û,·□Bfuzzy,ð•t, ,é,Æ, ,ç  
,Û,çCEYÖÖ,ð,μ,Û,·□Blinknext,ð•t, ,é,ÆŽY,ì□GŠÛ,à±, ,ÄCEYÖÖ,μ,Û,·□B

□@regular,Û,¾,ífuzzy,ðŽw’è, ,é,Æword□Ccasesense,ì-¾Ž<,¾,è,Û,·□B

□@—á□F

**searchdown "•¶Žš"**  
**searchdown "•¶Žš", word**

□@’uŠ·fRf}f“fh,ì^È%º,ì,Æ, ,è,Ä,·□B

replaceup Āÿō•ŕŽš—ň, 'uŠ•ŕŽš—ň [,word] [,casesense] [,ask] [,regular] [,fuzzy] [,linknext]  
replacedown Āÿō•ŕŽš—ň, 'uŠ•ŕŽš—ň [,word] [,casesense] [,ask] [,regular] [,fuzzy]  
[,linknext]

␣@ask,đŽw'è,·,é,ÆŠm" F,ª"ü,è,Û,·␣B

␣@ĀÿōĀn•ŕ,Í␣␣→Ā÷,μ,½,©,μ,È,©,Á,½,©,É,æ,Á,ĀĀ<%ĔfR␣[fh,đ•Ô,μ,Û,·␣BĀ<%ĔfR␣[fh,ÍresultfL␣[  
f␣[fh,ĀŽQ␣ĀE,·,é,±,Æ,ª,Ā,«,Û,·␣B

␣@␣→Ā÷,μ,½Ĕĕ␣†,Í,P(TRUE),É,È,è␣Č, "s,μ,½Ĕĕ␣†,Í,O(FALSE),É,È,è,Û,·␣B

␣@—á␣F

**searchdown "•ŕŽš";**  
**if( !result ) message "Ā©,Ā,©,è,Û,<sup>1</sup>ň,Ā,μ,½␣B";**

␣@replaceall, replaceallfast•ŕ,Í␣Areplaceup, replacedown•ŕ,Æ,Û,Á,½,"~ ,ŕ•ŕ-  
@,Ā,·␣Breplaceall,Í•ŕ'É,É'S'uŠ,đŽĀ␣s,μ␣Areplaceallfast,Í␣,'~ ,É'S'uŠ,đŽĀ␣s,μ,Û,·␣B'uŠ,ª␣|—<sup>1</sup>,μ,Ā,à␣A␣u  
%½ĀĀ'uŠ,μ,Û,μ,½␣v,ĭf␣fɸZ␣[fW,Í·\  
Ž,<sup>3</sup>,è,·␣A'ă,í,è,Éresult,É'uŠ,μ,½ĀĀ" ,ª"ü,è,Û,·␣B"r't,Ā't'f,<sup>3</sup>,è,½Ĕĕ␣†,Íresult,Í-1,É,È,è,Û,·␣B

␣@fɸfɸ...␣[,©,çĀÿō"™ ,đ␣s,Á,ĀŽ, "s,μ,½Ĕĕ␣†,É,Í␣A  
%<sup>1</sup>,âfɸɸZ␣[fW,Ā'm,ç,<sup>1</sup>,Û,·,ª␣Af}fNf␣,©,çŽĀ␣s,μ,½Ĕĕ␣†,É,Í%<sup>1</sup>,âfɸɸZ␣[fW,Ío,Û,<sup>1</sup>ň␣B  
^ê"É,ÉĀĀÿō,ªŽ, "s,μ,½Ĕĕ␣†,Í%<sup>1</sup>,đ-  
Ā,ç,μ,½,èfɸɸZ␣[fW,đo,μ,½,è,μ,Û,·,ª␣Cf}fNf␣,©,çŽĀ␣s,μ,½Ĕĕ␣†,Í,» ,è,ç,ì" @␣i,đ,μ,Û,<sup>1</sup>ň␣B'ă,í,è,Éresult,É  
Ā<%ĔfR␣[fh,đ•Ô,μ,Û,·␣B

## grep, grepdialog, localgrep

`grep -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt`

`grep -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt`

`grep -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt`

`grep -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt`

—á

```
grep "#include", "*.cpp;*.c", ".", regular;
```

`grepdialog -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt`

`localgrep -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt`

```
localgrep -r --exclude-dir=.git --exclude=*.o --exclude=*.pyc --exclude=*.pyo --exclude=*.pyd --exclude=*.pyw --exclude=*.pyz --exclude=*.pyzopt --exclude=*.pyzopt.pyc --exclude=*.pyzopt.pyo --exclude=*.pyzopt.pyd --exclude=*.pyzopt.pyw --exclude=*.pyzopt.pyz --exclude=*.pyzopt.pyzopt
```

—á

```
localgrep "#include", word;
```

## setsearch • ¶

¶@setsearch • ¶, í ¶A ¶GŠŮ, ¢ “ à • ”, Ā • ŮŽ ¶, μ, Ā, ¢, é Ą Ě Ÿ ¶ ō f o f b f t f @, ì “ à —  
e, đ Ÿ ’ è, μ, Ů, . ¶B Ą Ě Ÿ ¶ ō f o f b f t f @, í ¶A ¶u ¶ã Ą Ě ó • â ¶v, â ¶u % ° Ą Ě ó • â ¶v, ì ¶Ů, É Ž Q ¶ Ą Ě, ¢, é, é f o f b f t f @, Ā ¶A Ą Ě Ÿ ¶ ō • ¶ Ž š  
— ñ, Ą Ě ¶A Ą Ě Ÿ ¶ ō, ì • Ů — @ ¶i ¶³ < K • \ Ą Ě », ©, Ç, x, ©, È, Ç, ì f t f % ° f O ¶j, đ • ŮŽ ¶, μ, Ā, ¢, Ů, . ¶B

¶@setsearch f R f } f “ f h, Ą Ě Ÿ ¶ ō f o f b f t f @, ì “ à — e, đ Ÿ ’ è, μ, Ā, ©, ç f i n d u p / f i n d d o w n, đ Ž Ā ¶ s, ., é, Ą Ě ¶A s e a r c h u p /  
s e a r c h d o w n, đ Ž Ā ¶ s, μ, ½, ì, Ą Ě “ ”, ¶ Ą Ě < % ° Ą Ě, ¢ “ ¾, ç, ê, Ů, . ¶B

setsearch • ¶ Ž š — ñ, f t f % ° f O

¶@f t f % ° f O, í ¶A Š e f r f b f g, ¢, Ą Ě, ì, n, q, ì ’ l, đ Ž w ’ è, μ, Ů, . ¶B

’ P Ą Ě ê, ì Ą Ě Ÿ ¶ ō	f r f b f g, O
’ â • ¶ Ž š / ¶ — • ¶ Ž š, ì < æ • Ę	f r f b f g, P
’ u Š •, ©, Ç, x, ©	f r f b f g, Q ¶i ’ u Š, ì ¶ ê ¶ #, Ę, P ¶j
’ u Š •, ì ¶ ê ¶ # ¶A — â, ¢ ¶ #, í, ¹, ì — L - ³	f r f b f g, R
¶³ < K • \ Ą Ě »	f r f b f g, S
, , ¢, Ů, ¢ Ą Ě Ÿ ¶ ō	f r f b f g, T
f t f @ f C f < - ¼ ^ ê — —, ¾, ¶i ¶ —	f r f b f g, U ¶i g r e p — p ¶j
Ž Ÿ, ì ¶GŠŮ, à ’ ±, ¶, Ą Ě Ě ¶ ō	f r f b f g, V

¶@setsearch, Ą Ě < t, É ¶A Ą Ě Ÿ ¶ ō f o f b f t f @, ì “ à — e, đ Ž Q ¶ Ą Ě, ., é, É, í ¶A s e a r c h b u f f e r, s e a r c h o p t i o n, Ą Ě, ¢, x ’ l, đ Ž g, ¢  
, Ů, . ¶B

¶@f } f N f ¶, ì ’ t, Ą Ě s e a r c h u p / s e a r c h d o w n, đ Ž g, x, Ą Ě ¶A Ą Ě Ÿ ¶ ō f o f b f t f @, ì “ à — e, ¢ ¶, « Š •, ì, ç, ê, Ā, μ, Ů, ¢, Ů, . ¶B, » , x  
, ., é, Ą Ě ¶A f t ¶ [ f U, ¢ Ž Ÿ, É ¶ã Ą Ě ó • â / % ° Ą Ě ó • â f R f } f “ f h, đ Ž g, Ā, ½ Ž ž, É — \ Š ú, μ, Ę, ¢ “ ® ¶i, đ, μ, Ā, μ, Ů, x, ±, Ą Ě, ¢, , è, Ů, . ¶B

¶@, ±, x, ¢, x ¶ ê ¶ #, É ¶A s e t s e a r c h / s e a r c h b u f f e r / s e a r c h o p t i o n, đ Ž g, x, Ą Ě • Ů — ~, Ā, . ¶B

¶@ — á ¶F

```
$s = searchbuffer;  
#f = searchoption;  
¶c  
f } f N f ¶ — { ’ i ¶c  
¶c  
setsearch $s, #f;  
endmacro;
```

## fEfBf“fhfEEn•¶

□@fEfBf“fhfEEn,ì•¶,Æ,μ,Ä□C^È%°°,ì,à,ì,ª, ,è,Ü,·□B

-½—β	<@”\
nexthidemaru	ŽŸ,ì□GŠŮ
prevhidemaru	‘O,ì□GŠŮ
nexthidemaruicon	ŽŸ,ì□GŠŮ□ifAfCfRf“,àŠŮ,þ□j
prevhidemaruicon	‘O,ì□GŠŮ□ifAfCfRf“,àŠŮ,þ□j
restoredesktop	ffXfNfgfbfv•œCE³
savedesktop	ffXfNfgfbfv•Ů‘¶
scrolllink	‘¼,ì□GŠŮ,Æ“~ŽžfXfNf□□[f<
split	fEfBf“fhfE,ð,Q,Â,É•ªŠ,,
splitswitch	•ªŠ,,fEfBf“fhfE□Ø,è‘Ö,ì
windowcascade	□GŠŮ,ð□d,Ë,Ä•\Ž!
windowhorz	□GŠŮ,ð%°; ,É•À, x, é
windowtiling	□GŠŮ,ð•À, x, Ä•\Ž!
windowvert	□GŠŮ,ð□c,É•À, x, é
windowlist	fEfBf“fhfE^ê——•\Ž!
compile	‘¼,ì□GŠŮ,Æ“à—e”äŠr

□@nexthidemaru□Cprevhidemaru,ðŽÀ□s,·,é,Æ□Cf}fNf□,ì□§CEä,à,»,è,É”°°,È,Á,Ä□Ø,è‘Ö,ì,Ü,·□B

□@compilefRf}f“fh,í□Afpf%°f□f^ ,Æ,μ,Ä‘¼,ì□GŠŮ,ìfEfBf“fhfEfnf“fhf<,Ü,½,ìfEfBf“fhfE^Ô□†,ðŽw’è,·,é•K—  
v,ª, ,è,Ü,·□B^È%°°,ì,æ,π,ÉŽg,ç,Ü,·□B

—á□F

compile findhidemaru( "c:\\abc.txt" );

□@”äŠr□æ,ìfEfBf“fhfE,ªCE©,Â,©,ç,È,ç□ê□‡,íCE<%°ÊfR□[fh,í-1□A”äŠr,ìCE<%°Ê□A^á,ç  
,ªCE©,Â,©,ç,È,ç,Á,½□ê□‡,íCE<%°ÊfR□[fh,í0□A^á,ç,ªCE©,Â,©,Á,Ä,»,ì^Ê‘u,Éfj□[f\  
f<^Ú“® ,μ,½□ê□‡,í1,Æ,È,è,Ü,·□B

## fjjf...[CEn•¶

@fjjf...[,ðo,•¶,Æf}fNf,ðCEÄ,Ño,•¶,Íf}fNf,©,ç,ÍŽg,Í,Ü,<sup>1</sup>,ñB,Æ,ç,æ,©CŽg,Í,Ä,µ,Ü,ç,Ü,•,ªCŽg,Í,È,ç,Å,,¾,¾,çB

@f}fNf,©,çf}fNf,ðŽÀs,•,é,É,ÍAexecmacro,ðŽg,ç,Ü,•B

,>,ì'¼,ìfRf}f“fhCEn•¶

□@,>,ì'¼,ìfRf}f“fhCEn•¶,Æ,μ,Ä□C^È%º,ì,à,ì,â, ,è,Û,·□B

-½—ß	<@"\
backtagjump	f^fOfWfff“fv
clist	,bC¾ÆèŠÖ□“^è——
directtagjump	f_fCfCfNfgf^fOfWfff“fv
freecursorswitch	f{fŠ□[f]□[f]f,f,□[fh,ì□Ø,è'Ö,ì
imeswitch	,@,ÈŠ¿Žš•İŠ,ì□Ø,è'Ö,ì
imeregisterword	,@,ÈŠ¿,Ö,ì'PCEê“o~^
help	ŠO•“fwf<fv
help2	ŠO•“fwf<fv,Q
help3	ŠO•“fwf<fv,R
msdnlibrary	MSDNf%ofCfuf%ofŠ
hidemaruhelp	□GŠÛfwf<fv
marklist	f}□[fN^è——
macrohelp	□GŠÛf}fNf□fwf<fv
overwriteswitch	□ã□',<□^'}“üf,□[fh□Ø,è'Ö,ì
readonlyswitch	f{f@fCf<,ì□'Š,ì<ÖŽ~□^<-%ºÁ,ì□Ø,è'Ö,ì
setmark	fj□[f]f<□s,ìf}□[fN
showcode	fj□[f]f<,ì•¶ŽšfR□[fh,ì\Ž!
showlineno	□s”Ô□†,ì\Ž!□^”ñ\Ž!
tagjump	f^fOfWfff“fv
redraw	□GŠÛfEfBf“fhfE,ì□Ä•`%ºæ
browsemodeswitch	%º{——f,□[fh,ì□Ø,è'Ö,ì

□@tagjump□Abacktagjump□Adirecttagjump,í□A□~CE÷, ,é,Æresult==yes□AŽ, ”s, ,é,Æresult==no,Æ,È,è, Û, ·□B'¼□AfGf%□[f]□fbfZ□[fW,ª□o,é,æ,ª,ÈŽ-‘Ô,ª”¶¶,μ,½□ê□‡,íresult==no,Æ,È,è□A,ª,ª ,Ä,È,ç□ê□‡,íresult==yes,Ä,·□B

## message ¶

```
¶@f¶fbfZ¶[fWf{fbfNfX,đo,μ,Ü,·Bf¶fbfZ¶[fWf{fbfNfX,í,ç,í,ä,éCf“ftfHf¶¶[fVf#f“fAfCfRf“¶•—1
%ođf{f^f“,ìfXf^fCf<,Áo,Ü,·Bf¶f%of¶f^,Áf¶fbfZ¶[fW,ì•¶Žš—ñ,đŽw'è,μ,Ü,·B¶“lCE^,ì'l,í•¶Žš—
ñCE^,É•İŠ·,μ,ÄŽw'è,μ,Ä,,¾,¾,ç¶B
```

```
¶@—á¶F
```

```
message "¶GŠŮ,Ä,·";
```

```
message str(100);
```



question 1

if (\$?) {

question " , ±, ê, Å, ç, Å, ·, © H";

,Æ,ç,Á,½,í,ÉŽg,ç,Û,·B,í,ç,ð'í,ñ,¾,ì,©,ç,ç,í,ç,ð'í,ñ,¾,ì,©,í,Cresult,Æ,ç,xfL[f[fh,Å\

»³,ê,Û,·Bif·¶,Æ'g,Ý, ,í¹,ÄŽg,ç,Û,·B

@-áF

question "fZ[fu,µ,Û,·,©H";  
if( result == yes ) {  
    save;  
}

beep•fl

@beep•fl, í Cfs, Á, Æ, ç, ¨%°¹, ð o, µ, Û, · B

## play, playsync

play, playsync  
—1,đ'Ò,½,,Éf}fNf,İŽÀs,đEp'±,μ,Ü,·Bplaysync,ÍWAVftf@fCf<,ìÄ,³I—1,·,é,Ü,Á'Ò,¿,Ü,·B

@—áF

```
play "d:\\windows\\chord.wav";
```

## debuginfo 1

@debuginfo 1,É,Í,Q,Â,žg,č•ú,ª, ,è,Û,·B

@debuginfo 1,lfpf

%f^,ÉA0,Û,½,Í0^ÈŠO,ì”l,žw'è,μ,½ê#Adebuginfo 1,íAfffofbfOfbfZ[fW,ì•Ž!,ì•Öž~^<-  
%oÂ,ðs,č,Û,·B0,žw'è,μ,½ê#<Öž~,³,èA0^ÈŠO,žw'è,μ,½ê#<-  
%oÂ,³,è,Û,·Bf}fNfžÀs'¼æä,ì•Öž~,É,È,Á,Ä,č,Û,·B

@debuginfo 1,lfpf%f^,É•Žš—

ň,žw'è,μ,½ê#,íAdebuginfo 1,íOutputDebugStringŠÖ”,žg,Á,Ä,»,ì•Žš—  
ň,ðBWin,È,Ç,ífffofbfOfAfvfŠfP[fVf#”,É•Ž!,μ,Û,·B

@DBWin,È,Ç,ífffofbfOfAfvfŠfP[fVf#”,ªí”,μ,Ä,č,È,čŽž,É,±,ì•Žš,žÀs,·,é,ÆA•Žš—ň,ífffofbfO'[--É'—  
,ç,è,Û,·BfffofbfOfAfvfŠfP[fVf#”,àfffofbfO'[--à,È,čê#,íWindows,ì“®ì,ª,“,©,μ,,È,é,±,Æ,ª, ,é,ì,Á'^Ó,μ,  
Ä,,¼,³,čB

@%ü•Žš,ðo—í,μ,½,čê#,íA“\x0A”,žg,Á,Ä%ª,³,čB

@—áF

```
debuginfo 1;
```

```
debuginfo "#a = " + str(#a) + "\x0a";
```

## showvars

@showvars, íACE»Ý, í" , í^ê—, öffofbfOfAfvfŠfP[fVf#f", É•Ž!, μ, Ü, ·BŽÀÚ, É•\  
Ž!, <sup>3</sup>, <sup>1</sup>, é, ½, ß, É, íAdebuginfo•, ÅffofbfOfbfZ[fW, í•Ž!, <sup>3</sup> <-%oÂ, <sup>3</sup>, é, Ä, ç, é•K—v, <sup>a</sup>, , è, Ü, ·B

## title 1

title 1, A GŠŮfGffBf^, lEjBf"fhfE, lLffvVfjf" if^fCgfgfo[Qj, l"•a, ÉfbfZ[fW, ð•\ Žl, μ, Ů, B•X, 3, é, ½fLffvVfjf", lEjBf"fhfE, ø, è'Ö, í, Á, Ä, à•ŮŽ, 3, é, Ů, B

CE»Ÿ, lGŠŮ, lLffvVfjf", ¾, -, ðCE³, É-ß, ·, É, lAtitle 0, ðŽÀ[s, μ, Ä, -, ¾, ¾, çB¾, lGŠŮ, àšŮ, ß, Ä, ·, x, Ä, lLffvVfjf", ðCE³, É-ß, ·, É, lAtitle 1, ðŽÀ[s, μ, Ä, ¾, ¾, çB

f}fNf, øl-¹, ·, é, ÆfLffvVfjf", l, ·, x, ÄŽ©"@"l, ÉCE³, É-ß, è, Ů, B, Ů, ½, lAfLffvVfjf", ðŸ'è, μ, ½CEã, Åtitle - 1, ðŽÀ[s, ·, é, ÆAf}fNf, ÅŸ'è, μ, ½fLffvVfjf", øf}fNfll-¹Žž, à, », l, Ů, ŮŽc, é, æ, x, É, È, è, Ů, B

@-áF

title "f}fNfll-¹Ÿ, Å, ·";

title 1, lŽí-ÞF

title 1 Žš-ñ

fLffvVfjf", lŸ'è

title 0

CE»Ÿ, lGŠŮ, lLffvVfjf", ðCE³, É-ß, ·

title 1

, ·, x, Ä, lGŠŮ, lLffvVfjf", ðCE³, É-ß, ·

title -1

CE»ŸŸ'è, 3, é, Ä, ç, éfLffvVfjf", øf}fNfll-¹Žž, àŽc, ·

## run Crunsync Crunsync2 • ¶

¶@run•¶,í¼,ífvf¶fOf%of€,đŽÀ¶s,μ,Ü,·Bfpf%of¶f^,Æ,μ,ÄfRf}f“fh,ì•¶Žš—ñ,đŽw’è,μ,Ä,,¼,³,¶B  
¶@run•¶,ífvf¶fOf%of€,đ<N“@,μ,½, ,Æ,Å¶C,·,®,Éf}fNf¶,ìŽÀ¶s,đ’±¶s,μ,Ü,·B

¶@runsync,rynsync2•¶,írun,Æ“—l,Éfvf¶fOf%of€,đŽÀ¶s,μ,Ü,·,¶Crun,Æ^Ü,È,é“\_í<N“@,μ,½fRf}f“fh,¶l—  
¹,·,é,Ü,Äf}fNf¶,ìŽÀ¶s,đ’Ò<@,³,¹,é“\_Ä,·Brunsync,íGŠŮ,đfAfcfRf“ó’Ô,É,μ,Ä’Ò<@,³,¹,Ü,·,¶Arunsync2,íG  
ŠŮ,đfAfcfRf“,É,¹,·,É’Ò<@,³,¹,Ü,·B

¶@run•¶,í[,»,í¼]-[fvf¶fOf%of€ŽÀ¶s],Æ“—l,É•W¶€“ü¶o—í,ífŠf\_fCfCEfNfg,¶%oÄ“\  
,Ä,·B,à,μ<N“@,·,éfvf¶fOf%of€,ì•W¶€¶o—í,¶fŠf\_fCfCEfNfg,³,é,Ä,¶,é¶ê¶#¶Arun•¶,írunsync•¶“—  
l,É¶A’Ò<@,·,é,æ,π,É,è,Ü,·Brunsync•¶,Ærunsync2•¶,ífŠf\_fCfCEfNfg,í,Ä,«,Ü,¹,ñ¶B

¶@fvf¶fOf%of€,ì<N“@,ÉŽ,“s,·,é,Æresult,¶false,É,È,è,Ü,·B

¶@—á¶F

```
run "winfile.exe";  
run "hidemaru.exe win.ini";  
runsync "cl -c -AS -G2scw -W3 " + $filename
```

**endmacro, endmacroall**

```
@endmacro
ACE»Ý,fNf,žÀs,đ—
¹,μ,Û,·BCE»Ý,fNf,³execmacro
É,æ,èCEÄ,Ño,³,ê,½ê±,íCEÄ,Ño,μCE³,fNf,žÀs,đ±s,μ,Û,·B
@endmacroall
Aexecmacro,íCEÄ,Ño,μCE³,àŠÛ,ß,Ä,·,×,Ä,fNf,žÀs,đ—¹,³,¹,Û,·B
```

@—áF

```
question "±s,μ,Û,·,©H";
if( result == no ) endmacro;
```



## execmacro • ¶

¶@f}fNf¶,ì't,©,ç¶A,³,ç,É•Ê,ìf}fNf¶,ðŽÀ¶s,μ,Û,·¶B<N“®,³,ê,½'π,ìf}fNf¶,ª¶I—  
¹,·,é,ÆƐ»¶Ý,ìf}fNf¶,ìŽÀ¶s,ð'±¶s,μ,Û,·¶B

¶@f¶f%¶f¶f^,Åf}fNf¶,ìftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¶¶B

¶@execmacro,³,ê,½f}fNf¶,©,ç,³,ç,Éexecmacro,ðŽÀ¶s,·,é¶ê¶¶¶Aexecmacro,ìf¶Xfg,ª, ,Û,è¶[,È,ç,È,¶,æ,π  
,É'¶^Ó,μ,Ä,,¾,³,¶¶B

¶@—á¶F

**execmacro "test.mac";**

## disabledraw□Cenabledraw•¶

□@disabledraw,í%œ-Ê,ì□',«Š·,!,ð<ÖŽ~-,μ,Û,·□Benabledraw,í<t,É%œ-Ê□',«Š·,!,ð<-  
%œ-Ê,μ,Û,·□Bf}}fNf□<N“®Žž,í<-%œ-Ê□ó'Ô,É,È,Á,Ä,ç,Û,·□B

□@',ç·Ö□W□ì<Æ,ð'ZŽžŠÔ,Å□I,í,ç,<sup>1</sup>/<sub>2</sub>,ç□ê□#,É□C,Û,·disabledraw,μ,Ä□ì<Æ,ðŠŽžn,μ□C·Ö□W,ª□I,í,Á,<sup>1</sup>/<sub>2</sub>,çena  
bledraw,·,é,ÆCEø%Ê“I,Ä,·□B,<sup>1</sup>/<sub>2</sub>,<sup>3</sup>/<sub>4</sub>,μ□Cenabledraw,ðŽÀ□s,·,é,Æ,«É%œ-Ê,ð,·,×,Ä□',«'¼,·,±  
,Æ,É,È,é,ì,Å□C'ZŽžŠÔ,Å□I,í,é□^—□,ðdisabledraw/enabledraw,Å^í,p,Æ,©,!,Á,Ä□^—□'—“x,ª'á%œ,·,é,±  
,Æ,É'□^Ó,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

—á□F

```
disabledraw;  
gofiletop;  
beginself;  
gofileend;  
cut;  
enabledraw;
```

□@disabledraw,μ,<sup>1</sup>/<sub>2</sub>,ì,Éenabledraw,ð-Y,ê,<sup>1</sup>/<sub>2</sub>,Û,Ûf}}fNf□,ìŽÀ□s,ª□I—<sup>1</sup>,·,é,Æ□CŽ©“®“I,É%œ-  
Ê,ð,·,×,Ä□',«Š·,!,Û,·□B

□@enabledraw,ªŽÀ□s,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>Žž□Afj□[f<,ª%œ-Ê,ì,ç,ì^ê'u,É·\Ž!,<sup>3</sup>,é,é,©,í□GŠÛ'ª,ª“K“-ÉCE^,ß,Ä,μ,Û,ç  
,Û,·□B,±,ê,ðf}}fNf□'ª,Å□SCEä,·,é,É,í□Aenabledraw•¶,ìpf%of□f^,Å%œ-  
Ê,ì^ê“Ô□ä,ì□s“Ô□+□if□□[f<□“I,ÉCEvŽZ,μ,<sup>1</sup>/<sub>2</sub>□s“Ô□+□j,ðŽw'è,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

—á□F□iCEÿ□ö,ÅCE@,Ä,¯,<sup>1</sup>/<sub>2</sub>•¶Žš—ñ,ð%œ-Ê,ì't%œ>,É·\Ž!,·,é□ê□#□j

```
#cyScreen = cyscreen;  
disabledraw;  
search "abc";  
enabledraw y - #cyScreen / 2;
```

## disablebreak•¶

¶@disablebreak•¶,Í¶Cf}}fNf¶,ì't'f,ð<ÖŽ~,μ,Û,·¶B

¶@¶GŠÛ,ìf}}fNf¶,ÍŽÀ¶s't,É%½,©fL¶["ü—í,·,é,Æ¶u't'f,μ,Û,·,©¶H¶v,Æ•·,ç,Ä,,éŽd—l,É,È,Á,Ä,ç,Û,·¶B,μ,©,μŠÈ'P,Èf}}fNf¶,ð¶EJ,è•Ô,μ,ÄŽÀ¶s,μ,½,ç¶ê¶±,É,Í,Q%ñ-Ú,ìf}}fNf¶ŽÀ¶sfRf}}f"fh,ª't'f—v<¶,Æ" FŽ~ ,ª,ê,Ä•s•Ö,Á,·¶B

¶@,» ,±,Á¶C,±,ìdisablebreak•¶,ðf}}fNf¶,ì,ç,¿,î,ñ¶Á¶%o,ÄŽÀ¶s,·,é,Æ¶C,» ,ìf}}fNf¶,Á,ì't'f,ð^ê¶ØŽó,¯·t,¯,È,-,È,è,Û,·¶Bf}}fNf¶,ì¶Á¶%o,Á,È,ç,Æ¶Eø%É,Í,Û,è,È,ç,ì,Á'¶^Ó,μ,Ä,,¾,¾,ç(½,¾,μ¶C•¶,â<ó¶s,ª¶æ"ª,É, ,é,ì,í¶,ç,Û,¹,ñ);

¶@enablebreak•¶,Í, ,è,Û,¹,ñ¶B

## disableinvert, enableinvert•¶

@disableinvert•¶,ÍC"í'í'ð,ì,Æ,«,"½"]•\Ž,đ,ÖŽ~,μ,Û,·Bf}fNfŽÀs't,ì"½"]•\Ž,í-Ú,´,í,è,Éê¶,ª½,ç  
,ì,ÅC,»,ìê¶,í, ,ç, ©,¶,ßdisableinvert,μ,Ä, ©,ç"í'í'ð,·,ê,ÎC%œ-Êã,Å,í"½"]  
,, ,É"í'í'ð,³,ê,Û,·Benableinvert,ÍAdisableinvert,ð%ðœ,μ,Û,·B

## disableerrmsg, enableerrmsg • ¶

¶@disableerrmsg • ¶, íCŠeŽí, ðfRf}f“fh, ðt, ÅfGf%o[.a”¶¶, µ, Ä, àfGf%o[f¶fbfZ¶[fW, ð•Ž!, µ, È, ç, æ, x, È, µ, Ü, ·¶Benableerrmsg • ¶, ÍE³, È-ß, µ, Ü, ·¶Bf}fNf¶<N“@’¼CEã, Íenable, È, È, Á, Ä, ç, Ü, ·¶B

¶@ŠeŽí, ðfRf}f“fh, ðt, Å, ðfGf%o[.Æ, í¶A—á, !, î^È%o², ð, æ, x, È—á, a, , è, Ü, ·¶B

¶@¶¶@appendsave, ÅŽw’è,³, ê, ½ftf@fCf<, aCE©, Á, ©, ç, È, ©, Á, ½

¶@¶¶@showcliphist, Å¶Aft¶[fU, a%o½, àŽæ, èo,³, , , Éf\_fCfA¶f¶fO, ð•Á, ¶, ½

¶@¶¶@, » , ð¼¶A¶ufGf%o[¶v, Æ, ç, xf^fCf¶f<, ðf¶fbfZ¶[fWf{fbfNfX, a•Ž!,³, ê, é¶^—¶, ·, x, Ä

¶@disableerrmsg, ðŽÀ¶s, µ, Ä, à¶AfGf%o[.a”¶¶, µ, ½¶ê¶‡, Éresult==false, È, È, é, ±, Æ, í•í, í, è, , è, Ü,¹, ñ¶Bdisableerrmsg • ¶, ðŽÀ¶s, µ, ½¶ê¶‡, í^ÈCEãfGf%o[.ì¶^—¶, ð¶³, µ, ¶s, x, æ, x, È, µ, Ä, ,¾,³, ç¶B

## fufjbfN

@GŠÚ,if}fNf,Å,íC,bĚ¼Ěè,Æ“—l,É '{',Æ'}',Å•i”,if}fNf[Rf}f“fh,ð,D,Æ,Å,É,Ü,Æ,ß,é,±,Æ,ª,Å,«,Ü,·Bif,âwhile,Æ'g,Ý†,í,¹,ÄŽg,č,Ü,·B

—áF

```
if( result == yes ) {  
    message "ABC";  
    #a = #a + 1;  
}
```

## if

```
@if(1 < 2, ») {  
    message "1";  
} else {  
    message "2";  
}
```

```
@if(1 < 2)
```

```
    if( result == yes )  
        message "—1%00đ,Á,-";  
    else  
        message "Žæ,èÁ,μ,Á,-";
```

```
@if(1 < 2) {
```

```
    if( result == yes ) {  
        message "—1%00đ,Á,-";  
        endmacro;  
    } else {  
        down;  
        right;  
    }  
}
```

```
@else(1 < 2, ») {
```

```
    if( result == 1 ) message "1";  
    else if( result == 2 ) message "2";  
    else if( result == 3 ) message "3";  
    else message "»,1¼";
```

## while

while

—

```
#a = 10;
```

```
while( #a > 0 ) {
```

```
    down;
```

```
    #a = #a - 1;
```

```
}
```

break continue goto



## break

break

while

—áF

```
while( #a != 0 ) {  
    up;  
    if( !result ) break;  
    #a = #a - 1;  
}
```

## continue

while( #a != 0 ) {  
 up;  
 if( !result ) continue;  
 #a = #a - 1;  
}

—á

```
while( #a != 0 ) {  
    up;  
    if( !result ) continue;  
    #a = #a - 1;  
}
```

goto • ¶, Æf%ofxf<

¶@f}fNf¶, ì¶^—¶, ì¶ä, ©, ç%º, Ö¶#”Ô, ÉŽÅ¶s, ³, è, Ü, ·, ¶C”C^Ó, ì¶ê¶Š, É^Ú” ®, ³, ¹, é¶ê¶#, Égoto, Æf%ofxf<, ðŽg, ¶, Ü, ·¶B

¶@f%ofxf<, ì¶C, », ì-¼, ì, Æ, ”, è-¼ŽD, Å, ·¶B”ð, Ñ, ½, ¶¶æ, Éf%ofxf<, ð’u, ¶, Ä, ”, «¶Cgoto, Å, », ìf%ofxf<, ðŽw’è, ·, é, Æ, », ±, É”ð, Ñ, Ü, ·¶B

¶@f%ofxf<, ì¶C“K“- , È%op¶”Žš, ðŽw’è, Å, «, Ü, ·¶Bf%ofxf<, Å, , é, ±, Æ, ð•ð, ©, é, æ, ¶, ÉCEã, è, ÉfRf¶f“ , ð•t, -, ¾, ¾, ¶¶BfRf¶f“ , ìCEã, è, ÉfZf~fRf¶f“ , ì•K—v, , è, Ü, ¹, ñ¶B

—á¶F

**Label:**

**message "ABC";**

**goto Label;**

## ftfuf<[f`f“

□@□GŠÚf}fNf□,Ā,í□Cftfuf<[f`f“,đŽg,±,  
,Æ,ª,Ā,«,Ü,·□Bftfuf<[f`f“,í□Ccall•¶,ĀĈĀ,Ī,ê,Ü,·□Bftfuf<[f`f“,©,ç,ì•œ<A,É,íreturn•¶,đŽg,ç,Ü,·□B

□@ftfuf<[f`f“,ì†,Ā,í□□[ffj<•ï□“,đŽg,±,Æ,ª,Ā,«,Ü,·□B□□[ffj<•ï□“,í□C##,Ü,½,í\$,ĀŽn,Ü,é•ï□“,Ā,·□B

□@ftfuf<[f`f“,É,ífpf%of□f^,Æ,μ,Ā•i□“,ì†,đ“n,·,±  
,Æ,ª,Ā,«,Ü,·□B,Ü,½□□Cftfuf<[f`f“,©,ç•œ<A,·,é,Æ,«,É□C'ì,đ,Đ,Æ,Ā,¾,·•Ô,·,±,Æ,ª,Ā,«,Ü,·□B

□@ftfuf<[f`f“,ì-¼'Ō,í□Cf%ofxf<,ĀŽw'è,μ,Ü,·□B

□@call,í^È%º,ì,æ,±,ÉŽg,ç,Ü,·□B

call f%ofxf<-¼ [fpf%of□f^,P, fpf%of□f^,Q, □E□E□E]

□@fpf%of□f^,í•K—v,É%ºž,¶,ĀŽw'è,μ,Ā,,¾,¾,ç□B,ì,È,Ý,Éfpf%of□f^,ìĈ^,ª•¶Žš—  
ñĈ^,©□□“ìĈ^,©,ì<æ•É,íftfuf<[f`f“,đĈĀ,Ō'±,ÆĈĀ,Ī,ê,é'±,Ā,μ,Ā,©,è,Æ□†,í,¹,Ā,,·•K—v,ª,·,è,Ü,·□B□GŠÚ,í  
“Ā,ÉĈ^f`fFbfN,í,μ,Ü,¹,ñ□B

□@ĈĀ,Ī,ê,½'±,Ā,í□C“n,¾,ê,½fpf%of□f^,í^È%º,ì,æ,±,È•ï□“,ĀŽQ□Æ,·,é,±,Æ,ª,Ā,«,Ü,·□B

,P"Ō-Ū,ífpf%of□f^□i•¶Žš—ñĈ^,ì□é□#□j□F	\$\$1
,P"Ō-Ū,ífpf%of□f^□i□□“ìĈ^,ì□é□#□j□F	##1
,Q"Ō-Ū,ífpf%of□f^□i•¶Žš—ñĈ^,ì□é□#□j□F	\$\$2
,Q"Ō-Ū,ífpf%of□f^□i□□“ìĈ^,ì□é□#□j□F	##2
^È%º“—ì□E□E□E	

□@return,·,é,Æ,«,É,ì†,đ•Ô,·,±,Æ,ª,Ā,«,Ü,·□B'ì,đ•Ô,·,É,í□Creturn,ìĈä,è,Ā'ì,đŽw'è,μ,Ü,·□B•¶Žš—  
ñĈ^,đ•Ô,·,©□□“ìĈ^,đ•Ô,·,©,íĈĀ,Ñ□o,μĈ³,Æ□æ,Æ,Ā□†,í,¹,Ā,,·•K—v,ª,·,è,Ü,·□B

□@ĈĀ,Ñ□o,μ,½'±,Ā•œ<A'ì,đĈ©,é,É,í□C##return,Ü,½,í\$\$return,Æ,ç,±•ï□“,đŽg,ç,Ü,·□B•¶Žš—  
ñĈ^,ì□é□#,í\$\$return,Ā□□□“ìĈ^,ì□é□#,í##return,Æ,È,è,Ü,·□B

□@—á□F

```
call QuestionSub "fefXfg";  
if( ##return ) beep;  
endmacro;
```

```
QuestionSub:  
question "-â,ç□†,í,¹□F" + $$1;  
return result;
```

□@call,<sup>3</sup>,ê,½ftfuf<□[f`f",©,ç,<sup>3</sup>,ç,Éftfuf<□[f`f",ðĀ,Ô,±,Æ,à,Å,«,Û,·□B□Å□,20%ñ'ö"x□d•;‰Å"\,Å,·□B

## inputpos • ¶

□@inputpos • ¶, í □ C f t □ [ f U, ©, ç j □ [ f v < ^ Ê ' u, ð " ü — í, μ, Ä, à, ç, x, ½, ß, ì • ¶, Ä, · □ B

□@, ±, ì • ¶, ð Ž Ä □ s, ·, é, Æ □ C f t □ [ f U, í f Š f ^ □ [ f " f L □ [, ð % ö Ÿ, ·, Ü, Å f j □ [ f v <, ð Ž © — R, É " ®, ©, ¹, é, æ, x, É, È, è, Ü, · □ B f Š f ^ □ [ f " f L □ [, ð % ö Ÿ, ·, Æ □ C i n p u t p o s, í □ ^ — □, ð □ | — ¹, μ, Ü, · □ B

□@inputpos Ž Ä □ s ' t, í □ C f E f B f " f h f E, ì f L f f v j v f f f " , É • ¶ Ž š — ñ, ð • \ Ž |, μ, Ü, · □ B • \ Ž |, ·, é • ¶ Ž š — ñ, í n p u t p o s f R f } f " f h, ì p f % o f □ f ^ , Å Ž w ' è, μ, Ä, , ¾, ¾, ç □ B

□@ — á □ F

**inputpos "í □ œ, ì Š J Ž n ^ Ê ' u, ð Ž w ' è, μ, Ä, , ¾, ¾, ç □ B";**

□@ f t □ [ f U, ç j □ [ f v < ^ Ú " ®, μ, ½ œ ä, ì ^ Ê ' u, í □ C f L □ [ f □ □ [ f h x, Æ y, Å Ž Q □ Æ, ·, é, ±, Æ, ¾, Å, «, Ü, · □ B

□@ — á □ F

**inputpos "í □ œ, ì Š J Ž n ^ Ê ' u, ð Ž w ' è, μ, Ä, , ¾, ¾, ç □ B";**

**#startx = x;**

**#starty = y;**

## menu, mousemenu, menuarray, mousemenuarray

menu, mousemenu, menuarray, mousemenuarray

menuarray, mousemenu, mousemenuarray

menu, mousemenu, menuarray, mousemenuarray

menuarray

menuarray, mousemenuarray

menuarray

```
menu "x,ü", "¼,ü", "-f}[fN";
if( result == 0 ) endmacro;
else if( result == 1 ) {
    $char = "\x84\x9F";
} else if( result == 2 ) {
    $char = "\x84\xAA";
} else {
    $char = "-";
}
```

menuarray, mousemenuarray

menuarray

menuarray \$a, 10;

menuarray, mousemenuarray

**writeinistr** • ¶ □ **Cwriteininum** • ¶

□@writeinistr □Cwriteininum • ¶, í □CINIftf@fCf<, Éff □f^, ð □', «, ±, p • ¶, Å, · □Bf}fNf □, ÅŽg, xŠeŽífpf  
%of □f^, ð • Ú' ¶, µ, Ä, ",, Æ • Ö—~, Å, · □B

□@writeinistr, í • ¶ Žš—ñ, ð • Ú' ¶, µ □Cwriteininum, í □'' l, ð • Ú' ¶, µ, Ü, · □B

writeinistr INIftf@fCf<-¼, fZfNfVf#f" -¼, fL□[-¼, • ¶ Žš—ñ  
writeininum INIftf@fCf<-¼, fZfNfVf#f" -¼, fL□[-¼, □'' l

, ìÉ` , Å<L □q, µ, Ä, ,¾,¾, ç □B

□@INIftf@fCf<-¼, í □Aftf@fCf<-¼,¾,¾, ", ð □', , ÆWindowsftfHf<f\_ , aŽ © " @ ' l' ð,¾, è, Ü, · □Bftf<fpfX, Å □', -  
, Æ □AŽw' è, µ, ½ftfHf<f\_ , a' l' ð,¾, è, Ü, · □B, Ü, ½ □AŠg' £Žq, a, ini, Å, , é • K—v, í, È, □A, Ç, ñ, ÈŠg' £Žq, Å, à, ©, Ü, ç, Ü, 1, ñ □B

□@—á □F

**writeinistr "HIDEMARU.INI", "Option", "RefMark", ">> ";**  
**writeininum "HIDEMARU.INI", "Option", "count", #a + 10;**

□@, ±, è, ç, Å, ý' è,¾, è, ½' l, ð ŽQ □Æ, ·, é, É, ígetininum □Cgetinistr ŠÖ □'' , ð Žg, ç, Ü, · □B

□@writeinistr, Å □A • ¶ Žš—ñ, Æ, µ, ÅŽw' è, ·, x, «fpf%of □f^ □i' æ, Sfpf  
%of □f^ □j, É □'' l, ì □u0 □v, ð Žw' è, ·, é, Æ □A, » , ìfL □[ , ainiftf@fCf<, ©, ç □í □œ,¾, è, Ü, · □B'' — l, É □AfL □[-  
¼, É □'' l, ì □u0 □v, ð Žw' è, ·, é, Æ □AfZfNfVf#f" , a □í □œ,¾, è, Ü, · □B

□@—á □F

**writeinistr "HIDEMARU.INI", "Option", "RefMark", 0;**  
**writeinistr "HIDEMARU.INI", "Option", 0, 0;**

□@iniftf@fCf<-

¼, ð "hidemaru.ini", É, µ, ½ □ê □# □AŽ À □Ü, Éiniftf@fCf<, É □', «ž, Ü, , □AfÆfWfXfgfŠ, É • ĩŠ ·, µ, Ä □', «ž, p, æ, x  
, É, È, è, Ü, · □B, ±, è, í □A16bit" Å □GŠÜ, Æ, ìÉÝŠ ·, ì, ½, ß,¾,¾, ", É, , é<@" \  
, Å □A □GŠÜ, ì ý' è, É □', «ž, p □ê □# , íwriteregstr, Ü, ½, íwriteregnum, ð Žg, Å, Ä, ,¾,¾, ç □B



config•¶

@@config•¶,Í□□GŠŮ,İŠeŽi,İ□Ý'è,ð•İ□X,μ,Û,·□B□Ý'è,İ"à—e,ð•¶Žš—ñ,ĂŽw'è,μ,Ă,,¾,¾,ç□B^È%º,İ,æ,æ,È,È`Ž®,Æ,È,Á,Ă,ç,Û,·□B

flfvfVf#f"	<@"\
a+ a-	f^fu•¶Žš,ð•\Ž!,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
b+ b-	•¶Žš,ð'¾,,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□B
cb□"	"wCEi,İ□F,ðŽw'è,μ,Û,·□B
cc□"	fj□[f]f<□s,İ□F,ðŽw'è,μ,Û,·□B
cl□"	fj□[f]f<□s,É%º□ü,ð'ø,,æ,æŽw'è,μ□C,»,İ□ü,İ□F,ðŽw'è,μ,Û,·□B
cr□"	%ºü□s•¶Žš,İ□F,ðŽw'è,μ,Û,·□B
ct□"	•¶Žš,İ□F,ðŽw'è,μ,Û,·□B□",É,İ0□`F,ðŽw'è,Ă,«,Û,·□BŠe□",ª,ç,İ□F,É'í %ºž,·,é,©,İ□u□Ý'è□v,İf_fCfAf□fOf{fbfNfX,ðŽQ□Æ,μ,Ă,,¾,¾,ç□B
d+ d-	□L,ç□sŠŮ,É,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
d□"	□sŠŮ,ðŽw'è,μ,Û,·□B0□`6,ðŽw'è,Ă,«,Û,·□B
e+ e-	"ç□ž,p,Æ,«,ÉEO□F□šCEä•¶Žš,ð-¾ž<,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□B+,Ă- ¾ž<,μ,Û,·□B
f-¾'0	ftfHf"fg,İ-¾'0,ðŽw'è,μ,Û,·□B
f(-¾'0)	ftfHf"fg,İ-¾'0,İ't,É'ó",ª,·,é□é□±,İ,±,İ,æ,æ,É,μ,ĂftfHf"fg,ðŽw'è,μ,Û,·□B
g+ g-	•Û'¶,·,é,Æ,«,ÉEO□F□šCEä•¶Žš,ð•t,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□B+ ,Ă•t,·,Û,·□B
i0 i1 i2 i3 i4	Ž©"®fCf"fff"fg,ðŽw'è,μ,Û,·□Bi0,ª□u,μ,È,ç□v□Ci1,ª□u,·,é□v□Ci2,ª□u'S Šp<ó",à□v□Ci3,ª□u,bCE¾CEéfcf"fff"fg□v□Ci4,ª'SŠp,à□•,bCE¾CEé,Ă,□ B
k+ k-	<Ö'¥□^—□,ð,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
l+ l-	□s"Ô□t•\Ž!,ð,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
m+ m-	fofbfNfAfbfvftf@fCf<,ð□□□-,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□Bm+ ,Ă□□□-,·,é□Cm-,Ă□□□-,μ,È,ç,Ă,·□B
o+ o-	□s"Ô□t,İCEvŽZ•û-@,ðŽw'è,μ,Û,·□B+,ĂfGfffBf^"İ□A- ,Ăf□□[fvf□"İ,É,È,è,Û,·□B
r+ r-	ftfŠ□[f]□[fvf<f,□[fh,ðŽw'è,μ,Û,·□B+,ĂftfŠ□[f]□[fvf<f,□[fh,Ă,·□B
rs+ rs-	f<□[f%º□[,ð•\Ž!,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
rt+ rt-	+ ,Ăf<□[f%º□[•\Ž!,ð,W'P^É,É,μ,Û,·□B-,Ă,P,O'P^É,É,È,è,Û,·□B
rc□"	f<□[f%º□[,İ□F,ðŽw'è,μ,Û,·□B-,ðŽw'è,·,é,Æ•¶Žš,Æ"~,¶,İ,È,è,Û,·□B
rb□"	f<□[f%º□[,İ"wCEi,İ□F,ðŽw'è,μ,Û,·□B-,ðŽw'è,·,é,Æ"wCEi,Æ"~,¶,İ,È,è,Û,·□B
s□"	ftfHf"fg,İfTfCfY,ðŽw'è,μ,Û,·□B,± ,İfTfCfY,İfhfbfg□",Ă,·□B□Ý'èf_fCfAf□fO,İ'P^É,İf]fCf"fg,È,İ,Ă□C^á,æ'P^É,Ă, ,é,±,Æ,É'□^Ó,μ,Ă,,¾,¾,ç□B
t2 t4 t8	f^fu,İ•¶Žš□",ð□Ý'è,·,é□B

u+ u-

fj[]fj<^ê'u,ìž©“®•œĉ³,đ,·,é,©,μ,È,č,©,đžw'è,μ,Û,·[]B+  
,Å[]u•œĉ³,·,é[]v,Å,·[]B

w[]”

,P[]s,ì[]Û,è•Ô,μ•¶žš[]”,đžw'è,μ,Û,·[]B20[]`250,žw'è,Å,«,Û,·[]B

y+ y-

,bĉ¾ĉêfL[]f[]f[]fh'²•žì,đ,·,é,©,μ,È,č,©,đžw'è,μ,Û,·[]B

p[]”

fy[]fW”Ô[]+·\

žì,·,é[]^,μ,È,č[]C,Pfy[]fW,ì[]s[]”,đžw'è,μ,Û,·[]Bp0,¾,Æfy[]fW”Ô[]+”ň•\

žì,Å[]A,»,ê^ÈŠO,ì[]é[]ž,Ífy[]fW”Ô[]+·žì,Æ,È,è,Û,·[]B

[]@,±,ê,ç,ìfjvfjvfj”,í,Û,Æ,ß,Äžw'è,·,é,±

,Æ,ž,Å,«,Û,·[]B,Û,Æ,ß,Äžw'è,·,é,Æ,«,í[]C,»,ê,¾,ê,đ<ó”,Å<æ[]Ø,Á,Äžw'è,μ,Ä,,¾,¾,č[]B

[]@—á[]F

**config "ffVfXfef€ s20 y+ k+ b-";**

**config "f(,l,r -¾'©) s32"**

## setwindowsize • ¶

␣@Ⓒ»␣Ý,İfEfBf“fhfEftfCfy,ð•¶Žš␣”’P^Ê,ÅŽw’è,μ,Û,·␣B

␣@setwindowsize 80, 20 ,Æ,ç,Á,½•—,ÉŽg,ç,Û,·␣B,±,ìê␣‡,Í%oj,W,OⒸ...␣~␣c,Q,O␣s,Æ,È,è,Û,·␣B

## setwindowpos

setwindowpos(*hWnd*, *x*, *y*, *nWidth*, *nHeight*, *dwFlags*)

*hWnd*: Handle to the window.

*x*, *y*: Horizontal and vertical coordinates of the upper-left corner of the window.

*nWidth*, *nHeight*: Width and height of the window.

*dwFlags*: Bitwise OR of the following values:

- SW\_HIDE*: Hide the window.
- SW\_SHOWNORMAL*: Show the window in its normal state.
- SW\_SHOWMAXIMIZED*: Show the window in its maximized state.
- SW\_SHOWMINIMIZED*: Show the window in its minimized state.
- SW\_SHOWNOACTIVATE*: Show the window without activating it.
- SW\_SHOWDEFAULT*: Show the window in its default state.
- SW\_RESTORE*: Show the window in its last saved state.
- SW\_MAXIMIZE*: Show the window in its maximized state.
- SW\_MINIMIZE*: Show the window in its minimized state.
- SW\_RESTOREDOWN*: Show the window in its last saved state, but with the maximize button disabled.
- SW\_SHOW*: Show the window.

setwindowpos

```
setwindowpos 100, 200;
```

```
setwindowpos 100, 100, 300, 300;
```

## showwindow ¶

@@@ Ý, ðfEfbf"fhfE, ðfpf%of^, Åžw'è,³,è,½ó'Ô, Å•Ž;|^"ñ•Ž!,µ,Û,·Bfpf%of^, Å, í"l, ðžw'è,µ,Ä,-,¾,¾,çBGSÛfGffBf^, ížw'è,³,è,½'l,ð,»,ì,Û,ÜWindows-API, ðShowWindow,É"n,µ,Û,·B

@fpf%of^, ð'l,Æ^Ó-; ,í^È%º, ð'É,è,Å,·B

- 0 fEfbf"fhfE"ñ•Ž; ;iSW\_HIDE
- 1 Å'â%º»^fAfcRf"%º»,³,è,½fEfbf"fhfE,ðCE³,É-ß,·
- 2 fAfcRf"%º» ;iSW\_SHOWMINIMIZED
- 3 Å'â%º» ;iSW\_SHOWMAXIMIZED

@0,ðžw'è,·,é,ÆAAGSÛfGffBf^, ðfEfbf"fhfE,³CE©, ,ì,È,è,Û,·BCE³,É-ß,·,É, ðshowwindow 1,ðžÀ[s,µ,Ä,-,¾,¾,çB

@2,ðžw'è,·,é,ÆAf}fNf, ðžÀ[s, ðfAfcRf"%º»,³,è,½GSÛã, Å'±[s,³,è,Û,·B

## envchanged • ¶

□@□GŠŮ,İf}fNf□,Å,İ□A□u□Ý'è□E" @□İŠÂ«□v,İ"à—e,đ•İ□X,·,é,±,Æ,ª,Å,«,Ü,¹,ñ□B,μ,©,μ□A,±,İ•¶,đŽg,κ,Æ,»,ê,Æ"~—İ,İ,±,Æ,ª,Å,«,é,æ,κ,É,È,è,Ü,·□B

□@,±,İ•¶,İ□Af□E□f□W□f□X□f□g□f□Š,©,ç" @□İŠÂ«□,İ"à—  
e,đ□Ä"Ç□ž,Ý,μ□ACE»□Ý,İ□GŠŮ,İ" @□İŠÂ«□,đ•İ□X,μ,Ü,·□B,μ,½,ª,Á,Ä□A□u□Ý'è□E" @□İŠÂ«□v,İ"à—  
e,đ•İ□X,μ,½,ç□ê□#,İ□A,Ü, , writeregstr,Ü,½,İwriteregnum,đŽg,Á,Äf□E□f□W□f□X□f□g□f□Š,đ□',«Š·,İ□A,±,İenvchanged,đŽg,Á,Ä□GŠŮ,É,»,İ"à—e,đ<³,İ,Ä, ,°,Ä,,¾,¾,ç□B

□@f□E□f□W□f□X□f□g□f□Š,İ"à—e,É,Â,ç,Ä,İ"ÆŽ©,É'²,x,Ä,,¾,¾,ç□B(^ ^;

□@f□E□f□W□f□X□f□g□f□Š,İ"à—

e,đ'²,x,é,É,İ□AWindows95,İ□ê□#REGEDIT.EXE□AWindowsNT,İ□ê□#,İREGEDT32.EXE,đŽg,Á,Ä□A

□@□@□@HKEY\_CURRENT\_USER\Software\Hidemaruo\Hidemaruo

,İ"à—e,đE©,Ä,,¾,¾,ç□B

□@□GŠŮV1.50,æ,è,à'O,İ□GŠŮ,Å,İ□A" @□İŠÂ«□,İ□İ•ñ,İf□E□f□W□f□X□f□g□f□Š,Å,İ,È,□Ahidemaruo.ini,É•Ü'¶,³,ê,Ä,ç,Ü,μ,½,ª□A□]—^,İwriteinistr,âwriteininum,đŽg,Á,Ähidemaruo.ini,đ'€□İ,μ,Ä,ç,½,à,İ,İ□ACEÝŠ·,Ä" @,,æ,κ,É,È,Á,Ä,ç,Ü,·□B□İ□GŠŮV2.00,©,ç,İ□A" @□İŠÂ«□,É, ,Á,½□uf<□[f%□□[·Ž!□v,Æ□u□□s"Ô□†,İCEvŽŽ·û-

□@□v,İ□A□u□Ý'è□v,É^ú" @,μ,Ä,μ,Ü,Á,½,İ,Å□ACEÝŠ·,İ",«,Ü,¹,ñ□

□@□u□Ý'è□v,ÉŠÖ,μ,Ä,İ□A□Ý'èŠÖ~AfL□□f□□[fh ,Æconfig•¶ ,đŽg,Á,Ä,,¾,¾,ç□B

## loadkeyassign • ¶

¶@loadkeyassign • ¶, í ¶CfL ¶[Š,,, è“ -, Äftf@fCf<, ð“Ç ¶ž, Ý, Ü, · ¶Bfpf%oof ¶f^, ÅfL ¶[Š,,, è“ -, Äftf@fCf<, ð-  
¼'O, ðžw'è, µ, Ä,, ¾, ¾, ¶ ¶B

¶@—á ¶F

**loadkeyassign "default.key";**

## • ě" , ěg, ě • ů

```
@@GŠŮf}fNf,Ā,íC•Źš—ñĚ^,Æ"íĚ^,í•ĭ",đŽg,±,±,Æ,ā,Ā,«,Ů,·B•Źš—ñĚ^,í•ĭ",í•Źš—ñ,đ<L%̄,μC"íĚ^,í•ĭ",í"í,đ<L%̄,μ,Ů,·B
```

```
@•Źš—ñĚ^•ĭ",í^μ,í,é•Źš—ñ,íC'·,³,ā8000fofCf'ö"x,Ů,Ā,ì,à,ì,È,çŽ©—R,È"à—e,đ<L%̄,·,é,±,Æ,ā,Ā,«,Ů,·B,½,¾,μCNULL•Źš,đŠŮ,±,±,Æ,í,Ā,«,Ů,¹,ñB
```

```
@"íĚ^•ĭ",í,SfofCf'g,ì•,·,±t,«,ì'í,đ<L%̄,·,é,±,Æ,ā,Ā,«,Ů,·B
```

```
@•ĭ"-¼,É,í30•Źš"ö"x,Ů,Ā,ì"K"—,È%op"Žš,đŽg—p,·,é,±,±,Æ,ā,Ā,«,Ů,·B•Źš—ñĚ^•ĭ",íæ"ā,ā$ĀŽn,Ů,èC"íĚ^•ĭ",í#,ĀŽn,Ů,è,Ů,·B•ĭ"-¼,íā•Źš^—•Źš,ā<æ•Ě,³,è,Ů,·B
```

```
@•ĭ"-¼,í—áF  
#number  
$stop_string_1  
#x100
```

```
@•ĭ",É'í,đ'ā"ü,·,é,É,íC=,đŽg,ě,Ů,·B
```

```
#num = 100;  
$str = "Ā"iG•v";
```

```
@"íĚ^•ĭ",É•Źš—ñ,đ'ā"ü,μ,½,èC•Źš—ñĚ^•ĭ",É"í,đ'ā"ü,μ,æ,±,Æ,·,é,ÆfGf%̄,É,È,è,Ů,·B
```

```
@fGf%̄,É,È,é—áF  
#num = "ABC";  
$str = 100 / 4;
```

```
@GŠŮf}fNf,Ā,íC,bĚ¾Ěè,Æ"—I,Éft[fU,āŠŮ",đ,ì,é,±,±,Æ,ā,Ā,«,é,æ,±,Æ,È,Ā,Ā,ě,Ů,·B,±,é,ç,ìŠŮ",ì't,¾,·,Āf[f]f<,È•ĭ",đŽg,ě,½,ě,ě,íC##,Ů,½,í$,āæ"ā,É•t,ě,½•ĭ",đŽg,ě,Ů,·B#,Ů,½,í$,¾,·,ĀŽn,Ů,é•ĭ",íCfOf[f]of<,È•ĭ",Æ,μ,Ā^μ,í,è,Ů,·B
```

```
@•ĭ",ì-¼'O,ì,±,μ,è,ÉŠpfjfbfR,Ā"Y,ìŽš,đ•t,·,é,ÆĀŠÈ'P,É"z—ñ•ĭ",đ,ì,é,±,±,Æ,ā,Ā,«,Ů,·B
```

```
@—áF  
#a[0] = 1;  
#a[1] = 2;  
#a[ #b + 1 ] = 5;  
#b = #a[2];
```



□@ŠpfjfbfR,đ~A,Ě,Ä“Y,žš,đ'□,â,¹,î□A%½žŸCE³,ì”z—ň,Å,à□ì,é,±,Æ,ª,Å,«,Ü,·□B

—á□F

#a[0][0] = 1;

#a[5][2] = 1;

□@□GŠŮf}fNf□,Å,í□C•ĭ□”,đ<L%“,·,é,½,ß,lf□f,fš,đ64KfofCfɡ—p^Ó,μ,Ä,ç,Ü,·□B,±,ê,đ%oz,!,é,æ,κ,È'â—  
È,ì•ĭ□”,đžg,κ,ÆfGf%□[,Æ,È,è,Ü,·□BfGf%□[,É,È,é,Æ,»),ì□ê,Åf}fNf□,ìžÅ□s,í+'f,³,ê,Ä,μ,Ü,ç,Ü,·□B”z—  
ň•ĭ□”,đ'½—p,·,é,Æ,±,ì□SCEÀ,đ%oz,!,Ä,μ,Ü,κ<°,ê,ª, ,é,ì,Å'□^Ó,μ,Ä,,¾,¾,ç□B

## Ž, É, Ā, ç, Ä

Žš, â•ŕŽš—ñ, âŠeŽí, ì%ŽŽžq, đŽg, Ā, Ā<Lq, ³, è, ½u^êŽí, ì'v, đ•\  
E»., é, à, ì, ĀC, », è, đ•ĭ", É'ă"ü, μ, ½, èCmessagefRf}f"fh, Ā\Ž!, μ, ½, èCif•ŕ, ì"»'è, É—p, ç, ½, è, ., é, ì, ÉŽg, ç  
, Û, ·B

Ž, É, à•ŕŽš—ñE^, Æ""IÉ^, ³, , è, Û, ·B, Û, ½C•ŕŽš—ñE^, ©, ç""IÉ^, É•İŠ., , éŠÖ", à, , è, Û, ·B

@""IÉ^, ìŽ®, ìC, bE¾Eê, Æ, Û, Ú"" , ŕ, Æ, È, Ā, Ä, Û, ·B

""I

%ŽŽžq

"à•""I, È'ì, đ•\E», ., éfL[f[fh

•ŕŽš—ñ

ŠÖ"

□''I

□@□''I,đ,»;ì,Û,ÛŽw'è,·,é,à,ì,Å□C,»;ì,Û,Û□''I,đ<L□q,·,é,¾,¯,Å,·□B·□'É,É<L□q,·,é,Æ10□i□'',Æ,È,è□C0x,đ·t,¯,é,Æ16□i□'',Æ,È,è,Û,·□B,W□i□'',ÍŽg,ì,Û,¹,ñ□B

□@,Û,½□CfNfI□[fg,Å^í,ñ,Å·¶Žš,ìfR□[fh,đŽw'è,·,é,±,Æ,à,Å,«,Û,·□B,bÆ¾Æé,Æ^á,ç□CS;Žš,ìfR□[fh,à'¼□ÛŽw'è,Å,«,Û,·□B

□@'l,í,SfofCfg,ì·,□†·t,«□®□'',Æ,μ,Ä^μ,í,é,Û,·□B

□@—á□F

**100**

**-100**

**0xFFFF**

**'a'**

**'Šž'**

%%ŽŽq

@GŠÚf}fNf,ž®,Á,íC^È%%,l%%ŽŽq,žg,!,Ü,·B

@@+ - \* / % <= >= < > != == && || ! | & ^

@,»,è,¼,è,b¼è,%%ŽŽq,Æ<α'É,Á,·B—Dæþ^É,íC^È%%,ì,Æ,"è,Á,·B| & ^,ì—  
Dæþ^É,è,b¼è,Æ^Ü,È,é,ì,Á'^Ó,è•K—v,Á,·B

.,ç <----->	'á,ç
*	+ <= &&
/	- >=
%	< !
	>
&	!=
^	==

@Šþè,Á^í,p,ÆC—Dæþ^É,è,,È,è,Ü,·B,Ü,½CŽ®,í¶,©,ç%E,É•]%,è,Ü,·B

@!= ,â <= ,È,ç,ì~\_—%%ŽŽ,ì<%É,íC,O,Ü,½,í,P,Á,·Bif•¶,âwhile•¶,íC,b¼è,Æ“—  
l,É,O,©,O^ÈŠO,©,Á”»è,μ,Ü,·B

“à•”“l,È'l,ð•\CE»,.,éfl□[f□□[fh

□@CE<%oÊfR□[fh,Æ'è□”

□@fj□[f<SÖ~A

□@fefLfXfgSÖ~A

□@“í^í'í'ðSÖ~A

□@fEfBf“fhfESÖ~A

□@ftf@fCf<-¼SÖ~A

□@ŠeŽí□ó'ÔSÖ~A

□@□Ý'èSÖ~A

□@fNfŠfbfvf{□[fhSÖ~A

□@“ú•t,ÆŽž□□SÖ~A

## CE<%oÊfR[fh,Æ'è"ŠÖ~AfL[f[f[fh

**result** ŠeŽí,ì•¶,ìŽÀsCE<%oÊ,ìCE<%oÊfR[fh,ð•\,μ,Ü,·□B  
**yes** ,P,Æ,ç,æ'l,Å,·□B  
**no** ,O,Æ,ç,æ'l,Å,·□B  
**true** ,P,Æ,ç,æ'l,Å,·□B  
**false** ,O,Æ,ç,æ'l,Å,·□B  
**eof** □|,P,Æ,ç,æ'l,Å,·□B  
**version** □GŠÛ,ìfo□[fWf#f""Ô□†,Å,·□BVersion 2.11,ì□ê□#□A211,Æ,ç,æ'l,É,È,è,Ü,·□B,±  
,ìfL□[f□□[fh,ÍVersion 2.11,©,ç'Ç%oÁ,<sup>3</sup>,è,½fL□[f□□[fh,Å,·□B2.10^È%oº,Å,ìfGf  
%o□[É,È,Á,Ä,μ,Ü,ç,Ü,·□B

□@^ê"Ê,É□Aresult,ì'l,í□-CE÷,ì□ê□#<sup>a</sup>,P□AZŽ,"s,ì□ê□#<sup>í</sup>,O,Æ,È,è,Ü,·□B

## fj[f]f·šÖ~AfL[f][fh

**x** fj[f]f<,ìx[À•W,ð•\,μ,Ü,·Bfj[f]f<,a^è"Ô[¶,É,ç,éžž,ª,O,Ä,·B

**y** fj[f]f<,ìy[À•W,ð•\,μ,Ü,·B y[À•W,í[ACE»[Ý•Ò[W't,ìfefLfXfg,ì[æ"ª[¶s,©,ç[f][fvf[¶"ì,É[¶s"Ô[¶t,ðEvžž,μ,½'ì,Ä[¶A^è"Ô[¶ã,É,ç,éžž,ª,O,Ä,·B

**column** fj[f]f<,ìj[f]f%of€^É'u,ð•\,μ,Ü,·B j[f]f%of€^É'u,í[A~\_—[¶s"ª[¶i'¼'O,ì%ü[¶s•¶žž,ìžž[¶j,©,ç[CE»[Ý,ìj[f]f<f<^É'u,Ü,Ä,ì•¶žž[¶],ð[¶],,½'ì,Ä,·B f^fu•¶žž,í,P•¶žž,Æ,μ,Ä[¶],,ç,è,Ü,·B

**lineno** fj[f]f<^É'u,ì[AfGfffBf^"ì,ÉEvžž,μ,½[¶s"Ô[¶t,ð•\,μ,Ü,·B ftf@fCf<,ì[æ"ª,ª,P,Ä,·B

**code** fj[f]f<^É'u,ì•¶žžfR[¶fh,ð•\,μ,Ü,·B  
fj[f]f<^É'u,ªšžž,ì[è[¶],í[A"@[ššÄ««,Ä[¶u'Sšp•¶žž,ð^Óžž,·,é[¶v,ª,¶,ž,É,È,Ä,Ä,ç,è,ìšžžfR[¶fh,ð[¶³,μ,•Ô,μ,Ü,·B —á,ì,ì'Sšp<ó",ì[è[¶],í0x8140,É,È,è,Ü,·B  
ftfš[¶][f]f<f,¶[fh,ìžž,É[Afj[¶]f<,ª%ü[¶s•¶žž,æ,è[¶ã,è,É^É'u,·,é[è[¶],ícode,ì'ì,í,O,É,È,è,Ü,·B f^fu•¶žž,ì[è[¶],í0x09,É,È,è,Ü,·,ª[Af^fu•¶žž,Æžž,ì•¶žž,ìšš,ì—]""•ª,É^É'u,·,é[è[¶],í,O,É,È,è,Ü,·B  
%ü[¶s•¶žž,ìã,ì[è[¶],í0x0D,É,È,è,Ü,·B ftf@fCf<,ì[Ä[¶ã,ì[EOF],ìã,ì[è[¶],í-1[¶ieof,Æ,ç,¸'è[¶],Æ"~,¶'ì[¶j,É,È,è,Ü,·B

## fefLfXfgŠÖ~AfL[]f[]fh

**return**      Ć»Ÿ,ìfj[]f<,ìĈă,ë,ª%ü[]s,μ,Ä,é,©,Ç,κ,©,đ•\,μ,Û,·[]Bfj[]f<,ì^É'u,·,é[]s,ì%oE'κ,É  
%ü[]s•Ÿš,ª, ,ê,î,P,É,È,èA-³,¯,é,îižŸ,ì[]s,É[]Û,è•Ô,μ,Ä,ç,é[]ê[]j,O,É,È,è,Û,·[]B

**linecount**    Ć»Ÿ,ìftf@fCf<,ì[]Af[]f[]f"l,ÉĈvžž,μ,½[]s",đ•\  
,μ,Û,·[]B[]V<K[]-[]ó'Ô,ì[]ê[]#,í,P,đ•Ô,μ,Û,·[]B

**linelen**      Ć»Ÿ,ìfj[]f<^É'u,ì[]s,ì',³,đ•\,μ,Û,·[]B,±,ì'l,ì%oæ-É[]ă,Ä,ì,P[]s,ì',³,Ä[]A%oE'[,Ä[]Û,è•Ô,μ,Ä,ç  
,é[]ê[]#,í[]A[]s"ª,©,ç[]Û,è•Ô,μ,Ä,ç,é^É'u,Û,Ä,ì',³,¼,¯Ĉvžž,μ,Û,·[]Bf^fu•Ÿš,à[]A%oæ-  
É[]ă,Ä,ì•Ÿš[]",Æ,μ,ÄĈvžž,μ,Û,·[]B

**linelen2**    Ć»Ÿ,ìfj[]f<^É'u,ì[]s,ì[]AfGfffBf^"l,ÉĈvžž,μ,½',³,đ•Ô,μ,Û,·[]B,Ä,Û,è[]A~\_[]s"ª,©,ç  
%ü[]s•Ÿš[]i,Û,½,í[EOF][]j,Û,Ä,ì•Ÿš[]",đĈvžž,μ,Û,·[]Bf^fu•Ÿš,í,P•Ÿš,Æ,μ,ÄĈvžž,μ,Û  
,·[]B



## "Í'Í'ðŠÖ~AfL[f][fh

- selecting** "Í'Í'ð't, ©, Ç, x, ©, ð•\, μ, Ü, ·□B"Í'Í'ð't, ìé□#, Í, P□A, »x, Å, È, çé□#, Í, O, Å, ·□B
- rectselecting** BOX"Í'Í'ð't, ©, Ç, x, ©, ð•\, μ, Ü, ·□B"Í'Í'ð't, ìé□#, Í, P□A, »x, Å, È, çé□#, Í, O, Å, ·□B
- seltopx** "Í'Í'ðŠŽn^Ê'u, ìx□À•W, ð•\, μ, Ü, ·□B
- seltopy** "Í'Í'ðŠŽn^Ê'u, ìy□À•W, ð•\, μ, Ü, ·□B
- selendx** "Í'Í'ð□|—<sup>1</sup>Ê'u, ìx□À•W, ð•\, μ, Ü, ·□B
- selendy** "Í'Í'ð□|—<sup>1</sup>Ê'u, ìy□À•W, ð•\, μ, Ü, ·□B

□@"Í'Í'ð, ìŠŽn^Ê'u, Æ□|—<sup>1</sup>Ê'u, Í□A□í, É□AŠŽn^Ê'u, ðftf@fCf<, ìæ<sup>a</sup>, É<ß, ç, Ù, x□A□|—<sup>1</sup>Ê'u, ðftf@fCf<, ìÅÆä, É<ß, ç, Ù, x, É, È, Á, Ä, ç, Ü, ·□B

□@"Í'Í'ð, ð%øðœ, <sup>3</sup>é, ½Æä, à□A, ±, é, ç, ì'í, Í^È'Ò, ì'í, ð•ÚŽ□, μ, Ä, ç, Ü, ·□B, ½, ¾, μ□Aftf@fCf<, É•Ò□W, ð%øÁ, ì, ç, é, ½, è, μ, ½é□#, ÍŽÅ□Ú, ì^Ê'u, Æ'í, ì<L%ø<sup>-</sup>, μ, Ä, ç, é^Ê'u, ð, , é, Ä, μ, Ü, x, ì, Å'□^Ó, μ, Ä, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç□B

## fEfBf“fhfEŠÖ~AfL□[f□□[fh

- windowwidth** fEfBf“fhfE,ì%o;•□,ð•ŋŽš□”,Å•\,μ,Û,·□B□ŋ‘x,ì—]””,âfXfNf□□[f<fo□[,È,Ç,ìŠO‘x,ì•”•a,íŠÜ,Û,ê,Ä,ç,Û,<sup>1</sup>,ñ□B□s”Ó□†•Ž!;<sup>a</sup>,□,Ž,ì□ê□#,í,»„,ì•”•a,ðŠÜ,ñ,Å,ç,Û,·□B
- windowheight** fEfBf“fhfE,ì□,,<sup>3</sup>,ð•ŋŽš□”,Å•\,μ,Û,·□BfLffvfVf#f“,âf□fj...□[,È,Ç,ìŠO‘x,ì•”•a,íŠÜ,Û,ê,Ä,ç,Û,<sup>1</sup>,ñ□B
- windowcx** fEfBf“fhfE‘S‘ì,ì%o;•□,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- windowcy** fEfBf“fhfE‘S‘ì,ì□,,<sup>3</sup>,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- windowposx** fEfBf“fhfE,ì□ŋ□ã,ì^Ê‘u,ìx□Å•W,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- windowposy** fEfBf“fhfE,ì□ŋ□ã,ì^Ê‘u,ìy□Å•W,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- splitstate** fEfBf“fhfE,ì•aŠ,,ì□ó‘Ô,ð•\,μ,Û,·□B•aŠ,,<sup>3</sup>,ê,Ä,È,ç□ê□#,í,□□A•aŠ,,<sup>3</sup>,ê,Ä,ç,Ä□Afj□[f<f<,a□ã‘x,É, ,é□ê□#,í,□□Afj□[f<f<,a%o‘x,É, ,é□ê□#,í,Q,Å,·□B
- windowstate** fEfBf“fhfE,ì•\Ž!,ì<i□#,ð•\,μ,Û,·□B”ñ•\Ž!,ì□ê□#,í,□□A^Ê□í,ì•\Ž!□ó‘Ô,ì□ê□#,í,□□AfAfCfRf“%o»<sup>3</sup>,ê,Ä,ç, ,é□ê□#,í,□□A□Å‘â%o»<sup>3</sup>,ê,Ä,ç, ,é□ê□#,í,R,Å,·□B
- cxscreen** %oæ-Ê,ì%o;fTfCfY,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- cyscreen** %oæ-Ê,ì□cfTfCfY,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- xworkarea** %oæ-Ê,ì□ì<Æ—ì^æ□if^fXfNfo□[.âOfficefVf#□[fgfjfbfgfo□[.ð□œ,ç,½—ì^æ□j,ì□ŋ□ã,ì^Ê‘u,ìx□Å•W,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- yworkarea** %oæ-Ê,ì□ì<Æ—ì^æ,ì□ŋ□ã,ì^Ê‘u,ìy□Å•W,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- cxworkarea** %oæ-Ê,ì□ì<Æ—ì^æ,ì%o;fTfCfY,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B
- cyworkarea** %oæ-Ê,ì□ì<Æ—ì^æ,ì□cfTfCfY,ðfsfNfZf<‘P^Ê,Å•\,μ,Û,·□B

## ftf@fCf<-¼ŠÖ~AfL[]f[]fh

<b>filename</b>	Œ»[]Ý•Ò[]W't, ðftf@fCf<-¼, ðfhf%oofCfu•¶Žš, àŠÜ, ß, ½ftf<fpfX, Å•\, µ, Ü, ·[]Bftf@fCf<-¼, Í, ·, x, Ä[]-•¶Žš, É•İŠ, ·³, ê, Ä, ç, Ü, ·[]B
<b>basename</b>	ftf@fCf<-¼, ðAfpfX, ðŠÜ, Ü, È, ç[]Afx[]fX-¼, ¾, -, ð•\, µ, Ü, ·[]B, ·, x, Ä[]-•¶Žš, É•İŠ, ·³, ê, Ä, ç, Ü, ·[]B
<b>directory</b>	fjfcf"fgftfHf<f_ðfhf%oofCfu-¼, àŠÜ, ß, ½fpfX-¼, Å•\, µ, Ü, ·[]Bf<[]fgftfHf<f_Å, È, ç[]ê[]¶, Í[]ÅŒã, É[]u[]v, ¢•t, ç, Ä, ç, Ü, ¹, ñ[]B, ·, x, Ä[]-•¶Žš, Å, ·[]B
<b>hidemarudir</b>	hidemaru.exe, ðftfHf<f_ð•\, µ, Ü, ·[]B, ·, x, Ä[]-•¶Žš, Å, ·[]B
<b>windir</b>	Windows, ðftfHf<f_ð•\, µ, Ü, ·[]B
<b>winsysdir</b>	Windows, ðVfXfef€ftfHf<f_ð•\, µ, Ü, ·[]B
<b>filename2</b>	filename, ð[]-•¶Žš, É•İŠ, ·µ, È, çfo[]fWf¶f", Å, ·[]B
<b>basename2</b>	basename, ð[]-•¶Žš, É•İŠ, ·µ, È, çfo[]fWf¶f", Å, ·[]B
<b>directory2</b>	directory, ð[]-•¶Žš, É•İŠ, ·µ, È, çfo[]fWf¶f", Å, ·[]B
<b>filename3</b>	filename, ð'Z[]kftf@fCf<-¼fo[]fWf¶f", Å, ·[]B
<b>basename3</b>	basename, ð'Z[]kftf@fCf<-¼fo[]fWf¶f", Å, ·[]B
<b>directory3</b>	directory, ð'Z[]kftf@fCf<-¼fo[]fWf¶f", Å, ·[]B

ŠeŽíó‘ÖŠÖ~AfL[f[fh

- overwrite**     ǎǎ‘,«f,[]fh,©‘}“úf,[]fh,©,đ•\,μ,Ü,·Bǎǎ‘,«f,[]fh,ìé[]ǎǎ‘,í,P[]A’}“úf,[]fh,ìé[]ǎǎ‘,í,O,Á,·B
- updated**       X[V,<sup>3</sup>,é,½,©,Ç,ɤ,©,đ•\,μ,Ü,·B[X[V,<sup>3</sup>,é,½,èé[]ǎǎ‘,í,P[]A,»ɤ,Á,È,ç[]é[]ǎǎ‘,í,O,Á,·B
- anyclipboard** fNfŠfbfjv{[]fh,É•ŋŽš—ñ,<sup>3</sup>,,é,©,Ç,ɤ,©,đ•\,μ,Ü,·B, ,é[]é[]ǎǎ‘,í,P[]A<sup>-3</sup>,ç[]é[]ǎǎ‘,í,O,Á,·B
- imestate**       ,©,ÈŠžŽš•İŠ•,ìó‘Ö,đ•\,μ,Ü,·B,©,ÈŠžŽš•İŠ•,<sup>3</sup>,,Ž,È,ç,P[]A,[]t,t,È,ç,O,Á,·B
- browsemode**   %{—f,[]fh,©,Ç,ɤ,©,đ•\,μ,Ü,·B%{—f,[]fh,ìé[]ǎǎ‘,í,P[]A,»ɤ,Á,È,ç[]é[]ǎǎ‘,í,O,Á,·B
- keypressed**   fL[],<sup>3</sup>,é,½,©,Ç,ɤ,©,đ•\,μ,Ü,·Bdisablebreak,<sup>3</sup>,é,½,ó‘Ö,Á,ì,Ý—~p%Ä“\,Ä,·B  
fL[],<sup>3</sup>,é,Ä,ç,½[]é[]ǎǎ‘,í,»,ìfL[]fR[]fh[]A%Ÿ,<sup>3</sup>,é,Ä,È,©,Á,½[]é[]ǎǎ‘,í,O,Á,·B  
keypressed,<sup>3</sup>,P%ňŽÄ[]s,<sup>3</sup>,é,é,Æ[]Af[]bfZ[]fWfLf...[][,©,çfL[]fR[]fh,đŽæ,è[]o,μ,Ü,·B
- replay**       CE»Ÿ,ìf}fNf[],<sup>3</sup>~A‘±ŽÄ[]s,<sup>3</sup>,é,Ä,é,à,ì,©,Ç,ɤ,©,đ•\,μ,Ü,·B~A‘±ŽÄ[]s,Á, ,é[]é[]ǎǎ‘,P[]A,»ɤ,Á,Á,ç[]é[]ǎǎ‘,O,Á,·B—á,!,ìACtrl-1,È,æ,Ä,Äf}fNf[]ŽÄ[]s,<sup>3</sup>,é,é[]é[]ǎǎ‘,ìACtrl-1,ð,Q%ň~A‘±,ÄŽÄ[]s,μ,½[]é[]ǎǎ‘,È,Q%ň-Ú,<sup>3</sup>replay,<sup>3</sup>true,È,è,Ü,·B
- hidemarucount** CE»Ÿ<N“@,<sup>3</sup>,é,Ä,ç,é[]GŠÜ,ì”“,đ•\,μ,Ü,·Bì““GŠÜ,ì”“,!,Ü,<sup>3</sup>,ñ[]B  
ŽQ[]Æ[]F[]GŠÜŠÇ—[]
- searchbuffer**   CEŸ[]ðf[]bftf@,ì“à—e,đ•\  
,μ,Ü,·BCEŸ[]ðf[]bftf@,ìA^È‘O,ÉŽÄ[]s,<sup>3</sup>,é,½,CEŸ[]ðf[]Rf}f“fh,Ü,½,ì‘uŠ·fRf}f“fh,ÁCEŸ[]ð‘ì[]Ü,Æ  
,È,é•ŋŽš—ñ,ð<L%~ ,μ,Ä,ç,Ä[]A[]uŽŸCEó•â[]v,Ü,½,ì[]u‘OCEó•â[]v[]f[]Rf}f“fh,Ä—~  
p,<sup>3</sup>,é,é,à,ì,Ä,·B
- searchoption**   CEŸ[]ðf[]tf%[]o,ì‘l,đ•\,μ,Ü,·BCEŸ[]ðf[]tf  
%[]o,ìA^È‘O,ÉŽÄ[]s,<sup>3</sup>,é,½,CEŸ[]ðf[]Rf}f“fh,Ü,½,ì‘uŠ·fRf}f“fh,ìf[]f[]C[]f[]f[]o[]f[]f[]b[]f[]N[]f[]X,ÄŽw‘è,<sup>3</sup>,é,  
½ŠeŽí,ìf[]f[]v[]f[]f““,ð<L%~ ,μ,Ä,ç,Ü,·Bf[]f[]v[]f[]f““,ì“à—e,ì^È%°<sup>2</sup>,ì‘È,è,ìf[]r[]f[]b[]f[]g,<sup>2</sup>,Æ,ì~—  
[]~a,É,È,Ä,Ä,ç,Ü,·B  
‘PCEè,ìCEŸ[]ð                                 f[]r[]f[]b[]f[]g,O  
‘â•ŋŽš/[]-•ŋŽš,ì<æ•È                         f[]r[]f[]b[]f[]g,P  
‘uŠ•,©,Ç,ɤ,©                                    f[]r[]f[]b[]f[]g,Q[]ì‘uŠ•,ìé[]ǎǎ‘,É,P[]j  
‘uŠ•,ìé[]ǎǎ‘[]A-â,ç[]ǎǎ‘,í,<sup>3</sup>ì—L<sup>-3</sup>         f[]r[]f[]b[]f[]g,R  
[]<sup>3</sup><K•\CE»                                    f[]r[]f[]b[]f[]g,S  
, ,ç,Ü,çCEŸ[]ð                                f[]r[]f[]b[]f[]g,T  
ftf@f[]C[]f[]-¼^è—,¾,~[]ì-                         f[]r[]f[]b[]f[]g,U[]i[]g[]r[]e[]p—p[]j  
ŽŸ,ì[]GŠÜ,à‘±,~ÄCEŸ[]ð                        f[]r[]f[]b[]f[]g,V  
ŽQ[]Æ[]F[]set[]search
- readonly**       ǎǎ‘,«ÖŽ~ ,©,Ç,ɤ,©,đ•\,μ,Ü,·Bǎǎ‘,«ÖŽ~ ,ìé[]ǎǎ‘,í,P[]A,»ɤ,Á,È,ç[]é[]ǎǎ‘,í,O,Á,·B
- charset**       CE»Ÿ,ì•ŋŽšfR[]fh,Æ%ü[]s,đ•\,μ,Ü,·B  
f[]r[]f[]b[]f[]g,O[]`f[]r[]f[]b[]f[]g,T[]i[]c[]h[]a[]r[]s[]e[]t & 63 ,μ,½‘l[],<sup>3</sup>•ŋŽšfR[]fh,Ä,·B  
[]@[]@[]V<K[]ì-‘¼CEă(SHIFT-JIS) 0  
[]@[]@[]SHIFT-JIS                             1  
[]@[]@[]Unicode                              2  
[]@[]@[]EUC                                    3  
[]@[]@[]JIS                                    4  
f[]r[]f[]b[]f[]g,U,<sup>3</sup>,P,ìé[]ǎǎ‘[]A%ü[]s[]LF  
f[]r[]f[]b[]f[]g,V ,<sup>3</sup>,P,ìé[]ǎǎ‘[]A%ü[]s[]CR

frfbfg,U,Æ,V,ª<ª,É,O A,Ü,½,Í<ª,É,P,ìêª,Í%üªªªCR+LF

## Y'èSÖ~AfL[f][fh

@Y'èSÖ~AfL[f][fh,íA□u,»,'¼□E□Y'è□v,ìf\_fCfAf□Of{fbfNfX,ÅŽw'è,μ,½"à—  
e,ðŽQ□Æ,·,é,½,B,ìfL□[f□□[fh—p,Å,·□B

**freecursor** ftfš□[f□[f□f□f□[fh,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**tabcount** f^fu,ì·¶Žš□",ð·\,μ,Ü,·□B,Q□A,S□A,W,ì,ç,,·,©,ì'í,É,È,è,Ü,·□B  
**width** □Ü,è·Ô,μ·¶Žš□",ð·Ô,μ,Ü,·□B  
**indentstate** fCf"fff"fg,ìó'Ô,ð·\,μ,Ü,·□BfCf"fff"fg-  
³,μ,È,ç,O□A·□'É,ìfCf"fff"fg,È,ç,P□A'SŠpfCf"fff"fg,È,ç,R□A,bCE¾CEêfCf"fff"fg,È,ç,T□A'SŠpfC  
f"fff"fg□·,bCE¾CEêfCf"fff"fg,È,ç,V,Å,·□B  
**kinsokustate** <Ô'¥□^—□,ª,□,Ž,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**hilightstate** ,bCE¾CEêfL□[f□□[fh<'²·\Ž!,ª,□,Ž,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**linespace** □sŠÔ,ì□L,³,ð·\,μ,Ü,·□B□sŠÔ-  
³,μ,È,ç,O□A1/10,È,ç,P□A1/8,È,ç,Q□A1/6,È,ç,R□A1/4,È,ç,S□A1/3,È,ç,T□A1/2,È,ç,U,Å,·□B  
**linenostate** □s"Ô□†,ì·\Ž!,ª,□,Ž,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**pagestate** fy□[fW"Ô□†,ì·\Ž!,ª,□,Ž,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**showtab** f^fu·¶Žš,ð·\Ž!,·,é,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**tcolor** ·¶Žš,ì□F,ðRGB'í,Å·\,μ,Ü,·□B—á,ì",È,ç0x00FFFFFF□A□·,È,ç,O,É,È,è,Ü,·□B<'í"í,È□F,Æ'í,ìí  
%ž,ìŽ©·ª,ÅfTf"fvf<f}fNf□,ð□ì,é,È,Ç,μ,Å'²,x,Å,,¾,³,ç□B  
**bcolor** "wCEi,ì□F,ðRGB'í,Å·\,μ,Ü,·□B  
**lcolor** f□[f□f<□s,ì%°□ü,ì□F,ð·\,μ,Ü,·□B%°□ü,ª-³,ç□ê□#,í-1,Æ,È,è,Ü,·□B  
**ccolor** f□[f□f<□s,ì□F,ð·\,μ,Ü,·□Bf□[f□f<□s,ª□FŽw'è,Å,í,È,%°□üŽw'è,ì□ê□#,í-1,Æ,È,è,Ü,·□B  
**rcolor** %ü□s·¶Žš,ì□F,ð·\,μ,Ü,·□B  
**fontname** ftfHf"fg,ìftfF□[fX-¼,ð·\,μ,Ü,·□B  
**fontsize** ftfHf"fg,ìftfCfY□□,³□j,ð·\,μ,Ü,·□B'P^É,ífsfNfZf<□"ífhfbfg□"□j,Å,·□B  
**boldstate** '¾·¶Žš,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**backup** fofbNfAfbfvtf@fCf<,ì□ì□-,ª,□,Ž,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**showruler** f<□[f%□□[·\Ž!,ª,□,Ž,©,Ç,æ,©,ð·\,μ,Ü,·□B  
**tabruler** f<□[f%□□[·\Ž!,ª,W'P^É,ì,Æ,«,P□A,P,O'P^É,ì,Æ,«,O,É,È,è,Ü,·□B  
**rulercolor** f<□[f%□□[,ì□F,ðRGB'í,Å·\,μ,Ü,·□B·¶Žš,Æ"-,¶,ì□ê□#,í-1,É,È,è,Ü,·□B  
**rulerbackcolor** f<□[f%□□[,ì"wCEi,ì□F,ðRGB'í,Å·\,μ,Ü,·□B"wCEi,Æ"-,¶,ì□ê□#,í-1,É,È,è,Ü,·□B  
**correctlineno** □s"Ô□†,ìCEvŽŽ·ú-@,ªfGffBf^"í,ì,Æ,«,P,É,È,è,Ü,·□Bf□□[fvf□"í,ì□ê□#,í,O,É,È,è,Ü,·□B  
**ignoreeof** "Ç□ž,p,Æ,«,ÉEOF,ð-³Ž<,·,é,©,Ç,æ,©□B  
**savewitheof** ·Ú'¶,·,é,Æ,«,ÉEOF,ð·t,·,é,©,Ç,æ,©□B

fNfŠfbfvf{[]fhŠÖ~AfL[]f[]fh

**getclipboard** fNfŠfbfvf{[]fh, ©, ç, P[]s•ª, ï•¶Žš—ň, ðŽæ, è[]o, µ, Ä[]A, »., ê, ð•\, µ, Ü, ·[]B

ŽQ[]Æ[]FfNfŠfbfvf{[]fh, Æ•ï[]", Æ. ï. â. è. Æ. è

## “ú•t,ÆŽžŠÖ~Afl[f[fh

**date**            Œ»Ÿ,ì“ú•t,ð•\,μ,Û,·B"92/10/22(ŒŽ)",ì,æ,κ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B  
**time**            Œ»Ÿ,ìŽž,ð•\,μ,Û,·B"22:30:45",ì,æ,κ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B  
**tickcount**    Windows,ª<N“®,³,ê,Ä,©,ç,ìŒo%œßŽžŠÔ,ðf~fŠ•b’P^Ê,Å•\,μ,Û,·B



## • ĀŽš—ň

␣@•ĀŽš—ň,í␣Cf\_fuf:fNfH␣[fe␣[fvfjf“,Ā^í,Ÿ,Û,·␣B

␣@—á␣F  
"ABC"

␣@f\_fuf:fNfH␣[fe␣[fvfjf“<L␣t,» ,ì,à,ì,â\}␣[fN,í␣C\,ð•t,¯,ĀŽw'è,μ,Û,·␣B

␣@—á␣F  
",±,ê,í,\ "•ĀŽš—ň\","Ā,·␣B"  
"\\<L␣t"

␣@f^fu•ĀŽš,í\␣C%ü␣s•ĀŽš,í\n ,ĀŽw'è,Ā,<,Û,·␣B  
␣@—á␣F  
insert "\n";

␣@•ĀŽšfR␣[fh,ðŽw'è,μ,½,ç␣ê␣#,í␣C\,ðŽg,Ā,Ā16␣i␣",ĀŽw'è,μ,Û,·␣B

␣@—á␣F  
"•ĀŽšfR␣[fh,S,P,í,\x41,Ā,·␣B"

␣@•ĀŽš—ň,ì%‰ŽŽ,Æ,μ,Ā,í␣C␣{,¾,¯,āŽg,í,Û,·␣B␣{,í•ĀŽš—ň,ð~ACE<,μ,Û,·␣B

␣@—á␣F  
message \$a + "ĀĀ";

## ŠÖ

<u>leftstr( s1, n1 )</u>	•ŕŽš—ň,ìŕŕ'ŕ"•ª
<u>rightstr( s1, n1 )</u>	•ŕŽš—ň,ì%œE'ŕ"•ª
<u>midstr( s1, n1, n2 )</u>	•ŕŽš—ň,ì't%œ>"•ª
<u>strlen( s1 )</u>	•ŕŽš—ň,ì',³
<u>gettext( x1, y1, x2, y2 )</u>	•ŕŽš—ňŽæ,èŕž,Ý
<u>char( n1 )</u>	ŕ"l,©,ç•ŕŽš,Ö,ì.İš.
<u>ascii( s1 )</u>	•ŕŽš,©,çŕ"l,Ö,ì.İš.
<u>str( n1 )</u>	ŕ"l,ð•ŕŽš—ň,É.İš.
<u>val( s1 )</u>	•ŕŽš—ň,ðŕ"l,É.İš.
<u>strstr( s1, s2 )</u>	•ŕŽš—ň,©,ç•ŕŽš—ň,ðœŕŕö
<u>getinistr( s1, s2, s3 )</u>	iniftf@fCf<,©,ç•ŕŽš—ňŽæ"¾
<u>getininum( s1, s2, s3 )</u>	iniftf@fCf<,©,çŕ"lŽæ"¾
<u>input( s1, s2 )</u>	ftŕ[fU,©,ç,ì•ŕŽš—ň"ü—í
<u>inputchar( s1 )</u>	ftŕ[fU,©,ç,ìfLŕ["ü—í
<u>iskeydown( n1 )</u>	fLŕ[f{ŕ[fh,ìó'Ô,ðŽæ"¾
<u>getenv( s1 )</u>	DOSŠÂ<«•İŕ",ìŽæ"¾
<u>findhidemaru( s1 )</u>	ŕGŠÛ,ìœŕŕö
<u>hidemaruhandle( n1 )</u>	ŕGŠÛ,ìfnf"fhf<,ìŽæ"¾
<u>hidemaruorder( n1 )</u>	ŕGŠÛ,ì"Ôŕt,ìŽæ"¾
<u>dderequest( s1 )</u>	DDE,ìffŕ[f^,ì—v<ŕ
<u>findwindow</u>	fEfBf"fhfE,ìœŕŕö
<u>findwindowclass</u>	fEfBf"fhfE,ðfNf%œfX-¼,Âœŕŕö
<u>sendmessage</u>	fŕfbfZŕ[fW,ì'—ŕM
<u>existfile</u>	ftf@fCf<,ª'ŕŕŕ,·,é,©,ç,ŕ,©
<u>getregstr( s1 )</u>	fœfWfXfgfŠ,©,ç•ŕŽš—ňŽæ"¾
<u>getregnum( s1 )</u>	fœfWfXfgfŠ,©,çŕ"lŽæ"¾

**leftstr( s1, n1 ) ŠÖ**

@s1, ð'µ, ð•Ö, µ, Ü, ·B'SSp•Źš, í, Q•Źš, Æ, µ, Ä" , ð, ·B  
@str1, ð', ·³, num1, æ, è¬, ·³, çê£, íCstr1, » , ð, Ü, Ü•Ö, ·³, è, Ü, ·B  
@•Ö, ·¹, ð•Źš—ñŒ^, Ä, ·B

**rightstr( s1, n1 ) ŠÖ**

@s1,ì%oE'¤,ln1•¶Žš,đ•Ô,µ,Ü,·Bs1,ì'·,³,an1,æ,è¬,³,¢ê¶,íCs1,ª,»,ì,Ü,Ü•Ô,³,ê,Ü,·B  
@•Ô,·'l,í•¶Žš—ñÆ^,Å,·B

## midstr( s1, n1, n2 ) ŠÖ

@s1, ð, çn1"Ô-Ú, ðŽš, ð•Ô, µ, Ü, ðBn1, í, O, ©, ç", ð, Ä,, ¾, ¾, çBn1, a, O, ðé, ð, ðleftstr(s1,n2)  
, Æ" , ðCE<%oÊ, Æ, È, è, Ü, ðB  
ð@•Ô, ð, ð, ð, ðŽš—ñCE^, Ä, ðB

**strlen( s1 ) ŠÖ"**

@str1,ì',³,đ•Ô,μ,Û,·B•Ô,·'í,í"''ICE^,Å,·B'SŠp•¶Žš,í,Q•¶Žš,Æ,μ,Ä"''',,Û,·B  
@•Ô,·'í,í"''ICE^,Å,·B

**gettext( x1, y1, x2, y2 ) ŠÖ**

»Ÿ•ÒW,μ,Ä,ç,éftf@fCfç,ìx1Cy1,©,çx2Cy2,ì"íí,É, ,é•ŸŽš—ň,đ•Ô,μ,Û,·B•ŸŽš—  
ň,ì',³,â',·,¬,é,ÆfGf%o[,É,È,è,Û,·B  
@xCyÀ•W,ìŽw'è,ì,μ,©,½,Ímoveto•Ÿ,Æ"~,Ÿ,Å,·B  
@•Ô,·l,í•ŸŽš—ňŒ^,Å,·B

## char( n1 ) ŠÖ”

␣@n1,ì•ŕŽšfR␣[fh,ì•ŕŽš,ð•ŕŽš—ň,É,μ,Ä•Ô,μ,Û,·␣BŠžŽš,lfR␣[fh,ðŽw’è,·,ê,ÎŠžŽš,ì•ŕŽš—ň,É,È,è,Û,·␣B  
␣@•Ô,·’l,í•ŕŽš—ňŒ^,Å,·␣B

—á␣F

char( 0x41 )      ␣c "A",ª•Ô,Á,Ä,«,Û,·␣B



## ascii( s1 ) ŠÖ

@s1, àæ“a, ï•Źš, ï•ŹšfR[fh[i]”i, ð•Ô, µ, Ü, ·Bchar, Æ<t, ïŠÖ”, Å, ·B  
@•Ô, ·’i, í”iĈ^, Å, ·B

**str( n1 ) ŠÖ"**

@n1,đ•ŕŽš—ň,É•řŠ•,μ,Û,·B—á,ı,În1,ª100,İê#C•Ô,·'ı,ı"100",Æ,È,è,Û,·B  
@•Ô,·'ı,ı•ŕŽš—ňÆ^,Å,·B

**strstr( s1, s2 ) ŠÖ"**

@str1, ©,çstr2,đĀŸđ,μCĀ©,Ā,©,Ā,½êġ,Í,»,ìĒ'u,đ•Ô,μ,Û,·Bæ“<sup>a</sup>,<sup>a</sup>,O,Ā,·BĀ©,Ā,©,ç,Ē,©,Ā,½ê  
ġ,Í-,P,đ•Ô,μ,Û,·B  
@•Ô,·'í,í"ĪĀ^,Ā,·B

val( s1 ) ŠÖ"

@s1,đ"'l,É•İŠ,μ,Ü,·B—

á,|,Îs1,ª"100",ìê#C•Ô,·l,Í100,Æ,È,è,Ü,·B"'l,É•İŠ,Å,«,È,çê#Í,O,ª•Ô,è,Ü,·B

@•Ô,·l,Í"'lĈ^,Å,·B

**getinistr( s1, s2, s3 ) ŠÖ", getinum( s1, s2, s3 ) ŠÖ"**

@getinistr,íAIniftf@fCf<,©,ç•ŕŽš—ñ,đŽæ,è,¾,μ,Û,·Bs1,ªiniftf@fCf<-¼As2,ªfZfNfVf#f"-¼As3,ªfL[-¼,Å,·B

@•Ô,·l,í•ŕŽš—ñĈ^,Å,·B

@getinum,íAIniftf@fCf<,©,ç""l,đŽæ,è,¾,μ,Û,·Bs1,ªiniftf@fCf<-¼As2,ªfZfNfVf#f"-¼As3,ªfL[-¼,Å,·BŽæ,èo,μ,½'l,ª""l,É•İŠ•s"\,Èêê#í,O,ª•Ô,Á,Ä,«,Û,·B

@•Ô,·l,í""lĈ^,Å,·B

@Iniftf@fCf<-¼,íAftf@fCf<-¼,¾,·,đŕ',,ÆWindowsftfHf<f\_ªŽ©"®'l'đ,³,è,Û,·Bftf<fpfX,Åŕ',-ÆAŽw'è,μ,½ftfHf<f\_ª'l'đ,³,è,Û,·B,Û,½AŠg'£Žq,ª.ini,Å, ,é•K—v,í,È,Ā,Ç,ñ,ÈŠg'£Žq,Å,à,©,Û,ç,Û,¹,ñB

@iniftf@fCf<-

¼,đuhidemaru.iniŕv,É,μ,½êê#AŽÀÛ,Éiniftf@fCf<,©,ç,í"Ç,Ýž,Û,·AfĈfWfXfgfŠ,©,ç•İŠ,μ,Ä"Ç,Ýž,ŕ,æ,ı,É,è,Û,·B,±,è,íA16bit"ÅGŠÛ,Æ,lĈÝŠ,ì,½,ß,¾,·,É, ,é<@"\

,ÅAAGŠÛ,ìŕ'è,đ"Ç,Ýž,ŕêê#,Ígetregstr,Û,½,Ígetregnum,đŽg,Á,Ä,,¾,³,çB

**input( s1, s2 ) ŠÖ”**

□@s1,đf□fbfZ□[fW,Æ,μ,Ä•\Ž!,μ□Cft□[fU,©,ç•¶Žš—ñ,đ“ü—  
Í,μ,Ä,à,ç,ç□C,»„ê,đ,»„ì,Ü,Ü•Ô,μ,Ü,·□Bs2,í□AffffHf<fg,ì'l,Æ,μ,Äft□[fU,ª“ü—  
Í,·,éfGfffBfbfgfRf“fgf□□[f<,ì't,É□Å□%%,©,ç•\Ž!,ª,ê,Ü,·□B  
□@s2,í□È—ª,Å,«,Ü,·□B  
□@•Ô,·'l,í•¶Žš—ñCE^,Ä,·□B

## inputchar( s1 ) ŠÖ

@s1,đf^fCfjgf<fo[É•Ž!,μCft[fU,©,ç•ŋŽš,đ“ü—í,μ,Ä,à,ç,čC,»!•ŋŽšfR[fh,đ•Ô,μ,Ü,·B“ü—  
í,μ,½•ŋŽš,í%œ-Ê,É,í•Ž!,³,ê,Ü,¹,ňBfj[fj<^Ú“@fL[,º%Ÿ,³,ê,½ê±,í•ŋŽšfR[fh,íC

ŋ ... 0x1C

ã ... 0x1D

%E ... 0x1E

%º ... 0x1F

,Æ,Ê,è,Ü,·B

## iskeydown( n1 ) ŠÖ”

```

@Žw'è,è,½fL[],ìó'Ô,ðŽæ“¾,·,éŠÖ”,Å,·B
@n1,ÉfL[]fR[]fh,ð“ü,è,ÄCEÄ,Ño,·,ÆA,»,ìfL[],º%Ÿ,³,è,Ä,ç,éê±,í 1A,»,x,Å,È,çê±,í 0 ,ð•Ô,μ,Û,·B
@Žă,ÉfL[]fR[]fh,í^è%º,ì'È,è,Å,·B,±,ìfL[]fR[]fh,í
```

```

[]@ã<L,É,È,çfL[]fR[]fh,íAŽ©•ª,Å'²,x,Ä,,¾,¾,çB“”²,x,é}fNf[]
[]@ŽÀ,í,±,ìŠÖ”,íAWindows,ìAPI,Å,é GetKeyState() ,ðCEÄ,Ño,μ,Å,ç,é,¾,¾,·,Å,·BSJ”-
ŽÒ,ì•ù,íAAPI,ìfwf<fv,ì%¼'zL[]fR[]fh,ì^è—,ðCE©,é,Æ,ç,ç,Å,·B

```

```

[]@,±,ìŠÖ”,ð—~—p,·,è,ìAfL[]Š,,è“-,Ä,ÅA,½,,¾,ñ,ìfL[],É“~,¶f}fNf[],ðŠ,,è“-
,Ä,Ä,àf}fNf[]ftf<fCf<“à,Å•ªŠò,·,é^—,º%Å“\,É,È,è,Û,·B
[]@,½,Æ,ì,ìACtrl+[]ă,%ºº,¶¶,%ºE,ìfL[],É'S,Ä[]uf}fNf[]1[]v,ðŠ,,è“-
,Ä,Û,·B,»,μ,ÄA[]uf}fNf[]1[]v,É,íttest.mac,ð“o~^,μ,Û,·B,»,μ,ÄAtest.mac“à•”,íA

```

```

if( iskeydown(0x25) ) { []u[]©[]v,ì^—[] }
if( iskeydown(0x26) ) { []u[]º[]v,ì^—[] }
if( iskeydown(0x27) ) { []u[]”[]v,ì^—[] }
if( iskeydown(0x28) ) { []u[]<[]v,ì^—[] }

```

```

,Æ,ç,ı,Ó,ı,É,·,è,ìACtrl + -î^ófL[] ,º%Ÿ,³,è,½,Æ,«,ì^—[],íA,·,x,Ätest.mac,ªŠÇ—[],Å,«,é,±
,Æ,É,È,è,Û,·B
'[]^Ó[]Ff}fNf[]<N“@”¼CEă,ìfL[][]ó'Ô,ªŽæ“¾,Å,«,é,ì,ìAf}fNf[]ŽÀ[]sŠJŽn,©,ç,P•b^È“à,Å,·B,Û,½A,P•b^È“à,
Å, ,Ä,Ä,à^è%ºº,ìŠÖ”or•¶,ðCEÄ,ñ,¾CEă,Å,í<N“@”¼CEă,ìfL[][]ó'Ô,íŽæ“¾,Å,«,Û,¹,ñB
    keypressed, ddewaitadvice, localgrep, runsync, menuCEn•¶

```



iskeydown,ì•Ô,·'l,ð'²,x,éf}fNf□,ì—á,Ã,·

```
newfile;  
call GetKeyState;  
$prev = $$return;
```

Loop:

```
call GetKeyState;  
if( $prev != $$return ) {  
    insert $$return;  
    insertreturn;  
    $prev = $$return;  
}  
goto Loop;
```

GetKeyState:

```
$$a = "";  
##i = 1;  
while( ##i <= 0x91 ) {  
    if( iskeydown( ##i ) ) {  
        $$a = $$a + str( ##i ) + " ";  
    }  
    ##i = ##i + 1;  
}  
return $$a;
```

**getenv( s1 ) ŠÖ**

@str1,É'í%ž,·,éŠÂ«·İ",ì'l,ð•Ô,μ,Û,·B

—áF

#path = getenv( "include" );

## existfile( s1 ) ŠÖ

@s1,Æ,ç,æftj@fCfç,â'¶¶Ý,·,é,©,Ç,æ,©,ð•Ô,µ,Û,·¶B  
@'¶¶Ý,·,é¶ê¶±,Ítrue¶A'¶¶Ý,µ,È,ç¶ê¶±,Ífalse,Å,·¶B  
@•Ô,·'Í,Í¶''ÍÆ^,Å,·¶B

## DDEŠÖ~Af}fNf

□@□GŠŮfGffBf^,É,í□ADDEfN%ofCfAf“fg,đŽÀĚ»,·,é,½,β,lf}fNf□,í•¶,âŠÖ□”,a, ,è,Ü,·□B

### ddeinitiate \$app, \$topic□@□@□i•¶□j

□@□GŠŮ,đfN%ofCfAf“fg,Æ,·,é,c,c,dfgf%of“fUfNfVf#f”,đŠŽn,μ,Ü,·□B\$app,¶fAfVfŠfP□[fVf#f”-  
¼,Å□A\$topic,¶fgfsfbfN-¼,Å,·□B

□@ddefgf%of“fUfNfVf#f”,íĚ»□Ý,ì□GŠŮ,¾,·,É—  
LĚø,Å,·□Bnexthidemaru“™,ÅfAfNfefBfufEfBf”fhfE,ð□ø,è’Ö,í,é,Æddefgf%of“fUfNfVf#f”,íŽ©“®“í,É□I—  
¹,³,¹,ç,è,Å,μ,Ü,ç,Ü,·□B

□@•;□”,ì,c,c,dfT□[fo,Æ“~ŽŽ,Éfgf%of“fUfNfVf#f”,đŠJ□Ý,·,é,±,Æ,í,Å,«,Ü,¹,ň□B

□@□-Ě÷,·,é,Æ□I-¹fR□[fh,¶true,É,È,è□AŽ,“s,·,é,Æfalse,É,È,è,Ü,·□B

### ddeterminate□@□@□i•¶□j

□@ddeinitiate,μ,½fgf%of“fUfNfVf#f”,ð□I-¹,μ,Ü,·□Bddeterminate,μ,È,,Å,à□Af}fNf□,¶□I—  
¹,μ,½,è□Anexthidemaru,É,Ç,ÅfAfNfefBfufEfBf”fhfE,¶□ø,è’Ö,í,é,ÆŽ©“®“í,ÉDDEfgf%of“fUfNfVf#f”,í□I—  
¹,μ,Ü,·□B

### ddeexecute \$exec□@□@□i•¶□j

□@DDEfT□[fo,ÉEXECUTEfRf}f“fh,ð’—□M,μ,Ü,·□B

□@□-Ě÷,·,é,Æ□I-¹fR□[fh,¶true,É,È,è□AŽ,“s,·,é,Æfalse,É,È,è,Ü,·□B

### ddepoke \$item, \$param□@□@□i•¶□j

□@DDEfT□[fo,Éff□[f^,ð’—,è,Ü,·□B

□@□-Ě÷,·,é,Æ□I-¹fR□[fh,¶true,É,È,è□AŽ,“s,·,é,Æfalse,É,È,è,Ü,·□B

### dderequest( \$item ) ŠÖ□”

□@DDE,ì’ŠŽè,Éff□[f^,ð—v<□,μ,Ü,·□B□-Ě÷,·,é,Æ□AŽó,~Žæ,Å,½ff□[f^,ð•Ô,μ,Ü,·□BŽ,“s,·,é,Æf}fNf□fGf  
%□[,Æ,È,Å,Å,μ,Ü,ç,Ü,·□B  
□@•Ô,·í,í•¶Žš—ňĚ^,Å,·□B

### ddestartadvice \$item, \$name□@□@□i•¶□j

□@DDEfT□[fo,Æ,ìŠŌ,ĀfAfhfofCfXf<□[fv,đŠjŽn,μ,Ü,·□BfAfhfofCfXf<□[fv,ĭfAfCfef€-¼,Í\$item,Ā,·□BfT□[fo'¤  
,©,çff□[f^,ª“n,³,è,é,Æ□A,»,'l,Í\$name,ĀŽw'è,³,è,é•ĭ□”,ÉŠi”[,³,è,Ü,·□B\$name,ĭŠ,É,Í•ŲŽš—  
ñĈ^,ĭfOf□[fof<•ĭ□”-¼,đŽw'è,·,é•K—v,ª, ,è,Ü,·□B

□@fAfhfofCfXf<□[fv,Í,P,Ā,μ,©□,é,±,Æ,ª,Ā,«,Ü,¹,ñ□B

### **ddestopadvice \$item□@□□i•Ųj**

\$item,ĭfAfhfofCfXf<□[fv,đ□—¹,³,¹,Ü,·□B\$item,Íddestartadvice,μ,½Žž,ÉŽw'è,μ,½fAfCfef€-  
¼,đŽw'è,·,é•K—v,ª, ,è,Ü,·□B

### **ddewaitadvice \$item, #timeout□@□□i•Ųj**

□@DDEfT□[fo,©,ç\$item,ĭfAfhfofCfXff□[f^,ª“Í,,ì,đ'Ō,¿,Ü,·□B#timeout,ĭf^fCfefAfEfG,Ā□A,±,±  
,ĀŽw'è,μ,½ŽžŠŌ,đ'Ō,Ā,Ā,àff□[f^,ª“Í,©,È,ç□ê□†,ĭff□[f^,đŽó,~Žæ,ç,,Éddewaitadvice,đ□—¹,³,¹,Ü,·□B

□@f^fCfefAfEfG,ĭ□ê□†,ĭresult==false,É,È,è□Addestartadvice,ĀŽw'è,μ,½•ĭ□”,É,Í%½,àŠi”[,³,è,Ü,¹,ñ□B

□@#timeout,ì'l,ĭf~fš•b'P^Ê,ĀŽw'è,μ,Ü,·□B

□@ddewaitadvice,đŽĀ□s't,Í□GŠŪfGfffBf^,Í“€,,è•t,ç,½,æ,¤,È□ó'Ō,É,È,è,Ü,·□B

### **findwindow( \$name ) ŠŌ□”**

□@\$name,ĀŽw'è,³,è,é•ŲŽš—ñ,Æ“~ ,Ųlfffvfvf†”,ĭfEfBf“fhfE,đ'T,μ,Ā,» ,ĭfEfBf“fhfEfnf“fhf<,đ•Ō,μ,Ü,·□B  
□@•Ō,·'l,ĭ□”'lĈ^,Ā,·□BĈ©,Ā,©,ç,È,©,Ā,½□ê□†,ÍŌ,Æ,È,è,Ü,·□BSY“-  
,·,éEfBf“fhfE,ª•j□”Ĉ©,Ā,©,Ā,½□ê□†,Ā,à□A,P,Ā,μ,©•Ō,μ,Ü,¹,ñ□B

### **findwindowclass( \$name ) ŠŌ□”**

□@\$name,ĀŽw'è,³,è,é•ŲŽš—ñ,Æ“~ ,ŲfNf%ofX-¼,ĭfEfBf“fhfE,đ'T,μ,Ā,» ,ĭfEfBf“fhfEfnf“fhf<,đ•Ō,μ,Ü,·□B  
□@•Ō,·'l,ĭ□”'lĈ^,Ā,·□BĈ©,Ā,©,ç,È,©,Ā,½□ê□†,ÍŌ,Æ,È,è,Ü,·□BSY“-  
,·,éEfBf“fhfE,ª•j□”Ĉ©,Ā,©,Ā,½□ê□†,Ā,à□A,P,Ā,μ,©•Ō,μ,Ü,¹,ñ□B

### **sendmessage( #handle, #message, #wParam, #lParam ) ŠŌ□”**

□@f□fbfZ□[fW,đ'—,è,Ü,·□B'—  
,Ā,½□æ,ĭfEfBf“fhfE,ª□fbfZ□[fWf{fbfNfX,âf\_fCfAf□fOf{fbfNfX,đ□o,·,Æf}fEfX,ªž€,ñ,Ā,μ,Ü,¤,ì,Ā'^Ō,μ,Ā,-  
,¾,³,ç□B,»,'¼□AžG,ç•û,đĈÈ,é,ÆWindows,đŽ€,È,¹,Ā,μ,Ü,¤,±,Æ,à, ,é,ì,Ā'^Ō,μ,Ā%ºº,³,ç□B

□@f□fbfZ□[fW,ì'l,âwParam□lParam,ì'l,É,Ā,ç,Ā,ÍŠeŽ©,Ā'²,x,Ā,¾,³,ç□B

□@•Ô,·'l,í□AWindows-API,ìSendMessageŠÖ□",ì•œ<A'l,»,ì,Ü,Ü,Å□A□""ICE^,Å,·□B

—á□iWM\_SYSCOMMAND SC\_CLOSE,đ'—,é—á□j

□@#result = sendmessage( #handle, 0x0112, 0xF060, 0 );

**fNfŠfbfvf{[fh,Æ•İ"} ,ì,â,è,Æ,è**

@GŠÚ,Â,İA•İ"} ,ÆfNfŠfbfvf{[fh,Æ,İŠÔ,Åff[f^ ,ð,â,è,Æ,è, ,é,½,ß,İf}fNf,İ•İ,â'l,ª—p^Ó,³,è,Ä,ç,Ü,·B

**beginclipboardread** [i•İ]

fNfŠfbfvf{[fh, ©,ç,İff[f^ ,ìŽæ,èŽ,Ý,ðŠ)Žn, ,é,±,Æ,ðéCE¾,μ,Ü,·Bgetclipboard,Æ,ç,Á,μ,â,ÉŽg,ç,Ü,·B

**getclipboard** [i'İ]

fNfŠfbfvf{[fh, ©,ç,P[s•ª,İff[f^ ,ðŽæ,èo,μA,» ,è,ð•Ô,μ,Ü,·B'\x0D',íœ<Ž,³,è,Ü, ,ªA'\x0A',í[s-- ,É,Ä,ç,Ä,« ,Ü,·B,½,¾,μAfNfŠfbfvf{[fhff[f^ ,ìÅCEä,ì"•ª,ª%ü[s,Å,İ,í,Ä,Ä,ç,È,çê±,İA'\x0A'- ³,μ,Åff[f^ ,ª•Ô,Ä,Ä,« ,Ü,·B

@getclipboard,ðŽg,ª,É,İA,Ü, ,beginclipboardread,ðŽÀ[s,μ,È,ç,Æ,ç, ,Ü,¹,ñBbeginclipboardread,ðŽÀ[s,μ,½'¼CEã,İgetclipboard,ì'l,İfNfŠfbfvf{[fh"àff[f^ ,ì,P[s-Ú,ÅA,Q %ñ-Ú,ì'l,í,Q[s-Ú,ÅA^È%ªA,R[s-ÚA,S[s-Ú,Æff[f^ ,ðŽó, ,Ä,é,±,Æ,ª,Ä,« ,Ü,·B

fNfŠfbfvf{[fh,ìÅCEä,Ü,Åff[f^ ,ðŽæ,èo,μ,İ,í,é,Ægetclipboard,ì•Ô,·l,İ'" ,Æ,È,è,Ü,·B

@Žg—p—áFifNfŠfbfvf{[fh,ì"à—e,ð\$a[0` ],ì"z—ñ,ÉŽæ,èŽ,ª—á

```
beginclipboardread;
#i = 0;
$a[#i] = getclipboard;
while( $a[#i] != "" ) {
    #i = #i + 1;
    $a[#i] = getclipboard;
}
```

fNfŠfbfvf{[fh"à,É,P[s,ì',ª,ª,S,çofCfç,ð%z,ì,é[s,ª, ,é,Æ,» ,İ[s,Í,S,çofCfç,Å,Ô,Ä,ç, ,ç,è,Ä,μ,Ü,ç,Ü,·B

fNfŠfbfvf{[fh,İff[f^ ,ð"z—ñ•İ"} ,ÉŽæ,èŽ,ª,Æ•İ"} —p,İff,fŠ,ª,ç,Ä,İ,ç,É,È,é<º,è,ª, ,è,Ü,·B,ç,Ä,İ,ç,É,È,Ä,Ä,μ,Ü,ª,ÆGŠÚf}fNf,ìŽÀ[s,í,» ,ìè,ÅfGf%[ ,É,È,Ä,Ä't'f,μ,Ä,μ,Ü,ç,Ü,·B

**setclipboard \$str** [i•İ]

@Ž® ,ì'l,ðfNfŠfbfvf{[fh,ÉY'è,μ,Ü,·B

@—áF setclipboard \$a;

```
[@%öü[s,àŠÜ,ß,ÄfNfŠfbfvf{[fh,É"ü,ê,½,çê#í
```

```
[@ setclipboard $a + "\x0D\x0A";
```

```
[@,ì,æ,κ,ÉŽg,κ•K—v,ª, ,è,Ü,·B
```

**addclipboard \$str**    **[@i•¶@j**

```
[@@E»Ÿ,ìfNfŠfbfvf{[fh,ìff[f^,ÉŽ®,ì'l,ð'Ç%oÁ,μ,Ü,·B
```

```
[@—áF
```

```
setclipboard $a[0];  
#i = 1;  
while( $a[#i] != "" ) {  
    addclipboard $a[#i];  
    #i = #i + 1;  
}
```



## gššç—

```
@·i”<N”® ,μ,½gššç—,·,é,½,β,lf}fNf,ì·¶,ª, ,è,Ü,·B
```

**hidemarucount:** ¶i’¶j

```
@CE»Ý%ò”® ,μ,Ä,ç,éGššç—,ì” ,ð·Ô,μ,Ü,·B¶i’“gššç—,í” ,ì,Ü,¹,ñB
```

—áF

```
#c = hidemarucount;
```

**findhidemaru( ftf@fCf<-¼ ) ¶išö”¶j**

```
@ftf@fCf<-¼,Äžw’è,μ,Ägššç—,ª,ç,é,©,Ç,κ,©,ð²,×A,ç,éê¶,í,» ,lfEfBf“fhfE,ì”Ô¶,ð·Ô,μ,Ü,·B,ç  
 ,È,çê¶,í-1,Æ,È,è,Ü,·B”Ô¶,Æ,íA¶gššç—,lfEfBf“fhfE,ðã,©,ç¶,É” ,ì,½”Ô¶,É,È,Ä,Ä,ç,Ü,·B  
 @Ž·•žç¶g,ífndhidemaru,ì’íÜ,Æ,í,È,è,Ü,¹,ñB¶iž·•žç¶g,í¶,É,Ö”Ô-Ü,Ä,·j  
 @ftf@fCf<-¼,É,íAfhf%ofCfu-¼,©,çžn,Ü,éfpfX-¼,àAftf@fCf<-¼-  
 {‘,¾,¯,àA,Ç,ì,ç,Äžw’è,μ,Ä,©,Ü,í,ç,Ü,¹,ñB,½,¾,μAftf@fCf<-¼-{‘,¾,¯,μ,çžw’è,μ,È,çê¶,í-  
 Ú”l,Æ,·,éftf@fCf<,Æ,í·É,ìftfHf<f_ì”-¼ftf@fCf<,ðCEÿo,μ,Ä,μ,Ü,κ,©,à,μ,è,Ü,¹,ñB
```

```
@—áF if( findhidemaru( "client.cpp" ) == -1 ) {
```

```
@      openfile "client.cpp";
```

**setactivehidemaru:** ¶i·¶j

```
@fAfNfefBfu,Ègššç—,ðžw’è,μ,Ü,·Bf}fNf,ìžÀ¶s,à,»,ì,ç,lfEfBf“fhfE,É^Ú”® ,μ,Ü,·B
```

```
@fpf%of^ ,Æ,μ,ÄfEfBf“fhfE,ì”Ô¶,©A,Ü,½,ífnf“fhf<,žw’è,Ä,«,Ü,·B
```

—áF

```
setactivehidemaru 1;
```

```
setactivehidemaru findhidemaru( "client.cpp" );
```

**hidemaruhandle( ”Ô¶ ): ¶išö”¶j**

```
@fEfBf“fhfE,ì”Ô¶,©,çfEfBf“fhfEfnf“fhf<,ð¾,Ü,·B
```

```
@fEfBf“fhfE,ì”Ô¶,íA’P,È,éEfBf“fhfE,ì¶d,È,è,ì”Ô¶,È,ì,Ä¶Anexthidemaru,âsetactivehidemaru,ðžÀ¶s  
 ,·,é,Æ’í%ž,ª·İ,Ä,Ä,μ,Ü,ç,Ü,·B,»,±,Ä¶Anexthidemaru”™ ,ðžg,κê¶,ífnf“fhf<,ðžg,κ,æ,κ,É,μ,½·ù,ª,ç,  
 ,Ä,·B
```

—áF

```
#handle = hidemaruhandle( findhidemaru( "client.cpp" ) );
```

## hidemaruorder( fnf“fhf< ): iŠÖ”j

hidemaruhandle, ðt, Å Afnf“fhf<, ©, ç fE fBf“fhfE”Ô t, ð“¾, é ŠÖ” , Å, · B

@—á F

#order = hidemaruorder( #handle );

## closehidemaru ”Ô t @ @ @ @ @ @ i · ¶ j

@”Ô t ifnf“fhf<, à % Å j, Å Žw’è, µ, ½ GŠÛ, ð |—<sup>1, 3, 1</sup>, Ü, · B, ½, ¾, µ AŽ © · Ž © g, ð Žw’è, ·, é, ±, Å, í, Å, «, Ü, ¹, ñ B

@ Žw’è, µ, ½ GŠÛ, ð, ¾ ftf@ fCf<, ð · Ü’ ¶, µ, Å, È, ç ê ¶, í closehidemaru, í Ž, ”s, µ, Ü, · B

@ closehidemaru, í |—<sup>1</sup> fR ¶ f h, Å, µ, Å A ¶—Ç ÷, µ, ½ ê ¶, í true AŽ, ”s, µ, ½ ê ¶, í false, ð · Ô, µ, Ü, · B

@—á F

@ #a = findhidemaru( "abc.txt" );

@ if( #a == -1 ) {

@ message "abc.txt, í, ç, Ü, ¹, ñ";

@ endmacro;

@ }

@ closehidemaru #a;

@ if( !result ) message "abc.txt, ð |—<sup>1</sup> Ž, ”s, Å, · B";

## closehidemaruforced ”Ô t @ @ @ @ @ @ i · ¶ j

@ closehidemaru, Å “—<sup>1</sup>, É GŠÛ, ð |—<sup>1, 3, 1</sup>, Ü, · B, ½, ¾, µ A, ±, ç, í u( X V ) v, í, Å, ç, ¾ ftf@ fCf<, ð ê ¶, Å, ð fGf% ¶, É, È, ç, , É < ¶ “<sup>1</sup>, É ¶ i · Ü’ ¶, ¹, , É ¶ |—<sup>1, 3, 1</sup>, Ü, · B

## basename, filename, directory, i % B, µ @ “ \

@ basename, filename,

directory, í A, » , ð ä, è, É Š p j f b f R, Å “ Y, ð Ž š, ð · t, , Å A Ç » ¶ Ý, í GŠÛ ¶ if A f N f e f B f u, È GŠÛ ¶ j ^ È Š Ö, í GŠÛ, ©, ç, à ‘<sup>1</sup>, ð “¾, é, ±, Å, ð, «, é, æ, æ, É, È, Å, Å, ç, Ü, · B

@ Š p j f b f R, ð t, É, í A f e f B f “ f h f E ” Ô t, Å, ð f e f B f “ f h f E f n f “ f h f <, Å, à —¼ · ù Žw’è, ·, é, ±, Å, ð, Å, «, Ü, · B

—á F

\$name = basename[2];

if( \$name == "abc.txt" ) closehidemaru 2;

## fE fBf“fhfE”Ô t, Å AfE fBf“fhfE f n f “ f h f <

@ fE fBf“fhfE”Ô t, Å, í A GŠÛ fE fBf“fhfE, ð d, È, è < i ¶, É, æ, Å, Å Ç ^, Ü, é “ Ô t, Å, · B Ç » ¶ Ý } f N f ¶, ð Ž Å ¶ s, µ, Å, ç, é GŠÛ, í A ¶ æ “ ð, É, ç, é, í, , È, ð, Å A, ±

,ìGŠŮ,ìfEjBf“fhfE”Ôt,í,O,Å,·B,»,ìĚă,ë,É^Ê'u,·,éGŠŮ,ìfEjBf“fhfE”Ôt,í,P,Å,·B,<sup>3</sup>,ç,É,»,ìĚă,ë,<sup>a</sup>,Q,Å,·B

□@nexthidemarufRf}f“fh,ďŽg,κ,Æ□A^ê”ÔĚă,ë,ìGŠŮ,<sup>a</sup>ê”ÔŽè'O,É^Ú”® ,μ,Û,·B

□@prevhidemarufRf}f“fh,ďŽg,κ

,Æ□ACE»Ý,ìGŠŮ,í^ê”ÔĚă,ë,É^Ú”® ,μ□A'ă,í,è,ÉfEjBf“fhfE”Ôt,P,ìfEjBf“fhfE,<sup>a</sup>Žè'O,É•\Ž,<sup>3</sup>,ê,Û,·B

□@fEjBf“fhfEfnf“fhf<,í□AfEjBf“fhfE,ďŽ·Ê,·,é,½,β,ì'l,Å,·BfEjBf“fhfE”Ôt,í□Anexthidemaru“™ ,Å□‡”Ô,<sup>a</sup>·i,é  
,Æ•í%» ,μ,Û,·,·<sup>a</sup>□AfEjBf“fhfEfnf“fhf<,í•í%» ,μ,Û,<sup>1</sup>,ň□B

## openreg, createreg, closereg

```
@openreg/createreg,íAfcFwXfgfŠ,đfí[fvf",μ,Ü,·B'æ^êpf%of^,Áf<[fg,Æ,È,éfL[-¼,đŽw'è,μA'æ,Qpf%of^,ÁTfufL[-¼,đŽw'è,μ,Ü,·B
```

```
f<[fg,Æ,È,éfL[-¼,Æ,μ,Ä,íA^È%º,ì•ŕŽš—ñ,žw'è%Â"\,Á,·B
```

```
"CLASSESROOT"    ... HKEY_CLASSES_ROOT,É'í%ž  
"CURRENTUSER"    ... HKEY_CURRENT_USER,É'í%ž  
"LOCALMACHINE"   ... HKEY_LOCAL_MACHINE,É'í%ž  
"USERS"          ... HKEY_USERS,É'í%ž
```

—áF

```
openreg "CURRENTUSER", "Software\\Hidemaruo\\Hidemaru\\Env"
```

```
@openreg,íAŽw'è,³,ê,½TfufL[,á'ŕŕY,μ,È,čê#ÉfGf  
%[,Æ,È,è,Ü,·Bcreatereg,íAŽw'è,³,ê,½TfufL[,á'ŕŕY,μ,È,čê#,íV,½,Éò-μ,Ä,©,çfí[fvf",μ,Ü,·B  
@fí[fvf",É-CE÷,·,é,ÆCE<%ÉfR[fh,í1,É,È,èAŽ,"s,·,é,Æ0,É,È,è,Ü,·B
```

```
@closereg,íAfi[fvf",μ,½fcFwXfgfŠ,đfNf[fY,μ,Ü,·B•i",ìfcFwXfgfŠ,đ"~Žž,Éfí[fvf",·,é,±  
,Æ,Í,Á,«,Ü,¹,ňB
```

## getregstr( s1 )ŠÖ", getregnum( s1 )ŠÖ"

□@f□[fvf",³,ê,½fCfWfXfgfŠ,©,ç'l,ðŽæ,è□o,μ,ÄŽw'è,³,ê,½•í□",É'ã"ü,μ,Ü,·□B  
□@s1,É'l,ì-¼'O,ðŽw'è,μ,Ü,·□B

□@getregstr,í□AREG\_SZCE^,ì'l,ðŽæ,è□o,μ,Ü,·□B•Ô,·'l,í•¶Žš—ñCE^,Å,·□B  
□@getregnum,í□AREG\_DWORDCE^,ì'l,ðŽæ,è□o,μ,Ü,·□B•Ô,·'l,í□"lCE^,Å,·□B  
□@,±,ê^ÈŠO,ìCE^,ì'l,ðŽæ,è□o,·,±,Æ,í,Å,«,Ü,¹,ñ□B

□@

□@•W□€,ì'l,ðŠl"¾,μ,½,ç□ê□‡,í□A•¶Žš—ñ,É%½,àŽw'è,μ,È,ç,ÅCEÄ,ñ,Å,,¾,¾,ç□B

—á□F

```
$s = getregstr( "Path" );  
#n = getregnum( "Count" );
```

## writeregstr • ¶, writeregnum • ¶

@writeregstr/writeregnum • ¶, í AfƎfWfXfgfŠ, É' l, ð ¶', « ¶ž, Ý, Ü, · ¶B' æ^ ê f p f % o f ¶ f ^, Å' l, ì-  
¼' O, ðžw' è, µ ¶A' æ" ñ f p f % o f ¶ f ^, Å' l, ðžw' è, µ, Ü, · ¶B

@writeregstr • ¶, í REG\_SZ Ǝ ^, ì' l, ð ¶', « ¶ž, Ý ¶A writeregnum • ¶, í REG\_DWORD Ǝ ^, ì' l, ð ¶', « ¶ž, Ý, Ü, · ¶B

— á ¶F

**writeregstr "Path", "c:\users\hm32"**  
**writeregint "Count", 100**

