

Tera Term Pro version 2.2 Help Index

Jul 2, 1997

T. Teranishi

Copyright (C) 1994-1997 T. Teranishi
All Rights Reserved.



Tera Term (Pro) , ĺftfŠ [f]ftfgfEjFfA, ĺf^ [f~fif<fGf~f...fĈ [f^ [('Ê Mfvf [fOf
%ofĈ), Ā A^ Ê%o, ĺ "Á'¥, đŽ, Ā, Ā, ĸ, Ū, · B

[E]fVfŠfAf<f [f]g [Ū]±
[E]TCPIP (telnet) [Ū]±
[E]VT100 '[-- , ĺfGf~f...fĈ [fVf#f" (, , æ, Ń [AVT200, 300 , ĺ^ê•")
[E]TEK4010 '[-- , ĺfGf~f...fĈ [fVf#f"
[E]ftf@fCf<"]'—fvf [fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-
VAN)
[E] f}fNf [Ĉ¾Ĉê, É, æ, éŽ © "®%o^"
[E] "ú- {Ĉê/%opĈê/f [fVfAĈêf, [fh

Tera Term , É, Ā, ĸ, Ā

'~ [Ĉ] [A]Žg—p [đĈ]
"® [Ĉ]ŠĀ<<
fGf~f...fĈ [fVf#f"
—đŽj
Q & A
—pĈê [W]

Žg, ĸ, ©, ½

f [f] { [f]h
f}fEfX
fqf"fg

fRf}f"fh

[File] f [f]fj... [
[Edit] f [f]fj... [
[Setup] f [f]fj... [
[Control] f [f]fj... [

[Window] f[]fj...[]
[Help] f[]fj...[]

TEK window ,l}Rf}f“fh

fRf}f“fhf%ofCf“

[]Ý'èftf@fCf<

Tera Term []Ý'èftf@fCf<

fL[]f{[]fh[]Ý'èftf@fCf<

fAf“fCf“fXfg[]f<

M Bianchi Ž

PC98 —pfL[f{[fhY'ètf@fCf<,ìiñ,“,æ,ÑfefXfg,É<|—Í,μ,Ä,-
,³/₄,³,Á,¹/₂ĈěŽR[K'jŽ,Æ'ã~a—ÇLŽ

Tera Special ftfHf“fg,ìC³,É<|—Í,μ,Ä,,³/₄,³,Á,¹/₂ Ralf Schares Ž

fVfACEê•ŕŽšfR[fhfZfbfg,É,Â,ç,Ä<³,|,Ä,,³/₄,³,Á,¹/₂ Juri Tsibrovski Ž,Æ
Serguei Lukyanov Ž

“® ŠÂ<<

Tera Term Pro ,Í^È%º,ì OS ,Å“®ì,μ,Ü,·B

MS-Windows 95

MS-Windows NT 3.51, 4.0

'□: Windows 3.1 —ρ,É,Í□A Tera Term ver. 1.X ,đŽg—ρ,μ,Ä,,³/₄,³,φ□B

fgf~f...fCE [fvf#f“

□EDEC VT100 ,Æ VT200/300 ,ì^ê•”

VT100 ,Å,í'í%ž,μ,Ä,ç,È,ç ANSI fGfXfP□[fvfV□[fPf“fX(fJf%o□[Žw'è“™),É,à'í
%ž,μ,Ä,ç,Ü,·□B

Bold (<'²)'®□«,ì•¶Žš,É'í,μ,Ä□Abold fXf^fCf<,ìftfHf“fg,ìŽg—p/•sŽg—
p,ª'í'đ,Å,«□A,Ü,½□F,đ•t, ,Ä•\Ž|,·,é,±,Æ,ª,Å,«,Ü,·□B

Blink (“_—Å)'®□«,ì•¶Žš,íŽÀ□Û,É,í“_—Å,¹, ,□A□F•t,«•¶Žš,Å•\Ž|,³,ê,Ü,·□B

”{Šp•¶Žš□AVT52 f,□[fh,É,í'í%ž,μ,Ä,ç,Ü,¹,ñ□B

□ETektronix TEK4010 ,Æ□ã^Ê<@Ží,ì^ê•”

—öžj

Tera Term ,íÅ□%□A“ú- {Æê'[--fGf~f...fÆ□[f^□[,Æ,μ,ÄŠ]-
,³,ê,Ü,μ,½□B,» ,ìÆã□A%□pÆê,Æf□fVfAÆêf,□[fh,ª%□Á,í,è□ACE»□Ý,Å,í“ú-
{,¾, ,Å,È,□çŠE't,ÅŽg,í,ê,é,æ,α,É,È,è,Ü,μ,½□B

Tera Term Pro ver. 2.2 Jul 2, 1997

föfO□C□³

Tera Term Pro ver. 2.1 Jun 30, 1997

fCf“fXfg□[f%□[/fAf“fCf“fXfg□[f%□[
32-bit”Å TTPMACRO.EXE ,Æ KEYCODE.EXE

f□fVfAÆêf,□[fh

[Edit] Copy table, [Setup] Load key map, [Window] f□fjf...□[

VT '[-- ,lfXfe□[f^fXf%□fCf“

fGfXfP□[fVfV□[fPf“fX,É,æ,é^óü

ANSI ftf<fjf%□[

fRf}f“fhf%□fCf“flfvfVf#f““Ç%□Á (/l, /L=<log file>, /LA=<language>,
/M=<macro file>, /V)

fRf}f“fhf%□fCf“ ,ÅfzfXfg-¼,ì, , ®Æã,lf|□[fg”Ô□+(—á: "myhost.mydomain
23")

Tera Term □Ý'èftf@fCf<,ì“Ç,Ý□ž,Ý□ê—pf|fvfVf#f““Ç%□Á

fL□[f{□[fh□Ý'èftf@fCf<,ì□€-Ú'Ç%□Á

ft□[fU□['è<`fL□[,É,æ,éf}fNf□ŽÅ□s

TTPMACRO fRf}f“fhf%□fCf“flfvfVf#f““Ç%□Á (/l, /V)

f}fNf□fRf}f“fh'½□““Ç%□Á

Tera Term Pro ver. 2.0 Jun 7, 1996

32-bit”Å, Telnet ,Å,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-

Ú(SendBreak=), f|□[fg”Ô□+t,«fzfXfg-¼(—á: "myhost.mydomain:23"),

fRf}f“fhf%□fCf“(fzfXfgfŠfXfg)'t,lfRf□f“fg, [Setup] Serial port

f_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%□Ef{f^f“□B

Tera Term ver. 1.3 Jun 7, 1996

Telnet ,Å,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-Ú(SendBreak=), f|

□[fg”Ô□+t,«fzfXfg-¼(—á: "myhost.mydomain:23"), fRf}f“fhf

%□fCf“(fzfXfgfŠfXfg)'t,lfRf□f“fg, [Setup] Serial port

f_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%□Ef{f^f“□B

Ver. 1.2 Dec 18, 1995

Quick-VAN, f}fNf□fRf}f“fh'½□““Ç%□Á (□§Æä□\`ç, subroutine, include file),

“ú- {Æê/□%□pÆêf,□[fh, f}fEfX'€□ì-@•ï□X□A scroll buffer on/off,

fL□[f{□[fh□Ý'èftf@fCf<,É [Shortcut keys] fZfNfVf#f““Ç%□Á□A ftf@fCf<“]’—

fffBfÆfNfgfŠ•Ú'¶%□Á“\,É,È,é□AfRf}f“fhf%□fCf“flfvfVf#f““Ç%□Á (/FD=,

/H)□ARead-only options 'Ç%□Á (QVLog=, QVWinSize=, ZmodemAuto,

BPAuto, VTFontSpace=, HideTitle=)B

Ver. 1.1 Jul 22, 1995

f}fNf}fRf}f“fh’½””Ç%Á(ftf@fCf<^—A•ŕŽš—ň^—), f^fL[,
Y’èftf@fCf<, ìread-only option (ConfirmDisconnect=), log ,Æ file
sendAlog ,Æfvf}fgfRf<“]’—,ì”ŽžŽÀs,“%Á”\,É,È,éB

Ver. 1.0 Jul 3, 1995

ZMODEM, B-Plus, DEC “ÁŽêftfHf“fg, bold font Žg—p/•sŽg—p, telnet
Ú±’†,É|—¹,.,é,Æ,«,Ìšm”F, Telnet AYT, bold/blink ‘®«,ì•ŕŽšF Y’è%ü
—Ç, "Terminal size = window size" flfvfVf}f“, fRf}f“fhf%ofCf“flfvfVf}f“Ç
%Á (/W=, /X=, /Y=, /KR=, /KT=), Y’èftf@fCf<, ìread-only options
(XmodemLog=, BPLog=, ZmodemLog=, ZmodemEscCtl=,
ZmodemDataLen=, ZmodemWinSize=), f}fNf}V<@”\
(pause/start/endf{f^f“, fvfXfef€•ì”Ç%Á, fRf}f“fh’½””Ç%Á, •ŕŽš—
ň’è”, ìASCIIfr[fh,É,æ,é•\Æ»)B

Ver. 0.9 Apr 25, 1995

XMODEM, 3D dialog box (CTL3D.DLL’î%ž), XTERM sequence (title,ì•İX),
ftf@fCf<f}f[fWff,©,ç drag&drop ,Ātext file send, Popup menu,
bold/blink ,lfjf%[Y’è (bold font”pŽ~), ANSI escape sequence (fjf
%[Žw’è, fj[f]f<•Ú’ŕ/•œ<A), log&file send%ü—Ç (binary, append,
pause/start), log fileÄŕ<@”\, keyboard Y’èftf@fCf<, ìftf@fCf<-¼,đŽw’è,
f}fNf}fRf}f“fh’Ç%Á, fvfšf“f^ftfHf“fgŽw’è (read-only option),
C1§Æä•ŕŽš-³Ž<,.,é/,μ,È,ç (read only option), telnet binary option (read-
only option)B

Ver. 0.8 Feb 17, 1995

f}fNf} (Tera Term Language)B

Ver. 0.7 Jan 27, 1995

Local echo, VT<->TEK auto change enable/disable, TCP port# Y’è,
telnet enable/disable, TEK ,Æftf@fCf<“]’—<@”\,đ DLL %», TEK color
emulation, TEK line style, F10 key, fRf}f“fhf%ofCf“•İX B

Ver. 0.6 Oct 31, 1994

VT200 ,lescape sequence,É,æ,é key Y’è, User fL[’è<`, 'Help' button on
dialog box, read-only optionsB

Ver. 0.5 Oct 3, 1994

JISŠžŽš, ftf@fCf<“]’—<@”\ (protocol ,È,μ text, Kermit), window
size,Æterminal size ,đÆ—§%», IME §Æä, Y’è€-Ú,ìÇ%Á, dynamic
link libraries, XWINDOW •— copy&paste, transmit delay (serial port),

answerback, host list, ".tt" file "pŽ~, fRf}f"fhf%ofCf" •İX□B

Ver. 0.4 May 16, 1994

TEK ,ìcopy/paste, ^óü<@"\ (VT, TEK), •\Ž!□F□Ý'è (VT, TEK), VT ,ì%œ-
ÊfTfCfY□Ý'è, telnet NAW option, VT200/300 <@"\,ì^ê•", keyboard □Ý'è,
Clear page, Reset terminal, Send break, Reset port□B

Ver. 0.3 Mar 29, 1994

Telnet option negotiation, TEK GIN, window caption □Ý'è, Font □Ý'è, code
•İŠ·□Ý'è, BS key •İŠ·□Ý'è, File Open/Save ,New session, Clear buffer (VT),
Clear screen (TEK), ".tt" file□B

Ver. 0.2 X X, 1994

Port □Ý'è dialog□BHelp ,ìĀ'Ā`□B

Ver. 0.1 X X, 1994

TCP port (Windows Sockets) 'î%ž□BMDI Žd—I,â,β,é□B%œÂ"\
,ÊfZfbfVf#f"□", í□Aserial port ,Í4,Â,TCP ,Íf□f,fŠ,Æ Windows Sockets
,ìĀŠE,Ü,Å□B

Ver. 0.0 Feb 24, 1994

MDI Žd—I□BSerial port ,ì,Ý□Å'â4fZfbfVf#f"□BVT100, TEK4010 ,ì emulation
,ìĀ'Ā`□Bcopy&paste <@"\,'.ini'file□B

, ©?

A. Tera Term ,đ<N“® ,·,é’O,É□APPP □Ú’±,đŠm—š,³,¹,Ä,,¾,³,¢□BWindows 95 ,ì□ê□#,í□A□uf_fCfAf<fAfbfv flfbfgf□□[fN□v,đŽg—p,μ,Ü,·□BPPP □Ú’±,ÉŠÖ,·,é□Ý’è-@,É,Ä,¢,Ä,í□AWin 95 ,lfwf<fv,đŒ©,é,©□AfCf“f^□[flfbfgŠÖŒW,ì“ü-â□’,âŽGŽ□,đ“Ç,P,©□Afvf□fofCf_□[,É•,¢,Ä,,¾,³,¢□B

PPP □Ú’±,đŠm—š,μ,½,ç Tera Term ,đ<N“® ,μ□A[File] New connection f_fCfAf□fof{fbfNfX,Å□AfzfXfg-¼,Ü,½,lfzfXfg,ì IP fAfhfŒfX,đ“ü—í,μ,ÄzfXfg,É telnet □Ú’±,đ,μ,Ü,·□BzfzXfg-¼,Ü,½,í IP fAfhfŒfX,ª,í,©,ç,É,¢□ê□#,í□AfzfXfg,ìŠÇ —□ŽÒ,É•,¢,Ä,,¾,³,¢□B

PPP □Ú’±,ì□ê□#□AfVfŠfAf<f□[fg,í Tera Term ,Ä,í,È, PPP □Ú’±f\ftfg,É,æ,Ä,Ä□šŒä,³,è,Ü,·□B Tera Term ,lfVfŠfAf<f□[fg□Ú’±<@“\,í□A□]—^,lfpf\rf“É□M“í□Ú’±,ì,½,ß,ì,à,ì,Å□APPP □Ú’±,Æ,íŠÖŒW, ,è,Ü,¹,ñ□B

Q. Telnet ,ÄzfzXfg,É□Ú’±,μ□A,» ,ìŒäff□fofAfEfg,μ,½,Æ,« ,É Tera Term ,ª□ŸŽè,É□I—¹,μ,Ä,μ,Ü,¢□¢,é□B

A. [Setup] TCP/IP ,ì **Auto window close** ,đ off ,É,μ,Ä,,¾,³,¢□B

Q. Telnet □Ú’±,đ,μ,½,¢,ì,É□A<N“® ,·,é,Æ□ŸŽè,ÉfvfŠfAf<f□[fg,ªŠ],©,è,Ä,μ,Ü,¤□B

A. [Setup] General ,Å **Default port** ,đ "TCP/IP" ,É,μ,Ä,,¾,³,¢□B

[“ú-{Œê]

Q. “ú-{Œê,ª“ü—í/•\Ž|,Å,« ,È,¢□B

A. ,Ü, ,í [Setup] General ,Å **Language** ,ª "Japanese" ,É,È,Ä,Ä,¢,é,± ,Æ,đŠm“F,μ,Ä,,¾,³,¢□BŽŸ,É [Setup] Terminal ,Å **Kanji (teceive)** ,Æ **Kanji (transmit)** ,đ "SJIS", "EUC", "JIS" ,ì†,©,ç,P,Ä’I,Ñ—¼•û,Æ,à“~ ,¶,à,ì,É,μ,Ä, ,¾,³,¢□B,R,Ä,Æ,à,½,ß,μ,Ä,¤,Ü,,¢,,à,ì,đ’T,μ,Ä,,¾,³,¢□B

Q. Š;Žšf,□[fh,đ **JIS** ,â **EUC** ,É,μ,½,Æ,« Shift-JIS ,ìŠ;Žš,đŽó□M,·,é,Æ Tera Term ,ªfnf“fofAfbfv,·,é□B

A. □uC1 □šŒä•¶Žš,đŽg—p,μ,È,¢□v,đ“Ç,ñ,Å,,¾,³,¢

Q. [Setup] Terminal ,Å **Kanji-Out** ,Å ^[(H ,đ□Ý’è,Ä,« ,é,æ,¤,É,μ,Ä,Ü,μ,¢□B

A. □u□³,μ,,È,¢ "Kanji-Out" ,đŽg—p%oÄ“\,É,·,é□B□v,đ“Ç,ñ,Å,,¾,³,¢□B

[fL□[f{□[fh]

Q. Backspace ,Ü,½,í Delete (DEL) fL□[,đ%oŸ,μ,Ä,àf□[f\ f<,ì^ê,Ä□¶,ì•¶Žš,ª□Ä,¹,È,¢□B

A. Backspace fL□[,É,Ä,¢,Ä,í [Setup] Keyboard ,ì **Backspace key** ,đ on ,Ü,½,í off ,É•í,ì,Ä,Y,Ä,,¾,³,¢□BDelete fL□[,É,Ä,¢,Ä,í□A[Setup] Keyboard ,ì **Delete key** ,đ on ,É,μ,Ä,,¾,³,¢□B,½,¾,μfzfXfg,É,æ,Ä,Ä,í Delete

[,»,ì'¼]

Q. fCf"fxfg[f%o[,^a Tera Term fvf[fOf %of€fOf<[fv,ÆfVf# [fgf]fbfgfAfCfRf" ,ðì□- ,μ,Ü,¹,ñ□B

A. fVfXfef€ ,ð□Ä<N" ® ,μ,Ä Tera Term ,ð□ÄfCf"fxfg[f< ,· ,é ,©□A,²Ž©•^a,Ä,»,ê,ç,ðì□- ,μ,Ä,^{3/4},³,ç□B

Q. f_fuf<fNfŠfbfN,Ä'PCEê,ð'í'ð,· ,é,Æ,«,ì'PCEê,ì<æ□Ø,è•û,ð^È'O,ìfo□[fWf#f" ,ì Tera Term ,Æ" ,¶,É,μ,Ä,Ü,μ,ç□B

A. □uf_fuf<fNfŠfbfN,É,æ,é'PCEê'í'ð,ì<æ□Ø,è•¶Žš□v,ð"Ç,ñ,Ä,^{3/4},³,ç□B

Q. CErü (DEC "ÁŽêftfHf"fg) ,ð•\

Žì,³,¹,é,Æ□A□ü,ÉCE,,ŠÔ,^a,Ä,«,½,è□A•Ó,ÆŠp,^a,È,β,ç,©,É,Ä,È,^a,ç,È,©,Ä,½,è,· ,é□ B

A. Tera Term ,Ä,í DEC "ÁŽêftfHf"fg,ð•\Žì,³,¹,é,½,β□A"ÆŽ©,ì True Type ftfHf"fg "Tera Special" (**TSPECIAL.TTF**) ,ð—p,ç,Ü,·□B%oæ-É,É•\ Žì,³,¹,é,Æ,«,í□A•□'É,ì•¶Žš,ìftfHf"fg,Æ" ,¶,â,«,³,ÉfXfP□[f<,μ,Ü,· ,^a□A,»,ì" {— |,É,æ,Ä,Ä,í□ACErü,ÉCE,,ŠÔ,^a,Ä,«,é,È,Ç,ì-â'è, ^a"□¶,μ,Ü,·□B,³,Ü, ' ,Ü,È'â,«,³□A□c%o ;"ä,ìftfHf"fg,É "Tera Special" ,ðŠ®'S,É"K□#³,¹,é,ì,í•s%oÄ" \ ,È,ì,Ä□A•□'É,ì•¶Žš,ìftfHf"fg,ìŽì—p,â'â,«,³,ð,ç,è,ç,è•í,í,Ä□A-â'è, ^a<N,«,È,ç ,à,ì,ðŽg—p,μ,Ä,^{3/4},³,ç□B

Q. "Tera Special" ftfHf"fg, ^a□³□í,É•\Žì,³,é,È,ç□B

A. fRf"fgf□□[f<fpf]f<,ì□uftfHf"fg□v,Ä□A"Tera Special" ftfHf"fg,ðì□œ,μ□A□Ä<N" ® ,μ□ATera Term ,ð□ÄfCf"fxfg[f<,μ,Ä,^{3/4},³,ç□B

Q. %o½,©,ì"□Žq,É TEK window ,^a□ŽŽè,ÉŠj,ç,Ä,μ,Ü,Ä,Ä□ç,é□B

A. [Setup] Terminal ,Ä **Auto change (VT<->TEK)** ,Æ,ç,¤□€-Ú,ð off ,É,μ,Ä,^{3/4},³,ç□B On ,É,È,Ä,Ä,ç,é,Æ□ATEK4010 ,Æ,ç,¤fOf%oftfBfbfN'[- - ,ìfRf"fgf□□[f<fv□[fP#fX,ðŽó□M,μ,½,Æ,« TEK window ,^aŽ©" ®"ì,ÉŠj,«,Ü,·□B

Q. f}fNf□,ð,Ä,©,Ä,Ä□Af,fff€,É□Ý'èfRf}f"fh (AT...),ð•i□"□s'—,è,¤

,Æ,μ,½, ^a□A'—,é,ì, ^a'—,· ,—,Äf,fff€, ^afRf}f"fh,ð³□í,É,¤, ,Ä, ,È,ç□B

A. f,fff€,É,æ,Ä,Ä,í□A, ,éfRf}f"fh□s,ð□^—□,μ,Ä,éŠÔ,É□AŽŸ,ìfRf}f"fh, ^a'— ,ç,è,Ä, ,é,Æ□A□^—□'†,ìfRf}f"fh,ðfLfff"zfz<,· ,é□A,Æ,ç,¤,æ,¤,È,à,ì, ^a ,è,Ü,·□Bf,fff€, ,©,ç□uOK□v, ^a—^,½,ì,ðŠm" F,μ,½CEã,ÉŽŸ,ìfRf}f"fh,ð'—,é,æ,¤ ,É,· ,é,©□A[Setup]Serial port ,Ä **Transmit delay** ,ì msec/line ,ì'ì,ð'□,â,μ,Ä,Ý,Ä,^{3/4},³,ç□B(—á,ì 200 msec/line ,É,· ,é)

Q. MS Net meeting ,ðfCf"fxfg[f<,μ,½,Æ,±,è□AfL□[f{□[fh□Ý'èftf@fCf< (*.CNF) ,ìfAfCfRf" ,^a Net meeting ,ì,à,ì,É•í,í,Ä,Ä,μ,Ü,Ä,½, ^a□A-â'è,ì,È,ç,©?

A. fAfCfRf" ,^a•í,í,Ä,½,¾, ,Ä"à—é,í•í%o»,μ,Ü,¹,ñ,μ□ATera Term ,ìfL□[f{□[fh□Ý'èftf@fCf<,ð"Ç,p,±,Æ,^a,Ä,«,é,ì,Ä-â'è, ,è,Ü,¹,ñ□B,½,¾,μfAfCfRf" ,ðf

uf<fNfŠfbfN,·,é,Æ Net meeting ,ä<N“® ,μ,Ä,μ,Ü,ç,Ü,·,ì,Å□A,μ,È,ç,Å,,¾,³,ç□B

Q. Windows NT ,ì at fRf}f“fh(fXfP□[fWf...f<<@”\),Å Tera Term ,ð<N“® ,·,é,± ,Æ,ª,Å,«,È,ç□B

A. /interactive flfvfVf‡f“ ,ðŽw’è,·,ê,î<N“® ,·,é,±,Æ,ª,Å,«,Ü,·□B

—pCEêW

B-Plus

fAf[]šfj,ì BBS[]ACompuServe ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]B“ú-
{,Å,í NIFTY-Serve ,ÅŽg—p,³,ê,Ä,ç,Ü,·[]B

Kermit

fAf[]šfj,ìfRf[]f“frfA‘âŠw,ÅŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BKermit
fvf[]fgfRf<,É‘í%ž,μ,½f\ftfg,ª[]A‘½,,ì PC, OS —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·[]BTera Term ,ì
Kermit ,í[]i,ì,Æ,±,ěŠî-{}“l<@”\,μ,©Ž[]Á,Ä,ç,È,ç,ì,Å[]A-{}%øÆ,ì Kermit
,É”ä,x,é,Æ“]’—‘¬“x,ª, ,Ü,è‘¬,, ,è,Ü,¹,ñ[]B

Quick-VAN

“ú-{} ,ì BBS[]APC-VAN ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BXMDEM
fvf[]fgfRf<,đfx[]fX,É,μ,Ä,é,æ,x,Å,·,ª[]A“]’—‘¬“x,đ, ,°,é,½,ß,ì[]H·v“™ ,ª,È,³,ê,Ä,
ç,Ü,·[]B

TCP/IP

fCf“f^[]f[]fbfg,ÅŽg—p,³,ê,Ä,ç,éff[]f^“]’—,đ[]\$CEä,·,é,½,ß,ìfvf[]fgfRf<[]B

TEK4010

Tektronix ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B[]},âfOf%øfv,È,Ç,đ·\Žì,·,é,±,Æ,ª,Å,«[]A,©,Ä,Ä,í
%øÈŠw<Z[]pCEn,ì•ª-ì,Å[]L,—p,ç,ç,ê,Ä,ç,½,æ,x,Å,·[]BCE»[]Ý,í[]AX Window
ŠÂ««,È,Ç,ÉŽæ,Ä,Ä‘Ö,í,ç,ê,Ä,Ä, ,è,Ü,·,ª[]ATEK fGf~f...fCE[]f^[][,đŽg—p,μ,Ä,ç
,é[]l,í,Ü,¾,Ü,¾,ç,Ü,·([]žÒ,àŠÜ,ß,Ä)[]B‘â•“•ª,ìft[]fU[][,í Tera Term ,ì TEK
fGf~f...fCE[]fVf#f“<@”\,đŽg,x,±,Æ,í,È,ç,Å,μ,â,x[]B

TEK window

TEK ‘[--,ìfGf~f...fCE[]fVf#f“ ,đ,·,éEfBf“fhfE,Å[]Af^fCfgf<•¶Žš—ñ,ì^ê”Ô
%øE,É[]uTEK[]v,Æ·\Žì,³,ê,Ä,ç,Ü,·[]BTera Term ,đ<N“® ,μ,½,Æ,«,í\
Žì,³,ê,Ü,¹,ñ[]B[Control] Open TEK fRf}f“fh,Å[]ATEK window ,đŠJ,,±
,Æ,ª,Å,«,Ü,·[]B

Telnet

TCP/IP ,đŽg—p,μ[]AfzfXfgfRf“fsf...[]f^[][,Æ‘[--,đ[]Ú‘±
,·,é,½,ß,ìfvf[]fgfRf<[]B[]Å<ß,í[]ANifty-Serve ,È,Ç,ì BBS ,É[]Ú‘±,·,é,½,ß,É,àŽg—
p,³,ê,Ä,ç,Ü,·[]B

VT100

DEC ŽĐ,ì‘[--,ì-¼‘O,Å,·[]B,©,Ä,Ä[]AUnix ,â VAX/VMS “™,ìfRf“fsf...[]f^[][,ì‘[--
,Æ,μ,Ä[]L,—p,ç,ç,ê,Ä,ç,Ü,μ,½[]BCE»[]Ý,í[]A VT100 ,» ,ì,à,ì,í,Ü,Æ,ñ,ÇŽg—
p,³,ê,Ä,ç,Ü,¹,ñ,ª[]A,» ,ìžd—l,ªŽ—ŽÀ[]ã,ì·W[]€ ,Æ,È,Ä,Ä,ç,é,½,ß[]APC ,â
f[][]fNfxfe[]fVf#f“ ,Å“®, VT100 fGf~f...fCE[]f^[][,ª½,[]ç,ê,Ä,ç,Ü,·[]BVT220

,â VT382 ,È,Ç,Í□AVT100,ì□ã^ÊÆÝŠ·'[-,ì-¼'O,Å,·□B

VT window

Tera Term ,ìf□fCf“fEfBf“fhfE,ì,±
,Æ,Å,·□B<N“® ,μ,½,Æ,« ,ÉÆ» ,ê,éfEfBf“fhfE,Å□Af^fCfGf<•¶Žš—ñ,ì^ê”Ô
%oE,É□uVT□v,Æ•Ž!,³,ê,Ä,ç,Ü,·□BVT '[-,ìfGf~f...fCE□[fVf#f“ ,ð,μ,Ü,·□B

Winsock

Windows Sockets ,ì—^a□BMS-Windows ,Å TCP/IP ŠÅ<« ,ðŽÀÆ» ,· ,é,½,β,ìf\
ftfgfEfGfA,ì<KŠi□BWINSOCK.DLL ,Æ,ç,xfjf@fCf<,ðŠÜ,pf\ftfg,ð Windows
,ÉfCf“fXfG□[f<,· ,é,Æ□Atelnet, WWW, ftp ,È,Ç,ì TCP/IP ,ðŽg—
p,· ,éfAfvfŠfP□[fVf#f“ ,^aŽg—p%oÅ“\,É,È,è,Ü,·□BWindows 95 ,Æ Windows NT
,É,Í Winsock 'Í%ožf\ftfg, ^a•W□€“Y•t,³,ê,Ä,ç,Ü,·□B

XMODEM

1977 "N,É Ward Christensen ,É,æ,Á,ÄŠJ” ,³,ê,½ftf@fCf<“]’—
fvf□fgfRf<□B,» ,ìÆã XMODEM/CRC, XMODEM-1k ,È,Ç,ìŠg’f\fvf□fgfRf<, ^aŠJ”-
,³,ê,Ü,μ,½□B“]’—’—“x, ^ax,ç□A8-bit fR□[fh,· ,x,Ä,ðÊ,·Ê□M%oň□ü,Å,È,¯ ,ê,ìŽg—
p,Å,« ,È,ç,È,Ç,ì□\$ÆÀ, ^a ,è,Ü,·□B

YMODEM

XMODEM ,ðŠg’f,μ,½ftf@fCf<“]’—fvf□fgfRf<□B,È,° ,© Tera Term ,Å,íí
%ož,μ,Ä,ç,Ü,¹,ñ□B

ZMODEM

XMODEM, YMODEM ,ð(,» ,ê,ç,ìÆ’Æ` ,ð,Æ,Ç,β,È,ç,Ü,Ç,É)%oü—
Ç,μ,½ftf@fCf<“]’—fvf□fgfRf<□BfGf%o□[’ù□³<@“\, ^a<-
%o» ,³,ê□A□\$Æä•¶Žš,ì^ê•” ,ðÊ,³,È,ç%oň□ü,É,à’í%ož,μ□A“]’—’—“x,ð, ,° ,é,½,β,ì
□H•v, ^a,É,³,ê,Ä,ç,Ü,·□B

fAf“fCf“fXfg[]f<

Tera Term Pro ,đííœ,·,é,É,íAfRf“fgf[]f<fpflf<,ìufvf[]fOf%of€,ì’Ç
%oÁ,Æííœ[]v,đŽÀ[]s,·,é,©[]A Windows fffBfÇfNfgfŠ,É, ,é **TTUNINST.EXE**
,đŽÀ[]s,μ,Ä,,³/₄,³,ç[]B

,à,μ,±,ìAf“fCf“fXfg[]f%o[][,^a“,©,È,çê[]‡,íAŽè“® ,Å,àAf“fCf“fXfg[]f<,·,é,±
,Æ,^a,Å,«,Ü,·[]BTera Term fffBfÇfNfgfŠ,É, ,é Tera Term
ŠÖEW,ìftf@fCf<,đ,·,×,Äííœ,μAfRf“fgf[]f<fpflf<,ìuftfHf“fg[]v,©,ç "Tera
Special" ftfHf“fg,đííœ,μ,Ä,,³/₄,³,ç[]B

fL[f{[fh

fL[f{[fh,ÉŠÖ,·,é,ç,,Â,©,ì,Ý'è,í [Setup] Keyboard ,Å,Å,«,Ü,·B

fL[f{[fhÝ'èftf@fCfç,ð,«,©,ì,é,±,Æ,ÅŽ©—R,ÉfL[Ý'è,ð,ïX,·,é,±,Æ,ª,Å,«,Ü,·B

fVf#f[fgf]fbfgEfl[

VT window

fqf"fg: fuf[fU[fEfvf#f[fgf]fbfgEfl[v

Alt+B

fufCE[fN[M±,ð'—o,μ,Ü,·B

Alt+C ,Ü,½,í Ctrl+INS

f}fEfX,Å'I'ð,μ,½•¶Žš—ñ,ðfNfŠfbfvf{[fh,ÖfRfs[,μ,Ü,·B

Alt+N

¶V,μ,çfzfXfg,Ü,½,ífvfŠfAf<f[fg,ÉÚ'±,μ,Ü,·B

Alt+P

CE»Ý,ì%œ—Ê,Ü,½,í[Af}fEfX,Å'I'ð,³,ê,½•¶Žš,ð^óü,μ,Ü,·B

Alt+Q ,Ü,½,í Alt+F4

Tera Term ,ðl—¹,μ,Ü,·B

Alt+R

fNfŠfbfvf{[fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—o,μ[A'±,ç,Ä%ü[sfR[fh,à'—o,μ,Ü,·B

Alt+T

Telnet ,ì AYT (Are You There) fRf}f"fh,ð'—o,μ,Ü,·B'Ê[ízfXfg,í,±,ê,ÉCEÄ%ž,μ,Ä%½"™,©,ìf[fbfZ[fW,ð'—,è•Ö,μ,Å,«,Ü,·BTelnet Ú'±,ì,Æ,«,¾,žg—p,Å,«,Ü,·B

Alt+V ,Ü,½,í Shift+INS

fNfŠfbfvf{[fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—o,μ,Ü,·B

Ctrl+Esc

fAvfŠfP[fVf#f",ìØ,è'Ö,ì,ð,μ,Ü,·B

TEK window

Alt+C ,Ü,½,í Ctrl+INS

f}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[fh,ÖfRfs[,μ,Ü,·B

Alt+O

VT window ,É^Ú"®,μ,Ü,·B

Alt+P

%œ—Ê'S'ì,Ü,½,í[Af}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%œ'œ,ð^óü,μ,Ü,·B

Alt+Q ,Ü,½,í Alt+F4

TEK window ,đ•Â,¶,Û,·□B

Alt+R

VT window ,Æ“~,¶□B

Alt+V ,Û,½,Í **Shift+INS**

VT window ,Æ“~,¶□B

Ctrl+Esc

VT window ,Æ“~,¶□B

f□f^□E□f□L□□ (Meta key)

[Setup] Keyboard ,Å **Meta key** ,đ‘l’đ,·,é,Æ□AVTWindow ,Å Alt

f□L□□,đf□f^□E□f□L□□,Æ,μ,ÄŽg,α,±,Æ,ª,Å,«,Û,·□B—á,¡,Î Alt+A ,đ%oÿ,·,Æ□AESC

A ,đ’—□o,μ,Û,·□Bf□f^□E□f□L□□[f,□[fh,Å,Í□AAlt

f□L□□,đŽg,αfVf#□□[fgfjfbfg□E□f□L□□(Alt+C “™),ÍŽg—p,Å,«,È,,È,è,Û,·□B

□¶f{f^f“ ,Åfhf%fbfO
%æ'œ,đ'l'đ,μ,Û,·□B

%E,Û,½,í'tf{f^f“ ,đNfŠfbfN
VT window ,Æ“~,¶□B

CtrlfL□[,đ%Ÿ,μ,È,ª,ç□¶f{f^f“ ,đ%Ÿ,·
VT window ,Æ“~,¶□B

fqf“fg

Tera Term ,ìŸ'è-@

fŸO,ìŽæ,è•ûAŸO,ìÄŸ<@”\

fVf#Ÿ[fŸf]fbfŸEŸLŸ,ìŸ'è

fef“fLŸ[,É,Â,c,Ä

VT100 ,ì PF1-PF4 fLŸ[

NIFTY-Serve ,ìfqf“fg

PC-VAN ,ìfqf“fg

XMODEM ,ìfqf“fg

ZMODEM ,ìfqf“fg

B-Plus ,ìfqf“fg

Quick-VAN ,ìfqf“fg

'tŠÔfzfXfg,đŸEo—R,μ,ÄfzfXfg,ÉŸÚ'±,μ,½ŸêŸ±,ìftf@fCf<“]’—

TCP/IP ŸÚ'±,Å 23 ^ÈŠO,ì TCP port "ÔŸt,đŽg—p,.,éŸêŸ±,ìŸ^Ó

Tera Term ,ìŸ'è-@

Tera Term ,ìŸ'è,í[A[Setup] fffj...[l,lfRf}}f“fh,Å,Ù,Æ,ñ,Ç,“,±,È,ꝛ,±
,Æ,ª,Å,«,Ü,·B,Ü,½A Tera Term Ÿ'èftf@fCf<,đ'¼Ú•ÒW,·,é,±
,Æ,É,æ,Á,ÄA,æ,èx,©,çŸ'è,đs,±,Æ,ª,Å,«,Ü,·B

,Ü,½AfL[f{[fhŸ'èftf@fCf<,đ',«,©,!,é,±,Æ,ÅŽ©—R,ÉfL[Ÿ'è,đ•ïX,·,é,±
,Æ,ª,Å,«,Ü,·B

f[]fO, iZæ, è, ©, 1/2 [] Af[]fO, i[]Ä[]¶<@”\

f[]fO (log) <@”\, ð, Â, ©, ¤, Æ[]AfzfXfg, ©, ç’—, ç, ê, Ä, «, 1/2 • ¶Žš, ðftf@fCf<, É•Û’¶, ·, é, ±, Æ, ¢, Ä, «, Ü, ·[]B

f[]fO, iZæ, è, ©, 1/2

^È%oo°, iZè[]¶, É, µ, 1/2, ¢, Ä, ¢, 3/4, ¢, ¶[]B

1. [File] Log fRf}f“fh, ðŽÀ[]s, ·, é[]B
2. "Tera Term: Log" f_fCfAf[]fOf{fbfNfX, ¢Æ» , é, é[]B
 •Û’¶, ·, éftf@fCf<, ðftf@fCf<-1/4, ð **File Name:** , É“ü—í, ·, é[]B
Binary , ð’l’ð, ·, é, Æ[]AfzfXfg, ©, ç’—
 , ç, ê, 1/2 • ¶Žš, í, ·, x, Äftf@fCf<, É[]’, «[]ž, Ü, ê, é[]B
Binary , ð’l’ð, µ, È, ç, Æ[]AŠ; Žš[]A
 %ooü[]sfR[][fh, í•İŠ, ¢, ê, Ä[]’, «[]ž, Ü, ê, é[]BfGfXfP[][fvfV[][fPf“fX, í[]’, «[]ž, Ü, ê, È,
 ç[]B
Append , ð’l’ð, ·, é, Æ[]Aftf@fCf<, ¢, ·, Ä, É’¶[]Ý, ·, é[]è[]¶[]A’Ç
 %ooÁ, µ, Ä[]’, «[]ž, Ü, ê, é[]B
Append , ð’l’ð, µ, È, ç, Æ[]Aftf@fCf<, ¢, ·, Ä, É’¶[]Ý, ·, é[]è[]¶[]A[]ä[]’, «, ¢, ê, é[]B
3. OKf{f^f“ , ð%oÿ, ·, Æ[]A"Tera Term: Log" , Æ, ç
 , ¤fAfCfRf“ , ¢Æ» , é[]Af[]fO, ¢ŠŽn, ¢, ê, é[]Bf[]fO, ðŽæ, Ä, Ä, ç, éŠÔ, à[]A^ê•” , ð<@”\
 , ð[]œ, ç, Ä•[]’É, É Tera Term , ðŽg—p, ·, é, ±, Æ, ¢, Ä, «, é[]B
4. f[]fO, ð[]—
 1, µ, 1/2, è[]A’t’f, µ, 1/2, ç[]è[]¶, í[]AfAfCfRf“ , ð(f_fuf<)fNfŠfbfN, µ, Ä_fCfAf[]fOf{fbfN
 fX, ð•Ž|, ¢, 1[]A**Close** , Ü, 1/2, í **Pause** f{f^f“ , ð%oÿ, ·[]B**Pause** f{f^f“ , ð
 %oÿ, ·, Æ**Start** f{f^f“ , É•í, í, é, ð, Ä[]A, » , é, ð%oÿ, ·, Æf[]fO, ¢[]ÄŠ, ¢, ê, é[]B

•Û’¶, µ, 1/2ftf@fCf<, í[]A[]uf[]f, ‘ []v“™ , ðGfffBf^, ÂÆ© , é, ±
, Æ, ¢, Ä, «, Ü, ·, ¢[]AfGfXfP[][fvfV[][fPf“fX“™ , ðŠÜ, ñ, 3/4ftf@fCf<, í[]Af[]fO, i[]Ä[]¶<@”\
, ðŽg, Ä, ÄÆ© , é, Æ•Ö—~ , Ä, ·[]B

f[]fO, i[]Ä[]¶, ð, µ, ©, 1/2

fRf}f“fhf%ofCf“ , ð[]A

TERATERM /R=<f[]fOf[]f@fCf<-1/4>

, ð, æ, ¤, ÉŽw’è, µ, Ä Tera Term
, ðŽÀ[]s, µ, Ü, ·[]B, ·, é, Æ[]A, , 1/2, ©, àfzfXfg, ©, ç•¶Žš, ¢—, ç, ê, Ä, «, 1/2, ©, ð, æ, ¤

,É□Af□fOftf@fCf<,đ□Ä□¶,·,é,±,Æ,ª,Å,«,Ü,·□B

,Ü,½,Í□A[File] New connection ,Å **Host:** ,ì□Š,É

/R=<f□fOftf@fCf<-¼>

,Æ“ü—í,μ,Ä,à□Af□fOftf@fCf<,ª□Ä□¶,Å,«,Ü,·□B

ft [fU [[EfVf# [fgfjfbfg [EfL [

fL [f{ [fh [Y' èftf@fCf<, [Shortcut keys] ,Æ [VT function keys]

fZfNfVf#f", ì [€-Ú, ð [', «Š·, !, é, Æ [A^È

%º, ìfVf# [fgfjfbfg [EfL [[, ð Ž © •ª, ì [D, «, ÈfL [[, ÉŠ,, è"- , Ä, é, ±, Æ, ª, Å, «, Ü, · [B

[Shortcut keys] fZfNfVf#f", ì [€-Ú	<@"\	[%ºŠú [Y'è
EditCopy	[Edit] Copy fRf}f"fh *1)	, È, µ
EditPaste	[Edit] Paste fRf}f"fh *1)	, È, µ
EditPasteCR	[Edit] Paste<CR> fRf}f"fh *1)	, È, µ
LineUp	^ê [sfXfNf [[f<fA fbfv	Ctrl+ [ª
LineDown	^ê [sfXfNf [[f<f_ fEf"	Ctrl+ [«
PageUp	^êfy [[fWfXfNf [[[f<fAfbfv	Ctrl+PageUp
PageDown	^êfy [[fWfXfNf [[[f<f_fEf"	Ctrl+PageDown
BuffTop	fobftf@, ì [æ"ª, ÖfXfNf [[f<	Ctrl+Home
BuffBottom	fobftf@, ì [ÅÆã, ÖfXfNf [[f<	Ctrl+End
NextWin	ŽŸ, ì Tera Term fEfBf"fhfE, Ö^Ú" ®	Ctrl+Tab
PrevWin	'O, ì Tera Term fEfBf"fhfE, Ö^Ú" ®	Ctrl+Shift+Tab
LocalEcho	f [[fj f<fGfR [[, ð on/off , É, ·, é [B	, È, µ
[VT function keys] fZfNfVf#f", ì [€-Ú	<@"\	[%ºŠú [Y'è
Hold	Žó [Mf [fg, ðf [fbfN/	, È, µ

Print	f[]fbfN%ođ[]œ [File] Print	,È,μ
Break	fRf}f“fh *1) fufCE[]fN[]M[]+’ —[]o *1)	,È,μ

*1) ,±,ê,ç,ì<@”\,É,ÍfVfXfef€[]EfVf#[]f[]fg[]fbfg[]EfL[]L,ªŠ,,,è“-,Ä,ç,ê,Ä,ç,Ü,·[]B

—á,|,Î[]ACtrl+V ,đ [Edit] Paste ,ÉŠ,,,è“-,Ä,½,ç[]ê[]#,Í[]A
fL[]f{[]f[]h[]Ý’èftj@fCf<,ì [Shortcut keys] fZfNfVf#f” ,Å[]A

EditPaste=1071

,Æ,μ,Ä,,¾,³,ç (IBM-PC/AT fL[]f{[]f[]h,ì[]ê[]#)[]B

fef“fL□[,É,Â,ç,Ä

fL□[f{□[fh,ì□%ŠúŸ'è,í VT100 ,ìfL□[f{□[fh,đfGf~f...fĚ□[fg,·,é,æ,α,É,È,Á,Ä,ç
,Ü,·□B,±,ì,½,βfef“fL□[,ìfL□[,đ□%Ÿ,μ,½,Æ,«fL□[,É□',ç,Ä, ,é•Ÿš,Æ^á,α•Ÿš,â'—
□o,³,ê,é,±,Æ,^a, ,è,Ü,·□BVT100 fL□[f{□[fh,ìfef“fL□[,ì<@”\,đŽg—p,·,é•K—v,^a,È,-
□Afef“fL□[,đ•□'É,ÉŽg,ç,½,ç□ê□‡,í□AfL□[f{□[fh□Ÿ'èftf@fCf< **KEYBOARD.CNF** ,ì
[VT numeric keypad] ,ì'S□€-Ú,đ^È%°ò,ì,æ,α,É OFF ,É,μ,Ä,,³/₄,³,ç□B

[VT numeric keypad]

Num0=off

Num1=off

Num2=off

Num3=off

Num4=off

Num5=off

Num6=off

Num7=off

Num8=off

Num9=off

NumMinus=off

NumComma=off

NumPeriod=off

NumEnter=off

PF1=off

PF2=off

PF3=off

PF4=off

VT100 , à PF1-PF4 fL[]

fL[]f{[]fh, à %ŠúÝ'è, Å, Í VT100 , à PF1-PF4 fL[], à @ "\, í ef " fL[], à ê " Ô ä, à ñ, à, S, Å, í fL[] (IBM/PC, à ê ð "Num Lock", "/", "*", "-"; PC98, à ê ð "HOME CLR", "HELP" "-", "/"), É Š,, è "-, Ä, ç, ê, Ä, ç, Ü, ·, ±, ê, ð F1-F4 fL[], É Š,, è "-, Ä, é, æ, x, É · ì X, ·, é, É, í ^ È % °, à, æ, x, É fL[]f{[]fh[]Ý'èftf@fCf< **KEYBOARD.CNF**, ð ' , « Š ·, à, Ä,, ¾, ¾, ç, B

^ È % °, Í IBM-PC fL[]f{[]fh, à ê ð (PC98, à ê ð, Í KEYCODE.EXE, ð Ž g— p, µ, Ä fL[]fR[]fh, ð '², x, Ä,, ¾, ¾, ç) B

[Numeric keypad]

PF1=59

PF2=60

PF3=61

PF4=62

; 59-62 , à F1-F4 key , à fL[]fR[]fh

[X function keys]

XF1=off

XF2=off

XF3=off

XF4=off

; fL[]fR[]fh 59-62 , ð "ñ d Ž g— p, µ, È, ç, æ, x, É, ·, é, ½, ß XF1-XF4 , ð "off" , É, ·, é B

NIFTY-Serve ,lfqf“fg

NIFTY-Serve ,Ö, ì telnet □Ú' ±-@,ª, í, ©, ç, È, ç □ê □±, í □A □]— ^, ì • û-@ (, ç, í, ä, é f p f \ f R f “ “ Ê □ M), Å NIFTY-Serve ,Ö □Ú' ±, µ □A "GO TELNET" f R f } f “ f h, Å TELNET f □ f j f ... □ [, Ö □ s, « □ A telnet □Ú' ±, ì ^ Ä “ à (telnet to NIFTY Serve) ,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Š ž Š f, □ [f h, ì □ Y ' è

[Setup] Terminal , Å Š ž Š f, □ [f h, ì □ Y ' è, ð, µ, Ä, , ¾, ¾, ç □ B ' Ê □ í, í □ A Ž ó □ M □ A ' — □ M, Æ, à **SJIS** (Shift-JIS) , É, µ, Ü, · □ B

f □ f O f C f “ Ž ž, ì f v f □ f “ f v f g "Enter Connection-ID --->" , Å "SVC" , Æ “ ü — í, ·, é, Æ, «, É ^ È % ° °, ì, æ, x, É f l f v f V f f “ , ð • t, ~ % ° ° Á, ì, é, ±, Æ, É, æ, è Š ž Š f R □ [f h, ì Ž í — p, º Ž w ' è, Å, «, Ü, · □ B Tera Term ' x, ì Š ž Š f R □ [f h, ì □ Y ' è, à, » , è, É, í, ¹, Ä % ° °, ¾, ç □ B

Connection-ID Tera Term , ì Š ž Š f, □ [f h

SVC , Ü, ½, í **SVC/SJISSJIS**

SVC/EUC **EUC**

SVC/NJS1 **JIS**, Kanji-In: **ESC\$B**, Kanji-Out: **ESC(J**

SVC/OJS1 **JIS**, Kanji-In: **ESC\$@**, Kanji-Out: **ESC(J**

ftf@fCf<, ì f A f b f v f □ □ [f h □ A f _ f E f “ f □ □ [f h, ·, é □ ê □ ± □ A

B-Plus ,lfqf“fg

XMODEM ,lfqf“fg

,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Ž Q □ I: ' + Š Ô f z f X f g, ð Ç E o — R, µ, Ä f z f X f g, É □ Ú ' ±, µ, ½ □ ê □ ±, ì f t f @ f C f < “] ' —

PC-VAN ,lfqf“fg

Š;Žšf,[]fh,ì[]Ý’è

[Setup] Terminal ,ÅŠ;Žšf,[]fh,ì[]Ý’è,đ,μ,Ä,,³/₄,³,ç[]B’Êí,í[]AŽó[]M[]A’—[]M,Æ,à
SJIS (Shift-JIS) ,É,μ,Ü,·[]B

Telnet ,Å PC-VAN ,É[]Ú’±

,μ[]Aftf@fCf<,lfAfbfvf[]fh[]Af_fEf“f[]fh,đ,·,é[]ê[]±,í[]A•K, ,fofCfifŠflfvfVf#f“ ,Å[]Ú’
±,μ,Ä,,³/₄,³,ç(1996“N6CEŽCE>[]Ý)[]B[]Ú,μ,,í[]A[]uQuick-VAN ,lfqf“fg[]v,đ“Ç,ň,Å,-
,³/₄,³,ç[]B

ŽQ[]l: ‘tŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É[]Ú’±,μ,¹/₂[]ê[]±,iftf@fCf<“l’—

XMODEM ,lfqf“fg

XMODEM ,í□A8 bit fR□[fh (\$00-\$FF ,ì•ŕŽš,·,×,Ä),đŠ®‘S,É’É,·%ñ□ü,đ—p,č,È,č ,ÆŽg—p,Å,«,Ü,¹,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data,^a 7 bit ,³/₄,Á,¹/₂,è□Aftf□□[□\$CEä,^a Xon/Xoff ,³/₄,Á,¹/₂,è,·,é,Æ□AXMODEM ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Å **Data** ,đ **8** bit ,É,μ□A**Flow control** ,đ **hard** (CTS/RTS) ,© **none** ,É,μ,Ä,³/₄,³,č□Bf,ff€(fzfXfg)’æ,ì□Ý’è,à“⁻,ŕ,É,μ,Ä,-³/₄,³,č□B

Telnet ,ì□ê□‡

,à,μ³,μ,“]’—,Å,«,È,č□ê□‡,ífofCfifŠfifvfVf‡f“ ,Å telnet □Ú’±,μ,Ä,Ý,Ä,-³/₄,³,č□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /**B** f|fvfVf‡f“ ,đ,Â,⁻,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,³/₄,³,č□B
□” Telnet ,ìfofCfifŠfifvfVf‡f“

,Ç,æ,μ,Ä,à□³□í,É“]’—,Å,«,È,č□ê□‡,í□AfzfXfg’æ,ì XMODEM fRf}f“fh,đ□³,μ,-
□Ý’è,“,æ,ŕŽg—p,μ,Ä,č,é,±,Æ,đŠm”F,μ,¹/₂□ã,Å□AXMODEM
,ìf□fO,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,³/₄,³,č□B

ŽQ□l: ‘†ŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É□Ú’±,μ,¹/₂□ê□‡,ìftf@fCf<“]’—

ZMODEM ,lfqf“fg

ZMODEM ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,¹,ñB

fVfŠfAf<f[fq,ìê±

Data ,^a 7 bit,^{3/4},ÆAZMODEM ,^aŽg,ì,Ü,¹,ñB[Setup] Serial port ,Á **Data** ,^đ
8 bit ,É,μ,Ä,,^{3/4},³,çBf,ff€(fzfXfg)‘α,ìY’è,à“~,¶,É,μ,Ä,,^{3/4},³,çB

Telnet ,ìê±

,à,μ³,μ,“]’—,Á,«,È,çê±,í\$CEä•¶Žš,đ,·, x,ÄfGfXfP[fv,μ,Ä,Ý,Ä,-
,^{3/4},³,çB,»,ê,Á,à,^{3/4},ß,Èê±,ífofCfifŠfifvfVf#f“ ,Á telnet □Ú’±,μ,Ä,Ý,Ä,-
,^{3/4},³,çBfofCfifŠfifvfVf#f“ ,Á□Ú’±,·,é,É,íA

fRf}f“fhf%ofCf“,É /B fifvfVf#f“ ,đ,Â,~,é,©A

Tera Term Y’èftf@fCf<,đ□’,«Š·,ì,Ä,,^{3/4},³,çB
□“ Telnet ,ífofCfifŠfifvfVf#f“

,Ç,α,μ,Ä,à³í,É“]’—,Á,«,È,çê±,íAfzfXfg’α,ì ZMODEM fRf}f“fh,đ³,μ,-
Y’è,“æ,ŇŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,^{1/2}ã,ÁAZMODEM
,ífO,đŽæ,èAìŽÒ,É’—,Á,Ä,,^{3/4},³,çB

,Ü,^{1/2}A^È%^o,ìY’è,à%^oÂ“\,Á,·B

□“ ZMODEM ŽóM,ìŽ©“®<N“®

□“ ZMODEM ‘—M,ìY’è

ŽQI: ‘tŠÔfzfXfg,đCEo—R,μ,ÄzfXfg,É□Ú’±,μ,^{1/2}ê±,íftf@fCf<“]’—

B-Plus ,lfqf“fg

B-Plus ,í□A7 bit %oñ□ü,Á,íŽg—p,Á,«,Ü,¹,ñ□B,Ü,¹/₂□AB-Plus ,í CompuServe ,â NIFTY-Serve “™ ,ì BBS ,©,ç,lf_fEf“f□□[fh/,Ö,lfAfbfvf□□[fh,ì,¹/₂,ß,³/₄, ,ÉŽg—p,μ,Ä,-³/₄,³,ç□B Tera Term ,ì B-Plus ,í PC (‘É□Mf\ftfg)ŠŎ,ìftf@fCf<“]’—,É‘í%ož,μ,Ä,ç ,Ü,¹,ñ□B

fVfŠfAf<f□□[fg,ì□ê□#□AData ,^a 7 bit ,³/₄,Æ□AB-Plus ,^aŽg,!,Ü,¹,ñ□B[Setup] Serial port ,Á **Data** ,đ 8 bit ,É,μ,Ä,,³/₄,³,ç□Bf,fff€(fzfXfg)‘x,ì□Ý’è,à“ ,¶,É,μ,Ä,,³/₄,³,ç□B

“]’—,^a,x,Ü,,ç,©,É,ç□ê□#□A□\$CEä•¶Žš,đ,.,x,ÄfGfXfP□[fv,μ,Ä,Ý,Ä,,³/₄,³,ç□B

,Ü,¹/₂□AŽŸ,ì□Ý’è,đ,.,é,Æ•Ö—~ ,Á,·□B
□“ B-Plus f_fEf“f□□[fh,ìŽ©“®<N“®

□³,μ,“]’—,Á,«,È,ç□ê□# ,í□AB-Plus ,lf□fO,đŽæ,Á,Ä□iŽÒ,É’—,Á,Ä,,³/₄,³,ç□B

ŽQ□l: ‘tŠŎfzfXfg,đCEo—R,μ,ÄfzfXfg,É□Ú’±,μ,¹/₂□ê□# ,ìftf@fCf<“]’—

Quick-VAN ,lfqf“fg

Quick-VAN ,í□APC-VAN ,Æ,ç,× BBS ,Å—p,ç,ç,ê,Ä,ç,éftf@fCf<“]’—
fVf□fgfRf<,Å,·□BQuick-VAN ,í□A7 bit %oñü,Å,ÍŽg—p,Å,«,Ü,¹,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data ,^a 7 bit ,^{3/4},Æ□A Quick-VAN ,^aŽg,ì,Ü,¹,ñ□B[Setup] Serial port ,Å **Data**
,^đ 8 bit ,É,μ,Ä,,^{3/4},³,ç□Bf,fff€(fzfXfg)’×,ì□Ý’è,à“[˘],¶,É,μ,Ä,,^{3/4},³,ç□B

Telnet ,ì□ê□‡

PC-VAN ,É□Ú’±,·,é□ê□‡,í□A•K, ,fofCfifŠfifvfvf‡f“ ,^đŽw’è,μ,Ä,,^{3/4},³,ç
(1995”N12ĚŽĚ»□Ý)□BfofCfifŠfifvfvf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /B fifvfvf‡f“ ,^đ,Å,˘ ,é,©□A

Tera Term □Ý’èftf@fCf<,^đ□’,«Š,ì,Ä,,^{3/4},³,ç□B
□” Telnet ,lfofCfifŠfifvfvf‡f“

,Ü,^{1/2}□AŽŸ,ì□Ý’è,^đ,·,é,Æ“]’—‘—“x,^a%oü’P,·,é□ê□‡,^a ,è,Ü,·□B
□” Quick-VAN ,ì window size

,Ç,×,μ,Ä,à□³□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’×,ì Quick-VAN fRf}f“fh,^đ□³,μ,-
Žw’è,μ,Ä,ç,é,±,Æ,^đŠm”F,μ,^{1/2}□ã,Å□AQuick-VAN ,lf□fO,^đŽæ,è□A□ìŽO,É’—,Á,Ä,-
,^{3/4},³,ç□B

ŽQ□l: ‘tŠÔfzfXfg,đĚo—R,μ,ÄzfXfg,É□Ú’±,μ,^{1/2}□ê□‡,ìftf@fCf<“]’—

'tŠÔfzfXfg,ðŒo—R,μ,ÄfzfXfg,ÉÚ±,μ,½ê±,ìftf@fCf<"']—

,,éfzfXfg,ÉfOfCf",μ,ÄA,»,±
,©,ç,³,ç,É¼,ìfzfXfg,ÖfOfCf",μ,½ê±A'ìfzfXfg,Æ Tera Term
,ìŠÔ,ìftf@fCf<"']— (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-VAN),ª,æ,Ü,,ç
,©,È,ç,±,Æ,ª, ,è,Ü,·B

Tera Term ìŽÒ,í,±,ì,æ,æ,Èó<μ,Ä,ìftf@fCf<"']—,ð'z'è,μ,Ä,Ü,¹,ñ,ì,ÄA¼,ì"]—
@('¼Ú'ìfzfXfg,ÉÚ±,·,éAê'U'tŠÔfzfXfg,ìfffBfXfN,ÖfAfbfvf[fh/
f_fEf"f[fh,·,éAftp ,ðŽg—p,·,é"™),ðŽæ,é,±,Æ,ð,"Š©,ß,μ,Ü,·B

,±,ì-â'è,í'È%º,ì,æ,æ,ÈŒ'ö,ª,ì,ç,êAê±,É,æ,Á,Ä,í%ðŒ^,Ä,«,é,±,Æ,ª, ,è,Ü
,·B

1) Tera Term <-> 'tŠÔfzfXfg ,Ü,½,í 'tŠÔfzfXfg <->
ì'ìfzfXfg,ìftf[fŒä,ª,³,μ,·s,í,ê,Ä,ç,È,çB

Ú±,ª TCP/IP (f_fCfAf<fAfbfv PPP ,àŠÜ,þ),È,ç,ìftf[fŒä,í³,μ,·s,í,ê,Ä,ç
,é,í,,Ä,·BfvfŠfAf<f[f(f,fff€+"d~b%ñü,ì"ñ PPP(fpfvRf""ÊM)
,àŠÜ,þ)Ú±,ìê±,íAftf[fŒä,ð³,μ,Ý'è,μ,Ä,,¾,¾,çB

2) Tera Term <-> 'tŠÔfzfXfg ,Ü,½,í 'tŠÔfzfXfg <->
ì'ìfzfXfg,ÄŒä·Žš,ìê·",ªŽ,í,ê,éB

Telnet Ú±,ìê±AfOfCfifŠf,ìfh,ÄÚ±,·,é·K—v,ª, ,éê±,ª, ,è,Ü,·B

Kermit ,Ä,í,±,ì,±,Æ,íÊí-â'è,É,È,è,Ü,¹,ñBB-Plus ,Æ ZMODEM
,Ä,íA,·,x,Ä,ìŒä·Žš,ðGfXfP[fv,·,é,±,Æ,É,æ,è³,μ,ftf@fCf<"']—
,ª,Ä,«,é,æ,æ,É,È,é%Ä"\«,ª, ,è,Ü,·BXMDEM ,Æ Quick-VAN ,Ä,íA,·,x,Ä,ì
8-bit ·Žš,ð'È,·%ñü,ðŽg—p,μ,È,ç,Æ³,μ,ftf@fCf<"']—,ª,Ä,«,Ü,¹,ñB

'tŠÔfzfXfg,©,ç telnet fRf}f"f,Äì'ìfzfXfg,ÉÚ±,μ,½ê±ATera Term
,ª—o,μ,½Œä·Žš,ìê·",í'tŠÔfzfXfg,ì telnet
fRf}f"f,É,æ,è<zŽû,³,ê,Ä,μ,Ü,çAì'ìfzfXfg,É" ,í,ç,È,ç,±,Æ,ª, ,è,Ü,·B,±
,é,ç,ìŒä·Žš,íÊí telnet ,ì "echo", "escape", "erase", "flushoutput",
"interrupt", "kill", "quit", "areyouthere" "™,ì<@"\,ÉŠ,,è—,Ä,ç,ê,Ä,ç
,Ü,·BfzfXfg,©,çftf@fCf<,ìf_fEf"f[fh,í,Ä,«,é,ªAfzfXfg,Ö,ìfAfbfvf[fh,í,Ä,
,«,È,ç,Æ,ç,æ,æ,æ,Èê±A,±,ì,æ,æ,Èó<μ,ªŒ'ö,É,È,Á,Ä,ç,é%Ä"\«,ª,ç,
,Ä,·B,±,ì-â'è,ð%ðŒ^,·,é,É,í telnet fRf}f"f,ìŠe<@"\,É'í,μ,ÄŠ,,è—
,Ä,ç,ê,½Œä·Žš,ð%ðœ,·,é,©A, ,é,ç,íãq,ì,æ,æ,É ZMODEM ,Æ B-
Plus ,ìê±,í,·,x,Ä,ìŒä·Žš,ðGfXfP[fv,·,é,æ,æ,É,μ,Ä,,¾,¾,çB,½,¾,μ
telnet fRf}f"f,É,æ,Á,Ä,íAŠe<@"\,ÉŠ,,è—,Ä,ç,ê,½Œä·Žš,ð,æ,Ü,
%ðœ,Ä,«,É,çê±,ª, ,è,Ü,·B

,ç,,é,ìêñ,à'šôfzfXfg <-> []'[]fzfXfgšô,ì'ê[]M,ì[]Ý'è,í Tera Term
,©,ç'¼[]Ú,·,é,±,Æ,ª,Å,«,Ü,¹,ñ[]B,±,ì-â'è,í,ç,,Â,©,ì[]É'^ö,ª[]d,È,Á,Ä,"«,Ä,ç
,é[]ê[]ñ,à, ,è[]ATera Term []žò,É%øð[]^@,ðž;-â,³,é,Ä,à,"š,|,Å,«,È,ç[]ê[]ñ,ª'½,ç
,Å,·[]B[]ã<L,ìf[]qf"fg,ðžQ[]I,É,μ,Ä,à%øð[]^,Å,«,È,ç([]ã<L,ì"à-e,ª-[]
%øð,Å,«,È,ç)[]ê[]ñ,í[]Ažc"O,Å,·,ª, ,«,ç,ß,Ä,^¾,^¾,ç[]B

[File] f[]ffj...[]

New connection...

□V,μ,ϕfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,μ,Ü,·□B

Log...

Žó□M,³,ê,é•¶Žš,ðftf@fCf<,É□',«□ž,Ý,Ü,·□B

Send file...

ftf@fCf<,ð'—□M,μ,Ü,·□B

Transfer

Kermit/XMODEM/ZMODEM/B-Plus/Quick-VAN
fvf[]fgfRf<,Åftf@fCf<,ð"']'—,μ,Ü,·□B

Change directory...

ftf@fCf<"']'—,ì,½,ß,ìfffBfÆfNfgfŠ,ð•ï□X,μ,Ü,·□B

Print...

Æ»□Ý,ì%œ-Ê,Ü,½,Í□Af}fEfX,Å'I'ð,³,ê,½•¶Žš,ð^ó□ü,μ,Ü,·□B

Disconnect

□Ú'±,ð□Ø,è,Ü,·□BTCP/IP □Ú'±Žž,Å Auto window close
f|fvfVf†f",³'I'ð,³,ê,Ä,ϕ,é□ê□#□ATera Term ,ð□I—¹,μ,Ü,·□B

Exit

Tera Term ,ð□I—¹,μ,Ü,·□BfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,³,ê,Ä,ϕ,
é□ê□#,Í□A□Ú'±,ð□Ø,è,Ü,·□B

New connection ([File] f...)

V,μ,cfzfXfg,Ü,½,ÍfVfŠfAf<f[]f[]fg,ÉÚ'±,μ,Ü,·B,·,Á,ÉÚ'±,³,é,Ä,ç,é,Æ,«,ÍA•Ê,ì
Tera Term fZfbfVfþf“,ð<N“®,μ,Ü,·B

"New connection" f_fCfAf[]fOf{fbfNfX

TCP/IP

Host

Ú'±,·,ézfXfg-¼,Ü,½,Í IP address ,ðfL[]f{[]fh,Åü—
Í,μ,ÄŽw'è,·,é,©[]AfŠfXfg,ì't,©,ç'l'ð,μ,Ä,,¾,¾,ç[]BfŠfXfg,ð•Ò[]W,·,é,É,Í
[Setup] TCP/IP ,ðŽg,Á,Ä,,¾,¾,ç[]B,Ü,½[]AfzfXfg-¼,¾,¾,·,Á,È,^È%º,ì,æ,æ
,É[]AfRf}f“fhf%ºfCf“•¶Žš—ñ,ðŽw'è,·,é,±,Æ,à,Á,«,Ü,·B

myhost.mydomain 'Éí,ÍzfXfg-¼,Ü,½,Í IP address,¾,·
myhost.mydomain:23 fzfXfg-¼,Æf[]f[]fg”Ô[]t
foohost.foodomain /F=FOOHOST.INI fzfXfg-¼+[]Ý'èftf@fCf<-
¼,ðŽw'è
/C=1 fVfŠfAf<f[]f[]fg,ðŽw'è,·,é,±,Æ,à%ºÄ”\
/R=LOG.DAT fzfXfg,âf[]f[]fg,ÉÚ'±,¹,·,É[]Af[]fOftf@fCf<,ì“à—e,ðÄ[]¶

Telnet

Telnet fvf[]fgfRf<,ðŽg—p,μ,Ü,·B'Éí,Í'l'ð,μ,Ä,,¾,¾,ç[]B

TCP port#

Telnet ,ðŽg—p,·,é[]ê[]#[]A'Éí,Í23,É,μ,Ä,,¾,¾,ç[]B

'[]:

Telnet ,ª'l'ð,³,é,Ä[]A,©,Ä **TCP port#** ,ª 23 ,ì,Æ,«,¾,¾,·[]A Tera Term
,©,çŽ“”“l,É telnet ,ì option negotiation
,ðŠŽn,μ,Ü,·B,»,é^ÈŠO,ì[]ê[]#,Á,à Tera Term ,ÍzfXfg,©,ç'—,ç,é,Ä,«,½
telnet fRf}f“fh,É%ºž“š,·,é,±,Æ,ª,Á,«,Ü,·B

ŽQ[]Æ:

Telnet —pf[]f[]fg”Ô[]t / ”ñ telnet []Ú'±—p,ì'[--[]Ý'è

Serial

Port

Ú'±,·,éVfŠfAf<f[]f[]fg,ð **COM1, COM2, COM3, COM4** ,ì't,©,ç'l'ð,μ,Ä,-
,¾,¾,ç[]B

Log ([File] f fff... [I])

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ðftf@fCf<, É' , «ž, Ý, Ü, ·B
□" f fO, ðŽæ, è • û Af fO, ðÄ ¶<@"

"Log" f_fCfAf fOf {fbfNfX(ftf@fCf<-¼Žw'è)

File Name

□' , «ž, pftf@fCf<, ðftf@fCf<-¼, ð"ü—í, Ü, ½, í'í'ð, μ, Ä, , ¾, ¾, çB

Binary

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ð, » , ð, Ü, Üftf@fCf<, É' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, , ¾, ¾, çB'í'ð, μ, È, ç ê ¶, í AŠ žšfR [fh A
%ü s • ¶Žš, í • íŠ, , ¾, ê AfGfXfP [fvfV [fPf" fX, ðŽæ, è œ, ©, è, Ä, ©, ç' , «ž
, Ü, è, Ü, ·B

Append

, , Ä, É' ¶ Ý, , éftf@fCf<, É' Ç%Á, μ, Ä' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, -
, ¾, ¾, çB'í'ð, μ, È, ç ê ¶, í ä' , «, ¾, è, Ü, ·B

"Log" f_fCfAf fOf {fbfNfX(ftf@fCf<, Ö' , «ž, Ý't)

Close

Close f {f^f" , ð%Ÿ, , Æftf@fCf<, Ö, ð' , «ž, Ý, ð|—¹, μ, Ü, ·B

Pause/Start

Pause f {f^f" , ð%Ÿ, , Æftf@fCf<, Ö, ð' , «ž, Ý, ð^êŽž't'f, μ, Ü, ·B, ±, ð, Æ, «

Pause f {f^f" , í Start f {f^f" , É • í%» , μ, Ü, ·B, » , ð Æ ä Start f {f^f" , ð

%Ÿ, , Æ' , «ž, Ý, ð ÄŠ, μ, Ü, ·B

Send file ([File] f [jfj...])

ftf@fCf<,đ'—□M,μ,Ü,·□B

"Send file" f_fCfAf□fOf{fbfNfX('—□M'O,ìftf@fCf<-¼Žw'è)

File Name

'—□M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-
,¾,¾,ç□B,·,Å,É'¶□Y,·,éftf@fCf<,Å,È,·,ê,î,È,è,Ü,¹,ñ□B

Binary

ftf@fCf<,l"à—e,đ,»ì,Ü,Ü'—□M,μ,½,ç□ê□±,í'l'đ,μ,Ä,-
,¾,¾,ç□B'l'đ,μ,È,ç□ê□±,í□AŠ;ŽšfR□[fh□A%ü□s•¶Žš,ª•İŠ,¾,ê,Ä'—
□M,¾,ê□ATAB (\$09), LF (\$0A), CR (\$0D)^ÈŠO,ì□\$Āä•¶Žš,í'—
□M,¾,ê,Ü,¹,ñ□B

"Send file" f_fCfAf□fOf{fbfNfX('—□M't)

Close

Close f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—□M,đ'tŽ~,μ,Ü,·□B

Pause/Start

Pause f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—□M,đ^êŽž't'f,μ,Ü,·□B,±,ì,Æ,«
Pause f{f^f",í Start f{f^f",É•İ%»μ,Ü,·□B,»ìĀă Start f{f^f",đ
%Ÿ,·,Æ'—□M,đ□ĂŠJ,μ,Ü,·□B

Transfer ([File] f[]ffj...[])

Kermit

Kermit fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

XMODEM

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

ZMODEM

ZMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

B-Plus

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Quick-VAN

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Kermit ([File] Transfer f[ff]f...[l])

Kermit fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Send
fRf}}f“fh,đŽÀ[s,μ,Ä,,³/₄,³,ç[B

Get...

fzfXfg’x,ì Kermit ,^a server ,ì[ó’Ô,ìŽž,É[Atera Term ,©,çzfXfg’x
,ìftf@fCf<—¹/₄,đŽw’è,μ,Äftf@fCf<,đŽó[M,μ,Ü,·[B

Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Receive
fRf}}f“fh,Ü,¹/₂,ÍServer fRf}}f“fh,đŽÀ[s,μ,Ä,,³/₄,³,ç[B

Finish

fzfXfg’x,^a server ,ì[ó’Ô,ì,Æ,«[A,»),ê,đ%ođ[œ,μ,Ü,·[B

Kermit Get ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, đŽóM, μ, Ü, ·BfzfXfg'α, ì Kermit ,^a server
, ìó'Ô, ìŽž, É, ±, ìfRf}f"fh, đŽg—p, μ, Ä, ,^{3/4},³, çB

"Kermit Get" f fCfAf fOf {fbfNfX

ŽóM, μ, ^{1/2}, çfzfXfg'α, ìftf@fCf<, ìftf@fCf<—^{1/4}, đ"ü—Í, μ, Ä, -
,^{3/4},³, çB ŽóM, μ, ^{1/2}ftf@fCf<, íACE»Y, ìffBfCefNfgfŠ, ì't, ÉAfzfXfg'α
, Æ"˘, ìftf@fCf<—^{1/4}, Å•Û'¶,³, ê, Ü, ·B

Kermit Send ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉzfXfg'α, ì Kermit , ì Receive
fRf}f"fh, Ü, ½, Í Server fRf}f"fh, ðŽÀ s, µ, Ä, , ¾, ³, çB

"Kermit Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -
, ¾, ³, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,
±, Æ, à, Å, «, Ü, ·B

XMODEM ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

Receive...

ftf@fCf<,ðŽó[]M,μ,Û,·[]B,»,’O,ÉfzfXfg’α,ì XMODEM ,ì—
[]MfRf}f“fh,ðŽÀ[]s,μ,Ä,,³/₄,³,ç[]B

Send...

ftf@fCf<,ð’—[]M,μ,Û,·[]B,»,’O,ÉfzfXfg’α,ì XMODEM
,ìŽó[]MfRf}f“fh,ðŽÀ[]s,μ,Ä,,³/₄,³,ç[]B

XMODEM,ìfqf“fg

XMODEM Send ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,đ'—[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'¤,ì XMODEM
,ìŽó[]MfRf}f"fh,đ<N" ®,μ,Ä,,³/₄,³,ç[]B

File Name

'—[]M,·,éftf@fCf<,ìftf@fCf<-¹/₄,đ"ü—í,Ü,¹/₂,í'l'đ,μ,Ä,-
,³/₄,³,ç[]B,·,Ä,É'¶[]Ý,·,éftf@fCf<,Ä,È,¯,ê,î,È,è,Ü,¹,ñ[]B

Option

Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf†f" (**Checksum/CRC/1K**),đ'l'đ,μ,Ä,-
,³/₄,³,ç[]BfzfXfg'¤,ìf[]vfVf†f",Æ"¯,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]†,í
Checksum,đ'l'đ,μ,Ä,Ý,Ä,,³/₄,³,ç[]B

XMODEM,ìf[]gf"fg

ZMODEM ([File] Transfer f[ffj]f...[l])

ZMODEM fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM ,ì—
[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM
,ìŽó[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

ZMODEM ,lfq“fg

ZMODEM Send ([File] Transfer f fjf... [I])

ZMODEM fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉfzfXfg'α, ì ZMODEM ,ì'—
MfRf}f"fh, ð<N" ® ,µ, Ä, , ¾, ¾, çB

"ZMODEM Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'Í'ð, µ, Ä, -
, ¾, ¾, çB, ·, Å, É'¶Y, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•j" , ìftf@fCf<, ð'Í'ð, ·, é,
±, Æ, à, Å, «, Ü, ·B

Binary

fofCfifŠftf@fCf<, ð'—M, ·, é, Æ, «, Í'Í'ð, µ, Ä, -
, ¾, ¾, çB<t, ÉfefLfXfgftf@fCf<, ð'—M, ·, éê±, Í'Í'ð, µ, È, ç, Å, , ¾, ¾, çB

ZMODEM , ìfqf"fg

B-Plus ([File] Transfer f[]ff...[])

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð"]'—,μ,Ü,·[]B

Receive

ftf@fCf<,ðŽó[]M,μ,Ü,·[]B,» ,ì'O,É BBS ,ìf_fEf"f[][] [fhfRf}f"f h,ð<N"® ,μ,Ä,-
,³/₄,³,ç[]B

Send...

ftf@fCf<,ð'—[]M,μ,Ü,·[]B,» ,ì'O,É BBS
,ìfAfbfvf[][] [fhfRf}f"f h,ð<N"® ,μ,Ä,,³/₄,³,ç[]B

B-Plus ,ìfqf"fg

B-Plus Send ([File] Transfer f...)

B-Plus fvf ffgfRf<,Åftf@fCf<,ð'—M,μ,Ü,·B,»,ì'O,É BBS
,lfAfbfvf [fhfRf}f"fh,ð<N" ©,μ,Ä,,¾,³,çB

"B-Plus Send" f_fCfAf_fOf{fbfNfX

'—M,·,éftf@fCf<,iftf@fCf<-¼,ð"ü—Í,Ü,½,í'l'ð,μ,Ä,-
,¾,³,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,¹,ñB

B-Plus .lfqf"fg

Quick-VAN ([File] Transfer f[]fj...[])

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[]B

Receive

ftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf_fEf“f[][]fhfRf}f“fh,đ<N“® ,μ,Ä,-
,^{3/4},³,ç[]B

Send...

ftf@fCf<,đ’—[]M,μ,Ü,·[]B,»,’O,É BBS
,ìfAfbfvf[][]fhfRf}f“fh,đ<N“® ,μ,Ä,,^{3/4},³,ç[]B

Quick-VAN ,ìfqf“fg

Quick-VAN Send ([File] Transfer f fjf... [I])

Quick-VAN fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, É BBS
, ìfAfbfvf [fhfRf} f"fh, ð<N" ©, µ, Ä,, ¾, ¾, çB

"Quick-VAN Send" f_fCfAf_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -
, ¾, ¾, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB" -Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,
±, Æ, à, Å, «, Ü, ·B

Quick-VAN ,ìfqf"fg

Change directory ([File] f\ffj...)

ftf@fCf<"]'—, ì, ½, ß, ìfffBfĈEfNfgfŠ, ð•ï X, μ, Ü, · B

"Change directory" f_fCfAf fOf{fbfNfX

V, μ, çfffBfĈEfNfgfŠ, ð"ü— í, μ, Ä, , ¾, ³, ç B

Print ([File] f fjf... [I])

"^óü"f_fCfAf_fOf{fbfNfX

^óü"íí,ì'ð

"Sfy[fW",ð'í'ð,·,é,ÆACE>Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"í'ð,μ,½•"•"ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½•řš,ð^óü,μ,Û,·B

[Edit] f[]fj...[]

Copy

f}fEfX,Å'í'ð,μ,½•¶Žš—ñ,ð[]AfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]B
'[]^Ó: 'Ê[]í,í[]A,±,ìfRf}f"fh,ðŽg,α•K—
v,í, ,è,Ü,¹,ñ[]Bf}fEfX,Å•¶Žš,ð'í'ð,·,é,Æ[]AŽ©“®“í,ÉfNfŠfbfvf{[]fh,ÖfRf
s[][,³,é,Ü,·[]B'í'ð,³,é,Ä,ç,é•¶Žš—ñ,ð[]ÄfRfs[][,·,é[]ê[]‡,É,±,ìfRf}f"fh,ðŽg
—p,μ,Ä,,³/₄,³,ç[]B

Copy table

f}fEfX,Å'í'ð,μ,½•¶Žš—
ñ,ðfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]BfRfs[][,³,é,½•¶Žš—
ñ,^a•;[]" ,ì'PÆê,Å[]\[]—,³,é,Ä,ç,é[]ê[]‡[]A'PÆêŠÖ,ìŠe<ó"'•¶Žš—
ñ,í,»,é,¼,ê^ê,Â,ì Tab •¶Žš,É•İŠ·,³,é,Ü,·[]B,±,ìfRf}f"fh,É,æ,è%œ-
Ê[]ã,ì\,ðfRfs[][,μ,Ä[]A,»,é,ð Excel ,É,Ç,ì\ÆvŽŽf\ftfg,É"\,è•t,¯,é,±
,Æ,^a,Ä,«,Ü,·[]B

Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ,Ü,·[]B

Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ[]A'±,ç,Ä%œü[]sfR[]fh,à'—
[]o,μ,Ü,·[]B

Clear screen

%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

Clear buffer

fXfNf[][]f<fofbftf@[][,ì"à—e,Æ%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

[Setup] f[]fj...[]

Terminal...

'[--fGf~f...f[]fVf#f" ,i[]Y'è,ð,μ,Û,·[]B

Window...

%ooæ-Ê•\Ž|,i[]Y'è,ð,μ,Û,·[]B

Font...

ftfHf"f[]g,ð•i[]X,μ,Û,·[]B

Keyboard...

fL[]f{[]f[]h,i[]Y'è,ð,μ,Û,·[]B

Serial port...

fVfŠfAf<f[]f[]g,i[]Y'è,ð,μ,Û,·[]B

TCP/IP...

TCP/IP ,i[]Y'è,ð,μ,Û,·[]B

General...

,» ,i'¼,i[]Y'è,ð,μ,Û,·[]B

Save setup...

CE»[]Y',i[]Y'è,ð Tera Term []Y'èftf@fCf<,É•Û'¶,μ,Û,·[]B

Restore setup...

[]Y'èftf@fCf<,i"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð[]Y'è,μ,È," ,μ,Û,·[]B

Load key map...

fL[]f{[]f[]h[]Y'èftf@fCf<,i"à—
e,É,μ,½,ª,Á,ÄfL[]f{[]f[]h,ð[]Y'è,μ,È," ,μ,Û,·[]B

Terminal ([Setup] f f f ... [I])

"Terminal setup" f f C f A f f f O f { f b f N f X

Terminal size

f ^ [f ~ f i f < f T f C f Y (' [-- % o æ - Ê , ì ~ _ [f T f C f Y) [B % o i X [c
, ì • ¶ Ž š [" , Å Ž w ' è , μ , Ü , [B f E f C f " f h f E f T f C f Y (Ž Å [Ü , ì % o æ - Ê , ì ' å , « , ³)
, Æ • K , , μ , à " ~ , ¶ , Å , Í , , è , Ü , ¹ , ñ [B

Term size = win size

, ±
, ì f i f v f V f f " , ð ' l ' ð , μ , ½ [ê [# [A f ^ [f ~ f i f < f T f C f Y , Æ f E f B f " f h f E f T f C f Y , ð [í , É "
™ , μ , , μ , Ü , [B

Auto window resize

, ±
, ì f i f v f V f f " , ð ' l ' ð , μ , ½ [ê [# [A f ^ [f ~ f i f < f T f C f Y , a • ï [X , ³ , è , ½ , Æ , « , É [A f E f C f "
f h f E f T f C f Y , à " ~ , ¶ ' å , « , ³ , É Ž © " ® " l , É • ï [X , ³ , è , Ü , [B

New-line (receive)

CR+LF , ð ' l ' ð , μ , ½ [ê [# [A Ž ó [M , ³ , è , ½ % o ü [s • ¶ Ž š CR (\$0D) , ð CR+LF
(\$0D \$0A) , É • Ĩ Š , μ , Ü , [B

New-line (transmit)

CR+LF , ð ' l ' ð , μ , ½ [ê [# [A ' — [M Ž ž , É % o ü [s • ¶ Ž š CR (\$0D) , ð CR+LF
(\$0D \$0A) , É • Ĩ Š , μ , Ü , [B

Terminal ID

f z f X f g , É • ñ [[, , é Terminal ID [B Terminal ID , Í telnet , ì terminal type
, Æ , Í ^ á , ç , Ü , [B Telnet , ì terminal type , ð • ï [X , , é , É , Í [Setup] TCP/IP
f R f } f " f h , ð Ž g — p , μ , Ä , , ³/₄ , ³ , ç [B

Local echo

f L [" ü — í " ™ , É , æ , è ' — [o , , é • ¶ Ž š , ð , » , ì , Ü , Ü % o æ - Ê , É • Ž [, μ , Ü , [B

Answerback

f z f X f g , © , ç ENQ (\$05) • ¶ Ž š , a ' — , ç , è , Ä , « , ½ Ž ž , É [A ' — , è • Ô , • ¶ Ž š —
ñ [B • ¶ Ž š — ñ ' t , É Š Ü , Ü , è , é • Ž [• s % o Ä " \ , È • ¶ Ž š ([\$ Ç ä • ¶ Ž š) , Í [A " \$ " , Æ
, » , è , É , Å , Æ , ASCII f R [[f h (2 Ç E . . . , ì 16 [i [") , Å • \ Ç » , μ , Ä , , ³/₄ , ³ , ç [B —
á , ì , Í [A • ¶ Ž š — ñ " ABC < CR > < LF > "
, ð f A f " f T [[f o f b f N , , é [ê [# [A Ž Ÿ , ì , æ , x , É " ü — í , μ , Ä , , ³/₄ , ³ , ç [B

ABC\$0D\$0A

Auto switch (VT<->TEK)

fGfXfP[fvfV[fPf“fX,đ»•É,μ,ÄAŽ©“®“I,É VT window ,©,ç TEK window ,Ö\$CEä,đ^Ú,μ,Ü,·(t,à“—l)B

Kanji (receive)

fzfXfg,©,ç’—,ç,ê,Ä,,éŠžŽšfR[fh (SJIS, EUC, JIS ,ì3Ží—p)B

7bit katakana (receive)

fzfXfg,©,ç’—,ç,ê,Ä,,é””¼Šp”•Đ%¼-¼fR[fh,ª 7 bit ,Å\CE»,ª,ê,Ä,ç,é (SO/SI ,đ—p,ç,½Vftfg\$CEä,đ—p,ç,Ä,ç,é)ê±,É’I’đ,μ,Ä,- ,¾,¾,çB**Kanji (receive)** ,ª JIS ,ìê±,ì,Ý—LCEø,Å,·B

Kanji (transmit)

’—o,·,éŠžŽšfR[fh (SJIS, EUC, JIS ,ì3Ží—p)B

7bit katakana (transmit)

’—o,·,é””¼Šp”•Đ%¼-¼fR[fh,đ7bit,Å\CE»,·,é (SO/SI ,đ—p,ç ,½Vftfg\$CEä,đ—p,ç,é)ê±,É’I’đ,μ,Ä,,¾,¾,çB**Kanji (transmit)** ,ª JIS ,ìê±,ì,Ý—LCEø,Å,·B

Kanji-in (transmit)

Kanji (transmit) ,ª JIS ,ì,Æ,«,ÉŽg— p,·,éfGfXfP[fvfV[fPf“fX(ŠžŽšfR[fh,đ GO ,ÉŽwŽ!,·,éfV[fPf“fXB ^[\$@ ,Ü,½,Í ^[\$B)BfzfXfg,©,ç’—,ç,ê,Ä,- ,éfGfXfP[fvfV[fPf“fX,Í,Ç,ž,ç,Å,à\,ç,Ü,¹,ñB

Kanji-out (transmit)

Kanji (transmit) ,ª JIS ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[fvfV[fPf“fX (ASCII ,Ü,½,Í JIS f[f}ŽšfR[fh,đ GO ,ÉŽwŽ!,·,éfV[fPf“fXB ^[(B ,Ü,½,Í ^[(J)BfzfXfg,©,ç’—,ç,ê,Ä,,éfGfXfP[fvfV[fPf“fX,Í,Ç,ž,ç,Å,à\,ç ,Ü,¹,ñB

’^Ó: ^[(H ,í%ŠúÝ’è,Å,Í’I’đ,Å,«,Ü,¹,ñB
” ^[(H ,đ’I’đ%Å”\,É,·,éB

Window ([Setup] f f f f... [I])

"Window setup" f f C f A f f f O f { f b f N f X

Title

f E f C f " f h f E, l, l f ^ f C f g f < B

Cursor shape

f l [f f <, i C E ` B Block, Vertical line, Horizontal line
, i 3, A, C, c ' l, x, U, . B

Hide title bar

f ^ f C f g f < f o [, A e f f f f . . [f o [[, d o A, m, U, . B f E f B f " f h f E, d ^ U " @, ^, 3, 1, e, E, i Alt
f l [[, d o Y, m, E, a, c % o E f } f E f X f { f ^ f " , A f E f B f " f h f E, d f h f % o f b f O, m, A, -
, 3/4, ^, 3, c B f E f C f " f h f E, d o A [- % o » , ^, 3, 1, e, E, i Alt f l [[, d
% o Y, m, E, a, c [f f } f E f X f { f ^ f " , d o Y, m, A, , 3/4, ^, 3, c B C t r l f l [[, d
% o Y, m, E, a, c [f f } f E f X f { f ^ f " , d o Y, . , A e f f b f v f A f b f v f [f f . . [[, a C E » , e, U, . B

Hide menu bar

f f f f . . [f o [[, d o A, m, U, . B C t r l f l [[, d o Y, m, E, a, c [f f } f E f X f { f ^ f " , d
% o Y, . , A e f f b f v f A f b f v f [f f . . [[, a C E » , e, U, . B

Full color

f t f < f f % o [[f G f ~ f . . f C E [[f V f f " , d o s, f, U, . B, ±, l f, [[f h, A, i A B o l d (< ^ 2) /
B l i n k (" _ - A) ' @ [[« , a • q Ž š / " w C e i [F, i ' @ [[« , i ^ e • " , A E, m, A Ž g —
p, ^, e [A f G f X f P [[f v f V [[f P f " f X, E, æ, e Ž w ' e % o A " \
, E • q Ž š / " w C e i [F, a 8 [F, C, c 16 [F, E ' [, i, U, . B

Scroll buffer

f X f N f [[[f < f o f b f t f @ [[, d Ž g — p % o A " \
, E, m, U, . B, U, 1/2 [A f X f N f [[[f < f o f b f t f @, i [s [" , a Y ' e, A, «, U, . B [s [" , i
10000 ^ E [a, E, i Y ' e, A, «, U, ^, 1, n [B f [f, f Š, a «, e, E, f [e [f, i " K " —
, E C E , , c, ^, e, U, . B

Color

Text

• q Ž š, i [F

Background

" w C e i, i [F

Attribute

[F, d Y ' e, m, 1/2, f • q Ž š, i ' @ [[« (Normal, Bold, Blink)

Reverse

- řžš, ìf, æ" wœi, ìf, őœđš, μ, ů, ·B

Font ([Setup] f f j f ... [L])

ftfHf“fg,đ•ïX,μ,Ü,·B

"Font setup" f f C f A f f O f { f b f N f X

Font

•ïX,μ,½,çftfHf“fg,đŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,¾,çB“ú- {CEê,đ•\ Ž|,·,é,½,ß,É,Í“ú- {CEêftfHf“fg,đ'l'đ,·,é•K—v,^a, ,è,Ü,·B

Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg” ,ÅŽw'è,μ,Ä,,¾,¾,çB

Enable bold style

Bold (<'²)'®«,ì•¶Žš,đ bold fXf^fCf<,ìftfHf“fg,Å•\Ž|,·,é,æ,κ
,É,μ,Ü,·B,±,ìê#A%œ-
Ê,ÉfSf~,^aŽc,Á,½,èA×,©,ç•¶Žš,^aÄ,Ô,è,Ä“Ç,Ý,É,,È,Á,½,è,·,é,±,Æ,^a,
,è,Ü,·B

'□: Tera Term •t'®,ìftfHf“fg Tera Special ,Í,±
,ìf f C f A f f O f { f b f N f X,Å,Í'l'đ,Ä,«,Ü,¹,ñB Tera Term ,É,æ,Á,ÄŽ©“®“l,ÉŽg—
p,³,è,Ü,·B

Serial port ([Setup] f f j f ... [I])

"Serial port setup" f f C f A f f f O f { f b f N f X

Port

Žg—p,·,é f [f g [B

Data, Stop, Baud rate, Flow control, Parity

f V f Š f A f < f [f g , l f p f % o f f f ^ [, Å , · B [Ú ' ± , · , é f , f f f € "™ , ì [Ý ' è , É , , í , 1 , Ä , - , 3/4 , 3 , ç [B

' [: **Data** , ð **7** , É , · , é , Æ [A X M O D E M , Z M O D E M , B - P L U S , Q u i c k - V A N , É , æ , é f t f @ f C f < "] ' — , í , Å , « , Ü , 1 , ñ [B , Ü , 1/2 **Flow control** , ð **Xon/Xoff** , É , · , é , Æ [A X M O D E M , Q u i c k - V A N , É , æ , é f t f @ f C f < "] ' — , í , Å , « , Ü , 1 , ñ [B

Transmit delay

Tera Term , ^a · ¶ Ž š ([s) , ð ' — [o , µ , 1/2 , , Æ Ž Ÿ , ì · ¶ Ž š ([s) , ð ' — [o , · , é , Ü , Å , ì ' Ò , ; Ž ž Š Ô [B ' P ^ Ê , í f ~ f Š · b , Å , · [B 1 · ¶ Ž š ([s) , ² , Æ , ì ' Ò , ; Ž ž Š Ô , ð [Ý ' è , Å , « , Ü , · [B Tera Term , © , ç ' å — Ê , ì · ¶ Ž š , ð ' — [o , µ , 1/2 , Æ , « , É f , f f f € , â f z f X f g , ^a · ¶ Ž š , ð Ž æ , è , ± , Ú , · [ê [† , É , í " K " - , È ' Ò , ; Ž ž Š Ô , ð [Ý ' è , µ , Ä , Ý , Ä , , 3/4 , 3 , ç [B

TCP/IP ([Setup] f f f ... [I])

"TCP/IP setup" f f C f A f f O f { f b f N f X

Host list

[File] New connection

, d z A s, m, 1/2 z z, E C e, e, e f f C f A f f O f { f b f N f X, l f z f X f g f S f X f g, a • O W, A, <, U, . B f z f X f g - 1/4, U, 1/2, I IP address, d f S f X f g, E % A, !, e, ±, A E, a, A, <, U, . B, a e, U ±, ., e f z f X f g, d, ±, l f S f X f g, E " o ~ ^, m, A, ., ., A E • O — ~, A, . B, U, 1/2 A f z f X f g - 1/4, 3/4, ~, A, E, ^ E % o o, l, a e, x, E f R f } f " f h f % o f C f " • ¶ Z š — ñ, d f S f X f g, E " o ~ ^, ., e, ±, A E, a, A, <, U, . B

myhost.mydomain ' E i, l f z f X f g - 1/4, U, 1/2, I IP address, 3/4, ~

myhost.mydomain:23 f z f X f g - 1/4, A E f | [f g " O t

foohost.foodomain /F=FOOHOST.INI f z f X f g - 1/4 + [Y ' e f t f @ f C f < - 1/4, d z w ' e

/C=1 f v f S f A f < f | [f g, d z w ' e, ., e, ±, A E, a % A "\

/R=LOG.DAT f z f X f g, a f | [f g, E U ±, 1, ., E A f f O f t f @ f C f <, l " a — e, d A ¶ ¶

Auto window close

, ±, l f l f v f V f f " , d ' l ' d, ., e, A E A f z f X f g, A E, l U ±, a Ø, e, 1/2, A E, < Z © " ® " l, E Tera Term, d | — 1, m, U, . B

TCP port#

f | [f g " O t + B Telnet, d z g — p, ., e, A E, <, l A ' E i 23, E, m, U, . B

Telnet

Telnet f v f [f g f R f <, d z g — p, m, U, . B ' E i, l ' l ' d, m, A, ., 3/4, 3, f B

Terminal type

Telnet f v f [f g f R f <, A U ±, m, 1/2, A E, < f z f X f g, E • ñ [[, ., e terminal type B

General ([Setup] f fjf... [I])

"General setup" f_fCfAf_fOf{fbfNfX

Default port

Tera Term , ðfRf}f“fhf%ofCf“fpf%of [f^ [, È, μ, Å<N“ ® , μ, 1/2, Æ, «, É □ Ú' ±
, , éf [[fg, ÌŽí—P (TCP/IP , Ü, 1/2, Í **Serial**) □B

Language

f^ [[f~fif<fGf~f...f [[fVf†f“ , Ì ¾ Æ êf, [[fh(%opÆê/“ú- {Æê/
f [[fVfAÆê) □B“ú- {Æê, ð•\Ž! , , , é, 1/2, ß, É, Í **Japanese** , ð' Ì ð, μ, Å, , ¾, ¾, ç □B

Save setup ([Setup] f fjf... [I])

CE»Ÿ,ìŸ'è,đ Tera Term Ÿ'èftf@fCf<,É•Ů'ŋ,μ,Û,·B

"Save setup" f_fCfAf_fOf{fbfNfX

Tera Term Ÿ'èftf@fCf<,ìftf@fCf<-¼,đŽw'è,μ,Ä,-
,¾,³,¢BŽw'è,μ,½ftf@fCf<,ª,·,Å,É'ŋŸ,·,éê±,íă',«,³,ê,Û,·Bftf@fCf<-
¼,ìŠg'£Žq,đÈ—ª,μ,½ê±A".INI" ,ªŠg'£Žq,Æ,È,è,Û,·B

Restore setup ([Setup] f fjf... [I])

Tera Term □Ý'èftf@fCf<,l"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð□Ý'è,μ,È,¨,μ,Ü,·□B

"Restore setup" f_fCfAf□fOf{fbfNfX

,·,Å,É'¶□Ý,·,é Tera Term □Ý'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¢□Bftf@fCf<-¼,lšg'£Žq,ð□È—ª,μ,½□ê□#□A".INI" ,ªšg'£Žq,Æ,È,è,Ü,·□B

Load key map ([Setup] f f f f... [I])

fL[f{[fhY'èftf@fCf<,l"à—e,É,μ,½,ª,Á,ÄfL[f{[fh,ðY'è,μ,È,"μ,Ü,·B

"Load key map" f_fCfAf_fOf{fbfNfX

,·,Å,É'¶Y',·,éjL[f{[fhY'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,†Bftf@fCf<-¼,ìŠg'£Žq,ðÈ—ª,μ,½ê#A".CNF" ,ªŠg'£Žq,Æ,È,è,Ü,·B

[Control] f~fj...~

Reset terminal

^~fj<,išeŽif,~fh,đšfZfbfg,μ,Ü,·~B

Are you there

Telnet ,ì AYT (Are You There) fRf}f“fh,đ’—~o,μ,Ü,·~B’Ê~ifzfXfg,í,±,ê,ÉCEÄ%ž,μ,Ä%½“™,©,ìf~fbfZ~fW,đ’—,è•Ô,μ,Ä,«,Ü,·~BTelnet
~Ú’±,ì,Æ,«,¾,~Žg—p,Å,«,Ü,·~B

Send break

fufCE~fN~M~t,đ’—~o,μ,Ü,·~B

Reset port

fVfšfAf<f|~f~g,đšfZfbfg,μ,Ü,·~BfVfšfAf<f|~f~g~Ú’±,ì,Æ,«,¾,~Žg—
p,Å,«,Ü,·~B

Open TEK

TEK window ,đšJ,«,Ü,·~B

Close TEK

TEK window ,đ•Â,¶,Ü,·~B

Macro

f}fNf~,đžÀ~s,μ,Ü,·~B

[Window] f fjf... [

ŽÀ s't, ì Tera Term fEfCf"fhfE, ð, ±, ìf fjf... [, ìfŠfXfg, ©, ç'l, Ñ A%æ-
Ê, î^ê"Ô'O, É•\Ž, ³, ¹, Ü, · B Å'â, Å9CEÂ, ìfEfBf"fhfE, ðfŠfXfg, É•\
Ž, ³, ê, Ü, · B ŽÀ s't, ìfEfBf"fhfE, ð9CEÂ, æ, è'½, -
A fŠfXfg, É, È, çfEfBf"fhfE, ð'l'ð, µ, ½, ç ê ð †, Í A, ±, ìf fjf... [, î^ê"Ô%º, É, , é
Window fRf}f"fh, ðŽg—p, µ, Ä, , ³/₄, ³, ç B

Window...

ŽÀ s't, ì Tera Term fEfCf"fhfE, ð%æ-Ê, î^ê"Ô'O, É•\
Ž, ³, ¹, ½, è•Â, ¶, ½, è, µ, Ü, · B

Window [Window] f f f f ... [

ŽÀ s't, ì Tera Term fE fCf "fhfE, ð%œ-Ê, ì^ê" Ô'O, É•\Ž|, ³, ¹, ½, è•Â, ¶, ½, è, µ, Ü, ·B

"Window list" f_fCfAf fOf {fbfNfX

Window

ŽÀ s't, ì Tera Term fE fCf "fhfE, ìfŠfXfg B^ê, Â'I'ð, µ, Ä, ³/₄, ³, çB

Open

'I'ð, ³, ê, ½fE fCf "fhfE, ð%œ-Ê, ì^ê" Ô'O, É•\Ž|, ³, ¹ A, »µ, Ä, ±
, ìf_fCfAf fOf {fbfNfX, ð•Â, ¶, Ü, ·B

Close window

'I'ð, ³, ê, ½fE fCf "fhfE, ð•Â, ¶, Ü, ·B

[Help] f f f... [

Index

, ±, ÷, f, w, f, <, f, v, ð, •, \, Ž, |, μ, Ü, ·, □, B

Using help

f, w, f, <, f, v, ÷, g, ç, •, û, ÷, à, -³/₄, ð, •, \, Ž, |, μ, Ü, ·, □, B

About Tera Term...

Tera Term, É, Š, Ö, ·, é, □, ^, •, ñ, ð, •, \, Ž, |, μ, Ü, ·, □, B

TEK window ,lfRf}f“fh

[File] f[]fjf...[]

[Edit] f[]fjf...[]

[Setup] f[]fjf...[]

[VT-window] f[]fjf...[]
VT window ,Ö^Ú“® ,μ,Ü,·[]B

[Window] f[]fjf...[]

[Help] f[]fjf...[]

[File] fffj... (TEK window)

Print...

%æ-Ê'S'ì,Ü,½,íAf}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%æ'æ,ð^óü,μ,Ü,·B

Exit

TEK window,ð•Â,¶,Ü,·B

Print (TEK window [File] f fjf... [I])

"^óü" f_fCfAf_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy [fW" ,ð'í'ð,·,é,Æ ACE»Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"í'ð,μ,½•"•a",ð'í'ð,·,é,Æ Af}fEfX,Å'í'ð,μ,½-ì^æ,ì

%æ'æ,ð^óü,μ,Û,·B

[Edit] f[]ffj...[] (TEK window)

Copy

f}fEfX,Å'ì'ð,³,ê,^{1/2}—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

Copy screen

%œ-Ê'S'ì,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ,Û,·[]B

Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ[]A'±,¢,Ä%ö[]sfR[]fh,à'—
[]o,μ,Û,·[]B

Clear screen

%œ-Ê,ð[]Á<Ž,μ,Û,·[]B

[Setup] f[]ffj...[] (TEK window)

Window...

%oæ-Ê•\Ž!,ì[]Ý'è,đ,μ,Û,·[]B

Font...

ftfHf“fg,đ•ï[]X,μ,Û,·[]B

Window (TEK window [Setup] f fjf... [I])

"Window setup" f fCfAf fOf{fbfNfX

Title

fEfBf"fhfE,lf^fCfgef<B

Cursor shape

f [f]f<, ìĀ` BBlock, Vertical line, Horizontal line
, ì3, Â, ©, ç' l, x, Ü, · B

Hide title bar

f^fCfgef<fo [, Æf fjf... [fo [, ðÁ, µ, Ü, · BfEfBf"fhfE, ð^Ú" ®, ³, ¹, é, É, Í Alt
fL [, ð%Ÿ, µ, È, ª, ç%Ef}fEfXf{f^f" , ÅfEfBf"fhfE, ðfhf%ofbfO, µ, Ä, -
, ¾, ³, ç BfEfCf"fhfE, ðÁ ¬%» , ³, ¹, é, É, Í Alt fL [, ð
%Ÿ, µ, È, ª, ç [f]f}fEfXf{f^f" , ð%Ÿ, µ, Ä, , ¾, ³, ç BCtrl fL [, ð
%Ÿ, µ, È, ª, ç [f]f}fEfXf{f^f" , ð%Ÿ, · , Æf|fbfvfAfbfvf fjf... [, ªĀ» , ê, Ü, · B

Hide menu bar

f fjf... [fo [, ðÁ, µ, Ü, · BCtrl fL [, ð%Ÿ, µ, È, ª, ç [f]f}fEfXf{f^f" , ð
%Ÿ, · , Æf|fbfvfAfbfvf fjf... [, ªĀ» , ê, Ü, · B

Color emulation

• ¶Žš, âfOf%oftfBfbfN, ìF, ðŽw'è, · , éfGfXfP [fvfV [fPf" fX, ð—
LĀø, É, µ, Ü, · B, ±
, ìf|fvfVf#f" , ð'l'ð, · , é, Æ A'l'ð, µ, È, ç ê [, É"ä, x f [, fŠ Á"i—Ê, ª [
%Á, µ, Ü, · B • K—v, ì, È, ç ê [, í'l'ð, µ, È, ç, Å, , ¾, ³, ç B

Color

Text

• ¶Žš, ìF

Background

"wĀi, ìF

Reverse

• ¶Žš, ìF, Æ" wĀi, ìF, ðĀðŠ, µ, Ü, · B

Font (TEK window [Setup] f...fj...)

ftfHf“fg,đ•ïX,μ,Ü,·B

"Font setup" f_fCfAf_fOf{fbfNfX

Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,³,çB

Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,³,çB

[Help] f f f... (TEK window)

Index

, ±, ÷, f, w, f, <, f, v, ð, •, \, Ž, |, μ, Ü, ·, □, B

Using help

f, w, f, <, f, v, ÷, ž, g, ç, •, û, ÷, à, -³/₄, ð, •, \, Ž, |, μ, Ü, ·, □, B

About Tera Term...

Tera Term, É, Š, Ö, ·, é, □, ^, •, ñ, ð, •, \, Ž, |, μ, Ü, ·, □, B

Tera Term [Y'eftf@fCf<

<N"®Žž,Ü,½,í[A[Setup] Restore setup ,đŽÀ[s,μ,½,Æ,«[A[Y'eftf@fCf<,ì"à—
e,É,μ,½,ª,¢ Tera Term ,ª%Šú%»»,³,ê,Ü,·[BfRf}f"fhf%ofCf",Á[Y'eftf@fCf<-
¼,đŽw'è,·,é,±,Æ,ª,Á,«,Ü,·[BfRf}f"fhf%ofCf",Áftf@fCf<-
¼,đŽw'è,μ,È,¢[ê[†[A[Y'eftf@fCf< **TERATERM.INI** ,ª"Ç,Ý[ž,Ü,ê,Ü,·[Bftf@fCf<-
¼,Ìšg'fŽq,đ[È—ª,μ,½[ê[†,í[A".INI",Á, ,é,Æ,Ý,È,³,ê,Ü,·[B

CE»[Y,ì[Y'è,đ[Y'eftf@fCf<,É·Ú'¶,·,é,É,í[A[Setup] Save setup ,đŽÀ[s,μ,Ä,-
,¾,¾,¢[B

Tera Term [Y'eftf@fCf<,ì"Ç,Ý[ž,Ý[ê—pfjfvfVf†f"

^È%º,ì[Y'è,đ,·,é,É,í[Aft[[]fU[[],í Tera Term
[Y'eftf@fCf<,đ'¼[Ú·Ò[W,μ,È,·,ê,Ì,È,è,Ü,¹,ñ[B

f^[[]f~fj<fGf~f...fCE[[]fvf†f"

C1 [[]\$CEä·¶Žš(\$80-\$9F),đŽg—p,μ,È,¢
ÌS Š;Žš'—[o,ÌŽž[A³,μ,,È,¢ "kanji-out" fV[[]fPf"fX ^[(H ,đŽg—p%Å)\
,É,·,é
2fofCfg·¶Žš(Š;Žš),ì1fofCfg-Ú,Æ2fofCfg-
Ú,ÌŠÔ,É[[]\$CEä·¶Žš™ ,ª"ü,Á,½[ê[†[A1fofCfg-Ú,đ-³CEø,É,·,é
Žó[M,μ,½·¶Žš,đ,·,x,Ä·\Ž!,·,é,æ,α,É,·,é
TEK GIN report ,[]f}fEfXfR[[]fh,ì'l,đ[Y'è,·,é

fEfBf"fhfE

Ž©"®"l,È·¶Žš—ñfRfs[[],đ,μ,È,¢ new
f_fuf<fNfŠfbfN,É,æ,é'PCEê'l'đ,ì<æ[[]ø,è·¶Žš new
f[]fbfvfAfbfvf[]fj...[[],đŽg—p·s%Å,É,·,é new
"Show menu bar" fRf}f"fh,đ%B,· new
CE¾CEêf,[]fh,ì'l'đ,đ·s%Å,É,·,é new
fXfNf[[][f<fofbftf@[[],ì[Å'ã[s]" new
" -Á,μ,È,¢f[[][f< new
^ê"x,ÉfXfNf[[][f<,·,é[[]Å'ã,ì[s]" ,đ[Y'è,·,é
f}fEfX,ÁfEfBf"fhfE,đ'l'đ,μ,½,Æ,«,ì·¶Žš,ì'l'đ,đ·ÖŽ~,·,é new
""[F,·,æ,Ñ[·[F'®[«,ì·¶Žš,ìŽÀ[Ú,ì[F new
·¶Žš([s)ŠÔ,É,·,«,Ü,đ,·,é
[Window] f[]fj...[[],đ%B,· new

'Ê[M

TCP/IP %ñ[[]ü[[]Ø'f,Ìšm"É,đ,μ,È,¢
Telnet ,[]fofCfifŠf[]fvfVf†f"
Telnet ,[]fGfR[[][f[]fvfVf†f" new

Telnet ,lf[]fO

Telnet —pf[]fg”Ô[]t / ”ñ telnet []Ú’±—p’[—[]Ý’è new

ftf@fcf<“]’—

B-Plus Žó[]M,ìŽ©“®<N“®

B-Plus ,Å,.,x,Ä,ì[]\$€ä•¶Žš,ðfGfXfP[]fv,.,é new

B-Plus ,lf[]fO

Kermit ,lf[]fO

Quick-VAN ,lf[]fO

Quick-VAN ,lfEfBf“fhfEftfcfY

XMODEM ,lf[]fO

ZMODEM Žó[]M,ìŽ©“®<N“®

ZMODEM ‘—[]M,ì[]Ý’è

ZMODEM ,Å,.,x,Ä,ì[]\$€ä•¶Žš,ðfGfXfP[]fv,.,é

ZMODEM ,lf[]fO

^ó[]ü

fvfŠf“f^ftfHf“fg,ìŽw’è

fy[]fw—]””,ìŽw’è new

^ó[]ü,ì”{—! new

,» ,ì¼

[]Ú’±Žž,ìfr[]fv%oo¹ new

IME (“ú-{€è“ü—ífVfXfef€),ÉŠÖ,.,é[]Ý’è

<N“®Žž,Éf}fNf[],ðŽÀ[]s new

C1 ěŠĚä•ŕŽš (\$80-\$9F) ,đŽg—p,μ,È,č

Tera Term ,ìŠĚŽšf,ŕ[fh(ŽóM),đ **EUC** , © **JIS** ,É,μ,ÄŕA Teraminal ID ,đ VT2XX
,Ü,½,íŕA VT3XX ,É,μ,Ä,č,éěŕŕAShift-JIS
,ìŠĚŽš,đŽóM,·,é,ÆŕAfnf“fOfAfbfv,·,é,±,Æ,ª, ,è,Ü,·ŕB

,±,é,íŕAShift-JIS fŕŕ[fh,ì†,É C1 ěŠĚä•ŕŽš (\$80-9F) ,ªŠÜ,Ü,é,Ä,č
,é,½,ß,ÉŕA,» ,é,ç,đŕŠĚä•ŕŽš,Æ,μ,Ä%đŽß,μ,Ä,μ,Ü,čŕA’[-- ,ìó’Ô,ª,“ , © ,μ, -
,È,é, © ,ç,Å,·ŕB

—á,ì,îŕAfzfXfg,É,æ,Á,Ä,íŕŕOfCf“Žž,È,Ç,É **SJIS**(Shift-JIS), **EUC**, **JIS** ,È,Ç,ìŕŽí—
p,ìŠĚŽšfŕŕ[fh,đ’[-- ,É’— ,èŕA,Ç,íŕŕ[fh,ªŕ³,μ,•\Žì,ª,é,Ä,é, ©ftŕŕfUŕŕ[,É“ü—
í,ª,¹,éŕA,Æ,č,ª,±,Æ,ª, ,èŕA,±,ì,æ,ª,Éěŕŕŕ,É-â’è,ª”ŕŕ,μ,Ü,·ŕB

,à,μŕA,±,ì,æ,ª,Éŕó’Ô,É,È,Á,½ŕěŕŕŕA[**Control**] **Reset terminal** ,Å’[--
,ìŕó’Ô,đfŠfZfbfg,μ,Ä,,¾,ª,čŕB

,±,ì,æ,ª,È-â’è,đ,ª,“ ,é,É,íŕA3,Â,ì•û-@,ª, ,è,Ü,·ŕB

1) ŠĚŽšf,ŕ[fh(ŽóM),đ **SJIS** ,Éŕŕ’è,·,éŕB

2) [**Setup**] **Terminal** ,Å **Terminal ID** ,đ **VT1XX** (—á,ì,î **VT100**) ,É,·,éŕB

3) ŕŕ’èftfŕCf<,ì [**Tera Term**] fZfNfVfŕf“ ,É

Accept8BitCtrl=off

,Æ,č,ªŕs,đ’Ç%Á,μŕA C1 ěŠĚä•ŕŽš,Æ,μ,Ä’— ,ç,é,Ä,«,½•ŕŽš,đ-³Ž<,·,é,æ,ª
,Éŕŕ’è,·,éŕB

ŕÈ—ªŽž:

Accept8bitCtrl=on

☐³,μ,,È,ç "kanji-out" ,đŽg—p%oÂ"\,É,·,é

^ê•",)fVfXfef€,\p,ç,ç,ê,Ä,ç,é "kanji-out" fV☐[fPf"fX ^[(H ,í☐AJIS/ISO ,)KŠi,É☐],Á,Ä,ç,Ü,¹,ñ☐B-{“-É•K—v,ì, ,é☐é☐#^ÈŠO,ÍŽg—p,μ,È,ç,Á,,³/₄,³,ç☐B☐ %oŠú☐Ý'è,Á,ÍŠÔ^á,ç,đ-h,®,¹/₂,ß **[Setup] terminal** f_fCfAf☐fOf{fbfNfX,Á ^[(H ,^a'l'đ,Á,«,É,ç,æ,π,É,È,Á,Ä,ç,Ü,·☐B

^[(H ,đ'l'đ,Á,«,é,æ,π,É,·,é,É,Í☐A☐Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É☐A

AllowWrongSequence=on

,Æ,ç,π☐s,đ'Ç%oÁ,μ,Ä,,³/₄,³,ç☐Bf_fCfAf☐fOf{fbfNfX,Á'l'đ,Á,«,é,æ,π,É,È,è,Ü,·☐B

☐È—^aŽž:

AllowWrongSequence=off

Ž © “ ® “ I, È • ¶ Ž š — ñ f R f s [, ð , μ , È , ϕ

f}fEfX,Å•¶Žš—ñ,ð'ı'ð,·,é,Æ□A“~Žž,É,»„ê,afNfŠfbfvf{□[fh,ÉfRfs□[,³,ê,Ü,·□B,±
,İŽ © “ ® “ I, È • ¶ Ž š — ñ f R f s [, ð , μ , È , ϕ , æ , x , É , · , é , É , Í □ A □ Ý ' è f t f @ f C f < , İ **[Tera Term]**
fZfNfVf†f“ ,É^È%°°,İ□s,ð'Ç%°°Á,μ,Ä,,¾,³,ϕ□B

AutoTextCopy=off

□È—ªŽž:

AutoTextCopy=on

□Ú'±Žž,ìfr□[fv%oo¹

TCP/IP □Ú'±,Šm—š,μ,½Žž,Æ,»,ì□Ú'±,Ø,ê,½Žž,Éfr□[fv%oo¹,đ-
Â,ç,·,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf†f'' ,É^È%oo^o,ì□s,đ'Ç%ooÁ,μ,Ä,-
,¾,¾,ç□B

BeepOnConnect=on

□È—Šž:

BeepOnConnect=off

B-Plus ŽóM,ìŽ©“®<N“®

Ý’èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

BPAuto=on

,Æ,ç,æs,đ’Ç%oÁ,·,é,ÆANifty-Serve “™,ì BBS ,ÅAB-Plus
,ìf_fEf“f[fhfRf}f“fh,đŽÀs,μ,½,Æ,«,ÉAŽ©“®“I,É Tera Term ,ì B-Plus
ŽóM,ªŠJŽn,³,ê,é,æ,æ,É,È,è,Û,·B

È—ªŽž:

BPAuto=off

B-Plus ,Å,·,×,Ä,ì§Œä•¶Žš,đfGfXfP[]fv,·,é

B-Plus ,Å,íA'ÊM%ñü,^ê•",ì§Œä•¶Žš,đ'Ê,³È,ç,±
,Æ,đ'z'è,μ,ÄA,»,ê,ç,đfGfXfP[]fv,·,é(¼,ì•¶Žš,ì'g,Ý¶,í,¹É'u,«Š·,!,é),æ,×
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,³È,ç%ñü,ìê¶,Í"']—,^a,×,Ü,,ç
,«,Ü,¹,ñB,»,ì,æ,×,Èê¶,ÍA'Ý'èftf@fCf<,ì [Tera Term] fZfNfVf¶f",ÉA

BPESCtl=on

,Æ,ç,×s,đ'Ç%Á,μ,Ä,³/₄,³,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,đfGfXfP[]fv,·,é,æ,×
,É,È,è,Ü,·B

È—^aŽž:

BPESCtl=off

B-Plus ,lfO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,ÉA

BPLog=on

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,Æ[AfzfXfg,Æ Tera Term ,ìŠÔ,Å B-Plus ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,ÉACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **BPLUS.LOG**
,É<L~^,μ,Ü,·B

È—aŽž:

BPLog=off

TCP/IP %oňüØ'f,ìŠm" F,ð,μ,È,ç

Unix "™,lfzfXfg,É telnet ,ÅfOfCf" ,μ,Ä,ç,éó'Ô,ÅA%oňü,ð<-
\$"l,ÉØ'f,·,é,ÆAfvfZfX,žc,Á,½,Û,Û,É,É,é,±,Æ,a, ,è,Û,·B,â,p,ð"¾,È,çê†,
ðœ,«A³,μ,ç•û-@,ÅfOfAfEfg,·,é,æ,κ,É,μ,Ä,,¾,³,çB

Tera Term ,ì%ŠúÝ'è,Å,í TCP/IP Ú'±Žž,É fVfXfef€fjfj...
[,ìu•Ä,¶,évfRf}f"fh,Û,½,í **[File]** fjfj...[,ì **Exit** fRf}f"fh,Å%oňü,ð<-
\$"l,ÉØ'f,·,é,Æ,«,ÉA"Disconnect ?" ,Æ,ç,κfbfZ[fW,ð•\
Ž!,μ,Äft[fU[,ÉŠm" F,ð,μ,Û,·B

Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf†" ,ÉA

ConfirmDisconnect=off

,Æ,ç,κs,ð'Ç%oÁ,·,é,ÆA%oňü,ð<\$Ø'f,·,é,Æ,«,Éft[fU[,ÉŠm" F,ð,μ,Û,¹,ňB

È—žž:

ConfirmDisconnect=on

2fofCfg•¶Žš(Š;Žš),ì1fofCfg-Ú,Æ2fofCfg-Ú,ÌŠÔ,É¶\$Æä•¶Žš“™,ª“ü,Á,½¶ê¶¶A1fofCfg-Ú,ð-³Æø,É,·,é

fzfXfg, ©, ç' —, ç, ê, Ä,, é2fofCfg•¶Žš(Š;Žš“™),ì1fofCfg-Ú,Æ2fofCfg-Ú,ÌŠÔ,É¶\$Æä•¶Žš(—á,!,í%ü¶s•¶Žš)“™,ª“ü,Á,Ä,à¶Atera Term ,ì%Šú¶Y'è,Å,Í2fofCfg•¶Žš,à¶\$Æä•¶Žš,à¶³,µ,Žæ,è^µ,í,ê,Ü,·¶B

¶Y'èftj@fCf<,ì [Tera Term] fzfNfvf¶f“,É¶A

CtrlInKanji=off

,Æ,ç,¶s,ð'Ç%Á,·,é,Æ¶A2fofCfg•¶Žš,ì1fofCfg-Ú,ìÆä,É¶\$Æä•¶Žš“™,ª—^,½¶ê¶¶A1fofCfg-Ú,ð-³Æø,É,µ,Ü,·¶B,±,ìÆä,É2fofCfg-Ú,ª—^,Ä,à¶Afsf~ ,Æ,µ,Ä•\Ž!,³,ê,Ü,·¶B2fofCfg•¶Žš,ð¶³,µ,-^µ,í,È,çfAfvfŠfP¶[fvf¶f“,Å,í¶A,±,ì,æ,¶,É,µ,½,Ü,¶,ª¶A%æ-È,ì•¶Žš%»»,¯,ª¶,È,-,È,é%Ä“\¶«,ª, ,è,Ü,·¶B—á,!,î¶AŠ;Žš,ì1fofCfg-Ú,ìÆä,É%ü¶s•¶Žš,ð¶o,µ,Ä¶A,» ,ìÆä,É2fofCfg-Ú,í¶o,³,È,ç¶A,Æ,ç,¶fAfvfŠfP¶[fvf¶f“,ª, ,Á,½,Æ,·,é,Æ¶A,» ,ìŠ;Žš,íŽì,Ä,ç,ê,Ü,·,ª¶A%ü¶s•¶Žš^È¶~ ,É—^ ,é•¶Žš,ª%»»,¯,ª,É¶İ,Ý,Ü,·¶B

¶È—ªŽž:

CtrlInKanji=on

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!,·,é,æ,κ,É,·,é,É,ÍAÝ'èftf@fCf<,ì [Tera Term]
fZfNfVf¶f",ÉA

Debug=on

,Æ,ç,κs,đ'Ç%Á,μ,Ä,,¾,¾,çBShift+Esc ,đ
%Ÿ,·,ÆffofbfOf,¶[fh,É,È,è,Ü,·BffofbfOf,¶[fh,đ%đœ,·,é,É,Í,à,κ^ê"x
Shift+Esc ,đ%Ÿ,μ,Ä,,¾,¾,çB

ffofbfOf,¶[fh,Á,ÍAZóM,μ,½ff¶[f^,đ^È%º,ì<K'¥,Á•¶Žš,É•İŠ,μ,Ä•\Ž!,μ,Ü,·B

\$00-\$1F: ^@ - ^_,đ•\Ž!
\$20-\$7E: ,»,ì,Ü,Ü•¶Žš,Æ,μ,Ä•\Ž!
\$7F: ,đ•\Ž!
\$80-\$FF: ¶Aã^Ê bit ,đ0,É,μ,ÄA\$00-\$7F,Æ"~,¶<K'¥
,Á•¶Žš,É•İŠ,μA"½"]•¶Žš,Æ,μ,Ä•\Ž!B

È—ăžž:

Debug=off

f_fuf<fNfŠfbfN,É,æ,é'PCEê'I'ð,ì<æ∅,è•ŕŽš

ŕŕf}fEfXf{f^f",Á'PCEê,ðf_fuf<fNfŠfbfN,·,é,Æ∅A,»,ì'PCEê,ð'I'ð,·,é,±,Æ,ª,Á,«,Ü,·∅BŕÝ'èftf@fCf<,ì [Tera Term] fZfNfVfŕf",É^É%∅,ì∅s,ð'Ç%∅Á,·,é,±,Æ,É,æ,Á,Ä'PCEê,ì<æ∅,è•ŕŽš,ðŽw'è,·,é,±,Æ,ª,Á,«,Ü,·∅B

DelimList=<<æ∅,è•ŕŽš,ìfŠfXfg>

—á,ì,î∅A

DelimList=<>()[]

,í6,Á,ì<æ∅,è•ŕŽš "<", ">", "(", ")", "[", "]" ,ðŽw'è,µ,Ü,·∅B,½,¾,µ∅AfXfy∅[fX•ŕŽš,Æ "\$" ,í,»,é,¼,ê∅A"\$20", "\$24" ,Æ,ç,æ,æ`Ž® ,ÁŽw'è,µ,È,¯,é,î,È,è,Ü,¹,ň∅B

DelimList=\$20 ; fXfy∅[fX•ŕŽš

∅È—ªŽž:

DelimList=\$20!"#\$24%&'()*+,-./:;<=>?@[\\]^`{|}~

,±,ì "DelimList" ∅s,É,í∅A1fofCfgr∅[fh•ŕŽš(,ç,í,ä,é"¼Šp•ŕŽš),µ,© Žw'è,Á,«,Ü,¹,ň∅B2fofCfgr∅[fh•ŕŽš(,ç,í,ä,é'SŠp•ŕŽš),ì<æ∅,è•ŕŽš,Æ,µ,ÄŽæ,è^µ,í,ê,Ü,·∅B2fofCfgr∅[fh•ŕŽš,ð<æ∅,è•ŕŽš,Æ,µ,È,ç,æ,æ,É,·,é,É,í∅A^É%∅,ì∅s,ð'Ç%∅Á,µ,Ä,,¾,³,ç∅B

DelimDBCS=off

∅È—ªŽž:

DelimDBCS=on

^È'O,ìfo∅[fWfŕf",ì Tera Term ,Æ'PCEê'I'ð,ìŽd•û,ð"¯,ŕ,É,·,é,É,í∅A

DelimList=\$20

DelimDBCS=off

,Æ,µ,Ä,,¾,³,ç∅B

f|fbfvfAfbfvf[]fjf...[][,đŽg—p•s%oÂ,É,·,é

f[]fjf...[][fo[][,ª•\Ž!,³,ê,Ä,ç,È,ç,Æ,«[]ACtrl fL[][,đ%oŸ,µ,È,ª,çf}fEfX[]¶f{f^f“ ,đ
%oŸ,·,Æ[]Af|fbfvfAfbfvf[]fjf...[][,ª«» ,ê,Û,·[]Bf|fbfvfAfbfvf[]fjf...[][,ª«» ,ê,È,ç,æ,κ
,É,·,é,É,Í[]A[]Ý'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É^È%oº,ì[]s,đ'Ç%oÁ,µ,Ä,-
,¾,¾,ç[]B

EnablePopupMenu=off

[]È—ªŽž:

EnablePopupMenu=on

"Show menu bar" fRf}f“fh,đ%oB,·

f[]jf...[]fo[][,ª•\Ž!,³,ê,Ä,ç,È,ç,Æ,«[]AfVfXfef€f[]jf...[][,É "Show menu bar"
fRf}f“fh,ªCE»,ê,Û,·[]B,±,ì "Show menu bar" fRf}f“fh,ªCE»,ê,È,ç,æ,ª
,É,·,é,É,í[]A[]Ý`èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“ ,É^È%oº,ì[]s,đ'Ç%oÁ,µ,Ä,-
,¾,³,ç[]B

EnableShowMenu=off

□È—ªŽž:

EnableShowMenu=on

IME (“ú- {Œê“ü—ÍfVfXfef€),ÉŠÖ,·,éŸ’è

IME ,ìfCf“f%ofCf““ü—Í,đ,μ,È,ϕ,æ,⊗,É,·,é,É,Í□A^È%o°,ì□s,đŸ’èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,É^È%o°,ì□s,đ’Ç%o°Á,μ,Ä,,¾,¾,ϕ□B

IMEInline=off

□È—ªŽž:

IMEInline=on

IME ,ÉŠÖ,·,é%o½,ç,©,ì•s<i□†,ì,½,β Tera Term ,ª IME ,đ□Œä,μ,È,ϕ,æ,⊗,É,·,é,É,Í□A^È%o°,ì□s,đŸ’èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,É^È%o°,ì□s,đ’Ç%o°Á,μ,Ä,,¾,¾,ϕ□B

IME=off

□È—ªŽž:

IME=on

Kermit ,lf fO

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É□A

KmtLog=on

,Æ,ç,⌘□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg,Æ Tera Term ,ìŠÔ,Å Kermit ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,«,É□ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **KERMIT.LOG**
,É<L~^,μ,Ü,·□B

□È—ažž:

KmtLog=off

☞¾☞êf,☞[fh,ì'í'ð,ð•s%oÁ,É,·,é

[Setup] General f_fCfAf☞fOf{fbfNfX,Á☞¾☞êf,☞[fh (**Language**) ,ì'í'ð,ª,Á,«,È,☞,æ,æ,É,·,é,É,í☞A☞Ý'èftf@fCf<,ì [**Tera Term**] fZfNfVf#f“,É☞A

LanguageSelection=off

,Æ,☞,æ☞s,ð'Ç%oÁ,μ,Ä,,¾,ª,☞☞B

☞È—ªŽž:

LanguageSelection=on

fXfNf[f<fofbftf@[,ìÅ'å[s"

[Setup] Window f_fCfAf_fOf{fbfNfX,ÅŽw'è%oÅ"\
,ÈfXfNf[f<fofbftf@[,ìÅ'å[s",ð•ìX,·,é,É,íAÝ'èftf@fCf<,ì [Tera Term]
fZfNfVf†f",ÉA

MaxBuffSize=<Å'å[s"> (100000 ^È%ooº)

,Æ,ç,¸s,ð'Ç%oÅ,μ,Ä,,¾,³,çB

' : Tera Term ,í <Å'å[s"> * <terminal width> * 2
fofCf•ª,ìf,fš,ðfXfNf[f<fofbftf@[,ì,½,ß,ÉŽg—p,μ,Ü,·B

È—ªŽž:

MaxBuffSize=10000

“_ - Å, μ, È, ç f j □ [f \ f <

f j □ [f \ f < , ð “ _ - Å , ³ , ¹ , È , ç , æ , x , É , , , é , É , í □ A □ Ý ‘ è f t f @ f C f < , ì [**Tera Term**] f Z f N f V f # f “ , É □ A

NonblinkingCursor=on

, Æ , ç , x □ s , ð ‘ Ç % o o Á , μ , Ä , , ³ / ⁴ , ³ , ç □ B

□ È — ^a Ž ž :

NonblinkingCursor=off

fvfŠf“f^ftfHf“fg,ìŽw’è

VT window ,ì%œ-Ê,đ^óü,·,é,Æ,«,ÉŽg—p,·,éftfHf“fg(fvfŠf“f^ftfHf“fg)
,đŽw’è,·,é,±,Æ,ª,Â,«,Ü,·B□%ŠúY’è,íA%œ-Ê•Ž!—p,ìftfHf“fg([**Setup**]
Font ,ÂŽw’è,ª,ê,éftfHf“fg),ª^óü—p,É,àŽg,í,ê,é,æ,α,É,È,Á,Ä,ç
,Ü,·BfvfŠf“f^ftfHf“fg,đŽw’è,·,é,É,íAŽY,ìŽè□‡,É,μ,½,ª,Á,Ä,¾,ª,ç□B

1) [**Setup**] **Font** ,Â%œ-Ê•Ž!—p,ìftfHf“fg,đ,ç,ë,ç,ë•ì,í,ÄA^óü,μ,Ä,Ý,é□B

2) □D,Ý,ì^óü—pftfHf“fg,ªCE©,Â,©,Á,½,ç [**Setup**] **Save setup**
,ÂY’èftf@fCf<,ÉCE»□Y,ìY’è,đ•Ú’□B

3) [**Tera Term**] fZfNfvf#f“ ,É **PrnFont=** ,ÂŽn,Ü,é□s,đ’Ç%Á,·,é□**BVFont=**
,É’±,·□Žš—ñ(—á,í,î“•W□€-¾’©,0,-19,128”),đ **PrnFont=** ,ìCEã,ÉfRfs□[,·,é□B

4) %œ-Ê—p,ìftfHf“fg,đ,à,Æ,ìY’è,É,à,Ç,·□B

—á:

PrnFont= •W□€-¾’©,0,-19,128

□È—ªŽž:

PrnFont=

fy [fW—]''' ,ižw'è

Ý'èftf@fCf<,ì [Tera Term] fZfNfvf#f'' ,É^È%º,ìs,đ'Ç
%ºÁ,·,é,ÆA^óü,ì,½,β,ìfy [fW—]''' (¶A%ºE AãA%ºº),đŽw'è,·,é,±
,Æ,ª,Å,«,Ü,·B

PrnMargin=<¶>,<%ºE>,<ã>,<%ºº> (1/100 fCf''f`'P^Ê)

È—ªŽž:

PrnMargin=50,50,50,50

Quick-VAN ,lfO

Y'èftf@fCf<,i [Tera Term] fZfNfVf+f“ ,ÉA

QVLog=on

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,ÆAfzfXfg,Æ Tera Term ,ìŠÔ,Å Quick-VAN ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,ÉACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<

QUICKVAN.LOG ,É<L~^,μ,Ü,·B

È—ažž:

QVLog=off

Quick-VAN ,lfEfBf“fhfEfTfCfY

Ÿ'èftf@fCf<,ì [Tera Term] fzfnfvf#f“,ÉA

QVWinSize=<window size (10i“(³))>

,Æ,ç,æ[s,ð'Ç%Á,·,é,ÆAQuick-VAN fvf[]fgfRf<,Å—p,ç
,ç,è,éfEfCf“fhfEfTfCfY,Æ,ç,æfpf%of[]f^[][,ðŸ'è,·,é,±,Æ,ª,Å,«,Ü,·B

Ÿ'è%Á“\,ÈfEfCf“fhfEfTfCfY,ì'l,íA1`99,Å,·B^è”Ê,ÉA%ñü,ª\•ª,É,‘¬,ÅGf
%[][,ª,È,çê[]#AfEfCf“fhfEfTfCfY,ð'å,«, -
,·,ê,î,·,é,Ü,ÇA“]’—’¬“x,ªEü[]ã,µ,Ü,·B,½,¾,µA’á’¬,È%ñü,âfGf%[][,ì'½,ç
%ñü,ðŽg—p,µ,½,è[]AfzfXfg,â PC ,ªff[]f^,ðŽæ,è,±
,Ú,µ,½,è,·,éê[]#,É,íAfEfCf“fhfEfTfCfY,ª'å,«,·,¬,é,Æ<t,É“]’—’¬“x,ª'á
%º,µ,Ü,·B

,Ü,½AZÀ[]Û,É—p,ç,ç,è,éfEfCf“fhfEfTfCfY,ì'l,íA Tera Term ‘æ,ìŸ'è'l,ÆAfzfXfg
(PC-VAN) ‘æ,ìŸ'è'l,ì[]¬,³,ç•û,É,È,è,Ü,·B,µ,½,ª,Á,ÄA Tera Term
,ìŸ'è'l,ð, ,é'l,æ,è'å,«,·,·,é,ÆA,»,è^È[]ã“]’—’¬“x,í•ï%»»,µ,È,,È,è,Ü,·B

È—ªŽž:

QVWinSize=8

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é

VT window ,Å,í%œ-Ê,ìfXfNf□□[f<,ð'¬,,·,é,½,ß,É□A^ê"x,É•i□"□sfXfNf□□[f<,·,é,±
,Æ,ª, ,è,Ü,·□B

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]**
fZfNfVf†f",É□A

ScrollThreshold=<□s□"(10□i□@□)">

,Æ,ç,¤□s,ð'Ç%œÁ,μ,Ä,,¾,³,ç□B

□È—ªŽž:

ScrollThreshold=12

f}fEfX,ÅfEfBf“fhfE,đ‘l‘đ,μ,½Žž,ì•ŋŽš,ì‘l‘đ,đ<ÖŽ~,·,é

”ň‘l‘đó‘Ô,lfEfBf“fhfE,ì•ŋŽš—ì^æ,đf}fEfX,ÅfNfŠfbfN,·,é,±
,Æ,É,æ,Á,ÅfEfBf“fhfE‘l‘đ,·,é,±,Æ,ª,Å,«,Û,·B□%ŠúY‘è,Å,Í□A,±
,lf}fEfXfNfŠfbfN,É,æ,Á,Ä“Žž,É•ŋŽš,ì‘l‘đ,àŠJŽn,³,ê,Û,·Bf}fEfX,ÅfEfBf“fhfE,đ‘l‘đ
,μ,½Žž,ì•ŋŽš,ì‘l‘đ,đ<ÖŽ~,·,é,É,Í□A□Y‘èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,É□A

SelectOnActivate=off

,Æ,ç,¤□s,đ‘Ç%Á,μ,Ä,,¾,³,ç□B

□È—ªŽž:

SelectOnActivate=on

<N“ ® Žž,Éf}fNf□,ðŽÀ□s

Tera Term <N“ ® Žž,Éf}fNf□,ðŽ© “ ® “l,ÉŽÀ□s,·,é,±,Æ,ª,Å,«,Ü,·□Bf}fNf□ftf@fCf<-
¼,ÍRf}f“fhf%ofCf“flfvfVf†f“ “/M=<macro file>” ,ðŽg,α,©□A^É
%oº,l□s,ð□Ý'èftf@fCf<,l [Tera Term] fZfNfVf†f“ ,É'Ç%oÁ,·,é,±
,Æ,É,æ,Á,ÄŽw'è,Å,«,Ü,·□B

StartupMacro=<macro file>

□È—ªŽž:

StartupMacro=

TEK GIN report ,lf}fEfXfR[]fh

fzfXfg'x,lfAvfšfP[]fVf#f",É,æ,Á,Ä[]ATEK window ,@ GIN f,[]fh(fNf[]fXfwfA[]fj[]f\ f<,@CE»,ê[]A[]A•W"ü—í, @%oÁ"\,È[]ó'Ô),É,È,Á,½,Æ,«[]A, ,éfL[][,ð%oÿ,·,Æ TEK window ,ÍfNf[]fXfwfA[]fj[]f\ f<,ì[]À•W,ÆfL[][,ì ASCII fR[]fh,ðfzfXfg,Ö•ñ[][],μ,Ü,·[]B

GIN f,[]fh,Åf}fEfX,ì[]f{f^f",ð%oÿ,μ,½,Æ,«,É[]À•W,Æ,Æ,à,É'—[]o,·,é fL[]fR[]fh ,ð[]Ý'è,·,é,É,í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É[]A

TEKGINMouseCode=<key code(10[]i[]@[])">

,Æ,ç,¸[]s,ð'Ç%oÁ,μ,Ä,,¾,³,ç[]B

[]È—@Žž:

TEKGINMouseCode=32

(32,ÍSpace ,ìASCII fR[]fh)

Telnet „lf of Cfif Šf lf vf Vf f“

fzfXfg,É telnet □Ú'±,μ□Aftf@fCf<“]’— (XMODEM “™),Å CR •¶Žš,đ’—
□o,·,é□é□#□ATera Term ,ì□%Šú□Ý’è,Å,Í CR+NUL (\$0D \$00) ,É•İŠ·,μ,Ä,©,ç’—
□o,μ,Ü,·□BfofCfifŠf lf vf Vf f“ ,Å telnet □Ú'±,·,é,Æ□A,±,ì,æ,α,È•İŠ·,Í,“,±,È,ç
,Ü,¹,ñ□B

□Ý’èftf@fCf<,ì **[Tera Term]** fZfNfVf f“ ,É□A

TelBin=on

,Æ,ç,α□s,đ’Ç%Á,·,é,Æ□ATelnet □Ú'±,·,é,Æ,«fofCfifŠf lf vf Vf f“ ,đ—p,ç
,Ü,·(fzfXfg,^aÍ%ž,μ,Ä,ç,ê,ì)□B

,Ü,¹/₂□A□Ý’èftf@fCf<,í□’,«Š·,|,,É□Afrf}f“fhf%ofCf“,É /B
flf vf Vf f“ ,đ,Ä,¯,Ä,à□AfofCfifŠf lf vf Vf f“ ,đŽw’è,Å,«,Ü,·□B

□È—^ažž:

TelBin=off

Telnet „lfGfR[]fifvfVf#f“

Ÿ'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É

TelEcho=on

,Æ,ç,æ[]s,ð'Ç%oÁ,·,é,Æ[]ATera Term ,ÍzfXfg,lfGfR[][(fŠf,[][fgfGfR[]]),ìó'Ô,ð
[Setup] Terminal f_fCfAf[]fOf{fbfNfX,ÅŸ'è,³,è,é "Local echo" ,ìó'Ô,É
%ož,¶,Ä•ï[]X,·,é,±,Æ,ðŽŽ,Ý,Û,·[]B,à,μ[]A "Local echo" ,ª on (off) ,È,ç,Î[]ATera
Term ,ÍfŠf,[][fgfGfR[]],ð off (on) ,É,·,é,±,Æ,ðŽŽ,Ý[]AfzfXfg,Æ Tera Term
,Å“ñ[]dfGfR[],μ,½,è[]AfGfR[],ð,Û,Á,½,,μ,È,ç[]ó'Ô,É,È,é,±,Æ,ð-h,²,æ
,Æ,μ,Û,·[]B,±,ì<@”\,ÍzfXfg,ª telnet „lfGfR[]fifvfVf#f“ ,É'í%ož,μ,Ä,ç,È,ç,Æ“-
,«,Û,¹,ñ[]B

È—ªŽž:

TelEcho=off

Telnet ,lfO

Y'èftf@fCf<, [Tera Term] fZfNfVf#“ ,ÉA

TelLog=on

,Æ,ç,æ[s,đ'Ç%oÁ,·,é,ÆAfzfXfg,Æ Tera Term ,ìŠÔ,ì telnet ,ì option negotiation
,ì“à—e,ðftf@fCf< **TELNET.LOG** ,É<L~^,μ,Û,·B

È—ăŽž:

TelLog=off

Telnet —pf|[]fg"Ô|t

fRf}f"fhf%ofCf"[]A,Ü,½,í [File] New connection f_fCfAf[]Of{fbfNfX,Å,í[]ATCP/IP
[]Ú'±,ÉŽg—p,³,ê,é TCP f|[]fg"Ô|t (<TCP port#>),Æ telnet ftf%ofO (<telnet
flag>),đŽw'è,·,é,±,Æ,ª,Å,«,Ü,·[]BfRf}f"fhf%ofCf",Å,±,ê,ç,lfpf%of[]f^[][,ª[]È—
ª,³,ê,½[]ê[]‡,í[]ATera Term []Ý'èftf@fCf<,É[]',©,ê,Ä,ç,é[]Ý'è'l,ªŽg—p,³,ê,Ü,·[]B

<telnet flag>,ª 1 (on),Å[]A,©,Â <TCP port#>,ª 23,ì[]ê[]‡,¾,~[]ATera Term
,lfzfXfg,É[]Ú'±,µ,½'¼[]Ěã,É[]AŽ©""l,É telnet fRf}f"fh,đzfXfg,É'—[]M,µ option
negotiation,đŠŽn,µ,Ü,·[]B

,±,ì telnet,ì,½,β,ì"Á•Ê,Èf|[]fg"Ô|t 23,í[]A^È%º,ì[]s,đ[]Ý'èftf@fCf<,ì [Tera
Term] fZfNfVf‡f",É'Ç%ºÅ,·,é,±,Æ,É,æ,è•[]X,·,é,±,Æ,ª,Å,«,Ü,·[]B

TelPort=<telnet port#>

[]È—ªŽž:

TelPort=23

<telnet flag>,Æ <TCP port #>,ª%º½,Å,ê Tera Term,lfzfXfg,©,ç'—
,ç,ê,Ä,«,½ telnet fRf}f"fh,É%ºŽ"š,·,é,±,Æ,ª,Å,«,Ü,·[]B

"ñ telnet TCP/IP []Ú'±—p,ì'[-[]Ý'è

Telnet fvf[]fgfRf<,É'î%ºž,µ,Ä,ç,È,çzfXfg('Êí 23 ^ÈŠO,lf|[]fg"Ô|t,đŽg—p),É
TCP/IP []Ú'±,·,é[]ê[]‡[]Af[][]fjff<fGfR[][,đ on,É[]A'—[]M,·,é%ºü[]sfR[]f[]h,đ CR+LF
,É,·,é•K—v,ª,é[]ê[]‡,ª,è,Ü,·[]B[]Ý'èftf@fCf<,ì [Tera Term] fZfNfVf‡f",É[]A

TCPLocalEcho=on

TCPCRSend=CRLF (CR,àŽw'è%ºÅ"\\)

,đ'Ç%ºÅ,·,é,Æ[]A<telnet flag>,ª 0 (off),ì[]ê[]‡[]A,Ü,½,í <TCP port#>,ª
<telnet port#>,Å,È,ç[]ê[]‡,É[]A[]Ú'±'¼[]Ěã,É[]Af[][]fjff<fGfR[][,đ on,É[]A'—[]M
%ºü[]sfR[]f[]h,đ CR+LF,ÉŽ©"®"l,É•[]X,µ,Ü,·[]B,»,ê^ÈŠO,ì[]ê[]‡,í [Setup]
Terminal,Å,ì[]Ý'è'l,ªŽg—p,³,ê,Ü,·[]B,±
,ê,ç,lf|fvfVf‡f",É,æ,Á,Ä[]A^è,Ä,ì[]Ý'èftf@fCf<,Å telnet []Ú'±,Æ"ñ telnet []Ú'±,ì—
¼•û,É'î%ºž,·,é,±,Æ,ª%ºÅ"\\,Æ,È,è,Ü,·[]B

[]È—ªŽž:

TCPLocalEcho=off (,±,lf|fvfVf‡f",íŽg,í,[]A[]í,É [Setup] Terminal

,ì[]Ý'è'l,ªŽg—p,³,ê,é)

TCPCRSend= (,±,lf|fvfVf‡f",íŽg,í,[]A[]í,É [Setup] Terminal,ì[]Ý'è'l,ªŽg—
p,³,ê,é)

""F,"æ,Ñ□□F'®□«,ì•¶Žš,ìŽÀ□Û,ì□F

fGfXfP□[fvfV□[fPf"fX "<ESC>[37m" ,Æ"<ESC>[30m"
,ì•¶Žš□F,đ,»è,¼,ê"" ,Æ□•,É,μ,Û,·□B"~—l,ÉfGfXfP□[fvfV□[fPf"fX "<ESC>[47m"
,Æ"<ESC>[40m" ,ì"wCEi□F,đ,»è,¼,ê"" ,Æ□•,É,μ,Û,·□B

,ç,,Â,©,ìfAfvfšfP□[fvf¶f" ,Å,ì"wCEi□F,ª(-{•"} ,ì VT100 '[-- ,ì,æ,ª,É)□•,Å, ,é,Æ
%¼'è,μ,Ä□A"□F,ì•¶Žš,ªCE©,ì,é,à,ì,Æš'Ò,μ,Ä,ç,é,±,Æ,ª, ,è,Û,·□B,μ,©,μ□ATer
a Term ,ì"wCEi□F,ì□%š'ì,ì"" ,Å, ,é,½,ß""□F,ì•¶Žš,ìCE©,ì,Û,¹,ñ□B

UseTextColor=on

,Æ,ç,ª□s,đ□Ý'èftf@fCf<,ì [Tera Term] fZfNfvf¶f" ,É'Ç
%Á,·,é,Æ□A""□F",ì•¶Žš("wCEi),ìŽÀ□Û,ì□F,đ [Setup] Window
f_fCfAf□fOf{fbfNfX,ÅŽw'è,³,ê,é "Text" ("Background") ,ì□F,É,μ,Û,·□B"~—
l,É□A"□□F",ì•¶Žš("wCEi),ìŽÀ□Û,ì□F,đ "Background" ("Text") ,ì□F,É,μ,Û,·□B

□È—ªŽž:

UseTextColor=off

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,éB

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,é,É,íAÝ'èftf@fCf<,ì [Tera Term] fzfnfvf+f“ ,ÉA^È
%o^o,ìs,đ'Ç%A,μ,Á,,³/₄,³,çB

VTFontSpace=<dx1>,<dx2>,<dy1>,<dy2>

,¹/₂,³/₄,μA

<dx1> ,íŠe•Šš,ìŠš'š,É, , , ,é,·,«,ÛB

<dx2> ,íŠe•Šš,ì%oE'š,É, , , ,é,·,«,ÛB

<dy1> ,íŠeš,ìšš'š,É, , , ,é,·,«,ÛB

<dy2> ,íŠeš,ì%o^o'š,É, , , ,é,·,«,ÛB

'P^Ê,í,ç, , ,ê,àA%oæ'fB

—á:

VTFontSpace=0,1,0,0 Še•Šš,ì%oE'š,É1%oæ'f•^a,ì,·,«,Û,đ, , , ,éB

VTFontSpace=0,0,1,0 Šeš,ìšš'š,É1%oæ'f•^a,ì,·,«,Û,đ, , , ,éB

È—^aŽž:

VTFontSpace=0,0,0,0

^óü,ì” {—|

^óü,³,ê,½•¶Žš,â

‰æ’œ,³—,½,è’â,«,:—,½,è,:éê#A’Éí,ÍRf“fgf[f<fpf]f<,ì“fvfŠf“f^”,Å
Šg’â/k—” {—|,đ•Ī,|,é,±,Æ,É,æ,è•¶Žš,â‰æ’œ,đŠg’â/k—,,:é,±
,Æ,³,Å,«,Ü,·B,à,µfvfŠf“f^fhf%ofCfo[,³Šg’â/k—,É’í%ž,µ,Ä,ç,È,çê#A” {—
|,đ Tera Term Ÿ’èftf@fCf<,ÉŽw’è,,:é,±,Æ,³,Å,«,Ü,·B” {—|,đŽw’è,,:é,É,Í^È
‰^o,ìs,đŸ’èftf@fCf<,ì **[Tera Term]** fzfnfvf#f“ ,É’Ç‰Á,µ,Ä,,³/₄,³,çB

VTPPI=<pixel per inch> ; VT fEfBf“fhfE—p

TEKPPI=<pixel per inch> ; TEK fEfCf“fhfE—p

” {—|,ìP^Ê,Í fsfNfZf</fCf“f` ,Å,È,¯,ê,Î,È,è,Ü,¹,ñB,à,µ•¶Žš,â

‰æ’œ,³—,½,è(’â,«,:—,é)ê#Í,ì” {—|,đ’â,µ,Ä(CE ,ç,µ,Ä),,³/₄,³,çB

È—³žž:

VTPPI=

TEKPPI=

[Window] f[]fjf...[][,đ%°B,·

[Window] f[]fjf...[][,đ%°B,·,É,Í[]A^È%°°,ì[]s,đ[]Ý'èftf@fCf<,ì **[Tera Term]**
fZfNfVf†f“,É'Ç%°°Á,μ,Ä,,¾,¾,ç[]B

WindowMenu=off

[]È—ªŽž:

WindowMenu=on

XMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

XmodemLog=on

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å XMODEM ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<
XMODEM.LOG ,É<L~^,μ,Û,·B

È—ažž:

XmodemLog=off

ZMODEM ŽÓM,ÌŽ © “® <N”®

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,É□A

ZmodemAuto=on

,Æ,ç,æ□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg'æ,ì ZMODEM '—
□M(f_fEf“f□□[fh)fRf}f“fh,ðŽÀ□s,μ,½,Æ,«,É□AŽ©“®“I,É Tera Term ,ì ZMODEM
ŽóM,ªŠJŽn,³,ê,é,æ,æ,É,È,è,Ü,·□B

□È—ªŽž:

ZmodemAuto=off

ZMODEM '—□M,ì□Ý'è

^È%º,ì2,Â□s(1,Â,³/₄, -, Â, à%ºÂ), ð□Ý'èftf@fCf<, Ì [Tera Term] fZfNfVf#f", É'Ç
%ºÁ, ·, é, Æ□AZMODEM '—□M, ÉŠŌ, ·, é□Ý'è, ð, ·, é, ±, Æ, ^a, Â, «, Ü, ·□B, ±, ê, ç, Ì□Ý'è, Í
ZMODEM Žó□M, É, Í%ºe<¿, ð— ^, !, Ü, ¹, ñ□B

ZmodemDataLen=<ff□[f^fTfufpfPfbfg, Ì□Á'á'·(fofCfG□")>

ZmodemWinSize=<'—□M, ÌfEfBf"fhfEfTfCfY(fofCfG□")>

□È—^aŽž:

ZmodemDataLen=1024

ZmodemWinSize=32767

□Ý'è%ºÁ"\, È<ff□[f^fTfufpfPfbfg, Ì□Á'á'·>, Ì'Ì, Í0□` 1024, Â, ·□B'á'—, È%ºñ□ü, âfGf
%º□[, Ì'½, ç%ºñ□ü, ðŽg—p, µ, ½, è□AfzfXfg, Ìff□[f^□—□"\—Í, ^a'á, ff□[f^, ðŽæ, è, ±
, Ú, ·□ê□‡, Í□A□—, ³, È'Ì, ð□Ý'è, ·, é, Æ□AfGf
%º□["™, Ì□áŠQ, É'Í, µ, Ä□A, æ, è^À'è, Èftf@fCf<'—□M, ð□s, ±
, Æ, ^a, Â, «, Ü, ·□BfVfŠfAf<f|□[fgŽg—
pŽž, Âf{□[fC□[fg, ^a'á, ç□ê□‡, Í□A□Ý'è'Ì, æ, è, à□—, ³, ç'Ì, ^aŽg—p, ³, ê, é, ±, Æ, ^a, ·, è, Ü, ·□B

□Ý'è%ºÁ"\, È<'—□M, ÌfEfBf"fhfEfTfCfY>, Ì'Ì, Í-32768□` 32767, Â, ·□B—
á, !, Í□A'Ì, ð30000, É, ·, é, Æ□A-ñ30000fofCfG, É^è%ºñ□Aff□[f^fpfPfbfg, Ì'—
□M, ð<x, Ý□AfzfXfg, ©, çŠm" F, ðŽæ, è, Ü, ·□B'Ì, ð•%º(fEfBf"fhfEfTfCfY-³CEÀ'á, É'Í%ºž)
, É, ·, é, Æ□AfzfXfg, ©, çfGf%º□[, Ì•ñ□□, ^a, È, ç, ©, —, è□A^è
%ºñ, à<x, Ü, ·, Éff□[f^fpfPfbfg, ð'—□M, µ, Â, Ä, —□A□Á'áCEÀ, Ì'—
□M'—"x, ^a"³/₄, ç, ê, Ü, ·□BfzfXfg, â%ºñ□ü, Ì"\—Í, É, æ, Á, Ä, Í□AfEfBf"fhfEfTfCfY, ð, ·, é'Ì, æ
, è'á, «, ·, é, Æ□A□³Í, Èftf@fCf<'—□M, ^a, Â, «, È, -
, È, Á, ½, è□A"ñ□Í, ÉŽžŠŌ, ^a, ©, ©, Á, ½, è, ·, é, ±, Æ, ^a, ·, è, Ü, ·□B

ZMODEM ,Å,·,×,Ä,ì§Œä•¶Žš,đfGfXfP[fv,·,é

ZMODEM ,Å,íA'ÊM%ñü,â^ê•",ì§Œä•¶Žš,đ'Ê,³È,ç,±
,Æ,đ'z'è,μ,ÄA,»,ê,ç,đfGfXfP[fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,¹É'u,«Š·,!,é),æ,×
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,³È,ç%ñü,ìê¶,Í'—,â,×,Ü,,ç
,«,Ü,¹,ñB,»,ì,æ,×,Èê¶,íAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf¶f“,ÉA

ZmodemEscCtl=on

,Æ,ç,×s,đ'Ç%Á,μ,Ä,,³/₄,³,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,đfGfXfP[fv,·,é,æ,×
,É,È,è,Ü,·B

È—âŽž:

ZmodemEscCtl=off

ZMODEM ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,ÉA

ZmodemLog=on

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å ZMODEM ,ð—p,ç
,½ftf@fCf<“]—,ð,·,é,Æ,« ,ÉACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<
ZMODEM.LOG ,É<L~^,μ,Ü,·B

È—ažž:

ZmodemLog=off

fRf}f“fhf%ofCf“

Tera Term Pro ,đ<N“® , ,é,Æ,« ,lfRf}f“fhf%ofCf“ (fVf#[]fgjfbfg,lfŠf“fN[]æ),ìĚ`Ž®

TTERMPRO [**<host>** [[:]**<TCP port#>**]]

[/B] **[/C=<serial port#>]**

[/F=<setup file>] **[/FD=<file transfer directory>]**

[/H] **[/I]** **[/K=<keyboard setup file>]**

[/KR=<kanji code (receive)>] **[/KT=<kanji code (transmit)>]**

[/L=<log file>] **[/LA=<language>]** **[/M=<macro file>]**

[/P=<TCP port#>] **[/R=<replay file>]** **[/T=<telnet flag>]**

[/V] **[/W="<window title>"]**

[/X=<window pos (x)>] **[/Y=<window pos (y)>]**

[:<comment>]

,±,±,Å:

<host> fzfXfg-¼,Ü,½,Í IP fAfhfĚfX

<host>:<TCP port#> TCP f|[]fg"Ô[]t,Â,« <host>
<host> ,Æ <TCP port#> ,İŠÔ,É":",a'u,©,ê,é[]B

<host> <TCP port#> TCP f|[]fg"Ô[]t,Â,« <host> **new**
<host> ,Æ <TCP port#> ,İŠÔ,É1ĚĀ^È[]ă,ì<ó""•¶Žš,a'u,©,ê,é[]B
<host> ,ì,.,®Ěă,É,,é[]Žš,Í TCP f|[]fg"Ô[]t,Æ,Ý,È,³,ê,é[]B

/B Telnet fofCfifŠf|fvfVf#f“

/C=<serial port#> fVfŠfAf<f|[]fg

/C=1 COM1

/C=2 COM2

/C=3 COM3

/C=4 COM4

/F=<setup file> []Ý'èftf@fCf<

/F=TERATERM.INI ([]Ě—ªŽž)

/FD=<file transfer directory> ftf@fCf<"']'—pffBfĚfNfgfŠ

/H f^fCfgf<fo[.,đ%oB,.

/I <N“®Žž,ÉfAfCfRf“[]ó'Ô,É,.,é **new**

/K=<keyboard setup file>

```

/K=KEYBOARD.CNF (Ě—žž)

/KR=<kanji code (receive)> ŠžšR[fh (ŽóM)
/KR=SJIS
/KR=EUC
/KR=JIS

/KT=<kanji code (transmit)> ŠžšR[fh ('—M)
/KT=SJIS
/KT=EUC
/KT=JIS

/L=<log file> <N"®žž,Éf]fO,ššJžn new

/LA=<language> Ć¾Ćêf,[fh new
/LA=E %opĆê
/LA=J "ú-{Ćê
/LA=R f]VfĆê

/M=<macro file> <N"®žž,Éf}fNf],šžÀ]s new

/P=<TCP port#> TCP f][fg"Ô]†

/R=<replay file> ftf@fCf<,ššÄ]¶

/T=<telnet flag>
/T=1 Telnet fvf]fgfRf<,šžg—p
/T=0 Telnet fvf]fgfRf<,š•sžg—p

/V fEfBf"fhfE,ĎĆ©,],È,č]ó'Ô,Ā<N"® new

/W="<window title>" fEfBf"fhfE,ì^fCf]g<

/X=<window position (x)> fEfBf"fhfE,ì^Ê'u(]...•½)

/Y=<window position (y)> fEfBf"fhfE,ì^Ê'u(],¼)

;<comment> fRf]"fg]BfRf}f"fhf%ofCf",]ĀĆă,É'u,•K—v,Ď, ,é]B

```

—á:

```

TTERMPRO
TTERMPRO myhost.mydomain
TTERMPRO myhost.mydomain:23

```

TTERMPRO myhost.mydomain 23
TTERMPRO 111.111.11.11
TTERMPRO myhost.mydomain /T=0 /P=7
TTERMPRO /C=1
TTERMPRO /F=TELNET.INI
TTERMPRO foohost.foodomain /F=FOOHOST.INI
TTERMPRO /C=2 /F=MYSETUP.INI
TTERMPRO /K=MYKEY.CNF /W="My host"
TTERMPRO /R=README.TXT ; replay a file
TTERMPRO myhost /B /X=100 /Y=50

□È—ªžž,ìl

^È%oo°,ì□È—ªžž,ìl,í Tera Term □Ý'èftf@fCf<,É•Û'¶,³,ê,Ä,ç,Û,·□B

<TCP port#>
/B
<serial port#>
<file transfer directory>
/H
<kanji code (receive)>
<kanji code (transmit)>
<language>
<macro file>
<telnet flag>
<window title>
<window pos (x)>
<window pos (y)>

'□:

<telnet flag> ,ª 1 ,Å□A,©,Â <TCP port#> ,ª 23 ,ì,Æ,«,¾,~□ATera Term
 ,©,çŽ©""l,É telnet ,ì option negotiation
 ,đŠŽn,μ,Û,·□B,» ,ê^ÈŠO,ì□ê□†,Å,à Tera Term ,ízfXfg,©,ç'—,ç,ê,Ä,«,½
 telnet fRf}f"fh,É%ož"š,·,é,±,Æ,ª,Å,«,Û,·□B

ŽQ□Æ:

Telnet —pf□□[fg"Ô□† / "ñ telnet □Ú'±—p,ì'[--□Ý'è

fL[f{[fhY'èftf@fCf<

fL[f{[fhY'èftf@fCf<,íAFL[f{[fh,ìŠefL[,Æ,»,ê,ÉŠ,,è, ,Ä,é,ç,ê,é<@“(VT '[-- ,ì<@“\Aft[fU['è<` •¶Žš—ñ,ì'—oA Tera Term fRf}f“fh,ìŽÀ[sAf}fNf,ìŽÀ[s), ð'è<` ,μ,Ü,·B

Tera Term fCf“fXfg[f<Žž,ìfL[[]Y'è,ìŠefL[,ì<@“\,ª VT '[-- ,É,Å,«,é,¾,¯ <ß,- ,È,é,æ,κ,É,³,ê,Ä,ç,Ü,·BfL[f{[fhY'èftf@fCf<,ð•ÒW,·,é,±,Æ,É,æ,Á,ÄAŽ©— R,ÉfL[[]Y'è,ð•ìX,·,é,±,Æ,ª,Å,«,Ü,·Bftf@fCf<Æ`Ž®,É,Ä,ç ,Ä,íA“z•zftf@fCf<,ÉŠÜ,Ü,ê,Ä,ç,é **KEYCODEJ.TXT** ,ð“Ç,ñ,Å,,¾,³,çB

fRf}f“fhf%ofCf“,Å Tera Term ,ª“Ç,Yž,pfL[f{[fhY'èftf@fCf<,ì- ¼'O,ðŽw'è,·,é,±,Æ,ª,Å,«,Ü,·Bftf@fCf<-¼,ìŠg'£Žq,ðÉ— ,ª,μ,½ê±,íA".CNF",Å ,é,Æ,Y,È,³,ê,Ü,·Bftf@fCf<- ¼,ðŽw'è,μ,È,çê±Aftf@fCf< **KEYBOARD.CNF** ,ª“Ç,Yž,Ü,ê,Ü,·B

"z•zfpfbfP[fW,É,í^È%º,ìfL[f{[fhY'èftf@fCf<,ªŠÜ,Ü,ê,Ä,ç,Ü,·B

- IBMKEYB.CNF** IBM-PC/AT (,ç,í,ä,é DOS/V f}fVf“) 101 (106) fL[f{[fh— pY'èftf@fCf<,ì—á (Windows 95/NT —p)
- PC98KEYB.CNF** NEC PC 98 fL[f{[fh— pY'èftf@fCf<,ì—á (Windows 95 —p)
- NT98KEYB.CNF** NEC PC 98 fL[f{[fh — pY'èftf@fCf<,ì—á (Windows NT —p)
- KEYBOARD.CNF** •W€fL[f{[fhY' èftf@fCf<Bã<L 3 ,Å,ì,κ ,ç,Ç,ê,©,ðfRfs[,μ ,½,à,ì

fCf“fXfg[f%o[,í **IBMKEYB.CNF**, **PC98KEYB.CNF**, **NT98KEYB.CNF** ,ì,κ ,ç“KØ,É,à,ì,ðfRfs[,μ,Ä **KEYBOARD.CNF** ftf@fCf<,ðì—,μ,Ü,·B,Ç,ê,ªfRfs[,³,ê,é,©,íAfcf“fXfg[f<'t,Éft[fU[,ªŽw'è,μ, ½fL[f{[fh,ìŽí—

p,É,æ,èĈ^è,³,ê,Û,·B,à,μfCf“fXfg□[f<Žž,ÉfL□[f{□[fhŽw'è,đŠÔ^á,Á,½□ê□‡,Í□AŽ
©•^a,Å“K□Ø,Èftf@fCf<,đfRfs□[μ,Ä **KEYBOARD.CNF** ,đ□ì□¬,μ'¹/₄,μ,Ä,,³/₄,³,φ□B

