

-ÚŽŸ@WinZip Self-Extractor 2.1

[Á%É•K,,"Ç,Ý,,¾,³,ç](#)

@WinZip Self-Extractor 2.1 ,lfwf<fvfgfsfbfN,í^È
%º,ì'È,è,Á,·BfEfBf"fhfE,©,ç,í,Ýo,µ,Ä"Ç,ß,È,ç•Ÿš,ÍXfNf[f<fo[,ðŽg,Á,Ä"Ç,ň,Á,,¾,³,çBfwf<fv,ìŽg—
p•ú-@,É,Ä,ç,Ä,ÍA[F1] fL[,ð%Ÿ,µ,Ä,,¾,³,çBfwf<fv,ìî"ñ,ð‡"Ô,É"Ç,ň,Á,ç,,É,ÍAfwf<fv,Íc[f<fo[,ì [;>]
,Æ [<<] f{f^f",ðŽg,Á,Ä,,¾,³,çB

fx[fVfbfN

[2'•Ÿ•ú-@ / 2"ü<à](#)

[fvfOf%œf€,ìŠT—v](#)

[fRfs\[f%œfCfç/f%œfCfZf"fx/•ÚØ](#)

[•l%œ; "Äf%œfCfZf"fx](#)

[fo\[fWf‡" —š—ð](#)

[P&A,Ö,ì,"-â,ç‡,í,¹](#)

[Ž©ÈÈ"WŠJftf@fCf<,É,Ä,ç,Ä](#)

[WinZip Self-Extractor ,Æ Personal Edition,ì^á,ç](#)

[WinZip,É,Ä,ç,Ä](#)

[ŽÓŽ«](#)

fTf|f|fg

[fgf%œuf<fvf...\[fefBf"fo](#)

[fqf"fg\[f`fbfvfX](#)

[f\ftfgEfEfAfCf"fxfg\[f<-p,ìŽ©ÈÈ"WŠJftf@fCf<,ìî"-,É,Ä,ç,Ä,ìf`fbfv](#)

"®ìšÄ<<AfCf"fxfg[f<AfAf"fcf"fxfg[f<

["®ìšÄ<<](#)

[WinZip Self-Extractor "z•zftf@fCf<](#)

[fCf"fxfg\[f<](#)

[fAf"fcf"fxfg\[f<](#)

'€ì•ú-@

[Ž©ÈÈ"WŠJftf@fCf<,ìî"-](#)

[WinZip Self-Extractor fEfBfU\[fh,ìŽg—p](#)

[fRf}f"fhf%œfCf"flfvfVf‡"](#)

[Ž©ÈÈ"WŠJftf@fCf<,ðŽÁ\[s,;é](#)

,2'□•¶

,2'□•¶û-@,É,Í□A^È%º,ì5,Â,ª, ,è,Û,·□B

1. “dŽqf□□[f<

□u“o~^—pŽ†□v,É•K—vŽ-□€,ð<L“ü,μ□A^È%º,ì^¶□æ,Éf□□[f<,μ,Ä,,¾,¾,¾,¾□B

NIFTY-Serve : PAF02461
E-mail : paf02461@niftyserve.or.jp

2. FAX

□u“o~^—pŽ†□v,É•K—vŽ-□€,ð<L“ü,μ□A^È%º,ì^¶□æ,ÉFAX,μ,Ä,,¾,¾,¾,¾□B

FAX : 0425-35-9902

3. “d~b

,““d~b,É,æ,é,2'□•¶,àŽó,~•t,~ ,Ä,~ ,è,Û,·,ª□A,È,é,x,“dŽqf□□[f<,©FAX,Ä,~Šè,ç'v,μ,Û,·□B

TEL : 0425-35-9901

4. NIFTY-Serve fJf“f%ofCf“fVf†fbfsf“fO

GO SPANDA ,Ä□u,□•,`fXfe□[fVf†f“□v,É“ü,è□A □u2. ,□•,`fVf†fbfsf“fO□v,ð'I'ð,μ,Ä,,¾,¾,¾,¾□Bfgfbfvf□fjf...
□[,ì,²—~—p•û-@,ðŽQ□Æ,μ□Aflf“f%ofCf“,Ä,ìŽwŽ†,É□],Ä,ÄŽè'±,«,ð□s,Ä,Ä,,¾,¾,¾,¾□B

'□^Ó!!

fJf“f%ofCf“fVf†fbfsf“fO,Ä,ì,~Žx•¥,ç—¿<à'ìCEn□A□x•i,ì”’—,É,Ä,« ,Û,·,μ,Ä,Í□A □u,2“ü<à□v,Ä□à-¾,¾,¾,¾,é,Ä,ç
,é,à,ì,Æ^Û,È,è,Û,·,ì,Ä□A•K, ,²—~—p•û-@,ð,““Ç,Ý,,¾,¾,¾,¾□B

fJf“f%ofCf“fVf†fbfsf“fO,Ä,ì-^CŽ,ì,““f“¾□x•i,â□AfZ□[f<,ð□□Žž□s,Ä,Ä,~ ,è,Û,·,ì,Ä□A□¥“ñ^è“x,~—
š,¿Šñ,è,,¾,¾,¾,¾□B

5. fCf“f^□[flfbfg

fCf“f^□[flfbfg,ì□uP&AfvfFfAfeFfA fz□[f€fy□[fW□v,© ,ç,à,2'□•¶,Ä,« ,Û,·□BŠefvf□fO f%of€,ì□D
%oify□[fW,É, ,é□u'□•¶[f{f^f“□v,ð%Ÿ,·,Æ□A,“—¼'O□A,²□Z□Š“™ ,ð“ü—Í,μ,Ä,ç,½,¾,¾,æ,x
,É'□•¶',ªC» ,è,Û,·□B□Ú,μ,Ífy□[fW,ì□à-¾,ð,““Ç,Ý,,¾,¾,¾,¾□B

„üà

u, v, i, ç, , è, ©, Å A“o~^—pŽt, ð’—•t, μ, ½ CEã A^ È%ø, ì, ç, , è, ©, ì•ù-@, Å, 2“üà, -
, ¾, ¾, ç B, ½, ¾, μ A u4. NIFTY-Serve fJf“f%ofCf“fVfJfbfsf“fO v, ì è ç, ì AfJf“f%ofCf“ ç, Å, ì à-¾, É, Å, -
, ¾, ¾, ç B

-X•ÖU’Ö

“o~^—pŽt, ð’—•t CEã A—X•Ö•Ç, É”ð, ì•t, ì U’Ö—pŽt, ðŽg, Å, Å A“o~^—çà, É A”i Å, ð
%ø ÅŽZ, μ, ½ àŠz, ð A^ È%ø, ì CEù Å, É, 2“üà, , ¾, ¾, ç B—á, ì, ì“o~^—çà, 4,500%ø~ , ì è ç A4,500%ø~ +
(4,500~0.05) = 4,725%ø~ , Æ, È, è, Ù, • B ½, É, μ-ó, ², ’, ç, Ù, ¹, ñ, Å A U’ÖŽè” —ç, ì, “ç—ì
%ø’S, Å CEã Šè, ç’v, μ, Ù, • B, È, “’ —ç, ì P&AfvfJfAfeJfFA, ¾•%ø’S, ¾, ¾, ¾, ç, ½, ¾, « A ç•i, ì“üà Šm”FCEã, ì—X’—
, Æ, È, è, Ù, • B

’ ^ Ó!!

—X•ÖU’Ö, ì A U’ÖŽè±, «CEã A“üà Šm”F, Ù, Å, É4 5“ú, ©, ©, è, Ù, •, ì, Å A, » , ì•æ’—
•t, æ’x, è, Ù, • B, “ç, ì, ì è ç, ì A U’Ö—pŽt, ì T, ì, ð P&AfvfJfAfeJfFA, Ù, Å FAX, μ, Å, ç, ½, ¾, , Æ A’ , -
, , Ý, Ù, • B

-¾< : (-L) fs [fAf“fhfG

CEù Å” Ö ç: 00160-0-611599

<âsUž

“o~^—pŽt, ð’—•t CEã A“o~^—çà, É A”i Å, ð%ø ÅŽZ, μ, ½ àŠz, ð A^ È%ø, ì CEù Å, É, 2“üà, , ¾, ¾, ç B“o~^—
çà, 4,500%ø~ , ì è ç A4,500%ø~ + (4,500~0.05) = 4,725%ø~ , Æ, È, è, Ù, • B ½, É, μ-ó, ², ’, ç
, Ù, ¹, ñ, Å A UžŽè” —ç, ì, “ç—ì•%ø’S, Å CEã Šè, ç’v, μ, Ù, • B, È, “’ —ç, ì P&AfvfJfAfeJfFA, ¾•%ø’S, ¾, ¾, ¾, ç
, ½, ¾, « A ç•i, ì“üà Šm”FCEã, ì—X’— , Æ, È, è, Ù, • B

-¾< : (-L) fs [fAf“fhfG

Už ç æ : “’-çâs Už“X (•) 9432641

CE»à’—

“o~^—pŽt, ð’—••, μ A“o~^—çà, É A”i Å, ð%ø ÅŽZ, μ, ½ àŠz, ð A^ È%ø, ì Ç æ, É, “’— , è, , ¾, ¾, ç B“o~^—
çà, 4,500%ø~ , ì è ç A4,500%ø~ + (4,500~0.05) = 4,725%ø~ , Æ, È, è, Ù, • B, È, “ç•i, ì—
ç, ì P&AfvfJfAfeJfFA, ¾•%ø’S, ¾, ¾, ¾, ç, ½, ¾, « A ç•i, ì—X’— , Æ, È, è, Ù, • B

Ç æ : P&AfvfJfAfeJfFA

Ç Š : §190 “CEçž“s—§ižs ç»’-1-3-6-2

fNfçFwfbfj [fh

fNfçFwfbfj [fh, ì AMASTER Avisa ADC AAMEX, ì, Ý, 2~—p, É, È, è, Ù, • B“o~^—pŽt, É J [fh, ì Ží—
p, Æ” Ö ç A—L CEø Sú CE Å, ð-¾<L, μ AFAX A—X•Ö A, Ù, ½, ì“džq [fç, Å P&AfvfJfAfeJfFA, Ù, Å, “’— , è, -
, ¾, ¾, ç B, “žx•¥, ç, ì— , CEž 1%øñ•¥, ç, Æ, È, è A“o~^—çà, É A”i Å, ð%ø ÅŽZ, μ, ½ àŠz, ð ç, ¾, ¾, Å, ç
, ½, ¾, «, Ù, • B—á, ì, ì“o~^—çà, 4,500%ø~ , ì è ç A4,500%ø~ + (4,500~0.05) = 4,725%ø~
, Æ, È, è, Ù, • B J [fh ^—ç, ì P&AfvfJfAfeJfFA, ç s, ç A ç•i, Æ è ç, É”„ çã • [, ì T, ì, ð’—•t, ¾, ¾, Å, ç
, ½, ¾, «, Ù, •, ì, Å A, 2Šm”F, , ¾, ¾, ç B—ç, ì P&AfvfJfAfeJfFA, ¾•%ø’S, ¾, ¾, ¾, ç, ½, ¾, « A ç•i, ì—X’—
, Æ, È, è, Ù, • B

‘{ }•Ö’...•¥, ç

f,,f}fg%o^—A,ª,“í,¯,µ,Û,·,ì,Å□A□x•iŽó,~Žæ,èŽž,É‘ã<à□i“o~^—¿<à + ‘ã^øŽè□”—¿□□~1.05,đ,“Žx•¥,¢,-,¾,¾,¢□B—á,ì,ì“o~^—¿<à,ª4,500%o~,ì□è□#□A(4,500%o~ + 700%o~) □~1.05 = 5,460%o~,Æ,È,è,Û,·□B

- •½“ú,ì□³CEß,Û,Ä,É,¢,½,¾,¢,½,²,²□•¶,ì□A—kŠC“¹□A<ã□B□A%o<“è□A—£“†,đ,ì,¾,«□A“—“ú”“—,ì—,“ú”z'B,Æ,È,è,Û,·□B—kŠC“¹□A<ã□B□A%o<“è□A—£“†,É,“□Z,Û,¢,ì□è□#,ì□A—,□X“ú,Æ,È,è,Û,·□i^ê“”n^æ,Ä,í,»„è^É□ã,ì□è□#,à,²,´,¢,Û,·□j□BCEđ‘ÉŽ-□i“™,Ä,â,þ,đ,ì,É,¢□è□#,ì□A□x•i,ì,“í,¯,ªx,è,é,±,Æ,ª,è,Û,·,ì,Ä□A, ,ç,©,¶,ß,²—¹□³,¾,¾,¢□B
- “y“ú,É,²,²□•¶,ì,¢,½,¾,¢,½,ª,É,Ä,«„Û,µ,Ä,ì□ACEŽ—j,ìŽæ,è^µ,¢,Æ,È,è,Û,·□B
- “ú”t•s□Y,ì,±,Æ,ª,½,¢□è□#,ì□A—éŠŌŽw’è□i—é6Žž,©,ç8Žž,ìŠŌ,Ä,ì”z’B□j,Û,½,ì□A”z’B“úŽw’è,đ,²—~—p,¾,¾,¢□B
- □x•i,É,æ,Ä,Ä,ì□A‘i<}•Ö’...•¥,¢,đ,²—~—p,É,È,è,È,¢,à,ì,à,²,´,¢,Û,· (%o²<L□u□x•i,ì”“—□v,ì1. ,ì□è□#□j□BDOSf□□[f€„ì,Û,Æ,ñ,ç,·,x,Ä%oÄ“\,Ä,·,ª□AWindowsfvf□fOf%of€ ,ì□è□#□AZ—‘O,ÉP&AfvfFfAfeFfA,É,“—â,¢□#,ì,¾,¾,¢□B

NIFTY-Serve fvffAfeFfA’—<à’ã□sf□[frfX

NIFTY-Serve,É,²“ü%oi,ì•û,ì□AfvffAfeFfA’—<à’ã□sf□[frfX,à,²—~—p,É,È,è,Û,·□B,½,¾,µ□A^È%o²,ì,æ,x,È□§CEÄ,ª,è,Û,·□B

1. CEÄ□l%oi^đ,ÄfNfCefWfbfgf□[fh,ÄCE^□i,³,è,Ä,¢,é•û,ì,Ý—~—p%oÄ
2. ,·,x,Ä,ìfvf□fOf%of€,ì’—<à,ª,Ä,«„é,í,¯,Ä,ì,É,¢

1.,É,Ä,«„Û,µ,Ä,ì□AfrfWfIfXfAjjfEf“fg,ÄNIFTY-Serve,É“ü%oi,³,è,Ä,¢,é□è□#,ì□A,²—~—p,É,È,è,Û,·,ñ□B2. ,É,Ä,«„Û,µ,Ä□A’—<à%oÄ“\,Éfvf□fOf%of€,ì“o~^—pŽt,É□uSW”Ô□t□v,ì<L,ª,è,Û,·□B<L,ì,É,¢,à,ì,É,Ä,«„Û,µ,Ä,ì’¾,ì,²“ü<à•û—@,đ,²—~—p,¾,¾,¢□B“o~^—pŽt,đ’—•tCEã□A^È%o²,ìŽè□#,É□] ,Ä,Ä’—<àŽè±,«„đ□s,¢,Û,·□B’—<àŽè±,«„¾,Ä,·,Æ□A□x•i,ì’—•t□æ,ª,í,©,è,Û,¹,ñ,ì,Ä□A•K,“o~^—pŽt,đ’—•t,µ,Ä,¾,¾,¢□B,È,“ã<à,ì—,CEŽ□ANIFTY-Serve,ì—~—p—¿<à,É%oÄŽZ,µ,Ä,¿<□,¾,¾,Ä,¢,½,¾,«„Û,·□B

- 1) GO SWREG ,Ä□ufvffAfeFfAfeFfWfXfgfCE□[fvf#“fzf”f^□□v,É“ü,è,Û,·□B
- 2) f□fj...□[.©,ç□u3. ‘—<à’ã□sf□[frfX□v,đ’I’đ,µ,Û,·□B
- 3) ŽY,É□u2. ‘—<àfvfXfef€□v,đ’I’đ,µ,Û,·□B
- 4) ‘—<àfvfXfef€,©,ç□A□u1:fvffAfeFfA”Ô□tŽw’è□v,đ’I’đ,µ,Û,·□B
- 5) “o~^—pŽt,É,é□uSW”Ô□t□v,đ“ü—ì,µ,Û,·□B
- 6) fv□fOf%of€,ì•â<□à-¾,ª•Ž! ,³,è,Û,·,ì,Ä□A•K,Šó-ì,ì,à,ì,©,ç,x,©Šm”F,µ□A□u1:Šó-ì,·,é□v,đ’I’đ,µ,Ä,-,¾,¾,¢□B

□▪i,ì”‘—

□▪i,ì□A“ü<àŠm”FCEä,ì—X’—,Æ,È,è,Ü,·□í{<}•Ö’...•¥,ç□œ,□j,ì,Å□A□▪i,ì“ž’...É,Í3“ú,©,ç1□TŠÖ’ö“x,Ý,Ä,“,ç,Ä,,¾,¾,¾,¾,μ□Afvf□fOf%of€É,æ,Á,Ä,í^È%º,ì,æ,π,È—ásŒ,à,è□A’—•t,ª’x,è,é□ê□‡,à,²,´,ç,Ü,·□B, ,ç,©,¶,ß,²□³’m,“,«,¾,¾,¾,¾,ç□B

1. ŠCŠO,ì□ìŽÒ,©,ç,“<q—l^¶,É□▪i,ª’¾’—,³,è,é□ê□‡□B
2. fvf□fOf%of€,ìID”Ô□t□i“o~^”Ô□t□j,ðŽæ“¾,·,é•K—v,ª,è□ê□‡□B
3. □YCEÉ□Ø,é“™,É,æ,é□▪i“ü%ºx’Ò,¿,ì□ê□‡□B

1.,ì□ê□‡
²“ü<àCEä,“žèCE³,É“í,Ü,Å,É□A’É□í2□`3□TŠÖ,©,©,è,Ü,·□B

2.,ì□ê□‡
fvfFfAfvfFfA”Å,ÉID”Ô□t,ð“ü—í,·,é,±,Æ,É,æ,Á,Ä□A“o~^”Å,Æ,È,é,æ,π,Èfvf□fOf%of€,ªŠY“—,μ,Ü,·□B—
á,í,íWinZip,ª,±,è,É“—,½,è,Ü,·□B,²“ü<àCEä□A□ìŽÒ,É,“<q—l□ê—p,ìID”Ô□t,ð□
□¿,μ□A,»é,ªŽæ“¾,Å,«ŽÝ’æ□A□▪i,ð”‘—’v,μ,Ü,·□B’É□í2□`7“ú,ÅID”Ô□t,ÍŽæ“¾,Å,«,Ü,·,ª□A□ìŽÒ,ìŽ—
□î,É,æ,è’x,è,é□ê□‡,à,²,´,ç,Ü,·□B

3.,ì□ê□‡
□▪i,É,Å,«,Ü,μ,Ä,í□A□YCEÉ□Ø,è,É,È,ç,È,æ,π^Ó,ð•¥,Á,Ä,“,è,Ü,·,ª□A—œ^è,ì□ê□‡,ÍP&AfvfFfAfvfFfA,©,ç,²~A—
□,³,¹,Ä,ç,½,¾,«,Ü,·□B,Ü,½□“Ž—î,É,æ,è□A,²□•¶,ð,ç,½,¾,ç,Ä,©,ç,Å,È,ç,Æ□A”□,Å,«,É,çfvf□fOf%of€
,ì□ê□‡□A“ü%ºx,Ü,Å,É1□`2□TŠÖ,©,©,é□ê□‡,ª,²,´,ç,Ü,·□B,±,ì□ê□‡,É,Å,«,Ü,μ,Ä,à,²~A—□’v,μ,Ü,·□B

“o~^—pŽt

fvfjOf%of€-¼

WinZip Self-Extractor

□Á”i□Ā (5%)

, Žx•¥,¢—ž<à

“o~^—ž<à

6,000%~

300%~

6,300%~

- ‘í<}•Ö’...•¥,¢,đ,²—~—p,ì□é□#,í□A□ă<L□u, Žx•¥,¢—ž<à□v,ÉŽè□” —ž(700%~)•y,ÑŽè□” —ž,ì□Ā”i□Ā•²(35%~)□#CEv735%~ ,đ%oĀŽZ,μ,Ā□ž<□,³,¹,Ā,¢,½,¾,«,Ü,·□B
- fvfjOf%of€,í’É□í□A“ü<àŠm”FCEă□A1□TŠÔ’ö“x,Ā, ŽèCE³,É“í,«,Ü,·,²□A□YCEÉ□Ø,é“™,Ā’—•t,²x,é,é,±,Æ,², ,è,Ü,·□B%½’²CEă—¹□³%²,³,¢□B

P&A ID

ìØŋpĀ

, Žx•¥,¢—ž<à

—X•Ö”Ô□t

ìØŋpĀ

,²□Z□Š

TEL (FAX)

NIFTY-Serve ID

E-mail

, Žx•¥,¢—ž<à

fj□[fh”Ô□t

—LCEŠúCEÀ

‘í<}•Ö—éŠÔŽw’è

‘í<}•Ö”z’B“úŽw’è

fvfFfAfEfFfA”Ā,ì“üŽè□æ

, Žx•¥,¢—ž<à,ìfRf“fsf...□[f^

(,È,“□A—ìŽû□ACE©□í□’□A”[•i□’,È,Ç,²•K—v,È□é□#,í□A,»,ìŽ|,²<L“ü,,¾,³,¢□B)

,²”□^Ó!!

- ufj□[fh”Ô□t□v□A□u—LCEŠúCEÀ□v,ífNfCEfWfjbfj□[fh,đ,²—~—p,ì□é□#,ì,Ý,²<L“ü,,¾,³,¢□B
- u’í<}•Ö—éŠÔŽw’è□v□A□u’í<}•Ö”z’B“úŽw’è□v,í’í<}•Ö’...•¥,¢,đ,²—~—p,ì□é□#,ì,Ý%Ā“\,Ā,·□B

,±,lfwf<fvftf@fCf<,É,ÍAfCf“fXfg[]f<•û-@A,²[]•¶•û-@,È,Ç,ŠÜ,Ü,ê,Ä,ç,Û,·BWinZip Self-
Extractor ,lfVfFfAfEfFfA”Å(-ç“o~^”Å),É,Â,ç,Ä,ÍA,²[]•¶•û-@,Ì,“-â,ç[]#,í,¹^ÈŠO,“f,è,ç,½,μ,Û,·B

fvf[]fOf%of€ ,iŠT—v

WinZip® Self-Extractor ,Æ,Í?

[]@WinZip Self-Extractor ,Í Windows flfCfefBfu, iŽ © CEÈ “WŠJftf@fCf<, ð[]i[]—, ., éft[]lfeBfŠfefB[]lfvf[]fOf%of€ ,Á, ·[]B—{fvf[]fOf%of€, Á[]i[]—, ³, ê, ½Ž © CEÈ “WŠJftf@fCf<, íŽŸ, ì, æ, ¼, È “_ ,Á[]A Internet ,Á, lftf@fCf<, ì” z•z, É— []‘z“l, ÆCE¾, ì, Ü, ·[]B.

- (1) •i[]”, lftf@fCf<, ðŠÜ, p, ±, Æ, ¾%Á”\[]B
- (2) •É“r“WŠJfvf[]fOf%of€, ð•K—v, Æ, ·, é, ±, Æ, È, []A Windows , lftf@fCf<^[]lftfFfCfX, Á“WŠJ, ·, é, ±, Æ, ¾, Á, «, é[]B
- (3) ftf@fCf<, ¾“WŠJ, ¾, é, ½Ü, È[]A fZfbgfAfbfvf[]fOf%of€, ðŽÀ[]s, ·, é, ±, Æ, ¾, Á, «, é[]B

[]@WinZip Self-Extractor ,Í WinZip, È“_[]«, ¾, è, Á, ç, é [WinZip Self-Extractor Personal Edition](#), ì<@”\ Šg’£fo[]lWf#f”, Á, ·[]B WinZip, È, Á, ç, Ä[]Ü, µ, ç[]î•ñ, ì[]A [WinZip , È, Á, ç, Ä](#), ì[]€, ðŽQ[]Æ, µ, Á, , ¾, ¾, ç[]B

Zip ftf@fCf<[]AŽ © CEÈ “WŠJftf@fCf<[]AŽ © CEÈ “WŠJftf@fCf<, ðŽg—p, ·, é— “_[]A WinZip Self-Extractor, ì‘€[]î•û— @, È, Á, ç, Ä, ì[]A [Ž © CEÈ “WŠJftf@fCf<, È, Á, ç, Ä](#), ì[]€, ðŽQ[]Æ, µ, , ¾, ¾, ç[]B

WinZip Self-Extractor ,ì<@”\

- []E ^³[]kftf@fCf<, ðŠÈ’P, È”z•z, Á, «, é[]B
- []E [], È, çft[]lfo[]lWfBfh (flfvfVf#f”, È, æ, Á, Á12KB, Ü, Á[]—, ¾, ·, ·, é, ±, Æ, ¾%Á”\[]B)
- []E Microsoft® Authenticode™ feFNfmf[]fW, lftf[]lfg, ðŠÜ, p[]A32bit (Windows 95, , æ, ÑWindows NT) Ž © CEÈ “WŠJftf@fCf<, lftf[]lfg
- []E Windows , Æ MS-DOS , Á“WŠJ%Á”\, ÈŽ © CEÈ “WŠJftf@fCf<, ð[]i[]—, Á, «, é[]B Windows , ì, È, çft[]lU, Á, àftf@fCf<, ð“WŠJ, ·, é, ±, Æ, ¾, Á, «, é[]B
- []E Ž © CEÈ “WŠJftf@fCf<, ÈfAfCfRf”, ðŽg—p, ·, é, ±, Æ, ¾, Á, «, é[]B
- []E “WŠJ’€[]i[]—¹Žž, ÈfRf}f”fh, ðŽÀ[]s, ·, é, ±, Æ, ¾, Á, «, é[]B Ž © CEÈ “WŠJftf@fCf<, ÈŠÜ, Ü, è, Ä, ç , éfZfbgfAfbfvf[]fOf%of€, ðŠÈ’P, ÈŽÀ[]s, ·, é, ±, Æ, ¾, Á, «, Ü, ·[]B
- []E Zip ftf@fCf<, lftfHf<f_[]î•ñ, íŽ © “®“l, È•ÜŽ[]¾, è, Ü, ·[]B
- []E PKZIP 2.04g , Æ 100% CEŸŠ·[]B

Ž©ĀĒ“WŠJftf@fCf<,É,Â,ċ,Ä

□@,±,í□Ā,Ä,í□AZipftf@fCf<,ĀĒŽ©ĀĒ“WŠJftf@fCf<□AZ©ĀĒ“WŠJftf@fCf<,í—
~“_” ,æ,ŃŽ©ĀĒ“WŠJftf@fCf<,í” @□,É,Ä,ċ,Ä,İŠĒ’P,É□à-¾,ð,µ,Û,·□B

Zip ftf@fCf<,Ā,Í□H

□@Zip ftf@fCf<,íĀĒŠĒ•W□Ā,İftf@fCf<^³□k□AfOf<□[fsf“fO,İftf@fCf<ĀĒ Ž©,Ä,·□B^è,Ä,İ Zip
ftf@fCf<,í□” ,İftf@fCf<,ðŠÛ,±,Ā,Ā,«,Û,·□BZip ftf@fCf<“à,İftf@fCf<,í’É□í³□k,³,è,Ä,ċ,Û,·□BZip
ftf@fCf<,íĒĒ%º,İ,æ,π,ÉŽg—p,³,è,Û,·□B

□E Internet ,É,Ç,Ä“üžè%Ä”\,Éftf@fCf<,í,Û,Ā,ñ,Ç Zip ftf@fCf<,Ā,µ,Ä”z•z,³,è,Ä,ċ,Û,·□BZip ftf@fCf<,ðŽg—
p,·,é,Q,Ä,İ—~“_” ,í□AŠÖ~A,·,éftf@fCf<,ð^è,Ä,İftf@fCf<,É,Û,Ā,β,é,±,Ā,Ā,«,é“_” ,Ā□AZip ftf@fCf<,É,·,é,±
,Ā,Äftf@fCf<fTfCfY,ð□—,³,µ□Aftf@fCf<,í“j’—ŽžŠÖ,ð’Z□k,·,é,±,Ā,Ā,«,é“_” ,Ä,·□B

□E ŠÖ~A,µ,½•í□” ,İftf@fCf<,ð’—□M,·,é,İ,É”ñ□í,É•Ö—
~,Ä,·□Bftf@fCf<,ð^è,Ä,·,Ä”z•z,·,é,æ,è,à□A•í□” ,İftf@fCf<,ðfOf<□[fv%º» ,µ□A^³□k,µ,Ä”z•z,·,é,Û,π
,ŠĒĒ’P,Ä,·□B

Zip ftf@fCf<,í [WinZip®](#) ,à PKWARE®ŽĐ,İ PKZIP® ,É,Ç,İft□[fefBfŠfefB□[,Ä□□—,³,è,Û,·□B

Ž©ĀĒ“WŠJftf@fCf<,Ā,Í□H

□@Ž©ĀĒ“WŠJftf@fCf<,í□A Zip ftf@fCf<,Ā Zip ftf@fCf<,í’t□g,ð“WŠJ,·,é\ftfgfEJfFA,àŠÛ,Û,è,½ŽÄ□s%ºÄ”\
(.EXE) ,Éftf@fCf<,Ä,·□B

□@WinZip Self-Extractor ,É,æ,Ä,Ä□□—,³,è,½Ž©ĀĒ“WŠJftf@fCf<,àŽÄ□s,³,è,½□Û□Af_fCfAf□Of{fbfnfX,à•
Ž,³,è,Û,·□B,±,İf_fCfAf□Of{fbfnfX,Ä□A“WŠJ□æ,İftfHf<f_ ,ð•İ□X,µ,½,è□A,ċ,é,ċ
,è,É\fvfvfj” ,ð“WŠJ’O,É•İ□X,·,é,±,Ā,Ā,«,Û,·□BWinZip Self-Extractor
,É,æ,Ä,Ä□□—,³,è,½Ž©ĀĒ“WŠJftf@fCf<,í□A

□E PKZIP 2.04g ,Ā 100% ĀÝŠ•□,à ,è,Û,·,İ,Ä□AWinZip ,à PKUNZIP ,É,Ç,İ•W□Ā“İ,É UNZIP
ft□[fefBfŠfefB□[,Ä“WŠJ,·,é,±,Ā,Ā,«,Û,·□B

□E ‘É□í,İfvfvfj” ,Ä,í□AZ©ĀĒ“WŠJĀĒ^ ,Ä,É,ċ Zip ftf@fCf<,É”à,x,Ä 12KB ,Û,Ç’á,«,,É,é,¾,·,Ä,·□B

Ž©ĀĒ“WŠJftf@fCf<,í—~“_

□@ftf@fCf<,ð“WŠJ,·,é,½,β,É□A•Ē“r“WŠJft□[fefBfŠfefB□[,ð—p^Ó,µ,½,è□A“WŠJft□[fefBfŠfefB□[,İŽg—p
@,ð’m,é•K—v,í ,è,Û,³,ñ□B,Ä,Û,è□AZ©ĀĒ“WŠJftf@fCf<,í Zip ftf@fCf<,É,É,Ń,Û,İ,É,ċ□%□SZÖft□[fU,É\
ftfgfEJfFA,ð”z•z,·,é,İ,É□A“K,É,İ,Ä,·□B

WinZip Self-Extractor ,É,æ,Ä,Ä□□—,³,è,½Ž©ĀĒ“WŠJftf@fCf<,İfCfefBfu,È Windows ,İfvf□fOf%ºfĀ,È,İ,Ä□AMS-
DOS ,İĀoĀ±,İ-³,ċft□[fU,Ä,àŠĒĒ’P,ÉŽg—p,·,é,±,Ā,Ā,«,Û,·□B

“@□İ•Ů-@

WinZip Self-Extractor ,É,İ,Q,Ä,İ•”•à ,è,Û,·□B

- 1) WinZip Self-Extractor ,İŽ©ĀĒ“WŠJftf@fCf<,ð□□—,µ,Û,·□B
- 2) WinZip Self-Extractor ,àŽ©ĀĒ“WŠJftf@fCf<,ð□□—,µ,½□Û,É□AZ©ĀĒ“WŠJftf@fCf<“à,É Self-Extractor
,İ^è•”,ðŠÛ,Û,·□BŽ©ĀĒ“WŠJftf@fCf<,ÉŠÛ,Û,è,½ WinZip Self-Extractor ,İ<@”\
,É,æ,Ä,Äftf@fCf<,ð“WŠJ,·,é,±,Ā,Ā,«,Û,·□B

□@Ž©ĀĒ“WŠJftf@fCf<,ð□□—,·,é,É,í□AWinZip Self-Extractor ,ð<N“ @,µ□AZip ftf@fCf<,İ-
¼’O□Afİfvfvfj” □AftfHf<fg,İ“WŠJ□æ□A“WŠJĀĒ,ÉŽ© “ @ŽÄ□s,·,éfvf□fOf%ºfĀ,ðŽw’è,µ,Û,·□BWinZip Self-
Extractor ,í□A,±,è,ç,İ□İ•ñ,ðŽ©ĀĒ“WŠJftf@fCf<,É•Û’Ń,µ□AZÄ□s,³,è,½□Û,É,±,è,ç,İfvfvfj” ,à—
LĀø,É,É,è,Û,·□B□Û,µ,·,í□AZ©ĀĒ“WŠJftf@fCf<,İ□□—,İ□Ā,ðŽQ□Ā,µ,Ä,,¾,¾,ċ□Bf%ºfCfZf“fX,É,Ä,ċ,Ä,í□Af
%ºfCfZf“fX,İ□Ā,ðŽQ□Ā,µ,Ä,,¾,¾,ċ□B

fRfs [f%ofCf g/f%ofCfZf“fX/•Ú∅

fRfs [f%ofCf g

© WinZip® Self-Extractor Copyright © 1995-1997 by Nico Mak Computing, Inc. All rights reserved.

f%ofCfZf“fX“~^Ó

©, ±, ĩftftgEjFfA, đŽg—p, , é' O, É^É%º, ìð€Æ, ðœ, “Ç, ñ, Å%º, ³, çBNico Mak Computing, Inc.
, É, æ, é•É, ĩf%ofCfZf“fX, đŽ, Á, Ä, ç, È, ˘, ê, ĨA, ±, ĩftftgEjFfA, ĩŽg—p, Ĩ, ±, ĩf%ofCfZf“fX, É“~^Ó, μ, ½, à, Ĩ, Æ, Ý, È, ³, ê, Ü, •B

© WinZip Self-Extractor , ĩfvfA fEjFfA • Ĩ%º Ĩ, Ĩ, Ĩz • z, É, Á, ç, Ä, ĨA • Ĩ%º Ĩ, Ĩf%ofCfZf“fX, Ĩ€ , đŽQÆ, μ, Ä, - , ¾, ³, çB

“o~^”Ä

© WinZip Self-Extractor , Ĩ“o~^”ÄfRfs [, ĨA, P' ä, ĩfNfXfe [ĩVjff“ Ĩă, ĨA” —É-³\$CEA, ĩfCf , ĩfšfB-³— Ĩ, Ĩz • z%º Ĩ, ĨŽ © CEÉ “WŠjftf@fCfç, đA^É%º, ìðœ, Ĩ%º, É Ĩ Ĩ, , é, ±, Æ, ä, Å, «, Ü, •B

© f [ĩNfXfe [ĩVjff“ Ĩă, ĨAŽ © CEÉ “WŠjftf@fCfç, đ Ĩ Ĩ, , é, Ĩ, É WinZip Self-Extractor, đŽg, Ĩ, é, é Ĩ ĨA, » , é, ¾, Æ, Ĩ, ĨŽŽ“ Ĩ, ĨŽg—p, Ĩ, , Á, Ä, à ĨA, » , é, ¾, è, ĩfNfXfe [ĩVjff“ , É, Ä, ç , Ä • É X, Ĩ WinZip Self-Extractor, Ĩ“o~^”Ä, ĩfRfs [, đŽæ“¾, ¾, é, È, ˘, ê, Ĩ, È, è, Ü, ¹, ñB, ±, ĩf%ofCfZf“fX, Ĩ“Žž, Éç“~ , ĨŽg—p, Ĩ, «, Ü, ¹, ñB

WinZip Self-Extractor, É, æ, Á, Ä Ĩ Ĩ, ³, è, éŽ © CEÉ “WŠjftf@fCfç, ĨA WinZip Self-Extractor, Ĩ^è•” , đŠÜ, Ý, Ü, •B

© WinZip Self-Extractor, É, æ, Á, Ä Ĩ Ĩ, ³, è, ½Ž © CEÉ “WŠjftf@fCfç, É, ĨA” ÅCE , ĨÜCE Ĩ, ¾, ½f ĩftftgEjFfA ĨA ÅCE , Ĩ Ĩ' m, » , μ, ÄŽ˘ • É Ĩ • ñ (Ĩu “WŠjftftgEjFfA Ĩv) , đŠÜ, ñ, ¾^è•” • ä, Æ, μ, Ä, Ĩ WinZip Self-Extractor, đ, » , Ĩ ¼, Ĩ, ±, Æ, Æ, à, ÉŠÜ, p, ±, Æ, É, È, è, Ü, •B [, Ä, Ä“o~^ft [fU [, Ĩ, , ê ĨA' ¼, Ĩ' N, Ĩ, , ê ĨA, ± , Ĩ “WŠjftftgEjFfA, đ • Ĩ X ĨE ĨC³, , é, ±, Æ, Ĩ, Ĩ, «, Ü, ¹, ñB, Ü, ½, , È, ½, ĨA, ç, © , È, éŽÖ, É' Ĩ, μ, Ä, à, ±, Ĩ “WŠjftftgEjFfA, đ • Ĩ X, , éç- %º Ĩ, đ—^ , Ĩ, é, ±, Æ, Ĩ, Ĩ, «, Ü, ¹, ñB, ±, ĩf%ofCfZf“fX“~^Ó' , Ĩ-¾Ž' Ĩ, É “F, ß, ç, è, Ä, ç , È, ç ' S, Ä, ĨCE ~ , É, Ä, ç, Ä, à ĨAŠ® ' S, É Nico Mak Computing, Inc., ä • Ü—L, , é, à, Ĩ, Æ, μ, Ü, •B

-@—¥, Ĩ “K—p

©, ±, Ĩ“~^Ó' , ĩRf ĩf ĩffbgB-@, É, æ, Á, Ä“ [, ¾, è, Ä, ç, Ü, •B

•Ú∅, Ĩ •úš

©, ±, ĩftftgEjFfA , , æ, ŃŠÖ~Aftf@fCfç, ĨACE» ó, Ĩ, Ü, Ü' ñç' ¾, é, é, à, Ĩ, Ä , è ĨAç • Ĩ, Ĩ“ © Ĩ, ä • Ú∅, Ĩ-¾Ž' Ĩ, , æ, Ń-ÚŽ' Ĩ, ÉŠÖ, ç, ĨA^ê∅•Ú∅, μ, Ü, ¹, ñB WinZip Self-Extractor , đfCf“fXfg [fç, ¾, é, é— ĨX, Èfn [ĩfhEjFfA ç, ŃftftgEjFfAŠÄ« , É, Á, ç, ÄA “A' è, Ĩ-Ú“ Ĩ, É' Ĩ, , é “K [, Ĩ • Ú∅, Ĩ^ê∅, μ, Ü, ¹, ñB

©, ±, ĩfvjOfOf%of€, đ- {š' Ĩ, É, ²—p, É, È, é' O, É ĨA d—v, Ä, È, çff [f^, Ĩ “O' è” Ĩ, ÉfefXfg, μ, Ä, , ¾, ¾, çBft [fU, Ĩ- {fvjOfOf%of€, ĩŽg—p, É, æ, é, ç, © , È, é' ¹ŠQ, à^ø, «Žó, ˘, È, ˘, ê, Ĩ, È, è, Ü, ¹, ñB, ç, © , È, é Ĩ Ĩ, É, ˘, ç , Ä, à ĨA” Ĩ , ŽÖ, ĨÓ“C, Ĩ» • Ĩ, ĨCE đŠ• , Ü, ½, Ĩ’ Ĩ” , «àŠz, Ĩ • ÖŠÖ, đăCEA, Æ, μ, Ü, •B

•]%o; "Åf%ofCfZf"fx

•]%o; "Å,Æ"o~^"Å

□@,±,ê,íftfš□[fEfFfA,Å,í, ,è,Ü,¹,ñ□BfVfFfAfEfFfA•] %o; "Å,ì WinZip Self-Extractor ,ð•] %o;-
Ú"l,ì,½,ß,ì,Ý,É21"úŠÖ-³—¿,ÅŽŽ—p,·,é,±,Æ,ª,Å,«,Ü,·□B21"úŠÖ,ì•] %o;ŠúŠÖ,ð%oz,!,Å,±,íftfjgfEfFfA,ðŽg—
p,·,é,É,í□A"o~^—¿<à,ª•K—v,Å,·□B

□@fVfFfAfEfFfA•] %o; "Å,ì WinZip Self-Extractor,Å□□—,³,è,½Ž©CEÈ"WSjftf@fCf<,í,ç,©,È,é□ó<μ,É,·,ç
,Å,à□A"z•z,·,é,±,Æ,í,Å,«,Ü,¹,ñ□B

□@WinZip Self-Extractor,ð21"úŠÖ,ð' ,!,Å-ç"o~^,ì,Ü,ÜŽg—p,·,é,Æ□AfAf□fšfj□#□O□'—@,·,æ,Ñ□'□Ú'~□ìCE -
@^á"½,Æ,É,è,Ü,·□B

WinZip Self-Extractor ,ì"z•z

□@, ,È,½,í□A,±,íVfFfAfEfFfA•] %o; "Å,íftfjg,·,æ,Ñ•¶□',íRfs□[,ð□□—,·,é,±
,Æ,ª,Å,«,Ü,·□BfíšfWfj<,íVfFfAfEfFfA"Å,ì'S,·" ,¶Rfs□[,ð'N,É,Å,à"z•z,·,é,±
,Æ,ª,Å,«,Ü,·ª□A,½,¾,μ□A□C□³,·,é,±,Æ,í,Å,«,Ü,¹,ñ□B,±,íVfFfAfEfFfA"Å,ì"z•z,É,Å,ç,Ä,í□A—¿<à,í•K—v, ,è,Ü,
¹,ñ□B

□@□",ÉŠÖ,í,ç,·,ç,©,È,éRfs□[,É'í,μ,Ä,à,»,"z•z,É,·,ç,Ä—¿<à,ð%oÜ,μ,½,è□AŠñ•t,ð□,ß,é,±
,Æ□A,»μ,Ä,Ü,½Ž-'O,ì□'—p,É,æ,é<-‰Å-³,□A,±,íftfjgfEfFfA□A<y,Ñ□^,Ü,½,í□A,±
,é,É•t□□,·,é•¶□',ð'¼,ì□»•i□□π"l,Å, ,é,É,μ,É,©,©,í,ç,·□j,Æ<π,É"z•z,·,é,±,Æ□A,í"Å,É<ÖŽ~μ,Ü,·□B,½,¾,μ□A
—áŠO,Æ,μ,ÄAssociation of Shareware ProfessionalsCEö"F,íffBfXfNfxf"f_□[,ÉCEÀ,Å,Ä□A,±,íft
%ofCfZf"fx,É,·, ,é'S,Ä,ì□ðCE□,ì,à,Æ,Å□A"Å•É,É□'—p,É,æ,é<-‰Å,ð"¾,·,ÉWinZip Self-Extractor,ð□Ä"z•z,·,é,±
,Æ,ª,Å,«,Ü,·□B

WinZip®, É, Â, ç, Ä

@WinZip Self-Extractor, Í WinZip, ðfRf“fpjfflf“fvf[]Of%of€„Ä„·BWinZip, íAWindows[]ã„ÄŠÈ‘P,É Zip
ftf@fCf<,ð^μ,±,Æ,ì,Ä,«„é[]“X,ì[]Ü,ðŽó[]Ü,μ,½ft[][fefBfŠfefB[][„Ä„·BWinZip,É,í[]APKZIP,ÆÆÝŠ·[]«„ì, ,é“à’
ZIP[]AUNZIP<@“\„³, ,é,½,ß[]AŠî-{}“i,ÉfA[][ffCfu,ì‘€[]ì,ð, ,é,ì,É[]APKZIP,à PKUNZIP,í•K—
v, ,è,Ü,¹„ñ[]B,Ü,½[]AfA[][ffCfu“à,ìftf@fCf<,ì%o{—[]AZÄ[]s[]A“WŠJ[]A‘Ç%oÄ[]A[]í[]œ[]AfefXfg,È,Ç,ì‘€[]ì,ð’½Š
‘“i,Éf[]fCf“fg[]•fNfŠfbfN,Ä[]s,±,±,Æ,³,Ä,«„Ü,·[]B,Ü,½[]AfEfBf<fXfLfff“fvf[]Of%of€„ð—p^Ó, ,é,±
,Æ,Ä[]AfA[][ffCfu“à,ìftf@fCf<,ðfEfBf<fXfLfff“ , ,é,±,±,Æ,à,Ä,«„Ü,·[]B

@WinZip,É,ÍWinZip Self-Extractor Personal Edition,³ŠÜ,Ü,è,Ä,ç,Ü,·[]BÜ,μ,,í[]A[Self-Extractor,ÆPersonal Edition](#)
„ì‘á,ç,É,Ä,ç,Ä,ì[]€„ð,²—,,¾,³,ç[]B

@WinZip,ì•]‰¿”Ä,ÍWinZip,ìfz[][f€fy[][fW (<http://www.winzip.com>), ,é,ç,Í NIFTY-Serve,Ä,í[]uGO
SPANDASW[]v,©,çf_fEf“f[][]fh,Ä,«„Ü,·[]B

Self-Extractor,ÆPersonal Edition ,ì^á,ç,É,Â,ç,Ä

Ⓜ@WinZip Self-Extractor **Personal Edition**, íWinZip®, ÉŠÜ, Ü, è, Ü, ·ⓂWinZip Self-Extractor **2.1**
, íWinZip, Æ, í·É, ìⓂ»·i, Ä, ·ⓂWinZip Self-Extractor **2.1**, íWinZip, ìfAfhfj}fvjⓂfOf%œ€, ÄⓂAPersonal Edition
, É, í, È, ç^È%œº, ì<@”\, ðŽg—p, ·, é, ±, Æ, º, Ä, «, Ü, ·ⓂB

ⓂE Self-Extractor, ìfⓂCf“f_fCfAfⓂfO, ÅŽg—p, ·, éfAfcRf“ⓂAfeLfxfg, ðŽw’èⓂAfZfbfgfAfbfvfvfⓂfOf
%œ€ŽÀⓂsÆä, Éfef“fj%œfŠftf@fCf<, ðⓂíⓂœ, ·, é, È, ÇⓂAfvtfgfEjFfA, ìfCf“fxfgⓂf<, ðŽ©“®
%œ»ⓂAfvfXf^f}fCfY, ·, é<@”\ⓂBInstallShield 3.0 fZfbfgfAfbfvfvfⓂfOf%œ€, àfTfjⓂfⓂfgⓂB

ⓂE “WŠJ’€ⓂⓂ—¹Æä, ÉⓂAfvRf}f“fh, ðŽÀⓂs, ·, é, ±, Æ, º, Ä, «, éⓂB

ⓂE fRf}f“fhf%œCf“, ©, çŽ©ÆÉ“WŠJftf@fCf<, ðⓂⓂ—, ·, é, ±, Æ, º, Ä, «, éⓂB

ⓂE MS-DOSⓂä, Ä, àWindowsⓂä, Ä, àŽÀⓂs%œÄ”, È’P^è, ìŽ©ÆÉ“WŠJftf@fCf<, ðⓂⓂ—, ·, é, ±, Æ, º, Ä, «, éⓂB

ⓂE %œpÆè, Ü, ½, ìfhfCfcÆè, É, æ, éfⓂfbfZⓂfW, ðⓂⓂ—, ·, é, ±, Æ, º, Ä, «, éⓂB

ⓂE Ž©ÆÉ“WŠJftf@fCf<, ºŽÀⓂs, º, è, ½ⓂÜ, ÉŽ©“®“ì, Éftf@fCf<, ð“WŠJ, ·, é, ±, Æ, º, Ä, «, éⓂB

ⓂE fpfXfⓂⓂfh, ì, ©, ©, Ä, ½Zipftf@fCf<, ðfTfjⓂfⓂfg

ⓂE ·, ·, x, Ä, ì32bitŽ©ÆÉ“WŠJftf@fCf<, ìⓂAMicrosoft® Authenticode™ fefNfmfⓂfW, ðfTfjⓂfⓂfg

ⓂE ftⓂfUŽw’è, ìfAfcRf“, ðŽg—p, Ä, «, éⓂB

ⓂE Ž©“®“ì, È“WŠJ, ·, éŽ©ÆÉ“WŠJftf@fCf<, ðⓂⓂ—, ·, é, ±, Æ, º, Ä, «, éⓂB

’Ⓜ^ŎⓂ@, ±, è, ç, ì<@”\, ì, ç, , Ä, ©, ºⓂ«—^“ì, ÈWinZip Self-Extractor Personal Edition, ÉŠÜ, Ü, è, è%œÄ”\Ⓜ«, º, , è, Ü, ·ⓂB

fo [fWf]f –š–đ

@WinZip® Self-Extractor 2.1 ,í2.0<y,Ñ1.0,íŠ®'Súä^ÉCEÝŠ,Á,·□B□%Šú,lfó [fWf]f",Á,ì<@"\,í2.1,Á,à"–I,ÉŽg –p,·,é,±,Æ,ª,Á,«,Ü,·□B□V,μ,ç<@"\,í^É%º,í'É,è,Á,·□B

□E fpfXf□□ [fh,lfTf]□ [fg]□ @Compact□AMS-DOS+Windows ^ÉŠO,·,x,Á,ž©CEÉ"WS]jtf@fCf<,Á□A<ÆŠE•W□€ ,íZip^Á□+%º»»,đfTf]□ [fg]□B

□E ·,·,x,Á,í32bitŽ©CEÉ"WS]jtf@fCf<,Í Microsoft® Authenticode™fefNfmf□fW,đfTf]□ [fg]□B□ %Šú,lfó [fWf]f",Á,í□AZ©CEÉ"WS]jtf@fCf<,í□@□#□«,í' fFbfN,Í Authenticode ,Æ•s<í□#ª,·,è,Ü,μ,½□B(Authenticode ,É,Á,ç ,Á,í□Ú,μ,ç□í•ñ,í□AMicrosoftŽĐ,ífz□ [f€fy]□ [fW, ©,ç□A"authenticode code signing",đCEÿ□đ,μ,Ä,ª,¼,³,ç□B)

□E ft□ [fUŽw'è,ífAfCfRf",đŽg–p%ºÁ"\□@"Compact",Ü,½,í"MS-DOS + Windows",đŽw'è,μ,½□ê#^ÉŠO,í□AfAfCfRf",đŽw'è,·,é,±,Æ,ª,Á,«,Ü,·□B,±,è,ç,ífAfCfRf",ífGfNfXfvf□□ [f% ,Á•\Ž,ª,è,Ü,·□B(fo [fWf]f"2.0,Á,í□A\ ftfgfEjFfAfCf"fxfg□ [f<,íŽ©CEÉ"WS]jtf@fCf<,đŽw'è,μ,½□ê# ,íf_fCfAf□□Of{fbfNfX,ì't,Á,μ,©·\ Ž,ª,è,Ü,¹,ñ,Á,μ,½□B)

□E fo□ [fWf]f"2.0,Á,à32frfbfg"Á,íŽ©CEÉ"WS]jtf@fCf<,đ□□–,·,é,± ,Æ,ª,Á,«,Ü,μ,½,ª□AZÁÚ,É□□–,ª,é,éfvf□□Of%ºf€,í16frfbfg"Á,ífvf□□Of%ºf€, Á,μ,½□B32frfbfgfo□ [fWf]f"(wzipse32.exe),ªŠÚ,Ü,è,é,æ,α,É,È,è,Ü,μ,½□B

□E ftf@fCf<,đŽ©"®"I,É"WS],·,éŽ©CEÉ"WS]jtf@fCf<,đ□□–,·,é,± ,Æ,ª,Á,«,Ü,·□B(fo□ [fWf]f"2.0,Á,íŽ©"®"I,É"WS],·,é,½,β,É□AfGf"fhft□ [fU,ª /auto flfvfVf]f",đŽÁ□sŽž,É,Á,·,é•K–v,ª,·,è,Ü,μ,½□B),±,ì<@"\,đŽg–p,·,é□ê# ,í□A'^Ó,μ,Ä,·,¼,³,ç□B,à,μ,» ,ífTf@fCf<,đfCf" f^□ [flfbfg,áfpfVfRf"É□M,ÉfAfbfvf□□ [fh,μ,æ,α,Æ, "□,í,í□ê#□AfVfXfefēŠČ –□ŽÖ,ª□Afvf□□ [fvfg–³,μ,Áftf@fCf<,đ"WS],·,éftf@fCf<,đ<"Ü,·,é,©,à,μ,è,Ü,¹,ñ□B

□E fEfBfU□ [fh□ÁCEä,í□A[Mail Self-Extracting Zip File] <@"\,đŽg–p,μ,Á□AŠÈ'P,É'¼,íf□ [fU,Éftf@fCf<,đ'– ,é,±,Æ,ª,Á,«,Ü,·□B(±,ì<@"\,í□AfVfXfef€,ÁMAPI,đfTf]□ [fg,μ,Ä,ç,é•K–v,ª,·,è,Ü,·□B)

fo [fWf]f"2.0,Á'Ç%ºÁ,ª,è,½<@"\

□E □V,μ,çfwfbf_ ,íŽ©CEÉ"WS]jtf@fCf<,đ□□–,·,éflfvfVf]f"

□E 32bit Win32 fwfbf_

□E Windows 95 f□"fOfTf@fCf<fl□ [f€,đfTf]□ [fg,μ,½16bit Windows fwfbf_

□E MS-DOS,ífTf]□ [fg(^è,Á,íŽÁ□sftf@fCf<,ª□AMS-DOS,Á,àWindows,Á,àŽÁ□s%ºÁ"\)

□E flftfgfEjFfA,ífCf"fxfg□ [f<,É•Ö–

~,ÉjflXf^f]fCfY□Bf□ [fCf" f_fCfAf□fO,ÁfAfCfRf",à□AfefLfXfg,đŽw'è,μ,½,è□AfZfbfgfAfbfvfVf]□□ [f%ºf€□I–
¹CEä,Éfef"flf%ºfŠftf@fCf<,đ□í□ce,·,é,±,Æ,ª,Á,«,Ü,·□BInstallShield Corporation,ífzfbfgfAfbfvfVf]□□ [f%ºf€ ,đfTf]□ [fg,μ,Ä,ç,Ü,·□B

□E %ºpCEè,Ü,½,ífhfCfcCEè,íf□fbfz□ [fW,đŽg–p,Á,«,Ü,·□B

□E EXEftf@fCf<,ªŽÁ□s,ª,è,½□Ú,É□AZ©"®"I,Éftf@fCf<,đ"WS],·,é,±,Æ,ª,Á,«,Ü,·□B

□E "WS]t,Éfvf□□ [fXf□□ [f^□ [,đ•Ž,ª,¹,é,±,Æ,ª,Á,«,Ü,·□B

□E WinZip Self-Extractor ,ÉfAf" fCf"fxfg□ [f<<@"\,ª,Á,«,Ü,μ,½□B

□E @filename ,đŽg,Á,½fRf]f"fhf%ºfCf"flfvfVf]f",đŽg–p,·,é,±,Æ,ª,Á,«,Ü,·□B–á,í,í^É%º,í,æ,α,É,·,é,± ,Æ,ª,Á,«,Ü,·□B

wzipse <flfvfVf]f"> @continued_options.inp

□E ŠÈ'P,ÉŽ©CEÉ"WS]jtf@fCf<,đ□□–,Á,«,éfvfBfU□ [fh

ŽÓŽ«

© WinZip Self-Extractor, a CE » Ý, ì CE ` , É, È, Á, ½, ì, í A ½, , ì X, ì • CE ¾ Afvf fOf % of €
, ì fef Xfg Af of O, ì • ñ , É, Ç, ì • , ¯ , ¢ , Á, ½, ©, ç, Å, • B " Á, É A Ted Abell, John Conde, Joel Diamond, Chris Dunford,
Gregg Hommel, Oyvind Kaldestad, Kevin Kearney, Jim Larkin, Steve Queen, Mark Stern, Nick Sweeting, Mike
Tajmajer, » , µ, Å Hans Top, ì Še Ž , É, Í Š ` Ž Ó, ì ^ Ó, ð • \, µ, Ü, • B

© WinZip Self-Extractor, ì ^ ê • " • ¢ , ì Info-Zip fOf < [fv, ì < Z p, É Š î, Å, ç, Å, " , è A, » , ì < % º Å, É, æ, Á, Å Ž g — p, ¢ , é, Ä, ç
, Ü, • B < » — ì , ì , é • ù, í A, » , ì Info-Zip fR [fh, ð ' ½, , ì ê Š , ©, ç Ž è, É " ü, é, é, ±, Æ, ¢ , Å, «, Ü, • B —
á, ì , ì A CompuServe, ì lib profit fH [f % of € ABIX: ibm.pc listings A Internet
, © , ç, ì ftp.uu.net:/pub/zip B, » , ì " TCE ^ " ì , È ft f @ fC f < - ¼, ì ZIP 19P.ZIP, Å A 19P • " • ¢ , ì , » , ì Å V " Å, ð • \
, µ, Ü, • B, à, µ, » , ì, Ü, ©, ì ê Š , ©, ç, ì " ü Ž è, ¢ , Å, «, È, ©, Á, ½, Æ, «, ì A WinZip Self-
Extractor, ì " About " f _ fC f Af fOf {fbfNfX, Å \ Ž ì , ¢ , é, é Z Š , Ö f fB fX fN, Æ Ž © • ¢ , ì Z Š , ì ' , ©, é, ½ Ø Ž è, ì \
, ç, é, ½ • • " > , ð ' —, Å, Å " ü Ž è, , é, ±, Æ, à, Å, «, Ü, • B

P&A, Ö, Ì, " - â, ç, í, 1

□α•i, Ì, ²□w“ü, É, Â, ç, Ä, Ì, " - â, ç, í, 1, Í□A

sales@panda.co.jp

TEL: 0425-35-9901('ä)

FAX: 0425-35-9902

, Ü, Â, " Šè, ç, ç, ½, μ, Ü, ·□B

□³<K“o~^, ³, è, ½•û, Í□AfefNfjffj<fTfj□□[fg, ðŽó, " .é, ±, Æ, ð, Â, «, Ü, ·□BfefNfjffj<fTfj□□[fg, Í□A

support@panda.co.jp

FAX 0425-35-9902

TEL: 0425-35-9903 (fTfj□□[fg□ê—p)

, Ü, Â□A, Â, «, é, ¾, " dŽqf□□[f<, © FAX, Â, " - â, ç, í, 1, , ¾, ¾, ç□B, Ü, ½, " - â, ç, í, 1, Ì□Ü, Í□AP&A ID, ð•K, , " □\, μ□o, -
, ¾, ¾, ç□B, " d~b, Í□A□Ö“ú, ð□œ, - ^□TCEŽ—j, ©, ç<à—j“ú, ÌCEßCEã, PŽž, ©, ç, UŽž, Ü, ÂŽó, " •t, " , Â, ç, Ü, ·□B

□§190 “CE<ž“s—§□ìŽs□ã□»' - 1-3-6-2

TEL 0425-35-9901 ('ä) / FAX 0425-35-9902

(For information in English, call 0425-35-9901)

WWW: <http://www.panda.co.jp>

ŠÖ~A□€-Ü

[fgf%œfuf<fVf...□□\[fefBf“fO](#)

[fgf“fg□•f`fbfvfX](#)

fgf%ofuf<fVf...[fefBf“fo

(1) **Ž © CEÈ “WŠJftf@fCf<, dŽÀ s, μ, ½, Æ, ±, è □ A “out of memory”, ìf fbfZ □ [fW, a CE» , è, Û, μ, ½ □ B**

□ @, ±, ì □ ê □ †, ì ‘ ð ‘ ïftf@fCf<, ì ‘] ‘ — ‘ †, Éftf@fCf<, a%ó, è, Ä, μ, Û, Á, ½, ±, Æ, É, æ, è, Û, · □ BDOS, â Windows, Å, Í □ A-
³ CEø, È ŽÀ □ sftf@fCf<, dŽÀ □ s, ³, ¹, æ, π, Æ, μ, ½ □ ê □ † □ Af □ f, fŠ • s ‘ ‹, ìfGf% □ [f □ fbfZ □ [fW, ð □ o, μ, Û, · □ B, ±
ì □ ê □ †, ì, à, Á, Æ, à — Ç, ç % ð CE ^ - @, Í □ A • È, ì Ž © CEÈ “WŠJftf@fCf<, dŽÀ “ ü Ž è, ·, é, ±, Æ, Á, · □ B

(2) **ft □ [fU, a Ž © CEÈ “WŠJftf@fCf<, dŽÀ s, μ, ½ □ Û, É □ A WinZip Self-Extractor , ìf_fCfAf □ fOf {fbfNfX, a • \
Ž, ³, è, È, ç □ B**

□ @, ±, π, ç, Á, ½ □ ó □ μ, Í □ Af □ ft □ [fU □ [, ìfVfXfef€, Å Š ù, É □ A “ ~ - ¼, ì EXE □ AFON □ ADLL □ ADRVftf@fCf<, a < N “ @ , μ, Ä, ç
, é □ ê □ †, É, ·, è, Û, · □ B — á, ì, Í □ AUSER.EXE , Æ, ç, π EXE

ftf@fCf<, dŽÀ □ - , μ, ½ □ ê □ † □ A Windows, a Ž © “ @ “ I, É USER.EXE, Æ, æ, ì, è, éftf@fCf<, ðf □ [fh, μ, Û, ·, a □ A “ ~ -
¼, Å ^ Û, È, éftf@fCf<, dŽÀ □ s, ·, é, ±, Æ, a, Å, ‹, È, ç, ì, Å □ A, ±, ìftf@fCf<, dŽÀ □ s, ·, é, ±, Æ, ì, Å, ‹, Û, ¹, ñ □ B WinZip Self-
Extractor , ì Ž © CEÈ “WŠJftf@fCf<, dŽÀ □ - , ·, é □ Û, É □ A, ·, È, ½, ìf } fVf “ □ ä, Å, ì -
¼ ‘ O, ì □ Ö “ È, ðf` fFbfN, μ, Û, ·, a □ A, à, ì, è, ñft □ [fU, ìf } fVf “ □ ä, Å, ì □ Ö “ È, ðf` fFbfN, ·, é, ±, Æ, ì, Å, ‹, Û, ¹, ñ □ B, ±, ì -
à ‘ è, ð % ð CE ^ , ·, é, È, Í □ A Ž © CEÈ “WŠJftf@fCf<, ìftf@fCf< - ¼, ð • Í □ X, μ, Ä, , ¾, ³, ç □ B

(3) **ìftfgfEfFfA, ìfCf“fXfg □ [f< - p Ž © CEÈ “WŠJftf@fCf<, Å - à ‘ è, a □ D □ D □ D**

ìftfgfEfFfAfCf“fXfg □ [f< - p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ □ - , É, Á, ç, Ä, ìf`fbfv, ì □ €, dŽQ □ Æ, μ, Ä, , ¾, ³, ç □ B

ŠÖ ~ A □ € - Û

ìftfgfEfFfAfCf“fXfg □ [f< - p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ □ - , É, Á, ç, Ä, ìf`fbfv

ìftfgfEfFfAfCf“fXfg □ [f< - p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ □ - , É, Á, ç, Ä, ìf`fbfv

ìftfgfEfFfAfCf“fXfg □ [f< - p, ì Ž © CEÈ “WŠJftf@fCf<, ì □ □ - , É, Á, ç, Ä, ìf`fbfv

f\ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□İ□-,É,Â,ç,Ä,İf`fbfv

□@f\ftfgfEfFfAfCf“fXfg□[f<-

p,İŽ©CEÈ“WŠJftf@fCf<,đ□□-,·,é,É,İ□A•W□€CE^Ž©CEÈ“WŠJftf@fCf<,đ□□-,·,é,æ,è,à□-
□XžèŠÖ,ª,©,©,è,Û,·,ª□A,æ,è□,“x,ÈCE©%oh,İ,İfCf“fXfg□[f<,É,È,è,Û,·□B,à,µf\ftfgfEfFfAfCf“fXfg□[f<-
p,İŽ©CEÈ“WŠJftf@fCf<,Ä-à'è,ª,·,é□è□#□A^È%o,İ,æ,æ,É,µ,Ä,Ý,Ä,,¾,¾,¾,ç□B

- 1) •W□€CE^Ž©CEÈ“WŠJftf@fCf<,đ□□-,µ,Ä,,¾,¾,¾,ç□B,à,µ,» ,İftf@fCf<,ª³,µ,“ @□,µ,½□è□#□AfeFbfU□[fh,İ
[Wait for] ,İ-“ ,Û,½,İ□Afrf}f“fhf%ofCf“ ,đŽg—p,µ,Ä,ç,é□è□#,İ□A -wait fpf%of□□[f^ ,đf`fFbfN,µ,Ä,-
,¾,¾,¾,ç□B,à,µInstallShield,đŽg—p,µ,Ä,ç,é□è□#□A,» ,İfo□[fWf#“3.0,Ä□AZipftf@fCf<“à,É _isdel.exe ,Æ,ç
,µftf@fCf<,ª ,é,©,Ç,æ,©,đŠm”F,µ,Ä,,¾,¾,¾,ç□B
- 2) f\ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□Aftf□fbfs□[fffBfXfn,Û,½,İCD-
ROM,©,çftf@fCf<,đRfs□[·,é□A,Æ,ç,æ,æ,æ,ÉfCf“fXfg□[f<fvf□fOf%of€,Æ,Æ,à,É“ @□,·,é,æ,æ
,ÉfffUfCf“ ,¾,è,Ä,ç,é,±,Æ,đ-Y,è,È,ç,Ä,,¾,¾,¾,ç□Bf\ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□AfeF“fj
%ofŠfffBfCEfNfgfŠ,Éftf@fCf<,đ“WŠJ,µ□AZw’è,µ,½rfj}f“fh,đŽÄ□s□A□^—□’t,É,©,©,İ,ç,·,rfj}f“fh□—
¹Eä,Éfef“fj%ofŠftf@fCf<,đ,·,x,Ä□í□œ,µ,Û,·□B□,Ä,Ä□Afrf}f“fh,ª□—
¹,·,é’O,É□A“WŠJ,¾,è,½ftf@fCf<,İfRfs□[·,ªfZfbfgfAfbfv,É•K—v,É,È,è,Û,·□B,à,µfRfs□[·,ª•K—
v,É□è□#□AfvfbfgfAfbfvrfj}f“fh,İftf□fbfs□[fffBfXfn,âCD-ROM,©,çftf@fCf<,đRfs□[·,é•K—v,ª ,è,Û,·□Bf\
ftfgfEfFfAfCf“fXfg□[f<-p,İŽ©CEÈ“WŠJftf@fCf<,İ□A□İ,Éfef“fj
%ofŠfffBfCEfNfgfŠ,Éftf@fCf<,đ“WŠJ,µ□A,à,µ“Ä’è,İfffBfCEfNfgfŠ,É“WŠJ,·,é•K—v,ª ,é□è□#,İ□A•W□€CE^Ž
©CEÈ“WŠJftf@fCf<,đŽg—p,·,é•K—v,ª ,è,Û,·□B
- 3) Visual Basic,İfAfvfŠfP□[fvf#“fZfbfgfAfbfvfEfbfU□[fh,đŽg—p,µ,Ä,ç,é□è□#,İ,Ý□A%o◊L,đŽŽ,µ,Ä,Ý,Ä,-
,¾,¾,¾,ç□B,±,İfZfbfgfAfbfvfEfbfU□[fh,İ□Afcf“fXfg□[f<fv□[f<fh,İ□è□#,İsetup/_isdel,Æ,ç,µfyfA,İfvf□fOf%of€
,Æ“~ ,¶,æ,æ,É□A,QfXfefbfv,İfcf“fXfg□[f<,İfvf□fZfX,đ□□-,µ,Û,·□B,±,İ□è□#,İVisual Basic
fAfvfŠfP□[fvf#“ ,İfcf“fXfg□[f<,İ□Asetup ,Æ,ç,æ-¼’O,İfvf□fOf%of€
,ªŽÄ□s,¾,è,½□è□#,ÉŽn,Û,è,Û,·□B,» ,İfZfbfgfAfbfvf□fOf%of€,ª□Asetup1,Æ,ç,æ-¼’O,İfvf□fOf%of€
(,Û,½,İ32bit”Ä,İVisual Basic ,đŽg—p,µ,Ä,ç,é□è□#□Asetup132,Æ,ç,æ-¼’O,İfvf□fOf%of€)
,đ<N“ @ ,µ,Û,·□Bsetup1[32]fvf□fOf%of€,İfAfvfŠfP□[fvf#“ ,İfcf“fXfg□[f<□^—□,đ□—¹,¾,Û,·□B,à,µVisual
Basic,İfAfvfŠfP□[fvf#“fcf“fXfg□[f<,đSelf-Extractor,Ä”z•z,·,é□è□#,İ□A“WŠJ□^—□,ª□—
¹Eä,ÉŽÄ□s,¾,è,éffffHf<fg,İfrf}f“fh,Æ,µ,Ä□Asetup,đ□A“Wait For” frf}f“fh,Æ,µ,Äsetup1(,Û,½,İsetup132)
,đ□AfeFbfU□[fh,Û,½,İrfj}f“fhf%ofCf“fjfvf#“ ,ÄŽw’è,·,é•K—v,ª ,è,Û,·□B“Wait
For”rfj}f“fh,Æ,µ,Ä□Asetup1(,Û,½,İsetup132),đŽw’è,µ,È,ç,Æ□AWinZip Self-
Extractor,É,æ,Ä,Ä□AfvfŠfP□[fvf#“ ,İfZfbfgfAfbfv,É•K—
v,Éftf@fCf<,đ□í□œ,¾,è,Ä,µ,Û,ç□Afcf“fXfg□[f<,ª•sŠ@’S,É,È,Ä,½,è□Afgf%o□[·,ª<N,±,éCE<%oÈ,Æ,È,è,Û,·□B

□@WinZip Self-Extractor,ªfcf“fXfg□[f<fvf□fOf%of€,đ’Ò,Ä,±
,Æ,ª,Ä,« ,È,ç□è□#,ª ,è“¾,Û,·,ª□A,» ,İ□è□#,İ□AWinZip,İftfCf,İ WinZip Self-Extractor
fy□[fW,Ä□Ä□V□î•ñ,đf`fFbfN,µ,ÄCE©,Ä,,¾,¾,¾,ç□B

ŠÖ~A□€-Û

[fefNfjff<ftf|□\[fg](#)
[fqf“fg□•f`fbfvfX](#)

fgf“fg•f fbvfX

1. Windows95ã,ÂABAT ftf@fCf<,â make ftf@fCf<,©,ç WinZip Self-Extractor ,ðŽg—p,·,éèè#̂,íAŽÿ,ì,æ,¼
É,μ,Å127•ŕŽš,lfRf}f“fhf%ofCf“•ŕŽš̂”,ìSCEÀ,ð”ð,·,é,½,ß,ÉA@fCEfXfjff“fXftf@fCf<,ðŽg—p,·,é,±
,Æ,â,À,«,Ü,·BfRf}f“fhf%ofCf“flfvfVf#f“,ì€̂,ðCEäŽQ̂Æ,,¾,¾,ç̂B
START /WAIT WINZIPSE.EXE -y [other options] filename.zip
2. •Ê,lfvf̂fOf%of€,©,çŽ©CEÈ“WŠjftf@fCf<,ðŽÀ̂s,·,éèè#̂A ^ø̂”,É /auto ,ð,Â,·,é,±
,Æ,Åft̂[fU,ìŽwŽ!,È,μ,Åftf@fCf<,ð”WŠj,·,é,±,Æ,â,À,«,Ü,·B,±,lfifvfVf#f“,íA Af̂fCf“f_fCfAf̂fO,â•\
Ž!,¾,é,½̂Ü,ÉA[Uzip] f{f^f“,ð%oÿ,μA“WŠj,â̂—¹,μ,½̂Ü,É [Close] f{f^f“,ð%oÿ,·,ì,Æ”·,ŕCEø
%oÊ,â, ,è,Ü,·B“WŠĵæ,lfHf<f_,ðŽw’è,·,é,±,Æ,à,À,«,Ü,·B—á,!,ÍAmodem.exe
,âŽ©CEÈ“WŠjftf@fCf<,ìèè#̂A
modem.exe /auto c:\modem
ã,ì,æ,¼,ÉŽw’è,·,é,±,Æ,ÅAŽ©“®“l,É C:\modem ftfHf<f_,É“WŠj,¾,è,Ü,·B

ŠÖ~Â€-Ú

[fefNfjff<fTf|̂̂fg](#)

[fgf%ofuf<fVf...̂̂lfefBf“fO](#)

“®” ŠĀ<<<

©, ±, ±, Ā, í, A, , È, ½, ^a Windows, ĭŽg, ç, •, ũ, ĀZip ftf@fCf< ð ñ ñ, • ũ-@, ð'm, Ā, Ā, ç, é, ±, Ā, ð'O'ň, Ā, μ, Ā, ç, ũ, • B

Ž © Ā Ē “WŠjftf@fCf<, ð ñ ñ

© WinZip Self-Extractor, Ā, í Zip ftf@fCf<, ð ñ ñ, •, é, ±, Ā, í, Ā, <, ũ, ¹, ñ B Zip ftf@fCf<, ð ñ ñ, •, é, É, í A [WinZip](#), ĭ, æ, x, È f t [f e f B f Š f e f B [, ^a • K—v, É, È, è, ũ, • B

f f “ f O f t f @ f C f < f l [f € , ð f t f [[f g , μ , È , ç [A M S - D O S , ĭ • W [€ “ l , È % o p Ā Ē , ĭ Ž © Ā Ē “ W Š j f t f @ f C f < , í A W i n Z i p S e l f - E x t r a c t o r 1 . 0 , Ā “ - , ĭ , æ , x , É [A M S - D O S , ũ , ½ , í W i n d o w s [ä , Ā ð ñ ñ , • , é , ± , Ā , ^a , Ā , < , ũ , • B , » , ĭ ¹ / 4 , ĭ Ž © Ā Ē “ W Š j f t f @ f C f < , í A W i n d o w s 3 . 1 / 9 5 / N T [ä , Ā , μ , © ð ñ ñ , Ā , < , ũ , ¹ , ñ B

Ž © Ā Ē “WŠjftf@fCf<, ĭ Ž Ā [s

© 32bit Win32 Ž © Ā Ē “ W Š j f t f @ f C f < , í A W i n d o w s 9 5 , ũ , ½ , í W i n d o w s N T [ä , Ā , μ , © Ž Ā [s , • , é , ± , Ā , í , Ā , < , ũ , ¹ , ñ B f r f “ f p f N f g f w f b f _ , ĭ é [# , ð [œ , ç , Ā [A , • , x , Ā , ĭ 1 6 b i t f w f b f _ , ĭ Ž © Ā Ē “ W Š j f t f @ f C f < , í W i n d o w s 9 5 , Ā , ĭ f [“ f O f t f @ f C f < f l [f € , ð f t f [[f g , μ , Ā , ç , ũ , • B Ā » [Ý , ĭ W i n d o w s N T , ĭ f o [[f w f # f “ , Ā , í A 1 6 b i t f A f v f Š f P [[f v f # f “ , É f [“ f O f t f @ f C f < f l [f € , ð f A f N f z f X , ³ , ¹ , È , ç , ½ , ß [A 3 2 b i t , ĭ Ž © Ā Ē “ W Š j f t f @ f C f < , í W i n d o w s N T , ð f ^ [[f Q f b f g , Ā , μ , Ā [A f [“ f O f t f @ f C f < f l [f € , ð Ž g — p , • , é [é [# , É Ž g — p , μ , ũ , • B

WinZip Self-Extractor "z•zftf@fCf<

ftf@fCf<-¼	□à-¾
README.TXT	"±"üî•ñ
LICENSE.TXT	f%ofCfZf"fX
WINZIPSE.TXT	f f"f%ofCf"fhfLj...f□f"fg,ì—v-ñ
WINZIPSE.HLP	f f"f%ofCf"fwf<fv
WINZIPSE.EXE	Windows"À,ìŽÀ□sftf@fCf<
WZIPSE32.EXE	Windows95<y,ÑWindowsNT—p,ìŽÀ□sftf@fCf<
ORDER.TXT	f □[f_□[ftfH□[f€
WHATSNEW.TXT	□Å□V□î•ñ
FILE_ID.DIZ	BBS—p,ì'Z,†□à-¾
VENDOR.TXT	fVfFfAfEfFfAfffBfXfgfŠfrf...□[f^,ÆfffBfXfNfxf"f_□[,ìî•ñ
SETUP.EXE	*32bitfCf"fXfg□[f<fvf□[fOf%of€fwf<fp□[
SETUP32.EXE	*fCf"fXfg□[f<fvf□[fOf%of€
['□^Ó]□@*,ì,À,†,½ftf@fCf<,ífn□[fhfffBfXfN,ÉfRfs□[,³,ê,Û,¹,ñ□B	

fCf“fXfg□lf<

fCf“fXfg□lf<,i’O.É□A□i’“fvf□fOf%of€,.È,Ç□AfCf“fXfg□lf<,É•K—v,Ä,È,çfvf□fOf%of€,.Í,Ä,«,.é,¾,~□l—^{1,3},¹,é,æ,π,É,μ,Ä,,¾,¾,ç□B

1. ,±,lfwf<fvftf@fCf<,i%ođ“€,³,é,½ftfHf<f_É□Awzipse21.exe,Æ,ç,æftf@fCf<,³, ,è,Ü,·□B ,±,lfwf@fCf<,đfGfNfXfvf□□lf%o,àftf@fCf<f}f□□fWff,É,Ç,© ,çf_fuf<fNfŠfbfN,μ,Ü,·□B
2. **Thank you for installing WinZip Self-Extractor 2.1!**
,±,±,Ä,Í□A[Setup]f{f^f“ ,đfNfŠfbfN,μ,Ä,,¾,¾,ç□B
3. **Setup will install WinZip Self-Extractor into the ...**
,±,±,Ä,ÍfCf“fXfg□lf<□æ,đŽw’è,μ,Ü,·□BInstall to:,l—“ ,ÉfCf“fXfg□lf<□æ,đŽw’è,μ□A[OK]f{f^f“ ,đfNfŠfbfN,μ,Ä,,¾,¾,ç□B
4. **Welcome to WinZip Self-Extractor!**
,±,±,Ä,Í□A[View License Agreement],đfNfŠfbfN,μ□Af%ofCfZf“fX”à—e,đŠm”FCEã□A[Yes],đfNfŠfbfN,μ,Ä,-¾,¾,ç□B
5. **You can run WinZip Self-Extractor when you choose...**
WinZip,ì[Action]-[Make EXE File],đ’l’đ,μ,½□é□±,É□AWinZip Self-Extractor ,đ<N“@, ,é,æ,π,É□A[Program Locations]f_fCfAf□fOf{fbfNfX,ì”à—e,đ•İ□X,μ,Ü,·□B•İ□X, ,é□é□±,Í□A[Yes] ,đ□A•İ□X,μ,É,ç□é□±,Í□A[No] ,đfNfŠfbfN,μ,Ä,,¾,¾,ç□B
6. **Welcome to WinZip Self-Extractor!**
,±,é,© ,çŽŽ—p,³,é,é□é□±,Í□A,±,±,ÄfCf“fXfg□lf<,Í□l,í,è,Ä,·□B[Close],đfNfŠfbfN,μ,Ä,-¾,¾,ç□B□³K“o~^ft□[fU,ì•ú,Í□A[Enter Registration Code]f{f^f“ ,đfNfŠfbfN,μ□A7..Ö□i,ñ,Ä,,¾,¾,ç□B
7. **Register WinZip Self-Extractor**
[Organization],l—“ ,É“o~^—¼,đ□A[Registration #],l—“ ,É“o~^”Ô□t,đ“ü—Í,μ□A[OK],đfNfŠfbfN,μ,Ä,-¾,¾,ç□B,±,é,ÄfCf“fXfg□lf<,Í□l—¹,Ä,·□B[Close],đfNfŠfbfN,μ,ÄfEfBf“fhfE,đ•Ä,¶,Ä,,¾,¾,ç□B

WinZip Self-Extractor,Ä,Í□A□i,““Ç,Ý,lfwf<fv,æfCf“fXfg□lf<,³,é,Ü,¹,ñ□B,±,lfwf<fvftf@fCf<(winzipse.hlp),đ□AfCf“fXfg□lf<ftfHf<f_É□ã□□,«fRfs□[,é,±,Æ,Ä□A’É□í,lfif“f%ofCf“fwf<fv,Æ”—l,ÉŽg—p, ,é,±,Æ,³,Ä,«,Ü,·□B,±,ì□Ü□A%opCEè”Ä,lfwf<fv,íŽ , ,í,è,Ü, ,ì,Ä□A•K—v,É□é□±,ì•ÉftfHf<f_ÉfRfs□[,μ,Ä,,¾,¾,ç□B

fAf“fCf“fXfg[]f<

@WinZip Self-Extractor ,É,íAf“fCf“fXfg[]f<<@\,ª, ,è,Ü,·BŽŸ,ì,æ,æ,ÉŽÀ[]s,µ,Ä,,¾,¾,¾,¾

E Windows 3.1[]AWindows NT 3.5 , ,æ,Ñ 3.51,Á,í[]Afvf[]fOf%of€f}f[]fWff,ìWinZip Self-Extractor fOf<[]fv,©,ç
Uninstall WinZip Self-Extractor fAfCfRf“ ,ðf_fuf<fNfŠfbfN,µ,Ä,,¾,¾,¾,¾

E Windows 95 , ,æ,Ñ Windows NT 4.0,Á,í[]AfXf^[]fjg[]fjv[]fjOf%of€[]-[]WinZip Self-Extractor] ,æ,è
[Uninstall WinZip Self-Extractor] ,ð'l'ð,µ,Ä,,¾,¾,¾,¾

ŽŸ,ì,æ,æ,É,µ,ÄŽè“ @ ,ÁAf“fCf“fXfg[]f<, ,é,±,Æ,à,Á,«,Ü,·B

1. Windows[]@,íft[]fCf<f}f[]fWff[]AfGfNfXfvf[]f%o,È,Ç,íft[]fefBfŠfefB[] ,ÁWinZip Self-
Extractor,íftHf<f_ ,ðftHf<f_²,Æ[]í[]œ,µ,Ü,·B
2. WinZip Self-Extractor ,íAfCfRf“ ,Æfvf[]fOf%of€fOf<[]fv,ð[]í[]œ,µ,Ü,·BWindows 3.1 , ,æ,ÑNT 3.51,Á,íWinZip
Self-Extractor ,íOf<[]fv,ðŠ,ç,Ä[]AfAfCfRf“ ,ª,·,x,Ä[]Á,!,é,Ü,Á [Delete] fL[],ð%oŸ,µ,Ä,-
,¾,¾,¾,ç[]BfOf<[]fv,ªó,É,È,è,Ü,µ,½,ç[]A,à,æ^è“x [Delete] fL[],ð%oŸ,µ,Ä[]AfOf<[]fvŽ©'ì,ð[]í[]œ,µ,Ä,-
,¾,¾,¾,ç[]BWindows 95 , ,æ,ÑNT 4.0,Á,í[]AfXf^[]fjg[]fjv...[] ,©,ç[]A[]Ÿ'è(S)-
[f^fXfNfo[](T)...][]AfXf^[]fjg[]fjv...[] ,ì[]Ÿ'è] f^fu,ð%oŸ,µ,Ü,·B[]í[]œ(R)...] f{f^f“ ,ð%oŸ,µ,Ü,·BWinZip
Self-Extractor ,ð'l,Ñ[]A[]í[]œ] f{f^f“ ,ð%oŸ,µ,Ü,·B
3. WinZip Self-Extractor ,ðWinZip ,ì [Make EXE]fvf[]fOf%of€ ,ÉŽw'è,µ,Ä,ç
,é[]ê[]#[]AWinZip,ð<N“ @ ,µ[]A[Options] f[]fj...[] ,©,ç [Program Locations] ,ð'l,Ñ,Ü,·B[Make Exe],ì—“ ,ðó
—“ ,É,µ,Ü,·B

Ž©ĀÈ“WŠjftf@fCf<,ììì~

□@Ž©ĀÈ“WŠjftf@fCf<,đìì~.,.é,É,í□A,Ü, WinZip® Self-Extractor ,đ<N“®.,μ,Ü,·□B<N“®,.,é,É,í□A^È
%°°,ì,R'È,è,ì•ù-@,°,è,Ü,·□B

1. Windows ,ì,»,ì'¼,ìfvf□fOf%°f€,,Æ“~—ì,É□AWinZip Self-Extractor ,đ<N“®,.,é□B
Windows 95,Á,í□A[fXf^□[fg]f□fjf...□[-fvf□fOf%°f€ (P)]-[WinZip Self-Extractor]□A[WinZip Self-Extractor]
,đ'ì,Ñ,Ü,·□BWindows 3.1,Á,í□AWinZip Self-Extractor fvf□fOf%°f€fOf<□[fv,ì't,ì [WinZip Self-Extractor]
fAfCfRf“,đf_fuf<fNfŠfbfN,μ,Ä,,¾,¾,¾,¾□B
2. WinZip 6.0^È□~.,©,ç'¼□Ú WinZip Self-Extractor ,đŽÀ□s,.,é□B
WinZip ,ì [Actions] f□fjf...□[.,ç [Make EXE File] ,đ'ì'đ,.,é,Æ□AŽ©“®“ì,ÉWinZip Self-
ExtractorfEfBfU□[fh,°<N“®,μ,Ü,·□B,½,¾,μ□A,»,ì'O,ÉWinZip ,ì [Options]-[Program Locations] ,ì [Make
EXE],ì—“ ,É□AWinZip Self-Extractor ,ìftf<fpfX,đŽw'è,.,é•K—v,°,è,Ü,·□B
3. WinZip Self-Extractor ,đDOS fvf□“fvfg,©,çŽÀ□s,.,é□B
,±,ì□é□□AfRf}f“fhf%°fCf“flfvfVf†f“,°•K—v,É,È,è,Ü,·□BfjfVfVf†f“,ì^è—,É,Á,ç,Ä,í□AfRf}f“fhf
%°fCf“flfvfVf†f“,ì□€,đŽQ□Æ,μ,Ä,,¾,¾,¾,¾□B

'□^Ó

- E Ž©ĀÈ“WŠjftf@fCf<,áŽÀ□s,¾,è,½□é□□AZip ftftf@fCf<“à,ìftfHf<f_□î•ñ,áŽ©“®“ì,ÉŽg—p,¾,è,Ü,·□B
- E WinZip Self-Extractor ,ìfpfXf□□[fhfVf□fVfNfgZipftf@fCf<,â□AfffBfXfN,É•áŠ,,,¾,è,½Zipftf@fCf<,đ^μ,±,±
,Æ,°,Ä,«,Ü,¹,ñ□B

fpfXf[fh

["Compact^" <y,Ñ "MS-DOS + Windows^" ,ðœ,, , x,Ä,İž©È"WSjftf@fCf<,É'í,µ,ÄA<ÆSE•W€
İZippfXf[fhfvfNfvf#f",ÄZipftf@fCf<,ð^Ä+%%», ,é,±
,Æ,ª,Ä,«,Ü,·BfpfXf[fh•ÜCEİ,³,é,½Zipftf@fCf<,ði- , ,é,É,íAWinZip,È,Ç,İZipCEÝŠ·ft[fefBfŠfefB[,ª•K—
v,É,È,è,Ü,·B,»,İCEâA^Ä+%%»,³,é,½Zipftf@fCf<,ðWinZip Self-Extractor,ðŽg—p,µ,ÄA'Éí,İZipftf@fCf<,Æ" —
l,ÉAZ©È"WSjftf@fCf<,ði- ,µ,Ü,·Bft[fU[,İž©È"WSjftf@fCf<,ªŽÄs,³,é,½Ü,ÉAfpfXf[fh,İ"ü—
í,ð< ,ß,ç,é,Ü,·B³,µ,çfpfXf[fh,ª"ü—í,³,é,É,çé#Aftf@fCf<,İ"WSj,³,é,Ü,¹,ñB
@WinZip,Ä,İ<ÆSE•W€,İZip 2.0^Ä+%%»ftfH[f]fbfg,ðŽg—p,µ,Ä,ç
,Ü,·BfpfXf[fhfvfNfvf#f",İ,©,©,Ä,½Zipftf@fCf<,İfpfXf[fh,ð,à,Ä,Ä," ,ç, ,Aftf@fCf<,İ'tg,ðCE© ,æ,π
,Æ,· ,éft[fU,É'í,µ,ÄA, ,é'ö"x,İ•ÜCEİCEø%É,ª ,è,Ü,·B,µ,©,µ,É,ª,ç Zip 2.0 ^Ä+%%»ftfH[f]fbfg,İ PGP
,É,Ç,İ,æ,π,Éfvf[fOf%œf€,ÄŽg—p,³,é,é RSA CEóŠJCE@ ^Ä+•úŽ@ ,âADES,É,Ç,İ•úŽ@ ,Ü,Ç^'S,Ä,İ,É,-
A<Zp,İ ,éCEÄ[,ª^Ä+fc[f<,ðŽg—p,µ,½é# ,ÉAâ'í"l,É•ÜCEİ,ð'ñ<Ÿ,Ä,«,é,í, ,Ä,İ ,è,Ü,¹,ñB' ^Ó
@WinZip,ª,æ,è^'S,É^Ä+%%»ftfH[f]fbfg,ðŽA'• ,µ,É,ç,İ,İ,Q,Ä,İ—R,ª ,è,Ü,·
B(1)^Ü,É,éftfH[f]fbfg,İAZip 2.0,Æ,İCEÝŠ·« ,ðŽ ,½,É,ç,½,ßA'¼,İZipft[fefBfŠfefB[,ªftf@fCf<,ð•œ+
%%»,Ä,«,É,,É,Ä,Ä,µ,Ü,πB(2)CE»ÝfA[fŠj,É,İ^Ä+<Zp,İ—A<Ks,ª ,é,±,ÆB,à,µ<—İ,É^Ä+%%»,ð•K—
v,Æ,· ,éé#AZip 2.0^Ä+%%»ftfH[f]fbfg,Ä,İ,É,Äé—p,İ^Ä+%%»ftfgfEfffA,ðŽg—p, ,é,±
,Æ,ð," , ,ß,µ,Ü,·B

fRf}f“fhf%ofCf“flfvfVf#f“

□@fRf}f“fhf%ofCf“flfvfVf#f“,í□ABATftf@fCf<,â□Amake ftf@fCf<,ðŽg,Á,Ž©CEÉ“WŠjftf@fCf<,í□^—
□,ðŽ©“®“l,É□s,æ□é□#,ÉŽg—p,μ,Ü,·□BfRf}f“fhf%ofCf“flfvfVf#f“,ªŽw'è,ª,½□é□#□AWinZip Self-Extractor
,lfEfBf“fhfE,í'É□í•\Ž!ª,è,Ü,ª,ñ□BfRf}f“fhf%ofCf“,íCE`Ž®,í^É%º,í'É,è,Á,·□B

winzipse[.exe] filename[.zip] [options]

fVfXfef€,í□\$CEÀ,É,æ,Á,Ä□Afrf}f“fhf%ofCf“,í□#CEv,í'ª,ª127•¶Žš,É□\$CEÀ,ª,è,Ä,ç,Ü,·□B'·,çfRf}f“fhf
%ofCf“,ðŽw'è,·,é,É,í□Afrf}f“fhf%ofCf“flfvfVf#f“,ðftf@fCf<,É,μ□A@,ð,Ä,~,ÄfCEfXfJf“fXftf@fCf<,Æ,μ,Ü,·□B—
á,í,í□A^É%º,í,æ,æ,ÈfefLfXfg,ðŠÜ,þfefLfXfgftf@fCf<,ð□Astandard.inp ,Æ,μ,Ü,·□B

- compact -d c:\modem
- m c:\folder\greeting.txt
- nooverwrite

standard.inpftf@fCf<“à,lfifvfVf#f“,í□é□#□AŽŸ,í,æ,æ,É,μ,Ü,·□B

winzipse filename.zip @standard.inp

□@□Ú□×,ÈfRf}f“fhf%ofCf“,í□\•¶,É,Á,ç,Ä,í□A•W□€CE^Ž©CEÉ“WŠjftf@fCf<,lfRf}f“fhf
%ofCf“flfvfVf#f“, ,æ,ÑfVftfgfEfFfAfCf“fXfg□f—pŽ©CEÉ“WŠjftf@fCf<□í□—,lfRf}f“fhf%ofCf“flfvfVf#f“,í□€
,ðŽQ□Æ,μ,Ä,,ª/ª,ª,ç□B

[‘□^Œ]□@,à,μª/ª,lfvf□fOf%of€,©,çŽ©CEÉ“WŠjftf@fCf<,ðŽÀ□s,ª,ª,½□é□#□A/auto fpf%of□□f^,ðŽg—p,·,é,±
,Æ,Ä□Aft□fU,í“ü—í—ª,μ,Éftf@fCf<,ð“WŠJ,·,é,±,Æ,ª,Ä,«,Ü,·□B,±,lfifvfVf#f“,í□A_fCfAf□fOf{fbfNfX,ª•\
Ž!ª,è,½□Ü,É [Unzip] ,Ü,½,í [Setup] f{f^f“,ðfNfŠfbfN□A“WŠJ□^—□□—¹CEã,É [Close]
f{f^f“,ðfNfŠfbfN,·,é,í,Æ“~,¶CEø%É,ª, ,è,Ü,·□B•W□€CE^Ž©CEÉ“WŠjftf@fCf<,ðŽg—
p,μ,½□é□#□A“WŠJ□æ,íftfHf<f_,ðŽw'è,·,é,±,Æ,ª,Ä,«,Ü,·□B—á,í,í□A modem.exe
,ªŽ©CEÉ“WŠjftf@fCf<,í□é□#□A

modem.exe /auto c:\modem

,í,æ,æ,É,μ,½□é□#□Aftf@fCf<,íŽ©“®“l,É C:\modem ftfHf<f_,É“WŠJ,ª,è,Ü,·□B

•W☐€CE^Ž☐CEÈ“WŠjftf@fCf<,lfRf}f“fhf%ofCf“flfvfVf#f“

☐@•W☐€CE^Ž☐CEÈ“WŠjftf@fCf<,đ☐i☐-,·,é,Æ,«,ì—LCEø,ÈflfvfVf#f“,í^È%º,ì'É,è☐B

- y "overwrite file"fvf☐f“fvfg,É'í,μ,Ä☐AZ☐@“@“l,Éyes,Æ%ºž“š,μ☐AfpfXf☐☐lfh,ìCEx☐☐f☐fbfZ☐[fw,đ•\Žì,μ,Ü,¹,ñ☐B
- 3 f^☐[fQfbfVfXfef€,É,“,ç,Ä☐A%ºÄ“\,È,ç,ÏCTL3D.DLL,đ—p,ç,Ä3DCEø%ºÉ,đŽ☐,¹/₂,¹,é☐B
- d <ftfHf<f_> ffftfHf<fg,ì“WŠj☐æftfHf<f_
- i <fileid> Ž☐CEÈ“WŠjftf@fCf<,ÁŽg—p,·,é,fAfcRf“ftf@fCf<,đŽw'è,μ,Ü,·☐B(•W☐€“l,È.ICOftfH☐[f]fbfg,ì,Ý)
- m<fileid> Ž☐CEÈ“WŠjftf@fCf<,áŽÀ☐s,³,é,¹/₂☐Ú,É•\Žì,³,é,éf☐fbfZ☐[fw(frff☐“fg)☐BfftfHf<fg,ì,Á☐AZipftf@fCf<“à,ÉWINZIPSE.DIZ,³,é,é☐é☐,í☐A,»,ìftf@fCf<,É,È,è,Ü,·☐B
- compact frf“fpgNfg16bit Windows,ìftf@fCf<,đ☐i☐-,μ,Ü,·☐B,±,ìflfvfVf#f“,í☐Afpf“foftf@fCf<fl☐[f€,Ö,ì'í%ºž,·,é,ç,í☐i☐s“x•\Žìf☐☐[f^☐[ì,È,çŽ☐CEÈ“WŠjftf@fCf<,đ☐i☐-,μ,Ü,·☐Bf☐f“foftf@fCf<fl☐[f€,áŽg—p,³,é,Ä,ç,È,ç☐é☐,í☐A,±,é,ç,ìftf@fCf<,íWindows3.1.95,NT,Ä“@☐ì,μ,Ü,·☐B,±,é,Ä☐i☐-,³,é,¹/₂ftf@fCf<,íWinZip Self-Extractor1.0,Ä☐i☐-,³,é,¹/₂,à,ì,Æ,Ü,Æ,ñ,Ç“-,¶,Ä,·☐B
- standard •W☐€“l,È16frfbfgWindows,ìftf@fCf<,đ☐i☐-,μ,Ü,·☐B,±,ìflfvfVf#f“,É,æ,è☐i☐-,³,é,éŽ☐CEÈ“WŠjftf@fCf<,lf☐f“foftf@fCf<fl☐[f€,Æ☐i☐s•\Žìf☐☐[f^☐[ì,É'í%ºž,μ,Ü,·☐B,¹/₂,³/₄,μ☐A,à,μf☐f“foftf@fCf<fl☐[f€,áŽg—p,³,é,Ä,ç,Ä☐A,»,ìŽ☐CEÈ“WŠjftf@fCf<,á16frfbfgf☐f“foftf@fCf<fl☐[f€,API,đfTf]☐[fg,μ,È,çfvfXfef€☐i—á,ì,íNT,ìCE»☐[fwf#f“☐j☐ä,ÄŽÀ☐s,³,é,¹/₂☐é☐☐A-â'è,ì<N,±,é%ºÄ“\☐«,³,éŽì,ìCEx☐☐,³•\Žì,³,é☐A',çftf@fCf<-¹/₄,í'S,Ä☐ø,è,Ä,ß,ç,è,Ü,·☐B,±,ìCEx☐☐,í☐AflfvfVf#f“,lfRf☐f“fgf☐fbfZ☐[fw,ìCEä,É•\Žì,³,é,Ü,·☐B
- dos MS-DOS,“,æ,Ñ16frfbfgWindows'í%ºž,ìftf@fCf<,đ☐i☐-,μ,Ü,·☐B,±,ìflfvfVf#f“,É,æ,è☐i☐-,³,é,¹/₂Ž☐CEÈ“WŠjftf@fCf<,íWindows,©,ç,Ä,àDOSfvf☐f“fvfg,©,ç,Ä,àŽÀ☐s,Ä,«,Ü,·☐Bf☐f“foftf@fCf<fl☐[f€,É,í☐AMS-DOS,á“ñ'í%ºž,ì,¹/₂,ß☐A'í%ºž,μ,Ü,¹,ñ☐B
- win32 32frfbfg,ìWindows95,“,æ,ÑNT'í%ºž,ìftf@fCf<,đ☐i☐-,μ,Ü,·☐B,±,ìflfvfVf#f“,É,æ,è☐i☐-,³,é,¹/₂Ž☐CEÈ“WŠjftf@fCf<,íWindows95,“,æ,ÑNTŠÀ«%ºº,Áf☐f“foftf@fCf<fl☐[f€,É'í%ºž,μ,Ü,·☐B,±,é,ç,ìŽ☐CEÈ“WŠjftf@fCf<,íŠ'‘S,È32frfbfgfvf☐fOf%of€,È,ì,Á☐AWindows3.1ŠÀ«%ºº,Á,íŽÀ☐s,Ä,«,Ü,¹,ñ☐B
- le %ºpCEè,Ä•\Žì
- lg fhfCfcCEè,Ä•\Žì
- overwrite Ž☐CEÈ“WŠjftf@fCf<,ì☐ä☐',«f'fFfbfNf{fbfNfX ([Overwrite])³,,ç,©,¶,ßf'fFfbfN,³,é,Ü,·☐B
- nooverwrite Ž☐CEÈ“WŠjftf@fCf<,ì☐ä☐',«f'fFfbfNf{fbfNfX ([Overwrite])³,,ç,©,¶,ßf'fFfbfN,³,é,Ü,¹,ñ☐B
- auto Ž☐CEÈ“WŠjftf@fCf<,áŽÀ☐s,³,é,¹/₂☐Ú,É☐AZ☐@“@“l,É [Unzip] f{f^f“,đ%ºÿ,μ,Ü,·☐B,±,ì<@“\,đŽg—p,·,é☐é☐,í☐A'☐^Ó,μ,Ä,-³/₄,³,ç☐B,à,μ,»,ìftf@fCf<,đfCf“f^☐[flfbfg,âfpf\frf“‘É☐M,ÉfAfbfvf☐☐[fh,μ,æ,æ,Æ,“☐ì,ì,ì☐é☐☐AfvfXfef€ŠÇ—☐ŽÓ,³☐Afvf☐f“fvfg-³,μ,Áftf@fCf<,đ“WŠj,·,éftf@fCf<,đ<'“‘Ü,·,é,©,à,μ,é,Ü,¹,ñ☐B

-st "<title>" Ž©ĀĒ"ŴŠjftf@fCf<,lf^fCf<fo[.É•\
 Ž! ,³,é,éfefLfXfg,đŽw'è,μ,Ū,·□B,±,lf|fvfVf#f",Í "CompactĀĒ^" <y,Ń
 "MS-DOS + WindowsĀĒ^" ,lŽ©ĀĒ"ŴŠjftf@fCf<,lĕĕ# ,Í-³Ž<,³,é,Ū,·□B

-c <command> "ŴŠJĀĒŽĀ□s,·,éffftfHf<fg,lfRf}f"fh,đŽw'è,μ,Ū,·□B□Ÿ'è,·,é□ĕĕ#□A,±
 ,lf|fvfVf#f",Í^ĕ"Ō□ĀĀĀĒ,É<L□q,μ,Ā%^o,³,ĕ□B,±,±
 ,ĀŽw'è,μ,½fRf}f"fh,Íft□lfU□[,l"ŴŠJ□æftfHf<f_ ,æ,èŽĀ□s,³,é,é,ì,Ā□A,
 ±,lfRf}f"fh,ÉftfHf<f_ ,lĕĕ•ñ,Í•□'É•K—v, ,è,Ū,¹,ñ□B,±
 ,lfRf}f"fh,lŽĀ□s,É,lWindows WinExec API,āŽg—
 p,³,é,Ū,·□BŽw'è,·,é□Ū,Í□Aftf@fCf<-¼,³/₄, ,Ā,Ē,□Afrf}f"fh-
 ¼,đ□³Šm,ÉŽw'è,μ,Ē, ,é,Í,Ē,è,Ū,¹,ñ□B

Žg—p—á□F

C> winzipse filename -d c:\modem -c winhelp modem.hlp
 □@,±,lfRf}f"fh,Ā,Í□Afilename.zip,Ā,ĕ,ĕftf@fCf<,©,ĕfilename.exe,Ā,ĕ,
 ,xŽ©ĀĒ"ŴŠjftf@fCf<,đ□l□—,μ,Ū,·□BffftfHf<fg,l"ŴŠJ□æftfHf<f_ ,l"c:\modem",Ā□A"ŴŠJĀĒ,É"winhelp
 modem.hlp",Ā,ĕ,ĕftf@fCf<,āŽ©"®"l,ÉŽĀ□s,³,é,Ū,·□B
 □@,Ū,½□Afrf}f"fhf%ofCf"flfvfVf#f",đfRf}f"fhf%ofCf"flfvfVf#f",l□ĕ,Ā□q,x,½fĀfXfj
 f"fxftf@fCf<"à,É<L□q,·,é,±,Ā,Ā,« ,Ū,·□B

f\ftfgfEjFfAfCf"fxfg[]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf %ofCf"flfvfVf}f"

[\[\]@f\ftfgfEjFfAfCf"fxfg\[\]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f"](#), í Ě %oº, í Ě, è []B

- setup f\ftfgfEjFfAfCf"fxfg[]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- t <fileid> f\ftfgfEjFfAfCf"fxfg[]f<-pŽ©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- i <fileid> Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- a <fileid> Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- 3 Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- wait<name> fRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- ishield3 [InstallShield 3.0](#), ÆInstallShield 3.0 SDK Edition, lft[]fU[], É•K— v, ÈflfvfVf}f", í Ě %oº, í Ě, è []B
- win32 32frfbfg, lWindows 95, "æ, ÑNT'í%ºž, lftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- le %opCEè, Å•\Ž!
- lg fhfCfCCEè, Å•\Ž!
- auto Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- st "<titile>" Ž©CEÈ"WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B
- c <command> "WSjftf@fCf<,lfRf}f"fhf%ofCf"flfvfVf}f", í Ě %oº, í Ě, è []B

[´^Ó]

[]E fRf}f"fhf%ofCf"flfvfVf}f", ðfRf}f"fhf%ofCf"flfvfVf}f", []E, Åq, x, ½fCfXfj"fxftf@fCf<"à, É<L[]q, í Ě, è, ±, Æ, º, Å, «, Û, []B

□E f\ftgfeFfAfCf“fXfg□lf<-p,ìŽ©CEÈ“WŠjftf@fCf<,đ□AfEfBfU□[fh,Å,Í,È,fRf}f“fhf
%ofCf“,Å□ì□-,·,é□ê□#□A□,È,,Æ,à^È%o²,ì,ᄁ,ì,Ç,ì,ç,©,đŽw’è,·,é•K—v,ª, ,è,Û,·□B
-setup ,“,æ,Ñ -c flfvfVf#f“
 ,Û,½,í
-ishield3 flfvfVf#f“
,»,ì’¼,ìflfvfVf#f“fXfCfbf` ,ìflfvfVf#f“,Å,·□B

Ž☉☉È“WŠjftf@fCf<,iŽÀ□s

□@Ž☉☉È“WŠjftf@fCf<,đ“WŠj,·,é,É,í□A,»i,žÀ□sftf@fCf<□i.EXE□j,đŽÀ□s,·,é,¾,·,Á,·□B—á,í,í^È%º,ì,æ,¼,É,È,è,Û,·□B

□E Windows 3.1□AWindows NT 3.5,»·,µ,Ä3.51□ā,Á,í□Afvf□fOf%ºf€f}f□□[fWff,đfAfNfefBfu,É,·,é□A[ftf@fCf<(F)] f□fj...□[,©,ç [ftf@fCf<-¼,đŽw'è,µ,ÄŽÀ□s(R)] ,đ'í'đ,·,é□A—Ú“í,íŽ☉☉È“WŠjftf@fCf<,íftf@fCf<-¼,đ□³Šm,É“ü—í,µ,Ä [Enter] fL□[,đ%ºÿ,·□B,·,é,ç,íftf@fCf<f}f□□[fWff,đ<N“®·,µ,Ä—Ú“í,íŽ☉☉È“WŠjftf@fCf<,đf_fuf<fNfšfbfN,·,é□B

□E Windows 95,Û,½,íWindows NT 4.0□ā,Á,í [fXf^□[fg] f□fj...□[,©,ç [ftf@fCf<-¼,đŽw'è,µ,ÄŽÀ□s(R)] ,đ'í,ñ□A—Ú“í,íŽ☉☉È“WŠjftf@fCf<,íftf@fCf<-¼,đ□³Šm,É“ü—í,µ,Ä [Enter] fL□[,đ%ºÿ,·□B,·,é,ç,íRf}f“fhfvf□“fvfg,Á—Ú“í,íŽ☉☉È“WŠjftf@fCf<,íftf@fCf<-¼,đ□³Šm,É“ü—í,µ,Ä [Enter] fL□[,đ%ºÿ,·□B

•W□€“íŽ☉☉È“WŠjftf@fCf<,iŽÀ□s,ì□Ú□×□F

□@·W□€“íŽ☉☉È“WŠjftf@fCf<,»žÀ□s,¾,é,é,Æ□AfvfVf#f“□Y'è,íf_CfAf□fOf{fbfNfX,»\Ž!;¾,è,Û,·□B

□E ftf@fCf<,í“WŠj□æftfHf<f_

□E “-¼,íftf@fCf<,»í□Y,µ,½,Æ,«,ÉŽ☉“®“í,É□ā□,«,đ,·,é,©□A,»é,¾,è,đ□ā□,«,·,é,Æ,«,ÉŠm“F,·,é,©,Ç,¼,·□B

□E ,»iZIPftf@fCf<,»í□—,¾,è,½,Æ,«,É□Y'è,¾,è,Ä,ç,éfvfVf#f“íRf}f“fh,đŽÀ□s,·,é,©,Ç,¼,·□B □BfvfVf#f“íRf}f“fh,»□Y'è,¾,è,Ä,ç,É,ç,Æ,«,í,±,í`fFfbfNf{fbfNfX,í%ºB,¾,è,Ä,ç,Û,·□B

[UnZip] (“WŠj,·,é) f{f^f“,Á'S,Ä,íftf@fCf<,đ□Y'è,¾,è,½ftfHf<f_Ö“WŠj,µ,Û,·□B[Run WinZip](WinZip,đ<N“®·,é) f{f^f“,đfNfšfbfN,·,é,Æ□A,±,íŽ☉☉È“WŠjftf@fCf<,đWinZip,đŽg,Á,ÄŠj,«,Û,·□iWinZip,»fvfXfef€ ,ÉfCf“fXfg□[f<,¾,è,Ä,ç,½□é□#□□B,±,é,É,æ,è□A□'ÈÉ“à,í'Á'è,íftf@fCf<,¾,·“WŠj,Û,½,í+□g,í%º{— □Afvf□fOf%ºf€fOf<□[fv,ì□□—□A□'ÈÉ,ì^Ú“®,É,Ç,»%ºÁ“\,É,È,è,Û,·□B

[Close](·Á,¶,é)□A[About]□A[Help] f{f^f“,í,»é,¾,è□A□uŽ☉☉È“WŠjftf@fCf<,đ·Á,¶,é□v□A□u“ÁCE □í·ñ,ì\ Ž!□v□A□uŠî—{“í,ÈŽg—p-@,ì\Ž!□v,đ^Ó-i,µ,Û,·□B

fvtfgfEfvfAfCf“fXfg□[f<—pŽ☉☉È“WŠjftf@fCf<,iŽÀ□s,ì□Ú□×□F

fvtfgfEfvfAfCf“fXfg□[f<—pŽ☉☉È“WŠjftf@fCf<,»<N“®,¾,é,é,Æ□A[Setup](fZfbfgfAfbfv) □A[Cancel] (fLfff“fZf<)□A[Help](fvf<fv),íŽO,Á,íf{f^f“,» ,éfv_CfAf□fOf{fbfNfX,»CE»,é,Û,·□B,± ,é,ç,íf{f^f“,đ,»é,¾,è□u□Y'è,¾,è,Ä,ç

,éZIPftf@fCf<“à,íRf}f“fh,íŽÀ□s□v□A□uŽ☉☉È“WŠjftf@fCf<,đ·Á,¶,é□v□A□u“ÁCE □í·ñ,ÆŽg—p·ú-@,đ·\ Ž!,·,é□v,đ^Ó-i,µ,Û,·□B

'□^Ó□@·É,ífvf□fOf%ºf€,©,çŽ☉☉È“WŠjftf@fCf<,đŽÀ□s,·,é□é□A ^ø□”,É /auto ,đ,Á,·,é,± ,Æ,Áft□[fU,íŽwŽ!,É,µ,Áftf@fCf<,đ“WŠj,·,é,±,Æ,»Á,«,Û,·□B,±,íf{fvfVf#f“,í□AfvfCf“f_CfAf□fO,»·\ Ž!,¾,é,½□Û,É□A[Unzip] f{f^f“,đ%ºÿ,µ□A“WŠj,»□—¹,µ,½□Û,É [Close] f{f^f“,đ%ºÿ,·,í,Æ“·,¶CEº %ºÉ,¾,·,é,Û,·□B“WŠj□æ,íftfHf<f_đŽw'è,·,é,±,Æ,à,Á,«,Û,·□B—á,í,í□Amodem.exe ,»Ž☉☉È“WŠjftf@fCf<,ì□é□#□A

modem.exe /auto c:\modem

□ā,ì,æ,¼,ÉŽw'è,·,é,±,Æ,Á□AŽ☉“®“í,É C:\modem ftfHf<f_É“WŠj,¾,è,Û,·□B

WinZip Self-Extractor fEfBfU [fh,đŽg—p,·,é

@WinZip Self-Extractor fEfBfU [fh,đŽg—

p,·,é,Æ[AŽ©Ě“WŚ]ftf@fCf<,đŠĚ‘P,É[]—,Á,«,Ü,·B^ê~A,lfXfefbfv,đ **[Next]** f{f^f“,đ%oŸ,μ,È,ª,ç[]i,ß,Ä,ç,,±
,Æ,ª,Á,«,Ü,·B‘O,ìó‘Ó,É-ß,éé[]‡,í[]A,ç,Á,Á,à **[Back]** f{f^f“,đ%oŸ,μ,Ä-ß,é,±
,Æ,ª,Á,«,Ü,·Bf|fvfvf‡“,ÉŠÖ,·,é[]Ú,μ,ç[]i•ñ,đĚ©,é,É,í[]A,ç,ìfEfBf“fhfE,Á,à[]A**[Help]** f{f^f“,đ
%oŸ,μ,ÄĚ©,é,±,Æ,ª,Á,«,Ü,·B

Ž©ĀÈ“WŠJftf@fCf<,ìf^fCfv,đ‘ì’đ

Standard Self-Extractor (•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<)

□@•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<,í□ì□¬,àŠÈ‘P,Ā, ,è□A•¶□‘□A%œ‘œ,»,’¼,ìftf@fCf<,đ%œìŽĐ,ì“
—»,’È,Ç,É’—,é,ì,É—□‘z“ì,Ā,•□B,Û,½‘P□f,Èf
ftfgfEfFfAfCf“fXfg□[f<,É,àŽg,ì,Û,•□B•W□€ĀÈ^Ž©ĀÈ“WŠJftf@fCf<,í16bit Windows□A32bit
Windows□A,»,’μ,Ā Windows + MS-DOS ‘í%ž“Ā,ª□ì□¬,Ā,«,’Û,•□B<N“®,’μ,½□Û,É^ŽA•¶,à•Žì,•,é,±
,Ā,ª,Ā,«,’Û,•□BffftfHf<fg,ì“WŠJ□æftfHf<f_□A[Overwrite files without prompting]
(Šm“F,¹,•,Éftf@fCf<,đ□ă□‘,«,’é)f{fbfNfX,đffftfHf<fg,Āf^fFbfN,•,é,©,Ç,ª,©□A
“WŠJ□ì<ĀĀĀŽĀ□s,³,¹,½,†fRf}f“fh□A,È,Ç,đ□Ý‘è,Ā,«,’Û,•□B

Self-Extractor for Software Installation (†ftfgfEfFfAfCf“fXfg□[f<—pŽ©ĀÈ“WŠJftf@fCf<)

□@†ftfgfEfFfAfCf“fXfg□[f<—pŽ©ĀÈ“WŠJftf@fCf<,ìfZfbfgfAfbfv,É‘½□,ì□ì<Ā,ª•K—
v,É,È,è,Û,•,ª□A,æ,èfvf□ftfFbfvfvf#fif<,ÉfCf“fXfg□[f<,ª,Ā,«,’é,æ,ª,É,È,è,Û,•□BŽ©ĀÈ“WŠJftf@fCf<,Ā•\
Žì,³,è,éfefLfXfg•¶Žš—ñ,“ ,æ,ÑfAfCfRf“,đjJfXf^f}fCfY,Ā,«,’Û,•□B,±
,ìŽ©ĀÈ“WŠJftf@fCf<,ì^èŽžftfHf<f_đ□ì□¬,μ□A,»,’±,Öftf@fCf<,đ“WŠJ,μ□A□Ý‘è,μ,½fZfbfgfAfbfvfvf□fOf
%œf€,đ<N“®,’μ□A,»,’ìŽĀ□s,ªŠ@—¹,•,é,ì,đ‘Ò,Ā,Ā□A□Ā□%œ,ì‘iŠK,Ā□ì□¬,μ,½^èŽžftfHf<f_đ□ì□œ,μ,Û,•□B

□Ú□x,É‘Š^á“_ ,É,Ā,†,Ā,ìŽ©ĀÈ“WŠJftf@fCf<,ì•W□€ĀÈ^,Ā†ftfgfEfFfAfCf“fXfg□[f<—p,Ā,ìŠ^á“_ ,ì□€,đŽQ□Ā
%œ²,³,†□B

Ž©ĀÈ“WŠJĀĒ^,É,·,éZipftf@fCf<,ì‘l’ð

□@WinZip Self-Extractor ,íŠù,É‘ŋ□Ÿ,·,éZIPftf@fCf<□i.zip,ìŠg’£Žq,ì,Ā,¢
,½ftf@fCf<□j,©,çŽ©ĀÈ“WŠJĀĒ^,ìZIPftf@fCf<,ð□ì□¬,μ,Û,·□B□ì□¬,³,è,½Ž©ĀÈ“WŠJftf@fCf<,ì-
¼‘O,íĀ³,ìZIPftf@fCf<,Ā“¬¼,É,È,è,Û,·□Bftf@fCf<Ž˘•ĒŽq,í.EXE,Ā,È,è,Û,·□B

□@-Ú“l,ìZIPftf@fCf<-¼,ð□³Šm,É“ü—í,·,é,©□A[**Browse**]
(ŽQ□Ā)ff{f^f“,ðfNfŠfbfN,μ,ĀŠg’£Žq,ª.Zip,ìftf@fCf<,ð‘T,μ,Û,·□B

□@WinZip,ðŽg,Ā,ĀZIPftf@fCf<,ð□ì□¬,μ,½,¢,Ā,«,í□A[**Run WinZip**]
(WinZip,ð·N“®,·,é)ff{f^f“,ðfNfŠfbfN,μ,Û,·□B,»μ,ĀWinZip,ì [Actions] f□ffj...□[.ì [Make EXE],ð‘l,ñ,Ā WinZip
Self-Extractor,Ö-ß,Ā,Ā%ºº,³,¢□B

□@-Ú“l,ìZIPftf@fCf<,ð‘l,ñ,¼,È,ç,í□A[**Next**] ,ðfNfŠfbfN,μ,ĀfIfvfVf#f“,ð□Ÿ‘è,·,é,©□A[**Finish**]
,ðfNfŠfbfN,μ,ĀffftfHf<fg,ìfIfvfVf#f“,ĀŽ©ĀÈ“WŠJftf@fCf<,ð□ì□¬,μ,Ā%ºº,³,¢□B

fjbfz[fWftf@fCf<,i`i`-,.,é

☐@•W☐€CE^Ž©CEÈ“WŠjftf@fCf<,í<N“® ,μ,½☐é☐‡,É☐A☐f☐bfz☐[fWf{fbfNfX,đ•\Ž!,.,é,± ,Æ,ª,Á,«,Ü,·☐B☐f☐bfz☐[fW•\Ž!,ª•K—v,È,ç,Æ,«,í☐A,±,íftfB☐[f<fh,đ<ó” ,É,μ,Á%º,³,ç☐B

☐@f☐bfz☐[fW,í',ª,É,μ,Á"¼Šp512•¶Žš^È“à,Á•\Ž!%ºÁ“\

,Á,·☐i"¼Šp512•¶Žš,í•W☐€“l,ÈWindows,í☐bfz☐[fWf{fbfNfX“à,í☐bfz☐[fW,ìCEÀŠE,Á,·☐j☐B,± ,í☐bfz☐[fWf{fbfNfX,ì☐Ž©,í☐,μfgfŠfbfL☐[,Á,·☐B,Á,Ü,è☐A☐f☐bfz☐[fW<,ì☐³Šm,ÈftfCfY,ífvfxfef€,ì%ºæ-È•\ Ž!,ì☐Ý'è,É^È'¶,μ,Ü,.,ì,Á☐A,±,±,Á,ífefLfxfg,É,í•¶Žš—ñ,đ•ª,¯,é,½,ß,É<ó☐s,đ“ü,è,½,ç,Æ,«,¾,¯☐A%ºü☐s(CR/LF),đ“ü,è,È,¯,é,í,È,è,Ü,¹,ñ☐B,±,íftf@fCf<,đ☐i`-,.,é,ç,ç•û-@,ì^è,Á,í^È%º,ì,æ,π,É,È,è,Ü,·☐B

☐E f☐f,' (Notepad),đ<N“®

☐E [•Ö☐W(E)] fvf<f_fEf“f☐ffj...☐[,Á [%ºE'[,Á☐Ü,è•Ö,·(W)] ,af`fFfbfN,ª,è,Ä,ç,È,¯,é,í☐A f`fFfbfN,·,é☐B

☐E ☐s,đ☐Ü,è•Ö,·,½,ß,ì%ºü☐s (Enter),đ“ü,è,.,,É•¶Žš—ñ,đ“ü—í,μ,Ü,·☐B,Á,Ü,è☐A☐ã,í☐☐[fhf%ºfbfv<@“\ ,Á•¶Žš,đ☐Ü,è•Ö,³,¹,Ü,·☐B<ó☐s,đ“ü,è,½,ç,Æ,«,¾,¯ [Enter] fL☐[,đ%ºŸ,μ,Á%ºº,³,ç☐B,±,ì☐é☐‡ [Enter] fL☐[,đ“ñ“x%ºŸ,μ,Ü,·☐B

☐E f☐f,' ,ì<,íftfCfY,đ•í,ì,Á,Ý,Ä☐ACE©%ºh,ì,ì—Ç,çftfCfY,É,È,Á,½,Æ,±,è,Áftf@fCf<,đ•Ü'¶,μ,Ü,·☐B ,±,íftfB☐[f<fh,íRf}f“fhf%ºfCf“fífvfVf#f“,ì -m ,É'S“-,μ,Ü,·☐B

☐@[Next],đfNfŠfbfN,μ,ÄfífvfVf#f“,đ☐Ý'è,.,é,☐☐A[Finish]

,đfNfŠfbfN,μ,ÁŽ©CEÈ“WŠjftf@fCf<,đffftfHf<fg,ífvfVf#f“,Á☐i`-,μ,Ü,·☐B

ffftfHf<fg,ì“WŠJ□æftfHf<f_

□@ZIP“WŠJ□æ,ìffftfHf<fg,ìftfHf<f_,ðŸ’è,Å,«,Ü,·□B,à,μ,±,ìftfB□[f<fh,ð<ó’’,É,μ,Ä,“, -
,Æ□Aft□[fU□[,ªŠÅ<<•ì□“TEMP=,ÅŽw’è,μ,½ftfHf<f_,ªŽg—p,³,è,Ü,·□B,à,μ, ,È,½,
ìZIPftf@fCf<,É“WŠJ,μ,½’t□g,ð•É,ìftfHf<f_,ÖfRfs□[.,,é,æ,x,ÈfZfbfgfAfbvfvf□fOf%of€ªŠÜ,Ü,è,Ä,ç
,½□è□#,É,í□A’Éí,±,è,ª□Å—Ç,ì’δ,Æ,È,è,Ü,·□B,à,μfZfbfgfAfbvfvf□fOf%of€
,ðŠÜ,Ü,É,ç□è□#,í□A,»ìZIPftf@fCf<,ì“à—e,É,ì,È,ñ,¾ftfHf<f_—¼,ð’l,Ö,ì,à,æ,ç,Å,μ,â,x□B—
á,ì,í□Amodem.hlp,Æ,ç,x-¼’O,ìfwf<fvftf@fCf<,ðŠÜ,ÞZIPftf@fCf<,ìè□#,É,íc:modem,Æ,.,é,È,Ç□B
□@,±,ìftfB□[f<fh,ìfRf}f“fhf%ofCf“flfvfVf#f“,ì -d ,É’Š“—,μ,Ü,·□B
□@[Next],ðfNfŠfbfN,μ,ÄflfvfVf#f“,ðŸ’è,.,é,©□A[Finish]
,ðfNfŠfbfN,μ,ÅŽ©ÆÈ“WŠJftf@fCf<,ðffftfHf<fg,ìflfvfVf#f“,Å□□—,μ,Ü,·□B

“WŠJĀĚŽÀs,·,éRf}f“fh

□@“WŠJ□ì<Æ□|—¹ĀĚŽÀ□s,·,éRf}f“fh,đ□Ý’è,Ā,«,Ü,·□B,±,ìftfB□[f<fh,đ<ó”’,ì,Ü,Ü,É,·,é,ÆfRf}f“fh,í
%o½,àŽÀ□s,³,è,Ü,¹,ñ□B,±,ìRf}f“fh,íft□[fU□[,ì“WŠJ□æftfHf<f_æ,èŽÀ□s,³,è,Ü,·□B□],Ā,ĀftfHf<f_□î•ñ,í•□’É,±
,ìRf}f“fh,É,í•K—v,·,è,Ü,¹,ñ□BWindows WinExec API,²,±
,ìRf}f“fh,đŽÀ□s,·,é□Ü,ÉŽg,í,è,Ü,·□B□Ý’èŽž,É,ìftf@fCf<-¼,¾,·,Ā,È,□³Šm,ÈfRf}f“fh,đ<L□q,·,é•K—v,²,·,è,Ü,·□
B“TĀĚ^“ì,ÈfRf}f“fh,í□F

□E WINHELP myfile.HLP □\Windows,ìHELP,đ<N“® ,μ,ĀZIP“à,ìfwf<fvftf@fCf<,đŠJ,«,Ü,·□B

□E NOTEPAD myfile.TXT□\f□f,’ (NOTEPAD),đ<N“® ,μ,ĀZIP“à,ìftf@fCf<,đŠJ,«,Ü,·□B

□@,±,ìfìfvfVf#f“,đŽg—p,μ,Ā□A“MS-DOS + WindowsĀĚ“ Ž©ĀĚ“WŠJftf@fCf<,đ□ì□→,·,é□ê#□AMS-
DOS,ĀŽÀ□s,μ,½□ê□# ,É-³Āø,Ā,·,é,Æ,ìĀex□□,đŽó,·,Ü,·□B

□@,±,ìftfB□[f<fh,ìRf}f“fhf%ofCf“fìfvfVf#f“,ì -c ,É’Š“-,μ,Ü,·□B

□@[Next] ,đfNfŠfBfN,μ,ĀfìfvfVf#f“,đ□Ý’è,·,é,©□A[Finish]
,đfNfŠfBfN,μ,ĀŽ©ĀĚ“WŠJftf@fCf<,đffftfHf<fg,ìfìfvfVf#f“,Ā□ì□→,μ,Ü,·□B

Ž©ĀÈ“WŠjftf@fCf<,ÅŽg—p,·,éAfCfRf“,ìŽw'è

□@Ž©ĀÈ“WŠjftf@fCf<,ÅŽg—p,·,éAfCfRf“,ðŽw'è,·,é,±,Æ,ª,Å,«,Û,·□B,à,μ,±,ì—“,ð<ó—“,É,μ,Å,“,ç
,½□ê□#□AffffHf<fg,ìfAfCfRf“,ªŽg—p,ª,é,Û,·□B,±,ìftf@fCf<,í•W□€“l,ÉWindows,ìfAfCfRf“ftf@fCf<Ā`Ž®,Å, ,é•
K—v,ª, ,è,Û,·□B,±,ìftf@fCf<,í□AWindows SDK,Æ“z•z,ª,é,Å,ç,éfcf□□[fWfGfffBfbfgfvf□fOf%of€ AppStudio
□AfT□[fhfp□[fefB□\$,ìOf%oftfBfbfNfc□[f<,ðŽg—p,μ,Å□i□—,·,é,±,Æ,ª,Å,«,Û,·□B

□@□Ů□×□@WinZip Self-Extractor

,í□AŽw'è,μ,½fAfCfRf“ftf@fCf<,©,ç□A32x32,“,æ,Ñ16x16fsfNfZf<,ìfcf□□[fW,ðfRfs□[·,μ,Û,·□B16□F,ìfcf□□[fW,ì,Ý
Žg—p,·,é,±,Æ,ª,Å,«,Û,·□B,à,μŽw'è,μ,½fAfCfRf“ftf@fCf<,ª□A16x16fcf□□[fW,ðŠÛ,ñ,Å,ç
,É,ç□ê□#□A,» ,ìftf@fCf<,ð□—,ª,çfAfCfRf“],Å•Ž!,·,é,Æ□A32x32fsfNfZf<,ìfcf□□[fW,ð□k□—,μ,½fAfCfRf“,ð•\
Ž!,μ,Û,·□B

,±,ì—“,í□A-i fRf}f“fhf%ofCf“flfvjvf±f“,Æ“~,ñ,Å,·□B

ŽŹ“WŠjtf@fCf<,iŽí—P

4,À,iŽí—P,iŽŹ“WŠjtf@fCf< ,æ,Ü,·B

☐E **Standard 16-bit Windows** (•W€ ,i16frfbfgWindows'í%žtf@fCf<)
 ,±,ìfìfvfVf†“ ,É,æ,è,·,³,è,ÉŽŹ“WŠjtf@fCf<,í“fOftf@fCf<f[]f€ ,Æ,·s·\Žj[]f^[] ,É'í
 %ž,µ,Ü,·B,½,¾,µA,à,µf[]“fOftf@fCf<f[]f€ ,žg—p,³,è,À,ç
 ,ÀA,» ,iŽŹ“WŠjtf@fCf< ,¹16frfbfgf[]“fOftf@fCf<f[]f€API,ðTf[]fg,µ,È,çfvfXfef€i—
 á,ì,ìNT,ìE»fo[]fWf†“[]ã,ÀŽÀs,³,è,½[]è[]A-à'è,ì<N,±,é%À“\« ,ª ,éŽ|,ìE[] ,ª·\
 Ž|,³,èA' ,çtf@fCf<-¼,í'S,ÀØ,è,À,ß,ç,è,Ü,·B,à,µ' ,çtf@fCf<-¼,žg,í,è,À,ç,È,ç[]è[] ,í,±
 ,è,ç,ìftf@fCf<,í'S,À,ìfo[]fWf†“ ,ìWindowsã,À“ @ì,µ,Ü,·B

☐E **Compact 16-bit Windows** (fRf“fpfNfg 16frfbfg Windows'í%žtf@fCf<)
 ,±,ìfìfvfVf†“ ,íA[]“fOftf@fCf<f[]f€ ,Ö,ì'í%ž , ,é,ç,ì[]s“x·\
 Žj[]f^[] ,ì,È,çŽŹ“WŠjtf@fCf<,ð[] ,µ,Ü,·Bf[]“fOftf@fCf<f[]f€ ,žg—p,³,è,À,ç,È,ç[]è[] ,íA,±
 ,è,ç,ìftf@fCf<,ìWindows3.1,95,NT,À“ @ì,µ,Ü,·B,±,è,À[] ,³,è,½tf@fCf<,ìWinZip Self-Extractor
 1.0,À[] ,³,è,½,à,ì,Æ,Ü,Æ,ñ,Ç“ ,¶,À,·B

☐E **MS-DOS and 16-bit Windows** (MS-DOS , ,æ,Ñ16frfbfgWindows'í%žtf@fCf<)
 ,±
 ,ìfìfvfVf†“ ,É,æ,è,·,³,è,½ŽŹ“WŠjtf@fCf<,ìWindows,©,ç,À,àDOSfvf[]f“fvfg,©,ç,À,àŽÀs,À,« ,Ü,·B
 B,±,è,ç,ìftf@fCf<,É,í,ç,À,©,ì[]EÀ,ª ,è,Ü,·B“MS-DOS + WindowsE^” ,É,À,ç,À,ì[]EÀ,ì€,ð,²— , -
 ,¾,¾,çB

☐E **32-bit Windows 95 and NT** (32frfbfg,ìWindows 95 , ,æ,ÑNT'í%žtf@fCf<)
 ,±,ìfìfvfVf†“ ,É,æ,è,·,³,è,½ŽŹ“WŠjtf@fCf<,ìWindows95 , ,æ,ÑNTŠÀ«%º ,Á[]“fOftf@fCf<f[]f€
 ,É'í%ž,µ,Ü,·B,±,è,ç,ìŽŹ“WŠjtf@fCf<,íŠ@'S,É32frfbfgfvf[]fOf%€ ,È,ì,ÀAWindows
 3.1ŠÀ«%º ,Á,íZÀs,À,« ,Ü,¹,ñB

☐@ ,±,è,ç,ìfìfvfVf†“ ,ìRf}f“fhf%ofCf“fìfvfVf†“ ,ì -standardA -compactA -dos ,µ,À -win32 ,É,» ,è,¼,è'S -
 ,µ,Ü,·B[Next] ,ðNfŠfbfN,µ,ÀfìfvfVf†“ ,ð'è , ,é,©A[Finish]
 ,ðNfŠfbfN,µ,ÀŽŹ“WŠjtf@fCf<,ðfftfHf<fg,ìfìfvfVf†“ ,À[] ,µ,Ü,·B

“}MS-DOS + WindowsCE^”},É,Â,ç,Ä,Ì§CEÀ

"MS-DOS + WindowsCE^" ,É,Â,ç,Ä,ÍÈ%º,ì,æ,æ,È§CEÀŽ-€ª, ,è,Û,·B

1. MS-DOS,ªf“foftf@fCf<fllf€,ÍfTfllfg,µ,Ä,ç,È,ç,½,ßAf“foftf@fCf<fllf€,É‘í%ž,µ,Ä,ç,Û,¹,ñB
2. MS-DOSã,ÄŽÀs,µ,½ê±A^È%º,ìfVfVf“ ,ª-³Ž<,³,è,Û,·B
 - E "Unzip To"ftfHf<f_Bftf@fCf<,Íí,ÉJfCEf“fgffBfCEfNfgfŠ,É“WŠJ,³,è,Û,·B
 - E “WŠJCEã,ÉŽÀs,·,éfRf}f“fhBMS-DOS ,Æ Windows ,ìRf}f“fh,Íí,É”ñCEÝŠ·,Ä, ,é,½,ßAMS-DOSã,Ä,ÍŽw’è,³,è,½fRf}f“fh,ðŽÀs,·,é,±,Æ,Í,Ä,«,Û,¹,ñB
 - E "Default to overwriting files without prompting",ìÝ’èBftf@fCf<,Íí,Éã‘,«,³,è,Û,·B
 - E "Unzip automatically" fVfVf“BftllfU,Íí,É“WŠJ’O,É“ü—Í,ª•K—v,É,È,è,Û,·B
 - E fAfCfRf“fVfVf“BffftfHf<fg,ì WinZip Self-Extractor fAfCfRf“,ªí,ÉŽg—p,³,è,Û,·B
3. fpfXfllfhfvfllfefNfg,³,è,½Zipftf@fCf<,ÍfTfllfg,³,è,Ä,ç,Û,¹,ñB

Self-Extractor ,» ,ì¼,ìfìfvfVf†f“

□@ , ± ,ìfpfìf< ,Á ,íŽ©CEÈ“WŠjftf@fCf< ,ìÈ%º,ìfìfvfVf†f“ ,ðY’è ,Á ,« ,Ü ,□B

□E Use Ctl3D for 3D effects if available

□@Ž©CEÈ“WŠjftf@fCf< ,Á3DCEø%ºÈ ,ð□□□ , , , ,é ,½ ,ß ,ÉCTL3D.DLL ,ðŽg ,x , © , Ç ,x , © , ðCE ^ , ß , Ü , □BCTL3D.DLL ,í¼ , ,ìfAfvfŠfP□[fVf†f“ ,ÁŽg—p ,³ ,é□A3DCEø %ºÈ ,ð□□□ , , , ,µ , Ü , □B ,µ ,½ ,² , Á ,Äf^□[fQfbfg ,Æ , È , é½ , ,ìfVfXfef€ , É , ± ,ìftf@fCf< ,² , , ,é ,Æ□ , , , ,ç , è , Ü , □B , ± ,ìfìfvfVf†f“ ,² □Y’è ,³ , è , Ä , ç , éèè†□AWinZip ,íCTL3DV2.DLL ,ð“Ç ,Ý□ž , à , x , ,Æ , µ , Ü , □BCE © , Á , © , ç , È , , Ä , àCTL3D.DLL ,ð“Ç ,Ý□ž , à , x , ,Æ , µ , Ü , □BCTL3D.DLL ,²f^□[fQfbfg ,Æ , È , éfVfXfef€□ã , Á “K□³ , É<@”\ , , , ,é , © , Ç , x , © , íWinZip Self-Extractor ,É , í•Ü□Ø , Á , « , È , ç , ± , ,Æ , É’□Ó , µ , Ä%º,³ , ç□B , ± ,ìftfB□[f<fh ,ìfRf}f“fhf%ºfCf“fìfvfVf†f“ ,ì -3 , É‘Š“ - , µ , Ü , □B

□E Default to overwrite files without prompting

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ□sŽž ,É [Overwrite files without prompting] (Šm”F ,¹ , , ,Éftf@fCf< ,ðã□’ , « , , , ,é) f fFfbfNf{fbfNfX ,ìfìf“□Eflft ,ðffftfHf<fg ,Á , Ç , x , , , ,é , © , ðCE ^ , ß , Ü , □BfRf}f“fhf%ºfCf“fìfvfVf†f“ ,ì -overwrite ,Æ -nooverwrite ,É‘Š“ - , µ , Ü , □B

□E Unzip automatically

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ□sŽž ,ÉŽ©“ @ “I ,Éftf@fCf< ,ð“WŠJ , , , ,é , © , Ç , x , © , ðY’è , µ , Ü , □B , ± , è , í - auto fRf}f“fhf%ºfCf“fìfvfVf†f“ ,Æ“ - , , , Á , □B , ± , ì<@”\ ,ðŽg—p , , , ,éèè† , í□A’□Ó , µ , Ä , - , ¾ , ³ , ç□B , à , µ , » , ìftf@fCf< ,ðfCf“f^□[fìfbfg ,âpfìRf”“È□M ,ÉfAfbfvf□□[fh , µ , æ , x , ,Æ , ”□ , , , ,ìèè†□AfvfXfef€ŠÇ—□ŽO ,²□Afvf□f“fvfg-³ , µ , Áftf@fCf< ,ð“WŠJ , , , ,éftf@fCf< ,ð<”Ü , , , ,é , © , à , µ , è , Ü , ¹ , ñ□B

□E Language

□@Ž©CEÈ“WŠjftf@fCf< ,ð%ºpCEè”Á , É , , , ,é , ©fhfCfcCEè”Á , É , , , ,é , © , ðCE ^ , ß , Ü , □B , ± , ìf %ºfWfìf{f^f“ ,ìfRf}f“fhf%ºfCf“fìfvfVf†f“ ,ì -le ,Æ -lg ,É‘Š“ - , µ , Ü , □B

□@[Next] ,ðfNfŠfbfN ,µ , Ä‘ì’ð , µ , ½fìfvfVf†f“ ,ìè— ,ðŠm”F , , , ,é , ©□A[Finish] ,ðfNfŠfbfN ,µ , ÄŽ©CEÈ“WŠjftf@fCf< ,ð , ½ , ¾ , ž , É□□□ , µ , Ü , □B

Ž © Ć È “ W Š J f t f @ f C f < , ð ì ñ ¬ , · , é € ” ò , ð Š ® —¹ , μ , Ü , μ , ½

␣@ [Next] , , é , ç , í [Finish] , ð f N f Š f b f N , μ , Ä Ž © Ć È “ W Š J f t f @ f C f < , ð • \ Ž ! , ³ , ê , Ä , ç , é f l f v f V f f f “ , Ä ì ñ ¬ , μ , Ü , · B f l f v f V f f f “ , ì , ç , , Ä , © , ð • í X , μ , ½ , ç , Æ , < , í “ K “ - , È f p f l f < , É , È , é , Ü , Ä [Back] , ð f N f Š f b f N , μ , Ä - ß , è , Ü , · B

Ž © Ć È “ W Š J f t f @ f C f < , ² ì ì ¬ , ³ , ê , Ü , μ , ½

□ @ □ Ý ' è , μ , ½ f l f v f v f f f “ , Å Ž © Ć È “ W Š J f t f @ f C f < , ² ì ì ¬ , ³ , ê , Ü , μ , ½ □ B , ±
, l f t f @ f C f < , ð “ z • z , • , é ' O , É • K , , f e f X f g , ð , μ , Å , Ý , Å % ° ° , ³ , † □ B f ^ □ [f Q f b f g , Æ , È , é f v f x f e f € , ² Ž g —
p , • , é ' S , Å , l O S □ ã , Å f e f X f g , • , é , l , ² , à , Å , Æ , à — □ ' z “ l , Å , • □ B —
á , ! , l □ A W i n d o w s , l ' S , Å , l f o □ [f W f f f “ , Å Ž g , í , ê , é , ± , Æ , ð - Ú “ l , Æ , μ , ½ , È , † □ A W i n d o w s 3 . 1 □ A W i n d o w s
9 5 , » , μ , Å W i n d o w s N T □ ã , Å f e f X f g , μ , Ü , • □ B , à , μ [T e s t s e l f - e x t r a c t i n g Z i p f i l e n o w] (□ ; f e f X f g , • , é)
f { f ^ f “ , ² f ` f f b f N , ³ , ê , Ä , † , ½ □ ê □ † □ A [N e x t] , ð f N f Š f b f N , • , é , ±
, Æ , Å , » , l Ž © Ć È “ W Š J f t f @ f C f < , í Ž Ä □ s , ³ , ê , Ü , • □ B

“WŠJ”i<ÆCEã,ÉŽÀ”s,·,éRf}f“fh

@“WŠJ”i<Æ,²|—¹,μ,½CEã,ÉŽÀ”s,·,éRf}f“fh”i•“É,Í”setup.exe”j,ðŽw’è,μ,È,¬,é,Î,È,è,Û,¹,ñ”B Ž©CEÈ“WŠJftf@fCf<,íAft”fU[.² [Setup] f{f^f“ ,ðfNfŠfbfN,μ,½,Æ,«ŽÏ,ì,æ,π ,èfXfefbfv,ðŽÀ”s,μ,Ä”s,«,Û,·”B

1. ^êžžftfHf<f_,ì”i”¬
2. ,» ,ì^êžžftfHf<f_,ÉZiPftf@fCf<,ÉŠÛ,Û,é,é’S,Ä,ìftf@fCf<,ð“WŠJfRfs”[,μ,Û,·”B
3. Windows WinExec API,ðŽg,Á,Ä”Ý’è,³,é,½fRf}f“fh,ðŽÀ”s,μ,Û,·”B
4. fRf}f“fh,²Š@—¹,·,é,ì,ð’O,¿,Û,·”B
5. A”%o,ìfXfefbfv,Ä”i”¬,³,é,½^êžžftfHf<f_,ì’t,ìftf@fCf<,ð’S,Ä”í”œ,μ,Û,·”B

[’^Ó] ,±

,è,ç,ìfXfefbfv,íACE³ftfHf<f_”i”ä,ì1fXfefbfv,Ä”i”¬”j,©,çft”fU[.²Žw’è,μ,½ftfHf<f_,Öftf@fCf<,ðf Rfs”[,·,é,æ,π,È’á’i,ìZfbfgfAfbfjvfv”fOf”%f€,Ä”@”ì,·,é,æ,π,É”Ý’è,³,é,Ä,ç,Û,·”B

@Ž©CEÈ“WŠJftf@fCf<,íA”Ý’è,³,é,Ä,ç ,éRf}f“fh,ðŽÀ”s,·,é,Û,Ä,íA^êžžftfHf<f_,²uCE»Ý,ì”i<ÆftfHf<f_”v,Æ,È,è,Û,·”B,μ,½,²,Á,Ä”AŽÀ” s,·,éRf}f“fh,ð”Ý’è,·,éÛ,É,íÉ”í,ìftfHf<f_,ì”i”ñ,Û,Ä”Ý’è,μ,Ä,í,ç,¬,Û,¹,ñ”B

Wait for,ðŽg,π”F

@[Wait for],íÉ”í,í•K—v, ,è,Û,¹,ñ”B,½,¾,μAsterling Software,ìInstallShield,²Žg—p,·,éfvf”fOf %of€,àŠÛ,ß,Ä,ç, ,Á,©,ìZfbfgfAfbfjvfv”fOf”%f€,íAfcf“fXfg”[f<”i<Æ,ì,½,ß,É•É,ìfvf”fOf”%f€, ð<N“@,μ,½,ç”A,»,ì’¼CEã,É”|—¹,μ,Û,·”B,±,ì,æ,π,È”é”‡,É”A[Wait For]ftfB”[f<”fh,ðŽg—p,·,é•K —v,², ,è,Û,·”B,±,è,É,æ,èŽ©CEÈ“WŠJfvf”fOf”%f€ ,í^êžžftfHf<f_“à,ìftf@fCf<,ð”í”œ,·,é’O,É”A[Command to issue],ÁŽw’è,³,é,½fvf”fOf”%f€ ,ð”A,»,μ,Ä [Waito for] ,ÁŽw’è,³,é,½ftf@fCf<,lŽÀ”s,²Š@— ¹,·,é,Û,Ä’O,¿,Û,·”B32frfbfgŽ©CEÈ“WŠJftf@fCf<,ð”i”¬,·,é”é”‡,íAŽ©CEÈ“WŠJftf@fCf<,É,»,ìŠ @—¹,ð’O,½,¹,½,çŽÀ”sftf@fCf<,ì-¼’O,ðŽw’è,μ,È,¬,é,Î,È,è,Û,¹,ñ”B<Z”p”I,È—” R,©,ç”A16frfbfgŽ©CEÈ“WŠJftf@fCf<,ð”i”¬,·,é,Æ,«,íAftf@fCf<-¼,Ä,í,È,f,fWf...”[f<- ¼,ð”Ý’è,μ,È,¬,é,Î,È,è,Û,¹,ñ”Bf,fWf...”[f<-¼,í,½,ç,Ä,ç”i•K, ,μ,à,»,π,Ä,í, ,è,Û,¹,ñ,²,»,ìftf@f Cf<-¼,Æ“¬,í,Ä,·”BŽÀ”sftf@fCf<,ìf,fWf...”[f<-¼,ðŠm,©,ß,é•ú- @,í^ê,Ä,Æ,μ,Ä,íAWindows95,ìfNfcfbfNfjf...”[.Ä,»,ìftf@fCf<,ð%o{—,μ,Ä,Ý,é,±,Æ,², ,°,ç,è,Û, ·”B

[’”] ,±,ìfìfvfvtf“ ,É,Ä,ç,Ä-â’è,²<N,«,½,Æ,«,íA•W”€CE^Ž©CEÈ“WŠJftf@fCf<,É,·,é,±,Æ,à^ê,Ä,ì %oðCE^•ú-@,Ä,·”B

☐Ý'èftf@fCf<

☐@,±,ìfpfìf<,É,ìŽO,Â,ì“ü—ìftfB☐ìf<fh,ª, ,è☐AZ©CEÈ“WŠJftf@fCf<,ì•\Ž!ŠÖCEW,ðCE^,ß,Ü,☐B

Dialog text file name

f_fCfAf☐fOf{fbfNfX,É•\Ž!,³,¹,é•¶Žš—ñ,ðŠÜ,ñ,¾ftf@fCf<-¼,ðŽw'è,µ,È,¯,ê,î,È,è,Ü,¹,ñ☐B,±,±
,Â,ìftf@fCf<“à,ìfefLfXfg•¶Žš—ñ,í”¾Šp,Â256•¶Žš^È“à,Â,☐B

Dialog icon filename

f_fCfAf☐fOf{fbfNfX,ìfAfCfRf“ ,ðŽw'è,Â,«,Ü,☐B,±
,ìftf@fCf<,íWindows•W☐€fAfCfRf“ftf@fCf<CE`Ž®,Â,È,ç,Æ,ç,¯,Ü,¹,ñ☐B,±
,ìCE`Ž®,ìftf@fCf<,íAWindows SDK•t'®,ìAppStudio☐AlmagEditfvf☐fOf%of€☐A, ,é,ç
,ìfT☐ìfhfp☐ìfefB,ì%œ'œfc☐ìf<,È,Ç,Â☐ì☐-,Â,«,Ü,☐B

About box text filename

[About] f{fbfNfX,Â•\Ž!,³,¹,é'Ç%oÁfefLfXfg,ðŠÜ,þftf@fCf<-¼,ðŽw'è,Â,«,Ü,☐B,±,±
,Â,ìftf@fCf<“à,ìfefLfXfg•¶Žš—ñ,í”¾Šp,Â256•¶Žš^È“à,Â,☐B

,±,ê,ç,ìfefLfXfgftf@fCf<,ð☐ì☐-, ,é•û-@,ì^ê,Â,Æ,µ,Ä,í☐F

☐E [Run Notepad],ðfNfŠfbfN,µ☐Af☐f, ' (Notepad),ð<N“@

☐E [•Ò☐W(E)]fvf<f_fEf“f☐ffj...☐[,Á [%oE'[,Á☐Ü,è•Ô,•(W)] ,ªf`fFfbfN,³,é,Ä,ç,È,¯,ê,î☐Af`fFfbfN, ,é☐B

☐E ☐s,ð☐Ü,è•Ô, ,½,ß,ì%ü☐s([Enter]),ð“ü,ê, ,É•¶Žš—ñ,ð“ü—í,µ,Ü,☐B,Â,Ü,è☐A☐ä,ìf☐☐ìfhf
%ofbfv<@”\,Â•¶Žš,ð☐Ü,è•Ô,³,¹,Ü,☐B<ó☐s,ð“ü,ê,½,ç,Æ,«,¾,¯ [Enter] fL☐[,ð%oÝ,µ,Ä
%oº,³,ç☐B,±,ì☐ê☐‡ [Enter] fL☐[,ð“ñ“x%oÝ,µ,Ü,☐B

☐E f☐f, ' ,ìfEfBf“fhfE,ìftfCfY,ð•î,ì,Ä,Ý,Ä☐ACE©%oh,ì,ì—Ç,çftfCfY,É,È,Á,½,Æ,±
,è,Äftf@fCf<,ð•Ü'¶,µ,Ü,☐B

,» ,ì¼,ìfìfvfVf#“

,±,ìfpfìf<,Á,íÈ%º,ìfìfvfVf#“ ,ðCE^ ,ß,Ü,·B

Use Ctl3D for 3D effects if available

□@Ž©CEÈ“WŠjftf@fCf<,Á3DCEø%ºÊ,ð¶¶¶¶,·,é,½,ß,ÉCTL3D.DLL,ðŽg,×
,×,«,©CE^ ,ß,Ü,·iWindows 95,“,æ,ÑWindows NT 4.0,í,±,ìfìfvfVf#“,²¶Ý’è,³,ê,Ä,ç,È,-
,Æ,àŽ©“@“I,É3DCEø%ºÊ,ð¶¶¶¶,·,µ,Ü,·¶j¶BCTL3D.DLL,í½,ìfAfvfŠfP¶[fvf#“,ÁŽg—
p,³,ê¶A3DCEø%ºÊ,ð¶¶¶¶,·,µ,Ü,·¶B,µ,½,²,Á,Äf^¶[fQfbfg,Æ,È,é½,ìfvfXfef€,É,±,ìftf@fCf<,², ,é
,Æ,¶,ì,ç,è,Ü,·B,±,ìfìfvfVf#“,²¶Ý’è,³,ê,Ä,ç,éè¶¶AWinZip,ÍCTL3DV2.DLL,ð“Ç,Ýž,à,×
,Æ,µ,Ü,·BCE©,Á,©,ç,È,,Ä,àCTL3D.DLL,ð“Ç,Ýž,à,×
,Æ,µ,Ü,·BCTL3D.DLL,²f^¶[fQfbfg,Æ,È,éfvfXfef€¶ã,Á“K³,É<@“\,·,é,©,Ç,×,©,íWinZip Self-
Extractor,É,í•ÜØ,Á,«,È,ç,±,Æ,É’¶Ó,µ,Ä%º,³,ç¶B,±,ìftfB¶[f<fh,ìfRf}f“fhf%ofCf“fìfvfVf#“,ì-
3,ÉŠ“- ,µ,Ü,·B

32-bit header

□@Ž©CEÈ“WŠjftf@fCf<,ð16frfbfg’í%ºž,É,·,é,©32frfbfg’í%ºž,É,·,é,©,ðCE^ ,ß,Ü,·B32frfbfg’í
%ºžŽ©CEÈ“WŠjftf@fCf<,íWindows 95, ,é,ç,íWindows NT¶ã,Á,µ,©“@¶ì,µ,Ü,¹,ñB,±
,ìfìfvfVf#“,ìfRf}f“fhf%ofCf“fìfvfVf#“,ì-standard,Æ-win32,ÉŠ“- ,µ,Ü,·B

Unzip automatically

□@Ž©CEÈ“WŠjftf@fCf<ŽÀ¶sŽž,ÉŽ©“@“I,Éftf@fCf<,ð“WŠJ,·,é,©,Ç,×,©,ð¶Ý’è,µ,Ü,·B,±,é,í -
auto fRf}f“fhf%ofCf“fìfvfVf#“,Æ“- ,¶,Á,·B,±,ì<@“\,ðŽg—p,·,éè¶¶,íA’¶Ó,µ,Ä,-
,¾,³,ç¶B,à,µ,»,ìftf@fCf<,ðfCf“f^¶[fìfbfg,âpfìfRf““ÊM,ÉfAfbfvf¶¶[fh,µ,æ,×
,Æ,“¶,ì,ìè¶¶AfvfXfef€ŠÇ—¶ŽÖ,²Afvf¶f“fvfg-
³,µ,Äftf@fCf<,ð“WŠJ,·,éftf@fCf<,ð<““Ü,·,é,©,à,µ,é,Ü,¹,ñB

Language

□@Ž©CEÈ“WŠjftf@fCf<,ð%ºpCEè”Á,É,·,é,©fhfCfcCEè”Á,É,·,é,©,ðCE^ ,ß,Ü,·B,±,ìf
%ofWfìf{f^f“,ìfRf}f“fhf%ofCf“fìfvfVf#“,ì-le ,Æ -lg ,ÉŠ“- ,µ,Ü,·B

InstallShield, İftf[fU[,Ö,İ' ^ Ó

[@\ftfgfEfffA,İfCf"fxfg[f<-p,ÉŽ©CEÈ"WŠJftf@fCf<,đİİ-,μA,È,"©,ÅSterling Software,İInstallShield 3A, ,é,ç,İInstallShield SDK EditionİMicrosoft,İVisual C++ ,Æ,Æ,à,É"z•z[j,©,çSETUP.EXE,đN"®,"³,¹,æ,ı,Æ,·,éİÉİİ,İA^È%º,İ' ^ Ó,đ,"Ç,Ý%º,³,çB

İE [@\ftfgfEfffA,İfCf"fxfg[f<-pŽ©CEÈ"WŠJftf@fCf<,đInstallShield,Æ,Æ,à,ÉŽg— p,·,éİÉİİ,İA,»İŽ©CEÈ"WŠJftf@fCf<"à,ÉInstallShield,İftf@fCf<,Å, ,é_ISDEL.EXE,đŠÜ,ı•K—v,², ,è,Ü,·B_ISDEL,İ'Éİİ,İAMicrosoft Visual C++İCD-ROM,É•t'®,·,éInstallShield SDK Edition,àŠÜ,ı,ÅAInstallShield 3.0,Åİİ-,³,é,é'S,Ä,İ"z•zfpfbfP[fW,İ^ê•" ,Æ,È,Ä,Ä,ç ,Ü,·B_ISDEL.EXE,İAInstallShield 2.x, ,é,ç,İWin32 SDK"à,İInstallShield SDK Edition,É,İŠÜ,Ü,è,Ä,ç ,Ü,¹,ñB],Ä,ÄA,±,è,ç,İCEÄ,çfo[fWfıf" ,İInstallShield,đŽg,Ä,ÄftfgfEfffAfcf"fxfg[f<- pŽ©CEÈ"WŠJftf@fCf<,đWinZip Self-Extractor,Åİİ-,·,é,±,Æ,İ,Ä,«,Ü,¹,ñB

İE [@\ftfgfEfffAfcf"fxfg[f<-pŽ©CEÈ"WŠJftf@fCf<,©,çInstallShield,İfZfbfgfAfbfvfvf[fOf%of€ ,đŽÄs,·,é,Æ,«,İAfrf}f"fhf%ofCf" ,İpf%of[f^ [,Å-ışield3,đŽg,ı,©A, ,é,ç,İAWinZip Self-ExtractorfEfBfU[fh,İ [Wait for]ftfB[f<fh,É'I,đY'è,μ,È, ,é,İ,È,è,Ü,¹,ñB[Wait for] ftfB[f<fh"à,İ'I,İ'Éİİ,İŽ©"®"I,É-,ı,ı,ç,è,Ü,·B,± ,İ'I,İA16frfbfgŽ©CEÈ"WŠJftf@fCf<,đİİ-,·,é,Æ,«,İ _DELISA,Ü,½32frfbfgŽ©CEÈ"WŠJftf@fCf<,đİİ-,·,é,Æ,«,İ_ISDEL,Æ,È,é,İ,·,Ä,·B

İE [@\InstallShield 3.0,É,æ,é"z•zftf@fCf<,đ^³k,È,μ,Åİİ-,μ,Ä,Ý,Ä%º,³,çİicompRf}f"fh,Å- snfXfCbf` ,đŽg,ıjB,»ı,μ,Ä,» ,é,ç,İftf@fCf<,đÄ,İ³k"x,ÅZIP^³k,μ,Ä %º,³,çB"z•zftf@fCf<,É,æ,è,Ü,·,²A,± ,é,É,æ,èA,æ,èİ-,³,ÈftfCfY,İŽ©CEÈ"WŠJftf@fCf<,²,Ä,« , ,²,è,Ü,·B—á,İAWinZip 6.1,İ•]ºo İ"Ä,İftf@fCf<,đicomp,Å³k,μ,½İÉİİA³k,μ,½ftf@fCf<,İftfCfY,İAicomp^³k,đ•t, ,È,ç ,Æ,« ,æ,è,à12fp[fZf"fg'â,« , ,È,è,Ü,·B

['] InstallShield ,İInstallShielf Software Corporation ,İı•W,Ä,·B

WinZip Self-Extractor, ì“o~^

□@□Š‘®-¼,Æ“o~^”Ô□t,ð□³Šm,É“ü—í,μ,Ä%°°³,ç□BfXfyf<,»),ì¼,ð•î□X,μ,Ä“ü—
í,Ä,«,Ü,¹,ñ□BfXfyf<~fX,È,Ç,Ä,â,þ,ð“¾,È,ç•î□X,ì•K—v,², ,é,Æ,«,í□

AP&AfVfFfAfEfFfA,Ü,Ä•î□XCEã,ì□î•ñ,ð’m,ç,¹,Ä,,¾,³,ç□B,»,»,.,é,Æ□V,μ,ç“o~^”Ô□t,²”-
□s,³,ê,Ü,·□B

□@, ,È,½,²f°°fCfZf“fX,ðŽ□,Á,Ä,ç,éWinZip Self-

Extractor,Á□î□-,³,ê,½Ž©CEÈ“WŠJftf@fCf<,²<N“©,μ,Ä,ç,é,Æ,«,ìf□fCf“fEfBf“fhfE□ã,É,í, ,È,½,ì’g□
D-¼,²•\Ž|,³,ê,Ü,·□B

• **W**€CE^,Æf\ftfgfEjFfAfCf“fXfg□[f<—pCE^,Æ,ì‘š^á“_

• W €CE^	f\ftfgfEjFfAfCf“fXfg□[f<—p
Žó, ~Žæ,Á,½□I,ª“WŠJ□æftfHf<f_,ð• ,Á,«,é ì□X,Á,«,é	,Á,«,È,ç□G^èžžftfHf<f_,ª□ì□—,³,è□ACEã,Á□í□ œ,³,è,é
Žó, ~Žæ,Á,½□I,ª“WŠJ□ì<ÆCEã,ÉfRf ,Á,«,é }f“fh,ðŽA□s,·,é,©,Ç,κ,©,ð‘I,Ö	,Á,«,È,ç□G“WŠJ□ì<ÆCEã,í□í,É□Y’è,³,è,½fRf} f“fh,ªŽA□s,³,è,é
Žó, ~Žæ,Á,½□I,ªftf@fCf<,ðŽ©“@“I, ,Á,«,é É□ã□‘,«,·,é,æ,κ,É,·,é,©,Ç,κ ,©,ð‘I,Ö	“K— pŠO□G,È,º,È,çftf@fCf<,í□V,½,É□ì□—,³,è,½^è ŽžftfHf<f_,Ö“WŠJ,³,è,é,©,ç
Ž©CEÈ“WŠJftf@fCf<,ªŽA□s,³,è,é,Æ,³,è,é f\fvfvf†f“,ì^¥ZAf□fbfZ□[fW,ª•\ Žì,³,è,é	,³,è,É,ç
MS-DOS,“,æ,ÑWindows‘í%œž”Á,ª %œÁ”\ %œÁ”\ 16frfbfgWindows”Á,ª%œÁ”\ 32frfbfgWindows”Á,ª%œÁ”\ fhfCfcCEè,“,æ,Ñ%œpCEè”Á,ª%œÁ”\ “WŠJ,³,è,½ftf@fCf<,ÍŽ©“@“I,ÉfRf ,³,è,É,ç }f“fh□I—¹CEã,É□í□œ,³,è,é f_fCfAf□fOfefLFXfg,ÆfAfCfRf“,ªY •s%œÁ”\ 'è%œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”	•s%œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”\ %œÁ”

□@•W€“I,ÈŽ©CEÈ“WŠJftf@fCf<,ð□ì□—,·,é,É,í□A“ñ”Ô-
 Ú,ìfEfBfU□[fhfpfif<,Á□u•W€CE^Ž©CEÈ“WŠJftf@fCf<□v(Standard Self-Extractor)f
 %œfWfif{f^f“,ð‘I’ð,μ,Á%œº,³,ç□BfRf}f“fhf%œofCf“fpf%œof□□[f^□[,ðŽg,Á,Ä,ç,é,Æ,«,í□A-
 setupXfCfbf^,ðY’è,μ,È,çCEÀ,è□A•W€CE^Ž©CEÈ“WŠJftf@fCf<,ª□ì□—,³,è,Ü,•□B
 f\ftfgfEjFfAfCf“fXfg□[f<—pŽ©CEÈ“WŠJftf@fCf<,ð□ì□—,·,é,É,í□A“ñ”Ô-Ú,ìfEfBfU□[fhfpfif<,Á□u\
 ftfgfEjFfAfCf“fXfg□[f<—pŽ©CEÈ“WŠJftf@fCf<□v(Self-Extractor for Software Installation)f
 %œfWfif{f^f“,ð‘I’ð,μ,Á%œº,³,ç□B, ,é,ç,í□AfRf}f“fhf%œofCf“fpf%œof□□[f^□[,ðŽg—p,μ,Á,ç
 ,é,Æ,«,í□A-setupXfCfbf^,ðY’è,μ,Á%œº,³,ç□B

ŠÖ~A€-Ú
“ñŽì—p,ìŽ©CEÈ“WŠJftf@fCf<

osada

version 1.0 1997-06-20

version 1.1 1997-06-20 Expression Fix

version 2.1 1997-08-22 Version up to 2.1

