


1«¼± ÅåÄ; | ç¬°áÇĪ·Á, é

1. ÀĪ÷À»  ç¬° çĪ½° μĪĪ Åæ, | ç±ĪĪÙs

2. 1«¼± ÅÇÀ» ç©, ĪĪÙ.

3. ç¬°áÀ» ç©, ĪĪÙ.

1«¼± Áöçø çĪý»ç°; Ç×½ÄμĒĪĪÙ.

4. 1«¼± ÅåÄ; | ç©½Ä¹öç; ç¬°áÇĪ·Á, é çĪý»çÇÇ Áö½Ä; | μĪĪĪĪ.

---

{button ,AL(`cordtabmouse;cordtabkey')} ü·Ä ÁÖÁ!

**1«¼± ÅÇ Å°μ**

Å°μ μί·Í Áπ°ÀÇ 1«¼± ÅÇÀ» »çìëÇì© Å°μμâçí , ®½Ã¹ö »çÀìÀÇ Åè½ÅÀ» Àç¼³ÁπÇÒ ¼ö ÀÖ½À´Í·Ù.  
¶ÇÇÑ Å°μμâÇ 1èÁí , ® ·¹§Å» È®ÀÍÇÍ°í Windows ÀÙ¾÷ Ç¥½ÃÁÙ; Num Lock, Caps Lock 1× Scroll Lock  
¾ÆÀìÄÜ» Ç¥½ÃÇÒ ¼ö ÀÖ½À´Í·Ù.

ÁÖ:1«¼± ÅÇÀ° »çìëÄÜ;°Ô LogitechÀÇ ìø·; 1«¼± μ¥½°Å©Å¾¼ ½Ã½°ÅÙ ÁΒ Çí³°; ÀÖ°í  
ÄÄÇ»Áí; , ®½Ã¹ö°; °íÄøμÇ¾î ÀÖÀ» °æì Å°μμâ μί·Í Áπ°;ç; ¾Å, ¾¾´Í·Ù. iTouch ¼ÒÇÁÆ® ìþ¾î°; ¼³Ä;μÈ  
iTouch Å°μμâ ,; »çìëÇÍ´Å °æì Àì ÅÇÀ° ¾Å, ¾ÅÁö ¾È½À´Í·Ù.

---

{button ,AL(` cordtabmouse;cordconnect')} °ü-Ã ÁÖÁì

1«¼± ÅÇ ,¶¿½²

,¶¿½² µî·Ā Áæº,ÀÇ 1«¼± ÅÇÀ» »ç¿ëÇĪ¿© ,¶¿½²¿Ī ,®½Ā¹ö »çÀĪÀÇ Åë½ĀÀ» Àç¼³ÁæÇÒ ¼ö ÀÖ½Ā ĀĀĀ.  
¶ÇÇŃ 1«¼± ,¶¿½²ÀÇ ¹èĀĪ,® ·¹şÀ» È®ĀĪÇÒ ¼ö ÀÖ½Ā ĀĀĀ.


ĀÖ:ĀĪ ÅÇÀº »ç¿èĀÚÀÇ ĀĀÇ»ĀĪ¿Ī 1«¼± ,¶¿½²¿Ī ,®½Ā¹öºĪ ¹ĪĀøµÇ¼Ī ĀÖĀ» °æ¿Ī ,¶¿½² µî·Ā Áæº,¿Ī ³²Ā,³³  
ĀĀĀ.

---

{button ,AL(` cordtabkey;cordconnect')} °ü·Ā ĀÖĀ!

„Œ®•Œ¼Ä» ¼±ÄÄÇİ•Ä,é

½Ä½ÄÛ¿; µÑ Àì»óÄÇ „Œ¼½º; ¿¬°ámÇ¾âî ÄÖ´Ä °æ¿ì, ¾âŒ¿ „Œ¼½º; È°¼º „Œ¼½ºÄîÄö ÇŒ½ÄÇò ¼ö ÄÖ½Ä´Û.

1. Äì÷Ä» ´¬ „Œ¼½º µî´İ Äæ„Œ¼½º; ¿±´Û.

2. ÄâÄ; ÄÇÄ» ´©´Û.


3. ÄâÄ; Äæ„Œ¼½º; ±¿¿¿; ÄÖ´Ä µâ•Ó´Û¿î „ñ•İ¿¼ „Œ¼½º; ¼±ÄÄÇÖ´Û.

4. È®ÄîÄ»´¬ ¼±ÄÄ»çÇ×Ä» ±â•İÇÖ´Û. „Œ¼½º µî´İ Äæ„Œ¼½º; °¬°æÇİ,é ¼±ÄÄµÈ „Œ¼½º¿; Äû¿ëµÈ´Û.

---

{button ‚AL(`devicestab;addmouse;aboutautodetect')} °ü•Ä ÄÖÄ;

**‘ÜÄß,ı ÄöÁπÇİ·Á,é**

1. Àì°+À»  ‘·- ‚ŋłì½º mí·İ Áπº,ı Ç¥½ĂÇŎ İ‘Ù.
  2. ‘ÜÄß ÄÇÀ» ‘© ‚ İ‘Ù. ÇöÄÇÄÇ ‘ÜÄß ÄöÁπ»çÇ×Àì Ç¥½ĂμĒ İ‘Ù. °ç ‘ÜÄßłı ‘ëçø, μă·Ó ‘Ùłı ŋ·İÄº »çłĕ °ı ‘ÉÇŇ ±â‘ÉÀ» Ç¥½ĂÇŎ İ‘Ù. Àì ±â‘ÉÀ» ‚ŋłì½º ‘ÜÄß³ª ÈÙ ‘ÜÄßłı ÄöÁπÇŎ ¼ö ÄÖ½Ä İ‘Ù.
  3. ¾Æ·ı È»ıç¥,ı ‘·- ±â‘É ‚ñ·İÄ» Ç¥½ĂÇŎ İ‘Ù. Àìμł Ç¥½ĂĂÙÀ» »çłĕçİł © Ç¥½ĂμÇÁö ¾ÉÄº ‘Ù, ¥ ±â‘ÉÀ» ¼¼ ¼ö ÄÖ½Ä İ‘Ù. łøçİ‘Á ±â‘ÉÀ» ‘·- ¼±ĂĂÇŎ İ‘Ù. ¼±ĂĂÇŇ ±â‘ÉÀì Ç¥½Ăμç‘í °Áŋ Ç¥½ĂμĒ İ‘Ù.
  4. łÉ¼ÇÀ» ‘·- AutoScroll, Universal Scroll, HyperJump ¹× CyberJumpÀ» Æ÷ÇŎÇŇ ÆˉÁπ ‘ÜÄß ÄöÁπ łı ‘ëçŇ ¼³ÁπÀ» ÄöÁπÇŎ İ‘Ù. ‚ŋłì½º ‘ÜÄßłı ÀìμĒÀ» ÄöÁπÇŇ °æłłıı, Àì łÉ¼Çłı ‘ëçŇ ¼³ÁπÀ» ÄöÁπÇŎ ¼ö ÄÖ½Ä İ‘Ù.
- ÄÖ:** ‘ÜÄß ÄöÁπłı Äßºı ¼³ÁπÀ» »çłĕ °ı ‘ÉÇŇ °æłłı ÄöÁπ łıłı °ç¥ºı Ç¥½ĂμĒ İ‘Ù. łÉ¼Ç ‘ÜÄß łıłı ‘Ä Ç×»ó °ç¥ºı Ç¥½ĂμĒ İ‘Ù. Äßºı ‘ÜÄß ¼³ÁπÀ» Ç¥½ĂÇİ·Á,é łÉ¼Ç ‘ÜÄß,ı ‘© ‚ İ‘Ù.
5. ‘ÜÄß ÄöÁπ ¼³ÁπÀ» łİ·áçŇ ÈÄłı, È©ÀİÄ» ‘·- ¼±ĂĂÀ» ÁúĂăÇŎ İ‘Ù.
- ÄÖ:**»çłĕ °ı ‘ÉÇŇ ‚ŋłì½º ‘ÜÄß Áß Àù¾ıμμ çİ³ªłı ‘© ‚,ı±â/¼±ĂĂ ±â‘ÉÀ» ÄöÁπÇø¾ß ÇŎ İ‘Ù.


---

{button ,AL(` buttonstab;buttonopt;aboutautoscroll;aboutcyberjump;abouthyperjump;aboutuniscroll;ab  
outscroll;aboutbuttonassn')} °ü·Ă ÄÖÄ!



**ζβ¼ÖÄâÀì ÁÙμζÀ» ÄŞÇØ , ¶ζì½º, | ¼³ÁπÇí·Á, é**

ºü, ¥ ¼³Ä; ÅÇζ;¼, ¶ζì½º ¼³Ä; , ¶¹ý»ç, | ½ÇÇàÇí°Á³ª, 'ÜÄß ÅÇζ;¼, ¶ζì½º 'ÜÄßζ; ÁöÁπμÉ ±â´ÉÀ»  
º°æÇíζ© ζβ¼ÖÄâÀìè, ¶ζì½ºζíÆ®·çº¼Ä» ¼³ÁπÇò ¼ö ÀÖ½Ä´í'Ù.

1. Àì÷À»  '·, ¶ζì½º μí·í Áπº, | Ç¥½ÃÇÕ´í'Ù.

2. 'ÜÄß ÅÇÀ» '©´´í'Ù.

3. ζÀ, ¥ÄÊ 'ÜÄßÀÇ μâ·Ó 'Ùζí, ñ·íζ;¼, '©, £±â/¼±ÄÄ ÁöÁπÀ» ¼±ÄÃÇÕ´í'Ù. ζβÄÊ 'ÜÄßÀÇ μâ·Ó  
'Ùζí, ñ·íζ;¼, ¹®ÁÙζ, β'º/'ëÄ¼ ¼±ÄÄ ±â´ÉÀ» ¼±ÄÃÇÕ´í'Ù.


4. Ê®ÁíÀ» '·, º°æ»çÇ×À» ±â·íÇÕ´í'Ù.

**ÁÖ:**ζβ¼ÖÄâÀìè, ¶ζì½º, | ¼³ÁπÇò ¶§, ¶ζì½ºÀÇ ¹æÇâμμ Á¶ÁπÇØ¾ß ÇÕ´í'Ù.

---

{button ,AL('orient;buttonstab;orienttab')} ºü·Ä ÁÖÁì

**μί 1ø '©, f±â Å, Àì¹ÖÅ» Å¶ÅπÇí·Á, é**

1. Àì¹+À»  '·- , ¶ì¹½º μí·í Åπº, ,! Ç¥½ÃÇÕ 'í'Ù.

2. 'ÜÃß ÅÇÀ» '©, " 'í'Ù.

3. ¿É¼Ç 'ÜÃß, ! '©, " 'í'Ù.

4. μί 1ø '©, f±â Å, Àì¹Ö ÅÇ¿¼, μί 1ø '©, f±â ¼Óμμ, ! °¼Ö½ÃÅ°·Á, é ½½¶óÀì'ö, ! ¿PÂÊÀ, ·í²øí, μί 1ø '©, f±â ¼Óμμ, ! Åð°;½ÃÅ°·Á, é ½½¶óÀì'ö, ! ¿A, ¥ÃÊÀ, ·í²ü 'í'Ù.

5. ¶Ç'Á 'ÜÃß¿μί 1ø '©, f±â, ! ÅöÅπÇí¿ © ÇÑ 1øÅÇ " '©, f±â "·í μί 1ø '©, f±â, ! ¼öÇàÇÒ ¼ö ÀÖ½À 'í'Ù. 'ÜÃß ÅÇÀ» »ç¿ëÇí¿© , ¶ì¹½º 'ÜÃß¿ì ±â'ÉÀ» ÅöÅπÇÕ 'í'Ù.


**Åü°í:** Å×½ºÆ® ¿μ¿³À» μί 1ø '·- ¼Óμμ, ! Å×½ºÆ®Çí½Ê½Ã¿À.

---

{button ,AL(' buttonstab;aboutdoubleclick')} °ü·Ã ÁÖÁ¿



## Ä½ ¼Óμμ, ÁÁÇĪ·Á, é

1. À°÷À»  '·, ¶½º μĪ·Ī Áæ, Ç½ÄÇÕ Ī'Û.


2. μĪÀÛ ÄÇÀ» '© 'Ī'Û.

3. Ä½ ¼Óμμ, Á°;½Ä°·Á, é, ¼Óμμ ½½¶óÀ'ð, ĪÀ, ¶ÄÈ, Ī ÀμÇĪ°Ī, Ä½ ¼Óμμ, °½Ö½Ä°·Á, é, ½½¶óÀ'ð, ĪPÄÈ, Ī ÀμÇĪ°Ī'Û.

---

{button ,AL(` cursoracc;motiontab;aboutspeak;aboutcursoracc')} °ü·Ä ÄÖÄ!

## Ä½ °¼ÖÈ,ı ÁıÁπÇİ-Á,é

1. À!÷À»  '·- ,ııı½º μı·İ Áπº,ıı Ç¥½ÃÇÕ İ'Ù.

2. μıÁÙ ÁÇÁ» '©,ıı'İ'Ù.


3. °ı¼ÖÈ ±,ııı¼, °ı¼ÖÈ ıÉ¼Ç Áß Çİ³º,ıı '©,ıı'İ'Ù.

---

{button ,AL(` cursorspeed;motiontab;aboutspeak;aboutcursoracc')} ü·Ä ÁÖÁ!



## Ä½ ÄÜÄë, »çzëÇĪ·Ä,é

1. Àì°÷À»  '·- ,ϱzì½º μí·Ī Äπ, »! Ç¥½ÄÇÕ 'Ī'Û.

2. μzÄÜ ÄÇÄ» '©, 'Ī'Û.

3. ÄÜÄë ±, z²zì½, È®ÄĪϱöÄ» '·- ÄÜÄë zÉ½ÇÄ» È°½ºÈÇÕ 'Ī'Û.


4. ÄÜÄë ±æÄĪ, ! Áð°:½ÄÄ°·Ä,é, ÄÜÄë ½½ϱóÄĪ'ö, ! zÄ, ¥ÄÊÄ, ·Ī ÄĪμzÇĪ'í, ÄÜÄë ±æÄĪ, ! °°½º½ÄÄ°·Ä,é, ÄÜÄë ½½ϱóÄĪ'ö, ! zPÄÊÄ, ·Ī ÄĪμzÇÕ 'Ī'Û.

**ÄÖ:**Ä½ ÄÜÄë Ä Windows 95zì Windows 98zì½, »çzëÇÖ ¼ö ÄÖ½Ä'Ī'Û. Windows NT 4.0, Windows 2000 ÄĪ»ózì½ Ä Ä½ ÄÜÄë, »çzëÇÖ ¼ö ¾¼ø½Ä'Ī'Û.

---

{button ,AL(` abouttrails;motiontab')} °ü·Ä ÄÖÄ!

½°Á©·Ñ,μÁ» ¼³ÁπÇí·Á,é

1. Àì÷À»  '·,¼ì½º μí·í Áπ,¼ Ç¥½ÃÇÕ 'í·Ù.

2. 'ÜÃß ÁÇÀ» '©, 'í·Ù.

3. ¼ì½º 'ÜÃß³ª ÈÙ 'ÜÃß; À 'í·ö¼³ ½ºÁ©·Ñ ¼Ç'Á ÀÚμ; ½ºÁ©·ÑÀ» ÁöÁπÇÕ 'í·Ù.

**ÁÖ:** ¼ì½º 'ÜÃß³ª ÈÙ 'ÜÃß; À 'í·ö¼³ ½ºÁ©·Ñ ¼Ç'Á ÀÚμ; ½ºÁ©·ÑÀ» ÁöÁπÇÕ ¼ö ÀÖ½Á 'í·Ù. ¼ì½º ÈÙÁº ¼öÆè ¹× ¼öÁ÷ ½ºÁ©·Ñ, ¼öÇàÇÕ 'í·Ù.

4. ÈÙ ¼ì½º, °;Áö°í ÀÖ°í Microsoft Office È£È<sup>-</sup> ½ºÁ©·Ñ Àü;ëÀ» »ç;ëÇí·Á,é Àì ;É¼ÇÀ» ¼±ÁÃÇÕ 'í·Ù.

ÈÙÀì ¾ø'Á, ¼ì½º, °;Áö°í ÀÖ°í Àì ;É¼ÇÀ» »ç;ëÇí·Á,é, ;É¼Ç 'ÜÃß, '©, ¥ 'ÜÁ½, Ç¥½ÃμÈ 'ëÈ »óÁÚ;¼ ÀÚμ; ½ºÁ©·Ñ ÁÇÀ» ¼±ÁÃÇÕ 'í·Ù. ÀÚμ; ½ºÁ©·Ñ ÁÇ;¼, Microsoft Office È£È<sup>-</sup> ½ºÁ©·Ñ Àü;ëÀ» ¼±ÁÃÇÕ 'í·Ù.


5. Áß°; À 'í·ö¼³ ½ºÁ©·Ñ ¼Ç'Á ÀÚμ; ½ºÁ©·Ñ ;É¼ÇÀ» Ç¥½ÃÇí·Á,é ;É¼Ç 'ÜÃß, '©, 'í·Ù.

**ÁÖ:** Microsoft\_Office(TM) È£È<sup>-</sup> ÀÀ;ë ÇÁ·Í±×·¥Á» »ç;ëÇí·Á °æ;ì, ½ºÁ©·Ñ,μÁ» 'ö °íμå·'°Ô Çí±â ÀŞÇØ Microsoft Office È£È<sup>-</sup> ½ºÁ©·ÑÀ» »ç;ëÇÕ ¼ö ÀÖ½Á 'í·Ù. ¼ì½º μí·í Áπº,ÁÇ 'ÜÃß ÁÇ;¼ Àì ±â'ÉÀ» ¼±ÁÃÇÕ ¼ö ÀÖ½Á 'í·Ù.

---

{button ,AL(` buttonstab;aboutuniscroll;aboutautoscroll;aboutscroll!')} °ü·Á ÁÖÁ!

**Æ÷ÀÌÁÍ ð¾çÀì³ª ùÇüÀ» °°æÇİ·Á,é**

1. Àì°÷À»  '·, ùìì½º ìí·İ Áæº, Ç¥½ÃÇÕ 'İ'Ù.

2. Æ÷ÀÌÁÍ ÆÇÀ» '©, 'İ'Ù.

3. ÇÑ¹øìì ðµç Æ÷ÀÌÁÍ, °°æÇİ·Á,é, ±, ¼ºÇ¥ ðñ·İì½¼ ù·±, ¼ºÇ¥, ¼±±ÃÇÕ 'İ'Ù.  
ÇÑ Æ÷ÀÌÁÍ, °°æÇİ·Á,é, ÇØ'ç Æ÷ÀÌÁÍ, '©, £'í, Å£¾Æº, ±â, '©, ¥ 'ÙÀ½, »çìèÇİ·Á'À  
Æ÷ÀÌÁÍÀÇ ÆÄÄİ Àì, ŞÀ» ìí¹ø '©, 'İ'Ù.

**ÁÖ:** ±, ¼ºÇ¥'À »çìè °ì'ÉÇÑ ùìì½º Æ÷ÀÌÁÍÀÇ ÁýÇÖÀÖ 'İ'Ù. °ç Æ÷ÀÌÁÍÀÇ ð¾çÀì Windowsº; ¼öÇà  
ÁßÀİ ÀÛ¾÷, ùÇ'À ÁÖ¾îÁØ È°æçì½¼ ¼öÇàÇÖ ¼ö ÀÖ'À ÀÛ¾÷÷À» ³²Å, ³»'À ½Å°çÀÛ Ç¥½ÃÀÖ 'İ'Ù

**Äü'í**

- ±âº»ÀÛÀ, İ, Windows, ¼³Ä;Çİ'À ìç¾È Á;ÇÑµÈ ùìì½º Æ÷ÀÌÁÍ ±, ¼ºÇ¥, ¼³Ä;µÈ 'İ'Ù.
- çøÇİ'À ù, ÅÇ Æ÷ÀÌÁÍ, »çìèÄÛ ÁæÇÇÑ 'ÙÀ½, 'Ù, ¥ Àì, ŞÀ, İ ÀúÀâÀ» '· »ð ±, ¼ºÇ¥'İ ÀúÀâÇÖ  
¼ö ÀÖ½À 'İ'Ù.
- Æ÷ÀÌÁÍ ±, ¼ºÇ¥, İ Áì°ÆÇİ·Á,é, ±, ¼ºÇ¥ ðñ·İì½¼ ÇØ'ç ±, ¼ºÇ¥, '©, ¥ 'ÙÀ½, »èÀì, '©, 'İ'Ù.

---

{button ,AL(` pointerstab;aboutpointer')} °ü·Ã ÁÖÁ!

**» ð, ¶½¹²³³³³ Æ®·¢³¼Å» Åß°;ÇĪ·Á, é**

1. PS/2, ¶½¹²º, ¶¼³Å;ÇĪ·Á °æ; ÅÄÇ»ÁÍÄÇ ÀÜ;ØÀ» ²ð¹²Ë¹²Å;.

°æ°:Æ÷Æ®°; ¶¼Õ»óµÉ ¶¼ö ÀÖÀ, ¹Ç·Ī ÅÄÇ»ÁÍ°; ÄÑÁ® ÀÖÀ» ¶§, ¶½¹²º, PS/2 6ÇÉ, ¶½¹²º Æ÷Æ®; ²È°Á³³³ »© Áö, ¶½¹²Ë¹²Å;.

2. ¶½¹²º, ÅÄÇ»ÁÍÄÇ PS/2ÇÜ 6ÇÉ, ¶½¹²º Æ÷Æ®³³³, 9ÇÉ Á÷·Ä Æ÷Æ® ¶Ç·Ä USB Æ÷Æ®; Ì-°áÇÕ Ī·Ù. 25ÇÉ Á÷·Ä Æ÷Æ®, »Ç;ëÇø³/ß ÇĪ·Á °æ;ì, ÀÙÁÝÇÑ ¾áĪ·Ä; ¶½¹²º Çø³/ß ÇÕ Ī·Ù.

¾áĪ·Ä; »Ç;ëÇĪ·Á, é, ¶½¹²º³³³ Æ®·¢³¼ ÅÉÀ;°íÀ» ²ÈÀ° ÒÙ¹² ¾áĪ·Ä; ÅÄÇ»ÁÍ; ²È¹²Ä Ī·Ù. ÄĪ°Ī ¶½¹²ºÄÇ °æ;ì PS/2, ¶½¹²º Æ÷Æ®, ¶¼³Å;ÇĪ·Á, é, ¶½¹²º ÅÉÀ;°íÀ» ÅÄÇ»ÁÍ; Ì-°áÇĪ±à ÀÜ; 9ÇÉ Á÷·Ä Æ÷Æ® ¾áĪ·Ä; Á;°ÁÇø³/ß ÇÕ Ī·Ù.

3. ÅÄÇ»ÁÍ; ÄÕ Ī·Ù.

4. ÀĪ÷À» ¶½¹²º µĪ·Ī Áµ, ¶½¹²º Ç½¹²ÅÇÕ Ī·Ù.

5. Åå; ÄÇÀ» °©, Ī·Ù.

6. »Ç;ëÇĪ·Á Ì;µ Å¹/²; µÜ¶ó ÒÙ¹² ÒÙ°è, ¶¼öÇàÇÕ Ī·Ù.

Windows 95/Windows 98 ¹/²Å¹²ºÅÜ;¹/²·Ä Åå; Åß°; ÒÜÄß; Ī·Ù MouseWare°; ¹/²Å¹²ºÅÜ; °íÄøµÈ, ¶½¹²º, Äç°°ÁöÇĪµµ·Ī ÇÕ Ī·Ù.

Windows NT 4.0 ÀĪ»ó;¹/²·Ä Åå; °°æ ÒÜÄß; Ī·Ù, ¶½¹²º, Äç°°ÁöÇĪµµ·Ī ÇÕ Ī·Ù.

Windows 2000;¹/²·Ä Åå; Åß°; »Ç;ëÇø ÇÉ;æ°; ¾ø¹/²Ä Ī·Ù.

Windows 95/Windows 98;¹/²·Ä ¹/²Å¹²ºÅÜ» ¹/²ÇÇàÇĪ, é¹/² ÒÙ, ¶½¹²º, Åß°;Çø ¹/²ö Åö¹/²Ä Ī·Ù. °É ÒÜÈ÷ »ö Åå; ¹/²³Å;ÇĪ°í Åå; Åß°; ÒÜÄß; °©, ¶½¹²º MouseWare°; ¹/²Å¹²ºÅÜ; °íÄøµÈ, ¶½¹²º, Äç°°ÁöÇÕ Ī·Ù.

Windows NT 4.0 ÀĪ»ó;¹/²·Ä ±³È-Çø, ¶½¹²º; »Ç;ëÇÑ Æ÷Æ®; µ;ÄĪÇÑ Æ÷Æ®, »Ç;ëÇĪ°í ÄÕ Ī·Ù, é ÅÄÇ»ÁÍ°; ¹/²ÇÇà ÁßÁĪ µ;¾È ÇÑ, ¶½¹²º, ÒÙ, ¶½¹²º, ±³È-Çø ¹/²ö Åö¹/²Ä Ī·Ù. (ÄĪÀÜ; ÄöÁµÇÁö ¾ÈÄ°) »ö Æ÷Æ®, »Ç;ëÇĪ·Á, é Åå; ¹/²³Å;ÇĪ ÒÙ¹² Åå; °°ÁöÇĪµµ·Ī ¹/²Å¹²ºÅÜ» ÒÙ¹² °íÆ®Çø³/ß ÇÕ Ī·Ù.


Windows 98 ¹× Windows 2000;¹/² »ö USB; Åß°;ÇĪ·Á, é »Ç;ë °; ÉÇÑ USB Æ÷Æ®; Ì-°áÇÕ Ī·Ù. MouseWare·Ä »ö, ¶½¹²º, ÄÜµ;·Ī °°ÁöÇÕ Ī·Ù.

---

{button ,AL('selectmouse;setupmouse;devicestab')} °Ü·Ä ÁÖÁ!

„Œ®•œ¼Ä»¼³ÁœÇİ·Ä,é

„Œ¼½¼ ÄÄÇ»Äİ; ĩ¬°áÇÑ ÈÄİ, ÄÄÄ; ¼³Ä; „Œ¹ý»ç,¼ ½ÇÇàÇİ© Á;ÁŒÈ,»ç ±ÇÄâ ¼³ÁœÄ» »ç;ëÇİ© ½Ä¼ÓÇİ°Ö ¼³Ä;ÇÖ ¼ö ÀÖ½Ä´Í´Ù.

1. Äì÷Ä»  ´¬ „Œ¼½¼ µ·İ Áœ¼,¼ Çœ½ÃÇÖ´Í´Ù. œü,œ ¼³Ä; ÄÇÄì Çœ½ÄµÈ´Í´Ù.
2. ÄÄÄ; ¼³Ä; ´ÜÃß,¼´© „Œ´Í´Ù.
3. È,éÄÇ Áö½Ä»çÇ×Ä» µü,´´Í´Ù.


---

{button ‚AL(`quicksetup;selectmouse;addmouse')} °ü-Ã ÄÖÄ!



**ÀÛ¼÷ Ç¥½ÄÄÛ¿; MouseWare ¾ÆÀÏÄÜÀ» Ç¥½ÄÇÏ·Ä,é**

±âº» Windows ÀÛ¼÷ Ç¥½ÄÄÛ¿; MouseWare ¾ÆÀÏÄÜÀ» Ç¥½ÄÇÏ¿© ,¶¿½º µí·Ï Á±º,¿; ½±ºÔ Áç±ÙÇÒ ¼ö ÀÖ½Ä´ÏÛ.

1. ÀÏ÷À»  ´· ,¶¿½º µí·Ï Á±º,¿; Ç¥½ÄÇÏ´ÏÛ. ºü, ¥ ¼³Ä; ÅÇÀÏ Ç¥½ÄµË´ÏÛ.
2. "ÀÛ¼÷ Ç¥½ÄÄÛ¿; ¾ÆÀÏÄÜ ¾Ä,¾»±â" »óÀÛ,¿; ´©,¥ ´ÙÀ½, È®ÀÏÀ» ´©,´´´ÏÛ.
3. ÀÛ¼÷ Ç¥½ÄÄÛ¿; ¾ÆÀÏÄÜÀÏ Ç¥½ÄµÇ,é, ¾ÆÀÏÄÜÀ» ´· ,¶¿½º µí·Ï Á±º,¿; Áç±ÙÇÒ ¼ö ÀÖ½Ä´ÏÛ.
4. ÀÛ¼÷ Ç¥½ÄÄÛ¿;¾ ¾ÆÀÏÄÜÀ» ÁÏ·ÄÇÏ·Ä,é, ,¶¿½º ¿Ä,¥ÂË ´ÜÄ·Ï ¾ÆÀÏÄÜÀ» ´©,£ºí ¾ÆÀÏÄÜ ¼û±èÀ» ¼±ÄÄÇÏ´ÏÛ.

---

{button ,AL(`quicksetup')} ºü·Ä·ÄÖÀ!

## Ä½ °½ÖÈ

°½ÖÈ´Ä »çzëÀÚ°; ¾ó, ¶³² »i, ®, ¶½²º, | zòÁ÷Àì´Ä °;zi μû¶ó ÄÄÇ»Äí, ð´íÄí;½ Ä÷ÀìÄí°; ÀìμzÇí´Ä  
½Óμμz´°Ä, ®, | °áÄπÇÖ´í´Ù. °½ÖÈ, | Ä¶ÄπÇí, é Ä÷ÀìÄíÄÇ zòÁ÷ÀÓz; Äπ¹Ðμμz´Ä½², | Äß°;ÇÒ ½ö  
ÄÖ½Ä´í´Ù. °½ÖÈ´Ä ²´´Äü, ³·Ä½, Äß°£, ³ðÄ½ Äßz;½ ½±ÄÄÇÒ ½ö ÄÖ½Ä´í´Ù. °½ÖÈ°; ³ðÄ, é, ¶½²º, |  
´ð »i, ® ÀìμzÇÒ ¶§ Ä÷ÀìÄí°; ´ð, ¹Äº °Ä, ®, | ÀìμzÇí´Ö μÉ´í´Ù.

{button ,Jl(`lmouse.hlp>proc4', `cw\_adjusting\_pointer\_acceleration\_jt')}} æ¹ý ...

---

{button ,AL(`cursorspeed;aboutspped;cursoracc;aboutreportrate;motiontab')}} ü·Ä·ÄÖÄ!

## Ä½ ¼Óμμ

Ä½ ¼Óμμ´Ä »çzëÄÚ°i ,¶zì½º,| çðÁ÷Äí ¶§ Æ÷ÄíÄí°i ÄÄÇ»Äí ,ð´íÄíi¼ ÄìμzÇí´Ä ¼Óμμzí °Ä,® ,| °áÄπÇÕ´í´Ù. ´Ä,° ¹üÀ§·Í ¼Óμμ,| ¼³ÄπÇí,é »çzëÄÚ°i ,¶zì½º,| ÄìμzÇí´Ä °Ä,®zì ´ëÇíç © È,ézi¼´Ä Æ÷ÄíÄí°i Ä²Àº °Ä,® ,| ÄìμzÇíμ·í ÇÕ´í´Ù. Äπ¹Ðμμ,| ³ðÄì·Ä,é, Ä½ ¼Óμμ,| ³·Ä½zì¼ Äß°£ ¹üÀ§·Í ¼³ÄπÇí½É½ÄzÀ.

{button ,Jl(`lmouse.hlp>proc4`,`cw\_adjusting\_device\_speed\_jt')}} ¹æ¹ý ...

---

{button ,AL(`cursorspeed;aboutcursoracc;cursoracc;motiontab;aboutreportrate')}} °ü·Ä ÄÖÄ!

**Ä½ ÄÜÄë**

Ä½ ÄÜÄë ¿É¼ÇÀì È°¼ºÈµÇ,é, Æ÷ÀìÁí°; ÄÄÇ»Áí È,é¿½ ¿ðÁ÷Àí ¶§ Æ÷ÀìÁí µÚ¿; ÄÜÄë°; ¾²½À´Í´Ù.  
¿¿½º µí·Í Áπº,ÄÇ µ¿ÀÛ ÄÇ¿½ ÄÜÄë ±æÀì ½½¶óÀì´ð,¿²º¿â ÄÜÄë ±æÀì,¿ »ç¿ëÀÚ ÁπÄÇÇÒ ¼ö ÀÖ½À´Í´Ù.  
Ä½ ÄÜÄë,¿ »ç¿ëÇÍ¿© ·¿¾ ÄÄÇ»ÁíÄÇ LCD È,é¿½ Æ÷ÀìÁí,¿ ½±ºÔ ÄÆÀ» ¼ö ÀÖ½À´Í´Ù.

**ÄÖ:**Ä½ ÄÜÄë´Â Windows 95¿í Windows 98¿½,¿ »ç¿ëÇÒ ¼ö ÀÖ½À´Í´Ù. Windows NT 4.0, Windows 2000 Àì»ó¿½´Â Ä½ ÄÜÄë,¿ »ç¿ëÇÒ ¼ö ¾º½À´Í´Ù.

{button ,Jl(`lmouse.hlp>proc4',`cw\_using\_pointer\_trails\_jt')} ÄÜÄë ...

---

{button ,AL(`motiontab;trails')} °ü·Ä ÄÖÄ!

°ÖÄÓÁ» ÅŞÇØ , ¶½½º ÄÄ´ä ¼Óµµ ÄÖ´ëËÇĪ±â

µ¿ÀÛ ÅÇ¿Ī ÄÖ´Ä ¼Óµµº, °í ½½¶½ÀĪ´õ Á¶Á±À» »ç¿ëÇĪ¿ © Ä¿¼ ÅŞÄĪ, ¶ ÄÄÇ»ÄĪ¿ ¾÷µ¶ÄĪÆ®ÇĪ´Äº µµ, ¶ Äõº; ½ÄÄµ´Ī´Û. °á±¹, Æ÷ÄĪÆÄ ÄâÄĪÄÇ ÇØ»óµµº; Äõº; ÇĪ¿ © , ¶½½ºÄÇ ¹ÝÄÄÄĪ´õ Çâ»óµË´Ī´Û.

ÄĪ ±â´ÉÄº ÄÄÇ»ÄĪ °ÖÄÓ¿Ī¼ Ä¿¼ ÄßÄúº Á±È®µµ, ¶ °¾¼±ÇĪ±â ÅŞÇØ ÄĪº µË´Ī´Û. **ÄĪ ±â´ÉÄº**

**°ĪÄúÄýÇĪ´Öº »ç¿ëÇĪ, é °ÖÄÓ ½ÇÇàÄĪ´É¾ÄĪú ¼ö ÄÖÄ½Äº** ¿º µĪ¿Ī µĪ½Ë½¿Ä. ¼Óµµº, °í ¼³Ä±À»´Ä, ®, é CPU ½ÄºÆÄ»´õ, ¼ÄĪ »ç¿ëÇĪ´Ī´Û. ½½¶½ÀĪ´õÄÇ ÄÖ´ë ¼³Ä±Àº ¼ºº½º ÄĪÄĪ´Æ®¿Ī¼ ÄÑ CPU Å¬º »çÄĪÄ-ÄÇ 10%±ÄÖº »ç¿ëÇĪ´¼ö ÄÖ½Ä´Ī´Û.

º; **Äâ ÄÄÄº** °áº, ¶ ¾ðÄ, ·Ä, é ÄÖÄúÄÇº °áº, ¶ ÄĪº ÇĪ´Ä ÄÖ¼Öº ¼³Ä±À, ·Ī ½½¶½ÀĪ´õ, ¶ Ä¶Ä±ÇĪ½Ë½¿Ä. ¼Óµµº, °í, ¶ ¾ðºÆ¾¿¿(¿¹, ¶ µé¾Ä, 80¿Ī¼ 100)´Ä, ®, é¼ ½ÄÄúÇĪº °ÖÄÓº °áº, ¶ ½ÄÇèÇØº, ½Ë½¿Ä.

**ÄÖ:ÄĪ ±â´ÉÄº** PS/2 Æ÷Æ® ¿¬ºá¿Ī, »ç¿ëº; °í´ÉÇĪ, ç ¹¼±, ¶½½º¿Ī¼´Ä ÄÛµ¿µÇÄö¾Ë½Ä´Ī´Û.

---

{button ,AL(`motiontab;aboutspped;aboutcursoracc')} °ü·ÄÄÖÄĪ

½º, ¶Æ® ¹«ºê

½º, ¶Æ® ¹«ºêº; Èº¼ºÈµÇ, é, Æ÷ÀÎÁº; Ç×ÁØ Windows ´ëÈ »óÀÚÀÇ ±âº» ,í·É(È@ÀÎ ´ÜÃß)À, ·Î ÀÚµ¿À, ·Î ÀÌµ¿ÇÕ´Í´Ù. ÀÌ ±â´ÉÀº Windows ´ëÈ »óÀÚ, ; ¿ ¶§, ¶´Ù Æ÷ÀÎÁº, ; Á÷Áç ±âº» ,í·ÉÀ, ·Î ÀÌµ¿ÇØ¾¼ß Ç´Áº ÒÆÍÀ» ÁÚ¿ ©ÁÝ´Í´Ù.

{button ,Jl(`lmouse.hlp>proc4', `cw\_using\_smart\_move\_jt')}} ¹æ¹ý ...

---

{button ,AL(`smartmove;motiontab')}} ºü·Ã·ÁÖÁ!

## μί 1ø '©, f±â Ä, Äi¹Ö

μί 1ø '©, f±â Ä, Äi¹ÖÀº ÄÄÇ»Äíº; μί 1ø '©, f±â·î Äî½ÄÇí'Ä ¼Óμμ,í ¼³ÄπÇÖ'í'Ù. 'Ä,º ¹üÄŞ·î ¼³ÄπÇí,é  
'©, f±â »ÇÄì;í 'ö ,¹Àº ½Äº£Äì ÇăžëμĚ'í'Ù. ºü,¥ ¹üÄŞ·î ¼³ÄπÇí,é ÄúÀº ½Äº£Äì ÇăžëμĚ'í'Ù. Áßº£  
¼³ÄπÄ» ¼±ÄÄÇí'Ä ºíÄì º;Äâ ÁÁ½Ä'í'Ù.

{button ,Jl(`lmouse.hlp>proc4',`cw\_adjusting\_double\_click jt')}} ¹æ¹ý ...

---

{button ,AL(`doubleclick;buttonstab')}} ºü·Ä·ÄÖÄ!

**ÀÚμζ °"Áö**

MouseWare,| »çζëÇĭζ© ÇÑ¹øζι μÑ Àì»óÀÇ ,ϱζι½º(ϱÇ´Á´Ù,¥ Æ÷ÀÍÆĒ ÀãÄι),| ÄÄÇ»ÄÍζι οÍÄøÇÒ ¼ö  
ÀÖ½Ä´Í´Ù. MouseWare´Á οÍÄøμÇ³⁄⁴î ÀÖ´Á ,ðμç ,ϱζι½º,| °"ÁöÇĭοí ÀãÄι ÄÇÀÇ μã·Ó´Ùζî ,ñ·ĭζι Àì ,ϱζι½º,|  
³αζÇÖ´Í´Ù. οÍÄøμĒ ,ϱζι½º,| ÄüĒÇĭ·Á,é, μã·Ó´Ùζî ,ñ·ĭζι¼⁄ »çζëÇÒ ,ϱζι½º,| ¼±ÄÄÇĭ½Ē½ÄζÄ.´Ù,¥  
,ϱζι½º·Ī ÄüĒÇÒ ϱ§,ϱ´Ù, MouseWare´Á ÀÚμζÄ,·Ī ¼±ÄÄμĒ ,ϱζι½ºÄÇ ¼⁄³ÄπÄ» °Ö·ζÉ´Í´Ù. ,ϱÄù°ιÄö·Ī, »ð  
,ϱζι½º,| ζ¬°άÇÒ ϱ§,ϱ´Ù, MouseWare´Á ,ϱζι½ºζι´έÇÑ ¼⁄³ÄπÄ» °Ö·ζÍ ,ϱζι½º μĭ·Ī Äπº,| °»½ÄÇÖ´Í´Ù.

**ÁÖ:**»ð ,ϱζι½º³α ζ´Ù,¥ Logitech Æ÷ÀÍÆĒ ÀãÄι,| ζ¬°άÇÒ ϱ§´Á ,ϱζι½º μĭ·Ī Äπº,ÄÇ ÀãÄι ÄÇζι ÀÖ´Á  
ÀãÄι Äß°ι´ÙÄß,| »çζëÇĭζ© »ð ,ϱζι½º,| Äß°ιÇØ³⁄⁴ß ÇÖ´Í´Ù. Windows 95 ¹x Windows 98ÄÇ ÄýÄ÷´Á  
Windows NT 4.0 Àì»óÀÇ ÄýÄ÷ζÍ´Ù,´´´Í´Ù. ÀÚ¼⁄¼ÇÑ ³»ζέÄº »ð ,ϱζι½º³α Æ@·çº¼ Äß°ι,|  
ÄüÄϱÇĭ½Ē½ÄζÄ.

Windows 2000ζι¼´Á ÀãÄι Äß°ι,| »çζëÇÒ ÇĒζäºι ¾ø½Ä´Í´Ù.

---

{button ,AL(`selectmouse;addmouse')} °ü·Ä·ÄÖÄ!



**Æ÷ÀĪĀĪ ±,¼°Ç¥**

Æ÷ÀĪĀĪ ±,¼°Ç¥´Â Windows ³»¿;¼ ÄÖ¿ä ¼±ÄÄ/ÀŠÄ; ÄöÁ± ±â¹ýÀ,Ī »ç¿ëμÇ´Â ÄĪ·ÄÀÇ Äö½ÄÄÜÄÖ´Ī´Ü.  
±,¼°Ç¥ ¾ÄË¿ ÄÖ´Â °ç Æ÷ÀĪĀĪ´Â Æ⁻Á± Windows ÄÜ¾⁄÷°ú °ü·ÄμÇ¾⁄â ÄÖ½Ä´Ī´Ü. Windows¿;¼ ÄÜ¾⁄÷ÇÖ  
¶§, Æ÷ÀĪĀĪ´Â ÇöÄçÀÇ ±â´ÉÄ» ¹Ý¿μÇĪ±â ÀŞÇØ ¿ð¾⁄çÄ» °⁻°æÇÖ´Ī´Ü. ¿¶¿½° μĪ·Ī Á±°¿ÄÇ Æ÷ÀĪĀĪ ÄÇ¿;¼  
´Ü,¥ ±,¼°Ç¥¿;¼ ¼±ÄÄÇĪ¿ © Æ÷ÀĪĀĪÄÇ ¿ÜÇüÄ» °⁻°æÇÖ ¼⁄ö ÄÖ½Ä´Ī´Ü. ¿¹¿;¼ μé¾⁄â, ¿P¾⁄ÖÄâÄĪ »ç¿ëÄÜ¿;  
ÀŞÇŇ ±,¼°Ç¥´Â ¿PÄË ´ë½Ä ¿Ä,¥ÄËÄ» °¿¿°Ä Æ÷ÀĪĀĪ·Ī ±,¼°μË´Ī´Ü.

{button ,Jl(`lmouse.hlp>proc4',`cw\_pointers\_changing\_jt')}} ¹æ¹ý ...

---

{button ,AL(`pointerstab;pointappear')}} °ü·Ä ÄÖÄ!

**ÈÙ** ,ϩì½º,| »ççèÇÑ ½ºÁ©·Ñ,μ Áπº,

,ϩì½º ÈÙÀ» »ççèÇìç © Áπ¹ÇÇÑ °Á, ®³º ÆøÁπμÈ °Á, ®, | ½ºÁ©·ÑÇÒ ¼ö ÀÖ½À ´Í´Ù. ½ºÁ©·Ñ,μÀº ¹º¼  
À©μμçì ¹Ùç; ÀÖ´Á ¹º¼ ÀÏé, |º, ´Á ¹æ¹ýÀÖ´Í´Ù.

½ºÁ©·ÑÇì·Á,é, ½ºÁ©·Ñ,μÀ» ÁöçøÇì´Á ÀÀçè ÇÁ·Í±×·¥ À©μμçìç; Äç¼, | ÀSÄ;½ÄÄ² ´ÙÀ½,

- ÀS·Í ½ºÁ©·ÑÇì·Á,é, ,ϩì½º ÈÙÀ» ¾ÖÄ, ·Í çðÁ÷ÀÖ´Í´Ù.
- ¾Æ·;·Í ½ºÁ©·ÑÇì·Á,é, ,ϩì½º ÈÙÀ» μÚ·Í çðÁ÷ÀÖ´Í´Ù.

MouseWare ¼ÖÇÁÆ® çþ¾í´Á ¼öÁ÷°ú ¼öÆð ¹æÇâÄ, ·Í ,ðμí ½ºÁ©·Ñ,μÀ» ÁöçøÇÖ´Í´Ù. ÇöÀç ÀÙ¾÷  
ÁBÁÍ À©μμçìç; ¼öÆð ÀìμçÁÙ, , ÀÖ´Á °æçì(Áì, ¼öÁ÷ ÀìμçÁÙÀì ¾øÁ½) ÈÙÀ» ÀS·Í çðÁ÷Àì,é  
À©μμçìº; çþÆÄ, ·Í ½ºÁ©·ÑμÇºí ÈÙÀ» ¾Æ·;·Í çðÁ÷Àì,é À©μμçìº; çÄ, ¥ÆÄ, ·Í ½ºÁ©·ÑμÈ´Í´Ù.

ÀÙ¾÷ ÁBÁÍ À©μμçìç; ¼öÆð ¹× ¼öÁ÷ ÀìμçÁÙÀì ,ðμí ÀÖÄ, ,é, ,ϩì½º ÈÙÀ» »ççèÇìç © Æð»ó½ÄÄ³·³  
¼öÁ÷Ä, ·Í ½ºÁ©·ÑÇì½É½ÄçÄ. ¼öÆð ¹æÇâÄ, ·Í ½ºÁ©·ÑÇì·Á,é, ,ϩì½º ÈÙÀ» çðÁ÷Àì,é¼  
<CTRL><SHIFT> Å° ÁϩÇÖÀ» ´©, £½É½ÄçÄ.

**ÁÖ:** ,ϩì½º ÈÙÀ» ¼³ÁπÇìç © ,ϩì½º ÈÙÀç Àìμçç; μúϩó ¾¾´Á Áπμμ ½ºÁ©·Ñ,μÇÒ °íÁíÁö ÁöÁπÇÒ ¼ö  
ÀÖ½À ´Í´Ù. ½ºÁ©·Ñ,μ ¾çÁ» ÁöÁπÇì·Á,é, ,ϩì½º μí·Í Áπº,Áç ´ÙÁB ÁçÁ» »ççèÇì½É½ÄçÄ.

{button ,Jl(`lmouse.hlp>proc4',`cw\_using\_scrolling\_jt')}} ¹æ¹ý ...

---

{button ,AL(`aboutmousewheel;aboutautoscroll;aboutuniscroll;scrolling;performautoscroll;useuniscroll'  
)} °ü·Ä ÁÖÁ;

## ÀÚμζ ½ºÅ©·Ñ

½ºÅ©·Ñ μÀ» Áö¿ØÇÕ´Í´Ù. ÀÚμζ ½ºÅ©·ÑÀ» »ç¿èÇÏ,é ½ºÅ©·Ñ ÈÙÀ» °è¼Ó ¼ÐÁö ¾É°í ÀÚμζÀ.´Í´Ù ½ºÅ©·ÑÇÒ ¼ö ÀÖ½À´Í´Ù. ÀÚμζ ½ºÅ©·Ñ ±â´ÉÀ.´Í´Ù ÁöÁμÈ ½ºÅ©·Ñ ´ÜÃ,´Í´Ù ½ºÅ©·Ñ ÈÙÀ» ÁÇÇÑ ´ÙÀ½ Ä¿¼, ÀÚμζ ½ºÅ©·Ñ ¾ÐÄ¿ ¾ÆÀìÄÜ¿¼ ÀìμζÇ¿¿ ½ºÅ©·Ñ,μÀÇ ¼Óμμ,´Í´Ù æÇÒ ¼ö ÀÖ½À´Í´Ù.



ÀÚμζ ½ºÅ©·Ñ ¾ÐÄ¿ ¾ÆÀìÄÜ

{button ,Jl(`\mouse.hlp>proc4',`cw\_using\_autoscroll\_jt')}} ½ºÅ©·Ñ ...

---

{button ,AL(`aboutmousewheel;aboutuniscroll;scrolling;performautoscroll;aboutscroll')}} ½ºÅ©·Ñ ÁÖÁ;

**ÀÚμζ ½°Å©·ÑÀ» »çζëÇĪ·Á,é**

ÀÚμζ ½°Å©·ÑÀ» »çζëÇĪ,é ,ϱζì½º ÈÙÀ» °è¼º ¼ÐÁö ¾ÆÉ°í ÀÚμζÀ,·í ¹¼,¼,¼ ½°Å©·ÑÇÒ ¼ö ÀÖ½À´Í´Ù.

- 1. ´ÜÃß ÅÇÀ» »çζëÇĪζ© ,ϱζì½º ´ÜÃß³³ ÈÙζ; ÀÚμζ ½°Å©·ÑÀ» ÁöÁπÇÖ´Í´Ù.
- 2. Ä¼,¼,¼ ÈÉÈ´ ÀÀζë ÇÁ·Í±×·¥ ϱÇ´Á À©μμζ;ζ; ³ö½À´Í´Ù.
- 3. ÀÚμζ ½°Å©·Ñ ¾þÄζ ¾ÆÀÌÄÜÀì ³³³,³´ ϱS±íÁö ,ϱζì½º ÈÙÀ» ´©,£°Å³³ ,ϱζì½º ´ÜÃß,¼,¼,¼´Í´Ù.



**ÀÚμζ ½°Å©·Ñ ¾þÄζ ¾ÆÀÌÄÜ**

4. ½°Å©·Ñ,μÀ» ½ÄÄÜÇĪ·Á,é ÀÚμζ ½°Å©·Ñ ¾ÆÀÌÄÜζ;¼,¼,¼,¼ ÀìμζÇÖ´Í´Ù.

**ÁÖ:**½°Å©·Ñ,μÀ» °è¼ºÓÇĪ±â ÀSÇØ ,ϱζì½º,¼,¼ °è¼º ¼ðÁ÷ÀĪ ÇÈζä´Á ¾ø½À´Í´Ù. Ä¼,¼,¼ ÀÚμζ ½°Å©·Ñ ¾ÆÀÌÄÜ »çÀìÀÇ °Å,®; ½°Å©·Ñ,μ ¼Óμμ,¼ °áÁπÇÖ´Í´Ù. Ä¼,¼,¼ ¾ÆÀÌÄÜζ;¼,¼,¼,¼,¼ ÀìμζÇÖ¼ö·Ī Äζ¼ ¼Óμμ°; »;ϱóÁý´Í´Ù.

5. ÀÚμζ ½°Å©·ÑÀ» ÁBÁöÇĪ·Á,é, ¾Æ¹« Å³³ ,ϱζì½º ´ÜÃß,¼,¼,¼´Í´Ù.

**ÁÖ:**Microsoft Office ÈÉÈ´ ½°Å©·Ñ ÄüζëÀ» ¼±ÁÄÇĪ,é, ÀÚμζ ½°Å©·ÑÀº Microsoft Office ÀÀζë ÇÁ·Í±×·¥ ζ;¼,¼,¼ μζÄÜÇÖ´Í´Ù. Microsoft\_ Office(TM) ÈÉÈ´ ÀÀζë ÇÁ·Í±×·¥À» ÁÖ·Ī »çζëÇĪ´Á °æζì, ½°Å©·Ñ,μÀ» ´ö ϱíμâ´´º ÇĪ±â ÀSÇØ Microsoft Office ÈÉÈ´ ½°Å©·ÑÀ» »çζëÇÖ ¼ö ÀÖ½À´Í´Ù.

---

{button ,AL(`aboutmousewheel;aboutautoscroll;scrolling;aboutscroll;useuniscroll')} °ü·Ä ÁÖÁ!

**ÈÙ ,¶ì½º Áº,**

ÈÙ ,¶ì½º´Á °£´ÜÇÌ°Ô ,¹Àº µìÀÙÀ» ¼öÇàÇÒ ¼ö ÀÖµµ·Ì ½ºÁ©·Ñ,µ°ú È®´ë/Ãà¼ÒÀÇ ±â´ÉÀ» ÇÒ<sup>22</sup>  
º;Áö°í ÀÖ½À´Í´Ù. ÈÙ ,¶ì½º,¶ »çìëÇÌç© ½ºÁ©·Ñ,µÀ» ÀÚç-½º´°Ô ¼öÇàÇÒ ¼ö ÀÖ½À´Í´Ù. ÈÙÀ»  
¾ÒÀ,·Í »ìÀ! ¼Ð,é À§·Í ½ºÁ©·ÑµÇ°í, µÚ·Í ¼Ð,é ¾Æ·;·Í ½ºÁ©·ÑµË´Í´Ù.

ÈÙÀ» ´· ,¶ì½º ÈÙÀ» ÀÌ¹YÀùÀÌ ,¶ì½º ´ÜÃß<sup>3,3</sup> »çìëÇÒ ¼ö ÀÖ½À´Í´Ù.

Microsoft\_ Office(TM) È£È´ ÀÀçë ÇÁ·Í±×·¥À» ÁÖ·Í »çìëÇÌ´Á °æçì, ½ºÁ©·Ñ,µÀ» ´ð °íµâ´°Ô ÇÌ±â À§ÇØ  
Microsoft Office È£È´ ½ºÁ©·Ñ ±â´ÉÀ» ¼±ÁÃÇÒ ¼ö ÀÖ½À´Í´Ù. ,¶ì½º µí·Í Áº,ÀÇ ´ÜÃß ÁÇçì¼ ÀÌ ±â  
´ÉÀ» ¼±ÁÃÇÒ ¼ö ÀÖ½À´Í´Ù.

,¶ì½ºçì¼ ½ºÁ©·Ñ,µ ¾çÀ» ¼±ÁÃÇÒ ¼ö ÀÖ½À´Í´Ù. ÈÙ ,¶ì½ºÀÇ °æçìçì´Á ´ÜÃß ÁÇçì¼ ½ºÁ©·Ñ,µ  
¾çÀ» ¼±ÁÃÇÒ ¼ö ÀÖ½À´Í´Ù. ÀÚµç ½ºÁ©·Ñ ±â´ÉÀÇ °æçìçì´Á ´ÜÃß ÁÇçì¼ çÉ¼Ç ´ÜÃß,¶´©,¥ ´ÙÀ½  
Ç¥½ÀµÇ´Á ´ëË »óÀÙçì¼ ½ºÁ©·Ñ,µ ¾çÀ» ÁöÁçÇÒ ¼ö ÀÖ½À´Í´Ù.

**ÁÖ:** ,¶ì½ºçì ÈÙÀÌ ÀÖ´ÁÁö ç©°íçì µù¶ó ´ÜÃß ÁÇÀÌ ´Ù,£°Ô <sup>33</sup>´Í´Ù.

ÀÚµç ½ºÁ©·ÑÀ» »çìëÇÌ,é ,¶ì½º<sup>33</sup> ,¶ì½º ÈÙÀ» °è¼Ó çðÁ÷ÀÌÁö ¾Æ°í ÀÚµçÀ,·Í ½ºÁ©·ÑÇÒ ¼ö ÀÖ½À  
´Í´Ù. ,¶ì½º ´ÜÃß<sup>33</sup> ,¶ì½º ÈÙ ´ÜÃßçì ÀÚµç ½ºÁ©·Ñ ±â´ÉÀ» ÁöÁçÇÒ ¼ö ÀÖ½À´Í´Ù.

---

{button ,AL(` useautoscroll;aboutuniscroll;aboutautoscroll;scrolling;aboutsroll;useuniscroll')} °ü·Ã ÁÖÀ!

**À´İ¹õ¼³ ½ºÀ©·ÑÀ» »çzëÇİ·Á,é**

„Œİ½ºçİ ÈÙÀİ ¾¼ØÀ,é, „Œİ½ºçİ µİ·İ Áµº,ÀÇ ´ÜÃß ÁÇÀ» »çzëÇİç© „Œİ½ºçİ ´ÜÃß Áß Çİ³ªçİ À´İ¹õ¼³ ½ºÀ©·Ñ çÉ¼ÇÀ» ÁöÁµÇÒ ¼ö ÀÖ½À´İ´Ù. Àİ ´ÜÃß ÁöÁµÀ» Çİ·Á,é, ´ÜÃß ÁöÁµÀ» ÂüÁŒÇİ½É½ÄçÀ.

´ÜÃß ÁÇçİ¼, À´İ¹õ¼³ ½ºÀ©·Ñ ÁÇÀÇ ½ºÀ©·Ñ,µ ¾¼ÇÀ» ÁöÁµÇÒ´İ´Ù. Microsoft Office ÈÈÈ´ ½ºÀ©·Ñ ÄüçëÀ» ¼±ÁÄÇİ,é, À´İ¹õ¼³ ½ºÀ©·ÑÀº Microsoft Office ÀÀçè ÇÁ·Í±×·Œçİ¼, „µçÀÙÇÒ´İ´Ù. Microsoft Office(TM) ÈÈÈ´ ÀÀçë ÇÁ·Í±×·ŒÀ» ÁÖ·Í »çzëÇİ´Á °æçİ, ½ºÀ©·Ñ,µÀ» ´õ °İµâ·´ºÇ Çİ±â ÀŞÇØ Microsoft Office ÈÈÈ´ ½ºÀ©·Ñ ±â´ÉÀ» ¼±ÁÄÇÒ ¼ö ÀÖ½À´İ´Ù.

1. ´ÜÃß ÁÇÀ» »çzëÇİç© „Œİ½ºçİ ´ÜÃß³ª „Œİ½ºçİ ÈÙ ´ÜÃßçİ À´İ¹õ¼³ ½ºÀ©·ÑÀ» ÁöÁµÇÒ´İ´Ù.
2. ÇŒ½ºÄµÈ „ñ·İçİ¼ ½ºÀ©·Ñ,µ ¾¼ÇÀ» ¼±ÁÄÇÒ´İ´Ù.
3. À´İ¹õ¼³ ½ºÀ©·Ñ,µÀİ ÁöÁµµÈ „Œİ½ºçİ ´ÜÃß,İ ´©,´´´İ´Ù.
4. ½ºÀ©·ÑÇİ·Á´Á ¹æÇâÀ,·Í „Œİ½ºçİ,İ çòÁ÷ÀÖ´İ´Ù. °è¼º ½ºÀ©·Ñ,µÇİ·Á,é „Œİ½ºçİ,İ °è¼º çòÁ÷ç©¾ß ÇÒ´İ´Ù.
5. À´İ¹õ¼³ ½ºÀ©·ÑÀ» ÁßÁöÇİ·Á,é, ¾¼Æ¹« „Œİ½ºçİ ´ÜÃß³ª ´©,´´´İ´Ù.

---

{button ,AL(` useautoscroll;aboutuniscroll;scrolling;aboutsroll')} °ü·Ã ÁÖÁ!

## À´İö¼³ ½ºÀ©·Ñ

„Œİ½º; ½ºÀ©·Ñ,µÀ» Çãëçİ´À ÈÙÀİ ¾øÀ,é, „Œİ½º ´ÜÃß Áß Çİ¾; À´İö¼³ ½ºÀ©·Ñ ½¼ÇÀ»  
ÁöÁçÒ ¼ö ÀÖ½À´İ´Ù.

À´İö¼³ ½ºÀ©·ÑÀ» »çëçİ,é Àİµç Ç¾½ÄÁÙÀ» »çëçİÁö ¾É°í ¹¼,İ ½ºÀ©·ÑÇÒ ¼ö ÀÖ½À´İ´Ù.  
½ºÀ©·Ñ,µÀ° È,é; ¾Ä,¾Áö ¾ÉÀ° ¹¼ ÀİŒİ, ¼,´À ¹æ¼ÁÖ´İ´Ù.

À´İö¼³ ½ºÀ©·ÑÀ» ¼¾Áçİ·Á,é, „ÖÀú „Œİ½º µİ·İ Áç,ÀÇ ´ÜÃß ÁÇÀ» »çëçİç© „Œİ½º ´ÜÃß¾ „Œİ½º  
ÈÙ ´ÜÃß; À´İö¼³ ½ºÀ©·ÑÀ» ÁöÁçİ½É½Ä;À. ÀÚ¼¼ÇÑ ¾»çèÀ° "´ÜÃß ÁöÁç"À» ÄüÁŒİ½É½Ä;À.

´ÜÃß ÁÇ;¼, Ç¾½ÄµÈ „ñİ;¼ ½ºÀ©·Ñ,µ ¾¼À» ¼±ÁÇİ½É½Ä;À. Microsoft Office 97 ÈÈÈ´ ½ºÀ©·Ñ  
ÄüçëÉ¼ÇÀ» ¼±ÁÇİ,é, À´İö¼³ ½ºÀ©·ÑÀ» Microsoft Office ÈÈÈ´ ÀÀ;è ÇÁ·İ±×·ç;¼, „µçÀÙÇÖ´İ´Ù.

À´İö¼³ ½ºÀ©·ÑÀ» »çëçİ·Á,é, Àİ ½¼ÇÀİ ÁöÁçµÈ ´ÜÃß,İ ´©,£°í ½ºÀ©·ÑÇİ·Á´À ¹æÇÀ,İ „Œİ½º,İ  
Àİµçİ,é µÈ´İ´Ù. Àİ ½¼ÇÀ» ÁßÁöçİ·Á,é, ¾Æ¹« „Œİ½º ´ÜÃß¾ ´©,´´´İ´Ù.

{button „Jl(`lmouse.hlp>proc4`,`cw\_using\_univscroll\_¼t`)} ¹æ¼ý ...

---

{button „Al(`useautoscroll;aboutautoscroll;scrolling;aboutscroll`)} °ü·Ä ÁÖÁ!

**È®´ë/Ãà¼Ò,| »ç¿ëÇĪ·Á,é**

¼Ī|½º ÈÛ¿Ī´Á È®´ë/Ãà¼Ò ±â´ÉÀĪ ÀÖ½À´Ī´Û. È®´ë/Ãà¼Ò´Á ¹®¼,| È®´ëÇĪ°Á³ª Ãà¼ÒÇÕ´Ī´Û. ÀĪ ±â´ÉÁº È®´ë/Ãà¼Ò,| Áö¿øÇĪ´Á Windows 95, Windows 98 ¹× Windows 2000 È£È´ ÀÀ¿ë ÇÁ·Ī±×·¥¿Ī¼, »ç¿ëÇÒ ¼ö ÀÖ½À´Ī´Û.

1. È®´ë/Ãà¼Ò,| Áö¿øÇĪ´Á È£È´ ÀÀ¿ë ÇÁ·Ī±×·¥¿Ī Ä¿¼,| ÀŞÄĪ½ÃÄµ´Ī´Û.

2. Ctrl Á°,| ´©, ¥ Ãπ·Ī´ÛÀ½ Áß ÇŃ ÀÛ¾÷À» ¼öÇàÇÕ´Ī´Û:

- È®´ëÇĪ·Á,é, ½ºÁ©·Ń·³ª ÇĪ°Á,| ¾ÖÁ,Ī ÀĪµ¿ÇÕ´Ī´Û.
- Ãà¼ÒÇĪ·Á,é, ½ºÁ©·Ń·³ª ÇĪ°Á,| µÛ·Ī ÀĪµ¿ÇÕ´Ī´Û.

**ÁÖ:** ¼Ī|½º ´ÛÃß¿Ī Ctrl Á°,| ÁöÁπÇĪ¿ È®´ë/Ãà¼Ò,| »ç¿ëÇĪ±â Àü¿Ī Ctrl Á° ±â´ÉÁ,Ī ÁöÁπµÈ´ÛÃß,| ´©,| ¼ö ÀÖ½À´Ī´Û.

---

{button ,AL(`aboutmousewheel')} °ü·Ã ÁÖÁ!





**°ü, ¥ ¼³Ä; ÄÇ**

°ü, ¥ ¼³Ä; ÄÇÀ° ÇöÀç »çzë ÁßÄî , ¶zì½²ÄÇ , ð³⁄₄çÀ» Ç¥½ÄÇí°í ±× ´ÜÄßz; ÁöÁµÈ ±â´ÉÀ» °, z ©ÁÝ´Í´Ù.  
Àì ÄÇz; ¼ ÄâÄ; ¼³Ä; ´ÜÄß, | ´· ¼³Ä; , ¶¹ý»ç, | ½ÇÇàÇíç © Á;Á¶È, »ç ±ÇÀâ ¼³Äçz; µû¶ó , ¶zì½², | °ü, £°Ö  
¼³Ä; ÇÖ ¼ö ÀÖ½Ä´Í´Ù. Àì , ¶¹ý»ç, | »çzëÇíç © , ¶zì½²° Ä\$Ä; | ¼±ÄÄÇí°í , ¶zì½²° ´ÜÄßz; ±â´ÉÀ» ÁöÁµÇí°í  
µí ¹ø ´©, £±â ¼Óµµ, | ÁöÁµÇÖ ¼ö ÀÖ½Ä´Í´Ù. Àì ÄÇz; ¼ ÄÛ³⁄₄÷ Ç¥½ÄÄÛz; MouseWare ¾⁄₄ÆÄìÄÛÄì  
Ç¥½ÄµÇµµ·í ¼±ÄÄÇÖ ¼öµµ ÀÖ½Ä´Í´Ù.

---

{button ,AL(`displaymwicon;setupmouse;lefthand')} °ü-Ä ÄÖÄ!

## Æ÷ÀÍÁÍ ÅÇ

„¶¿ì½º µî·Ā Áπº,ÀÇ Æ÷ÀÍÁÍ ÅÇÀ» »ç¿ëÇĪ¿ © Æ÷ÀÍÁÍÁÇ ¿ÜÇüÀ» ººæÇÒ ¼ö ÀÖ½À ĀĀĀ. Æ÷ÀÍÁÍĀ ¿©·º;Áö „ð¾çÀ,Ā ĆöÀçÀÇ ÀÛ¾÷À» ¾¾À,¾¾Ā ĀĀĀ. ¿©· Ć÷ÀÍÁÍ¿; ÆĀÁπ Windows ÀĪºÆÆ@„Ī ÁöÁπÇĪº¾¾¾, ĀĀ,¾ ±,¾ºÇÆ„Ī ¼±ÁÁÇĪ¿ © „ðµç Æ÷ÀÍÁÍÁÇ ¿ÜÇüÀ» ººæÇÒ ¼ö ÀÖ½À ĀĀĀ. ¿øÇĪĀ „,ÁÁÇ º¾ºº Æ÷ÀÍÁÍ„Ī »ç¿ëÁÛ ÁπÀÇÇĪºĪ »ð ±,¾ºÇÆ·Ā ÁúÁáÇÒ ¼ö ÀÖ½À ĀĀĀ.

---

{button ‚AL(` aboutpointer;pointappear')} ºü·Ă ÁÖÁĪ

**‘ÜÄB žÉ¼Ç**

¼ŕž½º ‘ÜÄB³³ ÈÜ ‘ÜÄBž; ‘ÜÄ½ ±â´É ÁB Çĭ³³, ÄöÄÇÖ ¼ö ÀÖ½Ä ‘ĭ‘Ü. ‘ÜÄB ÄÇÄ» »çžëçĭž© ±â´ÉÄ» ÄöÄÇĭ´Á´Ä ‘ÜÄB ž:ž; ÄÖ´Ä ¼ĭĭ»óÄÜž;¼ ±â´ÉÄ» ¼±ÄÄÇĭ½É½ÄžÄ.

**ÄÖ:** ¼ŕž½º ‘ÜÄB ÁB ÄÜ¾¼µµ Çĭ³³ž; ‘©, £±â/¼±ÄÄ ±â´ÉÄ» **¹Ýµâ½Ä** ÄöÄÇÖ¾ÄB ÇÖ‘ĭ‘Ü.

<b>±â´É</b>	¼³, ĭ
ÄÜµž ½ºÄ©·Ń	¾ÄÄž ¾ÄÆÄĪÄÜ°ú ½ºÄ©·Ń Äž¼, ĭ Ç¥½ÄÇÖ‘ĭ‘Ü. ¾ÄÄž ¾ÄÆÄĪÄÜž;¼ Äž¼, ĭ žòÄ÷Äĭ, é ½ºÄ©·Ń, µÄĭ ½ÄÄÜµĒ‘ĭ‘Ü. Äž¼žĭ ¾ÄÄž »çÄĪÄÇ °Ä, ®°; ½ºÄ©·Ń, µ ¼Öµµ, ĭ °áÄÇÖ‘ĭ‘Ü. Äž¼- °; ¾ÄÆÄĪÄÜž;¼, Ö¼ö·ĭ Äž¼ ¼Öµµ°; »¼ŕóÁý‘ĭ‘Ü.
‘©, £±â/¼±ÄÄ	ÄÄžë ÇÄ·ĭ±×·¥Ä» ½ÇÇàÇĭ°ĭ, ¼, Þºžĭ ‘ëÈ »óÄÜ žÉ¼ÇÄ» ¼±ÄÄÇĭ°ĭ, °´Ä¼, ĭ Ä³, ®ÇÖ‘ĭ‘Ü. Äĭ ±â´ÉÄ° Ç×»ó, ¼ŕž½º žÄ, ¥ÄĒ ‘ÜÄBž; ÄöÄÇµĒ‘ĭ‘Ü. ÄÜ¾¼µµ Çĭ³³ÄÇ ¼ŕž½º ‘ÜÄBž; ‘©, £±â/¼±ÄÄ ±â´ÉÄ» ÄöÄÇÖ¾ÄB ÇÖ‘ĭ‘Ü.
ÄÄžë ÇÄ·ĭ±×·¥ ´Ý±â	ÄÜ¾¼ ÷ ÁBÄĪ ÄÖ»óÄŞ ÄÄžë ÇÄ·ĭ±×·¥Ä» Ä¾¼·áÇÖ‘ĭ‘Ü.
¹@ÄÜž, ¼, Þº/‘ëÄ¼ ¼±ÄÄ	°; ¼, ®Ä´Ä Ç×, ¼ž; ‘ëÇØ °; ÄÄ ÄÜÄÖ »çžëçĭ´Ä, ĭ, í·ÉÄĪ Æ÷ÇÖµĒ ¹@ÄÜž, ¼, Þº, ĭ Ç¥½ÄÇÖ‘ĭ‘Ü. ¹@ÄÜž, ¼, Þº/‘ëÄ¼ ¼±ÄÄ ‘ÜÄBž; ‘Ü½Ä ‘·, ¼, Þº, ĭ, í·ÉÄ» ¼±ÄÄÇÖ‘ĭ‘Ü. ÄÄžë ÇÄ·ĭ±×·¥ ¾Éž; ÄÖ ´Ä Æ´ÄÇ ±â´Éž; ‘ëÇØ Äĭ ‘ÜÄBž; ‘©, £, é, ‘·ŕÄ» ŕŕ ±× Æ´ÄÇ ±â ´Éž; ‘ëÇŃ µµžò, »Ä» Ç¥½ÄÇĭ´Ä ÄÇÄÇ º, ±â, ĭ, í·ÉÄ» Ç¥½ÄÇÖ‘ĭ‘Ü.
º¹»ç	¼±ÄÄÇŃ ÄÇº, ¼, Ä-, ¾º, µâž; º¹»çÇÖ‘ĭ ‘Ü.
[Ctrl]	Äº, µâ Äĭ¾¼, ĭ ¼öÇàÇÖ‘ĭ‘Ü. "Ctrl Äº" ¼, ðµâ´Ä Äº, µâÄÇ Äº, ĭ ‘©, £ºÄ³³, ¼ŕž½º ‘ÜÄBž; ‘©, £, é Ä¾¼·áµĒ‘ĭ‘Ü.
ÄBŕó³»±â	¼±ÄÄÇŃ ÄÇº, ¼, Ä-, ¾º, µâž; ÄBŕó³Ä‘ĭ ‘Ü.
»çÄĭö Ä;ÇÄ	MouseWareÄÇ CyberJump ±â´ÉÄ» Èº¼ºÈÇÖ‘ĭ‘Ü. CyberJump´Ä ‘ÜÄ½ºú ººÄº Äĭ³ÝÄÜÄĪ ÄĪÄĭ³Ý ÄÜ¾¼÷Ä» Çĭ³³ÄÇ Æĭ, ®ÇŃ Ä©µµžĭ·ĭ ÄëÇÖÇÖ‘ĭ ‘Ü: CyberMenu, Ä¥º¥ÇÇ·ĭ °; ±â, Ä¥º¥ÇÇ ÄBº; ĭ, µÜ·ĭ, ¼öÄ÷ ½ºÄ©·Ń, ½ÄÄÜ ‘ÜÄB, ¼öÆð ½ºÄ©·Ń ¹× ÁBÄö. µĭ ¼º ‘©, £±â žÉ¼ÇÄĪ ¼±ÄÄµĒ °æžĭž; ĭ ¼º ‘©, £±â, ĭ ½ÇÇàÇĭ·Ä, é, ºü, £ºÖ ‘· CyberJump °ÝÄÜ, ĭ Ç¥½ÄÇĭ°ĭ ÄöÄÇµĒ ‘ÜÄBž; ‘©, ‘ĭ‘Ü. Äž¼, ĭ ¾ÄÆÄĪÄÜÄ, ·ĭ ÄĭµžÇĭ°ĭ ‘·, ĭ, í·ÉÄ» ½ÇÇàÇÖ‘ĭ‘Ü. ĭ, í·ÉÄÇ

ÀÚμζ ½ÇÇà ζÉ¼ÇÀÌ ¼±ÀÃμÈ °æζì,  
´ÜÃß,|´©,£°í Äζ¼,|¾ÆÀÌÄÜÀ,í  
ÀìμζÇÌ,é Äζ¼°; ±δ¹ÜÀì°í ,í·ÉÀÌ  
ÀÚμζÀ,í ½ÇÇàμÈ´í·Ù.

μí ¹ø´©,£±â´ÜÃß,|ÇÑ¹ø,´©,|¶§ μí ¹ø´©,£±â,|  
¼øÇàÇÕ´í·Ù.

²ø±â Àá±Ý ²ø±â Àá±Ý ±â´ÉÀ» ÇζèÇÌζ©,¶ζì½º  
´ÜÃß,|´©,£Áö ¾É°íμμ °´Ã¼,|²ø ¼ø  
ÀÖ½À´í·Ù. ²ø±â Àá±ÝÀì ÁöÁμÈ  
,¶ζì½º´ÜÃß,|´©,£,é, ÀÀζè  
ÇÁ·Í±×·¥Á°´©,£±â,|½ÇÁ·Í´©,£  
±â/¼±Ã´ÜÃß,|´©,£°í ÀÖ´Á°ÍÀ,í  
ÇØ¼@ÇÕ´í·Ù. ²ø±â Àá±Ý´ÜÃß,|´©,¥  
ÈÄζì, °£´ÜÈ÷,¶ζì½º³æÆ@·ç²¼À»  
ζδÁ÷ζ© Ç×,ñÀ» ¼±ÃÇÕ´í·Ù. ²ø±â,|  
³;³»·Á,é,¾Æ¹«´ÜÃß³æ´©,´í·Ù.

³» ÄÄÇ»Áí Á½»ö Windows Á½»ö±â,| ½ÄÄÜÇÕ´í·Ù.

ÄÄÇ»Áí Ä£±â Ä£±â´èÈ »óÁÚ,|ζ±´í·Ù  
(Windows-Ctrl-F).

¹@¼ Ä£±â ÆÄÄ¶Ç´ÁÆú´ö Ä£±â´èÈ »óÁÚ,|ζ±  
´í·Ù (Windows-F ¶Ç´Á Ctrl-Esc F F).

Æ÷ÀìÁí Áß¾Ó À§Ä; Æ÷ÀìÁí,|È,é°;ζìμ¥·í ÀìμζÇÕ´í·Ù.

ÇÌÀìÆÜ Á;ÇÁ MouseWareÀÇ HyperJump ±â´ÉÀ»  
È°¼ºÈÇÕ´í·Ù. HyperJump´Á´ÜÀ½  
ÀÜ¾÷À» Çì³æÀÇÆí,®ÇÑ À©μμζì·í  
ÄèÇÕÇÕ´í·Ù: HyperMenu, ζ,° ÄÄζè  
ÇÁ·Í±×·¥Á»¾ÆÀÌÄÜÀ,í Ç¥½Ã, ÀÀζè  
ÇÁ·Í±×·¥´Ý±â, ¶¶Áö, ζ,° ÄÄζè  
ÇÁ·Í±×·¥º¹ζø, ¼øÁ÷ ½ºÁ·Ñ, ½ÄÄÜ  
,pº, ¼øÆè ½ºÁ·Ñ¹× À©μμζì Á©±â  
º°æ. μí ¹ø´©,£±â ζÉ¼ÇÀÌ ¼±ÀÃμÈ  
°æζìζ; μí ¹ø´©,£±â,|½ÇÇàÇÌ·Á,é,  
ºü,£°´· HyperJump °ÝÁÚ,| Ç¥½ÃÇÌ°í  
ÁöÁμÈ´ÜÃß,|´©,´í·Ù. Äζ¼,|  
¾ÆÀÌÄÜÀ,í ÀìμζÇÌ°í´·,í·ÉÀ»  
½ÇÇàÇÕ´í·Ù.

ÇÌÀìÆÜ ,pº ÇöÀç,¶ζì½º Äζ¼ À§Ä;ζì È°¼º ÄÄζè  
ÇÁ·Í±×·¥Áç ,pº,| Ç¥½ÃÇÕ´í·Ù.

±â» Windows ζìζμ Ä¼Á!ÀÇ μμζδ,»À»  
μμζδ,» ½ÇÇàÇÕ´í·Ù.

ÄÜ¾¼ È,é Ç¥½Ã »çζè ÁßÀì À©μμζì,| ÄÜ¾¼ È,éÀ,í  
Ç¥½ÃÇÕ´í·Ù.

°;ζìμ¥´ÜÃß Æ´Áπ ¼ÒÇÁÆ®ζb¾í  
Á;Á¶¾÷Ä¼°; °;ζìμ¥´ÜÃßζì ÁöÁμÇÑ  
±â´ÉÀ» Áì°øÇÕ´í·Ù. Àì ±â´ÉÀº °;ζìμ¥  
´ÜÃßζì Æ´Áπ ±â´ÉÀ» ÁöÁμÇÌ´Á  
Windows ÀÀζè ÇÁ·Í±×·¥³»ζì¼,.  
ÀÚμζÇÕ´í·Ù.

¼ÆÀÌÄÜ Ç¥½Ä	»çzë ÁßÀî À©μμζι,¼¼ÆÀÌÄÜÀ,î Ç¥½ÄÇÕ´í´ù.
δμí ¼¼ÆÀÌÄÜ Ç¥½Ä	z·Á ÀÖ´Á δμç À©μμζι,¼¼ÆÀÌÄÜÀ,î Ç¥½ÄÇÕ´í´ù (Windows-M).
ºÙz©³Ö±â	Á¬,ºº,μâ º»zëÀ» ÇöÀç ÀŞÁ;ζi ºÙz©³Ö½À´í´ù.
ÀÀzë ÇÁ·í±×·¥º¹zø	¼¼Áö,· Èº¼ºº ÀÀzë ÇÁ·í±×·¥À» Àü,éÀ,î ºÒ·´ zÉ´í´ù.
½ÇÇà	Windows ½ÇÇà ´ëÈ »óÀÜ,¼ z±´í´ù (Windows-R ¼Ç´Á Ctrl-Esc R).
Àìμz Ç¥½ÄÁÜ	Àì ±â´ÉÀ» ÁözøÇí´Á À©μμζιzì ÀÀzë ÇÁ·í±×·¥z;¼¼ ¼öÆè ¹× ¼öÁ÷ ½ºÁ©·Ñ,μÀ» ¼öÇàÇÕ´í´ù.
[Shift]	Áºº,μâ shift,¼¼öÇàÇÕ´í´ù. "Shift Áºº" δμâ´Á Áºº,μâÀÇ Áºº,¼¼´©,£ºÁºº ¼¼z½ºº ´ÜÁß,¼¼´ù½Ä´©,£,é Á¾·ámÉ´í´ù.
½ÄÄÜ ,p´º	Windows ½ÄÄÜ ,p´º,¼ z±´í´ù.
ÀÙ¾÷ ,ñ·í	ÇöÀç ½ÇÇà ÁßÀî ÇÁ·í±×·¥À» º,z©ÁÝ´í´ù.
ÁöÁπ ¾ÈμÊ	Àì ±â´ÉÀ» »çzëÇí,é ¼¼z½ºº ´ÜÁßz;¼¼Æ¹«·± ±â´Éμμ ÁöÁπÇíÁö ¾ÈÄ» ¼ö ÀÖÀ,¼¼ ÇËzäÇíÁö ¾ÈÄº ¼¼z½ºº ´ÜÁß,¼¼ ½Ç¾ö·í´·´ººÀÖÀ» ¼¼Á¥ ¼ö ÀÖ´Á ÄÄÇ»ÁíººÀÖ »óÉ²z;¼¼º;Áâ À´zëçÑ ±â´ÉÄÖ´í´ù.
¼¼Áö,· ÀÙ¾÷ Äë¼ö	¼¼Áö,· ÀÙ¾÷À» Äë¼öÇÕ´í´ù.
δμí ¼¼ÆÀÌÄÜ Ç¥½Ä Äë¼ö	¼¼ÆÀÌÄÜÀ,î Ç¥½ÄμÊ δμç À©μμζι,¼¼ ±âºº» Á©±â·íº¹±íÇÕ´í´ù. (Windows-Shift-M).
À´íºº¼³ ½ººÁ©·Ñ	ºíÁπμÊ ÆÐ´× Äz¼,¼¼ Ç¥½ÄÇÕ´í´ù. ¼¼z½ºº,¼¼ zòÁ÷Àì,é ½ÇÇÁ ÁøÇàμÊ Äz¼¼ Àìμz;ζi ºñ·ÉÇíç© ½ººÁ©·Ñ,μÀì ¼öÇàμÊ´í´ù.
[Backspace]	Áºº,μâ Backspace,¼¼ ¼öÇàÇÕ´í´ù.
[Enter]	Áºº,μâ Enter,¼¼ ¼öÇàÇÕ´í´ù.
[Escape]	Áºº,μâ Escape,¼¼ ¼öÇàÇÕ´í´ù.
[F1]	Áºº,μâ F1,¼¼ ¼öÇàÇÕ´í´ù.
[F2]	Áºº,μâ F2,¼¼ ¼öÇàÇÕ´í´ù.
[F3]	Áºº,μâ F3,¼¼ ¼öÇàÇÕ´í´ù.
[F4]	Áºº,μâ F4,¼¼ ¼öÇàÇÕ´í´ù.
[F5]	Áºº,μâ F5,¼¼ ¼öÇàÇÕ´í´ù.
[F6]	Áºº,μâ F6,¼¼ ¼öÇàÇÕ´í´ù.

[F7]	Á°º,µå F7,  ¼öÇàÇÕ´Í´Ù.
[F8]	Á°º,µå F8,  ¼öÇàÇÕ´Í´Ù.
[F9]	Á°º,µå F9,  ¼öÇàÇÕ´Í´Ù.
[F10]	Á°º,µå F10,  ¼öÇàÇÕ´Í´Ù.
[F11]	Á°º,µå F11,  ¼öÇàÇÕ´Í´Ù.
[F12]	Á°º,µå F12,  ¼öÇàÇÕ´Í´Ù.
[Page Down]	Á°º,µå Page DownÀ» ¼öÇàÇÕ´Í´Ù.
[Page Up]	Á°º,µå Page UpÀ» ¼öÇàÇÕ´Í´Ù.

---

{button ,AL(` buttonstab;aboutbuttonassn;buttonassn;aboutmousewheel')} °ü:Ã ÁÖÁ;

## μζÀÛ ÅÇ

„¶ìì½º μî·Ī Áπº,ÀÇ μζÀÛ ÅÇÀ» »çζëÇĪζ© Æ÷ÀĪĪĪĪÇ ¼ÓμμζĪ °;¼ŌË,Ī Á¶ĪπÇĪ°í, Æ÷ÀĪĪĪ ÀÛÄë,Ī ÄÑ°í, ½º,¶Æ® ¼«ºê ±â´ÉÀ» Èº¼ºËÇĪ°í, °ŌÀÓ ½ÇÇà ÁßζĪ „¶ìì½º ¼ŸÀÀÀ» ÄŌ´ëËÇŌ ¼ö ÀŌ½À´Ī´Û.

**ÄŌ:**Äζ¼ ÀÛÄë´À Windows 95ζĪ Windows 98ζĪ¼, »çζëÇŌ ¼ö ÀŌ½À´Ī´Û. Windows NT 4.0, Windows 2000 ÀĪ»óζĪ¼´À Äζ¼ ÀÛÄë,Ī »çζëÇŌ ¼ö ¾¼ø½À´Ī´Û.

---

{button ,AL(`cursoracc;cursor speed;abouts peed;about cursoracc;trails;about trails;abouts martmove;sm artmove;aboutre portrate')} °ü·Ä ÄŌÄĪ



**1æÇâ ÄÇ**

„Œî½º µî·Ī Áπº,ÄÇ 1æÇâ ÄÇÀ» »çîëÇĪî© „Œî½ºÄÇ »õ·ĪîĀ ÄŠĂî,Ī ÁπÄÇÇÒ ¼ö ÄÖ½Ä ĪĪÛ.

1æÇâÄ» ¼³ÁπÇĪ,é Æ÷ÄĪÁÍÄÇ îðÁ÷ÄÓÀĪ Áí½Ä „Œî½ººº Æ®·çº¼î; ÄÖ´Ä º¼ÄÇ îðÁ÷ÄÓÀ» µû,£µµ·Ī „Œî½ºº; "ÄŠ"·Ī ÁĪ½ÄÇĪ´Ä 1æÇâÄĪ ÄçÁπÄÇµĒ´ĪÛ. ÄĪ ±â´ÉÄº µ¥½ºÄ©ÄÇ ´Û,¥ ÄŠĂî;¼ „Œî½º,Ī Äâ°í ÄÖÄ» °æîî; ÄîëÇÖ´ĪÛ.

---

{button ,AL(`lefthand;orient')} °ü·Ä ÄÖÄĪ

**ÀâÄ; ÅÇ**

„Œì½º µî·Ā Åº, ÅÇ ÀâÄ; ÅÇÀº ¹öÀüºú „Œì½º Åº, „Ā Ā|ºøÇĪºí, Èº¼ºº „Œì½º, ¼±ÅÄÇĪºí, ½Ä½ºÅÛ; ĀÜ, ¥ „Œì½º, Äßº;ÇÒ ¼ö ÅÖºÖ ÇÒ Ī'Û.

**ÅÖ:**Windows 95 ¹× Windows 98ÅÇ ÀýÄ÷ 'Ä Windows NT 4.0, Windows 2000 Àì»óÅÇ ÀýÄ÷Ā ĀÜ, Ī'Û. ÀÜ¼¼ÇÑ ³»zèÀº »ö „Œì½º Ç'Ä ÅÆº·Çº¼ Äßº; „ÄüÅŒÇĪ½È½ÄzÀ.

ÀâÄ; Åº, ±, zºÅº »Çzè ÁBÄĪ „Œì½ºÅÇ Àì, şÀ» Ç¥½ÄÇÖ Ī'Û. µÑ Àì»óÅÇ „Œì½º; µz½Äz; ½Ä½ºÅÛ; z¬ºáµÇ¾Ā ÅÖÀ» °æzì, µâºÓ 'ÛzĀ „Œì½º, ¼±ÅÄÇĪ © ÀÜ¾÷ÇÒ „Œì½º, ¼±ÅÄÇÒ ¼ö ÅÖ½Ä Ī'Û.

¹öÀü Åº, ±, zºÅº ±â¼úÀüĀĪ ¹®Ā! „ÇØºáÇÒ Œ§ µµzòÀ» ÅÜ ¼ö ÅÖ'Ä „Œì½º µâŒóÀìºöĀĀ ÄÄÆº·Ñ ¼¾¼ĀĪ ¹öÀü ¹øÈ£, Ç¥½ÄÇÖ Ī'Û.

---

{button ,AL(`selectmouse;addmouse;aboutautodetect')} °ü·Ä ÅÖÄ!

## 'ÜÃß ÄöÁ»

,¶ì½º;í'Á »y»ê¼ºÁ» Áõº;½ÄÄ³ ¼ö ÄÖ'Á ç©·º³ÀÇ 'ÜÃßº; ÄÖ½Ä'Í'Ù. ¶ì½º µí·Ī Áºº,ÀÇ 'ÜÃß ÁÇÀ»  
»ç;ëÇíç© ÀÚÁÖ »ç;ëÇí'Á ±â'ÉÀì³º ¹Ù·Īº;±â,¶ì½º;í'Á ÁöÁ»ÇÒ ¼ö ÄÖ½Ä'Í'Ù. Àì·ÇÑ ±â'É;í'Á  
HyperJump, CyberJump, µĪ ¹Ø '©,ƒ±â, Àß¶ó³»±â ¹×ºÜç©³Ö±âº; Æ÷ÇÔµĒ'Í'Ù. ÀÚ¼¼ÇÑ³»ç;ëÀº 'ÜÃß  
çÉ¼Ç Ç×,ñÀ» ÄüÁ¶Çí½É½ÄçÀ. 'ÜÃß ÄöÁ»ÇÀ» Çí·Á,é, 'ÜÃß ÄöÁ»ÇÀ» ÄüÁ¶Çí½É½ÄçÀ.

{button ,Jl(`lmouse.hlp>proc4',`cw\_assign\_shortcuts jt')} ¹æ¹ý ...

---









{button ,AL(`buttonstab;buttonopt;buttonassn;abouthyperjump;aboutcyberjump;aboutdoubleclick;usin  
ghyperjump;usingcyberjump;doubleclick')} °ü·Ä ÄÖÁ;í

»çÀì'ö Á;ÇÁ

Windows ç;ì¼ ÄîÁí³Ýç;ì 'ëçÑ 8°;íÄö ç;ì¼ Äîµç µµ± ç;ì¼ ç;ì¼½° 'ÜÄß·î ÁöÁççÒ ¼ö ÄÖ'Á »ç;ìëçí±â ½-çí çí³²Äç °ÝÁÜ·î ÄëççÒçÒ ¼ö ÄÖ½Ä'í'Ü.

CyberJump ç;ì¼³Áççí·Á,é ç;ì¼½° µí·î Áçç,Äç 'ÜÄß ÁçÁ» »ç;ìëçíçç ç;ì¼½° 'ÜÄß Áß çí³²ç;ì Äì ±â'ÉÄ» °®µµ·î ¼±ÄÄççÖ'í'Ü. ±×·± 'ÜÄ½ ç;ì¼çç 'ÜÄß ç;ì¼ Áß°; CyberJump ç;ì¼ççÁ» ¼³ÁççÖ'í'Ü.

CyberJump ç;ì'Á 'ÜÄ½ ç;ì·ÉÄì Æ÷ççÖµçç¼î ÄÖ½Ä'í'Ü:

-  ç;ì¼. È°¼° ÄçÄç ÁÖ ç;ì¼ ç× ç;ì¼» çç¼ççÖ'í'Ü.
-  Äç°ççç·î °;±â. Äç°ççç Äçµµç;ì çç¼ççÖ'í'Ü.
-  Äç°ççç Äß°; ççÄç ÆäÄìÄö ç;ì¼ Äç°ççç Äçµµç;ì Äß°;ççÖ'í'Ü.
-  ¼öÄ÷ ½°Äç·Ñ. ¼öÄ÷ Äìµç çç¼ççÄÜ·î °ç³É çç'í'Ü.
-  ÁßÁö. ççÄç ÆäÄìÄö ç;ì¼ 'Üçí·îµç ç;ì¼ ÁßÁöççÖ'í'Ü.
-  ¼öÆð ½°Äç·Ñ. ¼öÆð Äìµç çç¼ççÄÜ·î °ç³É çç'í'Ü.
-  Start ¼çÄÄÜ. Windows ¼çÄÄÜ ç;ì¼ ç;ì¼ ç;ì¼±'í'Ü.
-  µÜ·î. ÄìÄü ÆäÄìÄö·î µ¼Æ°ççÖ'í'Ü.

{button ,Jl(`lmouse.hlp>proc4',`cw\_using\_cyberjump\_jt')}} æ¹ý ...

{button ,AL(` buttonstab;aboutbuttonassn;buttonassn;abouthyperjump;usingcyberjump')}} ü·Ä ÄÖÁ!

**CyberJump** »çžëÇĪ·Á,é

CyberJump »çžëÇĪ±â Äüzi, ÖÖÀú »çžëÇĪ½º 'ÜÄßzi ±â 'ÉÀ» ÁöÁπÇØ¾¼ß ÇÕ'Í'Û. ÄÜ¼¼ÇÑ »çžëÇĪ " 'ÜÄß ÁöÁπ"À» ÄÜÄÇĪ½É½ÄzÀ.

1. ÁöÁπμÉ CyberJump »çžëÇĪ½º 'ÜÄßzi '· CyberJump °ÝÁÜzi Ç¥½ÄÇÕ'Í'Û.¾¼Æ·; ±x,ºú °°Àº °ÝÁÜÄÇ 'Û,¥ ººÐÄ» '· Äßº; Áπº, Ç¥½ÄÇÕ'Í'Û.



2. CyberJump »çžëÇĪ·Á,é È,é Æ±ÄÎÁÍ, CyberJump °ÝÁÜzi ÄÖ'Á, í·É ¾¼ÆÄÏÄÜÄ, í·ÄìμzÇÕ'Í'Û. »çžëÇĪ ÄÜμzÄ, í·½ÇÇàμÉ'Í'Û.

3. ÇÄ, ®Á"Á×Äì¼Ç ÄâÄzi »çžëÇĪ'Á °æzi, Äz¼zi °ÝÁÜzi ÄÖ'Á ¾¼ÆÄÏÄÜÄ, í·ÄìμzÇĪz© ¾¼ÆÄÏÄÜzi ¾¼Ä, é í·ÉÄÏ ÄÜμzÄ, í·½ÇÇàμÉ'Í'Û.

4. CyberJump'í ÁöÁπμÉ 'ÜÄßzi¼ μí ¼º '©, ±±â,¼ ¼öÇàÇĪ·Á,é 'ÜÄß ÄÇzi¼ zÉ¼Ç 'ÜÄß,¼ ¼±ÄÄÇĪ'í, CyberJump ÄÇÄ» ¼±ÄÄÇĪ'í μí ¼º '©, ±±â zÉ¼ÇÄ» ¼±ÄÄÇÑ 'ÜÄ½, ÄüçëÄÏ¾ È®ÄÏÄ» '©, 'Í'Û. μí ¼º '©, ±±â,¼ ¼öÇàÇĪ·Á,é 'ÜÄß,¼ ü,£º '·Ç'Ûº; ¾¼Ä'Í'Û.

5. CyberJump °ÝÁÜÄÇ Äº±âzÍ CyberJump »çžëÇĪ·Á,é ÄÏ ½ÇÇàμÇ'Á ¼Óμμ,¼ °°æÇÒ ¼öμμ ÄÖ½Ä'Í'Û.

**ÄÖ:**¼¼± »çžëÇĪ½ºº; ÇÄ, ®Á"Á×Äì¼Ç ÄâÄziÄ'Ä»çžëÇĪ ±â 'ÉÀ» °®°Ö ÇĪ·Á,é, ½Äº£ zÉ¼ÇÄ» 'Ä, ®°Ö, Áßº£ ÇĪ·Á ü,£ºº·¼¾ÄπÇÕ'Í'Û. 'ÜÄß ÄÇzi¼ ½Äº£ ÁöÁπμÉ zÉ¼ÇÄ» ¼¾ÄπÇÒ ¼ö ÄÖ½Ä'Í'Û.

---

{button ,AL(` buttonstab;aboutbuttonassn;buttonassn;usinghyperjump;aboutcyberjump')} »ü·Ä ÄÖÄ!

## ÇĪÀĪÆÙ ÁĬÇÁ

HyperJump ±â´ÉÀ» »çĭëçĭĭ© , ĩĭĭ½º ´ÜÃß·Ī ÁöÁæÇÒ ¼ö ÀÖ´Á ´ÜÃĪ °ÝÁÙĭĭ¼ 8ºĭÄö Windows ĭĭÉÀ» ½±ºÖ »çĭëçÒ ¼ö ÀÖ½Á´Ī´Ù. HyperJump ĭĭ »çĭëçĭĭé ĭĭĭÉÀ» ½ÇÇàçĭ±â ÀŞÇØ ÈĭéÀ» ĭĭ©· ¹Ø ºĭ , ®ÃÑ¼ß ÇĪ´Á °ÒÆĪÇÒÀ» ÁÙĭĭ©ÁÝ´Ī´Ù.

HyperJump ĭĭ ¼³Áæçĭ·Áĭé, , ĩĭĭ½º µĭĭĪ Áæº, ÀÇ ´ÜÃß ÁÇÀ» »çĭëçĭĭ© , ĩĭĭ½º ´ÜÃß Áß Çĭ³æĭĭ ÀĪ ±â´ÉÀ» °®µµĭĭ ¼±±ÁÃÇÖ´Ī´Ù. ±æ·± ´ÙÀ½ ĭĭÉ¼Ç ´ÜÃß ĭĭĭ· Áßºĭ HyperJump ĭĭÉ¼ÇÀ» ¼³ÁæçÖ´Ī´Ù.

HyperJump ĭĭ »çĭëçĭĭ·Áĭé, ÁöÁæµÈ ´ÜÃß ĭĭĭ· HyperJump °ÝÁÙ ĭĭ Çæ¼²ÃÇÖ´Ī´Ù. ĭĭÉÀ» Èº¼ºÈçĭĭ·Áĭé, Äĭ¼ĭĭĭ °ÝÁÙĭĭ ÀÖ´Á æ¼ÆÀĪÄÜÀĭĭĭ·Ī ÀĪĭĭçĭĭ ´ÙÀ½, , ĩĭĭ½º ĭĭĭ· ½ÇÇàçÖ´Ī´Ù.

HyperJump ĭĭĭ´Á ´ÙÀ½ ĭĭĭÉÀĪ æ÷ÇÔµç¼ĭĭ ÀÖ½À´Ī´Ù:



**HyperMenu.** HyperMenu ĭĭĭ Èº¼ºÈçÖ´Ī´Ù.



ĭĭº **ÀÄĭë ÇÁ·Ī±æ·æÀ»** æ¼ÆÀĪÄÜÀĭĭĭ·Ī Çæ¼²Ã. ÇöÀç Èº¼º À©µµĭĭ³æ ÀÄĭë ÇÁ·Ī±æ·æÀ» æ¼ÆÀĪÄÜÀĭĭĭ·Ī Çæ¼²ÃÇÖ´Ī´Ù.



**ÀÄĭë ÇÁ·Ī±æ·æ ´Ý±â.** Èº¼º À©µµĭĭ³æ ÀÄĭë ÇÁ·Ī±æ·æÀ» ´Ý½Á´Ī´Ù.



¼öÁ÷ ½ºÁ©·Ñ. ¼öÁ÷ ÀĪĭĭ Çæ¼²ÃÁÙĭĭĭº Ç³È ĩĭĭ´Ī´Ù.



¼öÆð ½ºÁ©·Ñ. ¼öÆð ÀĪĭĭ Çæ¼²ÃÁÙĭĭĭº Ç³È ĩĭĭ´Ī´Ù.



**Ãç Á©±â ÁĪÁý.** Á©±â ÁĪÁý ¼öÖÀâÀĪĭĭĭº Ç³È ĩĭĭ´Ī´Ù (À©µµĭĭĭ Á©±â °ºæ).



½ÃÁÙ. Windows ½ÃÁÙ ĭĭĭº ĭĭĭ´Ī´Ù.



ĭĭĪö, · ĭĭº **ÀÄĭë ÇÁ·Ī±æ·æ** °¹ĭØ. ĭĭĪö, · Èº¼º À©µµĭĭ³æ ÀÄĭë ÇÁ·Ī±æ·æÀ» °¹ĭØÇÖ´Ī´Ù.

{button ,Jl(` lmouse.hlp>proc4', `cw\_using\_hyperjump\_jt')} æ¼ý ...

---

{button ,AL(` buttonstab;aboutbuttonassn;buttonassn;aboutcyberjump;usinghyperjump')} ü·Ã ÁÖÁ!

## HyperJump, »çzëÇĪ·Á,é

HyperJump, »çzëÇĪ±â Äüzi, ,ÖÀú ,ŋz½º 'ÜÄßzi ±â´ÉÀ» ÁöÁπÇØ¾¼ß ÇÖ´Ī´Ù. ÀÚ¼¼¼ÇŇ ³»zèÀº "'ÜÄß ÁöÁπ"À» ÂüÄŋÇĪ½É½ÄzÀ.

1. ÁöÁπμÈ 'ÜÄß,Ī´· HyperJump °YÁÚ,Ī Ç¥½ÄÇÖ´Ī´Ù. (HyperJump ±â´Ézi »çzëμÈ 'ÜÄßzi μĪ ¹Ø´©,£±â zÉ¼ÇÀ» ÁöÁπÇŇ °æzi, 'ÜÄß,Ī´· HyperJump °YÁÚ,Ī Ç¥½ÄÇÖ´Ī´Ù.) ¾¼Æ·Ī ±x,²ºú °°Aº °YÁÚAÇ´Ù,¥ qíºÐA»´·- Äßº; Áπº,Īº¾¼´Ī´Ù.



2. Äz¼,Ī °YÁÚzi ÄÖ´Á ¾¼ÆÀÄÜÄ,Ī ÀĪμzÇŇ´ÙÄ½,´·- ,Ī·ÉÀ» ½ÇÇàÇÖ´Ī´Ù.

3. ,Ī·ÉÀĪ ÁÚμzÄ,Ī ½ÇÇàμÇμ·Ī ÇĪ·Á,é 'ÜÄß ÁÇzi¼ zÉ¼Ç´ÜÄß,Ī ¼±ÄÄÇĪºí, HyperJump ÁÇÀ» ¼±ÄÄÇĪºí, ,Ī·ÉAÇ ÁÚμz ½ÇÇàz¼¼ ü,£ºÖ³ª´Á,®ºÖ,Ī ¼±ÄÄÇŇ´ÙÄ½, ÄüzeÀĪ³ª È®ÀĪÀ»´©,´Ī´Ù.

4. HyperJump·Ī ÁöÁπμÈ 'ÜÄßzi¼ μĪ ¹Ø´©,£±â,Ī ¼öÇàÇĪ·Á,é 'ÜÄß ÁÇzi¼ zÉ¼Ç´ÜÄß,Ī ¼±ÄÄÇĪºí, HyperJump ÁÇÀ» ¼±ÄÄÇĪºí, μĪ ¹Ø´©,£±â zÉ¼ÇÀ» ¼±ÄÄÇŇ´ÙÄ½, ÄüzeÀĪ³ª È®ÀĪÀ»´©,´Ī´Ù. μĪ ¹Ø´©,£±â,Ī ¼öÇàÇĪ·Á,é 'ÜÄß,Ī ü,£ºÖ´·ŋ´Ù ³ö½Ä´Ī´Ù.

'ÜÄß ÁÇAÇ zÉ¼Ç´ÜÄß,Ī ÄèÇØ HyperJump °YÁÚAÇ Á©±â,Īº-æÇØ ¼öμμ ÄÖ½Ä´Ī´Ù.

---

{button ,AL(` buttonstab;aboutbuttonassn;buttonassn;abouthyperjump;usingcyberjump')} °ü·Ä ÁÖÁ!

**ϒϒì½º³ª Æ®·ϕº¼Å» Æ»¼ÒÇĪ·Á,é**

Marble ±â¼úÀ» »çžëçĪÁö ¾É°í Äž¼°; °ñÁπ»óÀûÀ,Ī °Ç³Ê ϒÛ°Å³ª çðÁ÷Àì,é, Æ÷ÀĪÆĀ ÀăÄ;Ī  
Æ»¼ÒÇØ¾ß ÇŎ'Ī'Û.

1. °íÁπ ϒμÀ» ÁĪ°ÅÇĪç © º¼Å» »©³Å'Ī'Û. ϒϒì½º ¹Û'ÛÀÇ °íÁπ ϒμ Äž¹öž; »ð°ÛÁø Open È»ìç¥Àç ¹æçâÀ,Ī  
'©,Ī'Ī'Û.
2. º¼Å» ±ú²ýçĪ'°í °ç® ¾ø'Á ÆμÀ,Ī' 'ÛÀº 'ÛÀ½, º¼ ÄÉÀĪÁö;Ī Áϒ½É½º. '°Ô °Ò¾Ī' ÒÁö³ª °ç®À»  
ϒ¼¾¼Ī³Å'Ī'Û.
3. º¼ ÄÉÀĪÁö ³»°ĪÀç ·ñö ·ñ·Ī; Ī ÒÁö°; çü¼ºμç¾ú'ÁÁö È®ÀĪçŎ'Ī'Û. Àì± ÒÁöÀç çü¼ººº °,Äë ·ñ·ĪÀç  
Áß°£ °Ī°ÐÀç μŎ±Û ϒĪ·Ī ¾Ā,³³'Ī'Û.
4. 'ð·ĪĪ'°æžì, ÀĪ¼ÒÇÁ·ĪçÊ (ÁĪ°Å) ¾ÉÄÝÀ» ¾à°£ Àû½Å,éºÀÀ,Ī'·ñ·Ī; Æ»¼ÒÇŎ'Ī'Û. Æ»¼Ò ÈÄž;,  
·ñ·Ī; ÆπĪ' Áß½Éž; ÀŎ'ÁÁö È®ÀĪçŎ'Ī'Û.
5. ,éºÀÀç °ç®Àì ·ñ·Ī; ¾¾¼Æ ÀŎÁö ¾ÉÀºÁö È®ÀĪçŎ'Ī'Û.
6. º¼ºú °íÁπ ϒμÀ» 'Û½Ã ¾çžó'Ī'Û.



„**¶**¿½°; °“**ÁöµÇÁö** ¾**É**½

„¶¿½°; °“**ÁöµÇÁö** ¾**É**½ **¹**®**Á**¡,¡ Çø°**áÇ**í·**Á**é ‘**Ù**À½**À**» ½**Ã**µµÇí½**É**½**Ã**¿.

„¶¿½°; ¡ ¼³**Ä**¡ÇÒ ¶§ **Ö**Àú „¶¿½° ¼Ò**Ç**Á**Æ**® **¿**b¾**â**¡,¡ ¹**Ý**µ**â**½**Ã** ¼³**Ä**¡Çí½**É**½**Ã**¿. ½**Ã**½°**Á**Ù**À**» ‘**Ù**½**Ã** **ó**í**Æ**®**Ç**Ñ ‘**Ù**À½, „¶¿½° **Ä**ÉÀ**í**°**í**Á» **¿**Á. **¥**Á**É** **Æ**÷**Æ**® -- USB, PS/2 ¶**Ç**‘**Á** **Á**÷·**Ä** **Æ**÷**Æ**® **¿**¡ ²**É**½**À** ‘**í**‘**Ù**.

USB, PS/2 ¶**Ç**‘**Á** **Á**÷·**Ä** **Æ**÷**Æ**®; **À**ù**À**ý**È**÷ ±, ¼°µ**Ç**¾**â** **À**Ö‘**Á**ö **È**®**Á**í**Ç**Ö ‘**í**‘**Ù**. **Á**æ**È**®**Ç**Ñ **Æ**÷**Æ**® ±, ¼°**À**» **À**Ş**Ç**Ø **Ä**Ä**Ç**»**Á** ¼³, ¼³, ¡ **Ä**ü**Á**¶**Ç**í½**É**½**Ã**¿.

‘**Ù** **¥** ½**Ã**½°**Á**Ù **À**â**Ä**¡; „¶¿½° **¿**í **Ä**æµ¹**Ç**Ò ¼öµµ **À**Ö½**À** ‘**í**‘**Ù**. **Ä**æµ¹**Ç**í‘**Á** **À**â**Ä**¡**Ç** **Í**R**Q**/**Á**Ö¼**Ò** ¼³**Á**æ**À**» **È**®**Á**í**Ç**í°**í**, **Ç**È**¿**ä**Ç**¡,é ¼³**Á**æ**À**» °-°æ**Ç**Ö ‘**í**‘**Ù**.

Ä½°; 9îµâ·°Ô ÷òÁ÷ÀìÁö ¾ÈÀ½

Ä½ÀÇ ÷òÁ÷ÀÓÀ» °³¼±Çĭ·Á, é ½½²³² Æ®·ç½ Ä»¼Ò, Ĩ ÄüÁĭÇĭ½Ê½Ä½.

1«¼± ,ñì½º¼¼± ,ñì½º´Â ,®½Ã¹ö,| ÄëÇØ 1«¼± ÀüÆÄ,| ¼Û½ÄÇï°í ¼ö½ÄÇï¿ ÄÄÇ»Áíí Äë½ÄÇï´Ä ,ñì½ºÄÖ´í´Û.

Ã³í ¹È£Ã³í ¹È£´Â , ¶ì½ºí , ©½Ã¹°; ¼·î Åë½ÃÇİ±â ÀŞÇØ ÇöÀç »çëÇİ´Â ¹«¼± Ã³íÀÔ´Í.

'©, f±â/¼±ÅÃ '©, f±â/¼±ÅÃ ÁöÁαÀº, ¶½º, ¶½º, ¶½º ÀÛμζÇĪ'Âμ¥ ÇÊzäÇÑ ±âº» ±â'ÉÀ» Á;°øÇÕ'Ī'Û.  
¶½ºÀÇ '©, f±â/¼±ÅÃ 'ÛÃß'Á Ç×, ñÅ» ¼±ÅÃÇĪζ© ²ø'í, ÀÀzè ÇÁ·Ī±×·¥À» ½ÇÇàÇĪ'í, ¶½º, ¶½º, ¶½º  
»óÁÛ zÉ¼ÇÀ» ¼±ÅÃÇĪ'í, ±×·jÇÈÀ» ±×, ®'Âμ¥ »çzëμĒ'Ī'Û. ¶½º 'ÛÃß Áß Àû¼íμμ ÇĪ³zj  
'©, f±â/¼±ÅÃ ±â'ÉÀ» ÁöÁαÇø¼ß ÇÕ'Ī'Û.

1®ÀÚ¿/’ëÃ¼¼±Ã1®ÀÚ¿,P’º/’ëÃ¼¼±Ã ±â´ÉÀºº,Äë¿À,¥ÂÊ,¶¿½º ’ÜÃß¿¿ ÁöÁµË’Í’Ù. 1®ÀÚ¿,P  
’º/’ëÃ¼¼±Ã ’ÜÃß,¿ ’©,£,éºº,®ÅººíÀÖ´À Ç×,ñ¿¿ ’ëÇØºº;ÀÀ ÀÚÁÖ »Ç¿ëÇÍ´À,í·ÉÀÌ Æ÷ÇÔµË ±,1®  
¿,P’º,¿ Ç¥½ÃÇÕ’Í’Ù. 1®ÀÚ¿,P’º/’ëÃ¼¼±Ã ’ÜÃß,¿ ’Ü½Ã¼±ÃÇ¿¿© ¿,P’º¿¿¼¼¿,í·ÉÀ»¼¼±ÃÇÒ¼ö  
ÀÖ½À’Í’Ù. ÀÀ¿ë ÇÁ·Í±×·¥¾Ë¿¿ ÀÖ´À Æ´Áµ ¿µ¿º ÀŞ¿¿¼¼ 1®ÀÚ¿,P’º/’ëÃ¼¼±Ã ’ÜÃß,¿ ’©,£,é Æ´Áµ  
±â´É¿¿ ’ëÇÑ ÀûÁýÇÑ µµ¿ò,»Àì Ç¥½ÃµË’Í’Ù.

**CyberMenu** - Àì 'ÜÃß,¡ '·- CyberMenu,¡ È°¼ºÈÇÕ 'Í'Ù.

Ã¥¥ÇÇ-Î °;±â - ÀÌ 'ÜÃß,| '·- Ã¥¥ÇÇ À©μμζì,| Ç¥½ÃÇÕ'Ï'Û.



Ã¥°ÇÇ Æß°; - Àì 'ÜÃß,; '·- Æ¥°ÇÇ À©μμλ; ÇöÀç ÆëÀìÁö,; Æß°;ÇÕ 'Í'Ù.

ÁΒÁö - Àì 'ÜÃß,| '· ÇöÀç ÆäÀìÁöç;¼ 'Ùçî·µå,| ÁΒÁöÇÕ 'Í'Ù.

½ÄÄÜ - Àì 'ÜÄß,| '·- Windows 95 ½ÄÄÜ ,p'º,| Èº¼ºÈÇÖ 'Û.

μÚ·î - Àì 'ÜÃß,î '·- ÀìÀü ÆäÀìÁö·î μ<sup>13/4</sup>Æ°© 'Í'Ù.

**Hypermenu** - Àì 'ÜÃß,| '·- HyperMenu,| È°¼°ÈÇÕ 'Í'Ù.

ζ.° ΑΑζë ÇÁ·Î±×·ΨΑ» ¾ÆΑΙÄÜÀ,·Î ÇΨ½Ä - Àì 'ÜÃß,| '·- Ä©μμζ,| ¾ÆΑΙÄÜÀ,·Î ÇΨ½ÄÇÕ 'Í'Ü.

ÄÄë ÇÁ·Í±×·¥ 'Ý±â - Àì 'ÜÃß,| '·- À©μμζì,| 'Ý½À'Í'Ù.

¼öÁ÷ ½°Á©·Ñ - Àì 'ÜÃß,ì '· ¼öÁ÷ Àìμ;ÁÙ·í °Ç³É ¶Ý'íÙ.



¼ðÆð ½°Å©Ñ - Àì 'ÜÃß,| '·¼ðÆð Àìμ₂ÁÙ·î °Ç³Ê ¶Ý'í'Ù.

À©μμζì À©±â º-ºæ - Àì 'ÜÃβ,ì '·- À©±â º-ºæ À©μμζì·î °Ç³Ê ¶Ý'Í'Ù.

„Άό. ζ. ° ÄÄë ÇÁ·Î±×·¥ °¹ζø - Àì 'ÜÃß,| '·- „Άό. È°¼º À©μμζì,| °¹ζøÇÕ'Û.

ÀÚμζ ½°Å©·ÑÀ» »çζëÇĭζ© , 1ζì½º ÈÙÀ» °è¼Ó ¼ΔÁö ¾Ê°í ÀÚμζÀ, ·î ¹©¼, | ½°Å©·ÑÇÒ ¼ö ÀÖ½À í'Ù.

3»Àå Æ®·ç¼¼Àº ³ëÆ®í ½Ã½ºÁÛÀì³ª Áºº,µå¿; ÁëÇÕµÈ ,¶¿ì½ºÀÔ´í'Û.

²ø±â Àá±Ý ±â´ÉÀ» »çzëÇĭ© ¼ĭ½º ´ÜÃß,ĭ´©,£Áö ¾Æ°íμμ °´Ã¼,ĭ ²ø ¼ö ÀÖ½À´ĭ´Ù. ²ø±â Àá±ÝÀĭ  
ÁöÁμÈ ¼ĭ½º ´ÜÃß,ĭ´©,£,é, ÀÀzë ÇÁĭ±×·¥Àº ´©,£±â,ĭ ½ÇÁĭĭ´ÜÃß,ĭ´©,£°í ÀÖ´Á´ÍÁ,ĭĭ  
ÇØ¼@ÇÕ´ĭ´Ù. °£´ÜÈ÷ ¼ĭ½º,ĭ zòÁ÷z© ²ø±â,ĭ ¼öÇàÇÕ´ĭ´Ù. ²ø±â,ĭ ³ĭ³»·Á,é, ¾Æ¹« ´ÜÃß³² ´©,´ĭ´ĭ´Ù.

μζΑÙÀ» ¼öÇàÇÓ 'Í'Ù. μί ¹ø '© ,£±â 'Â ÀÀεë ÇÁ·Í±×·¥ ζ±âζí °°Àº

„Œı½º ÜÃß·î ÁöÁçÒ ¼ö ÀÖ´Â ´ÜÄĭ °ŸÀÚı¼ 8°ıÁö Windows „í·ÉÀ» »çıëÇÒ ¼ö ÀÖ´Â ±â´É.



Àĭ¹ÝÀÙÀ,ĭĭ »çĭëμÇ´Â 8°;Áö ÀĭĀĭ³Ý ÀÛ¼÷À» ,ĭĭĭ½º ´ÜÃß·ĭ ÁöÁαÇÒ ¼ö ÀÖ´Â °£ÆĭÇÑ ´ÜĀĭ °ÝÀÚ·ĭ  
ÅëÇÕÇĭ´Â ±â´É.


Àì ðµå°; È°¼°ÈµÇ,é, ðì½³³² ðì½° ÈÙÀì Microsoft Office ÈÈÈ- ÀÀè ÇÁ·Í±×·¥¹× Àì ±â´ÉÀ» ÁöèøÇÌ  
´Á ÀÀè ÇÁ·Í±×·¥ì¼ ½°Á©·Ñ,µ°ú È® ´è/Ãà¼Ò,¼¼öÇàÇÕ´Í´Ù.

10/4 À©μμζì 1Ûζi ÀÖ´À 10/4 Àïñ,í °,´À 1æ1ý.

ÀìμζÁÙÀ» »çzëçİÁö ¾É°í ¹®¼,¡ ½²Å©·ÑÇÒ ¼ö ÀÖ´Á ±â´É. ½²Å©·Ñ,μÀº ¹®¼ À©μμζì ¹Ùζ; ÀÖ´Á ¹®¼ Àĩ°í,¡ º,´Á ¹æ¹ýÀÔ´ÍÙ.

1 ¼, ! È ° ëçĩ° Å³ª ãà¼òçò ¼ö Àö½À ´´Ù.

Á÷·Ä Æ÷Æ® 'Â Á÷·Ä , ¶¿½º¿ë ÄÉÀì°íÀ» ²È'Â, ÄÄÇ»Áí¿; ÀÖ'Â ¿¬°á°í·î °. Äë COM1 ¶Ç'Â COM2ÀÔ'í'Û.  
Á÷·Ä Æ÷Æ® Ä¿³ØÁí'Â , ð³⁄⁴¿Àì ÆíÆèÇí°í 9 ÇÉ ¶Ç'Â 25 ÇÉÀ» °;Äö°í ÀÖ½Ä'í'Û.



'©,£±â'Â,¶½º'ÜÃß,¡»i,®'·¶'Ù³ð'Âµ¿ÀÛÀÔ'Í'Û.¶½º'ÜÃß,¡Áπ»óÀÛÀ,Î'©,£,éÇ×,ñ  
¼±Ã,»ðÀÔÆ÷ÀÎÁÍÀµ¿¶Ç'ÂÅØ½ºÆ®°Á¶Ç¥½Ã¿°°µ¿ÀÛÀ»¼öÇàÇÕ'Í'Û.

CyberJump ¶Ç´Á HyperJump µî ¹ø ´©, £±â ¿É¼ÇÀ» Èº¼ºÈÇĭ·Á,é ¿©±â,ĭ ´©,ĭĭĭÙ.



CyberJump ¶Ç´Á HyperJump °ÝÀÚÀÇ Å©±â,¡ °áÁæÇí´Á ¼É¼ÇÀ» ¼±ÅÃÇÕ´í´Ù.

· À, ®°Ô ¶Ç´Â ºü, £°Ô, ¶´·, ¶·ÉÀÇ ÀÚμζ ½ÇÇàÀ» È°¼ºÈÇÕ´Í´Ù. Àì ζÉ¼ÇÀì È°¼ºÈμÇ°í, ¶ì½º´ÜÃß, ¶·  
· Àζ¼, ¶¼ÆÀìÄÜÄ, ¶·ÀìμζÇĬ,é, Àζ¼º; ±δ¹ÚÀì°í, ¶·ÉÀì ÀÚμζÀ, ¶·½ÇÇàμÈ´Í´Ù.

MouseWare ¼ÆÀÌÄÜÀ» ±âº» À©μμζì ÀÛ¾÷ Ç¥½ÃÁÛζ; Ç¥½ÃÇĭ·Á,έ ζ©±â,ı '©,ı ĭ'Û. ÀÛ¾÷ Ç¥½ÃÁÛζ; ¼ÆÀÌÄÜÀ Ç¥½ÃμÇ,έ, ¼ÆÀÌÄÜÀ» '·ı ,ıζì½º μĭĭ Áº,ζ; Áç±ÛÇÖ ¼ö ÅÖ½À ĭ'Û.

Ã¸; 'ÛÃ¸ çÉ¼ÇÀ» Ç¥½ÃÇİí µÎ ¹ø '©, £±â Å,À¹ÖÀ» Á¶Á¼Çİ·Á,é ç©±â,İ '©, "İ'Ù.

„ň·Īzĭ¼ ěÉ¼ÇÀ» ¼±ÅÃĪĭ© ¹®¼ ½ºÅ©·Ń,μÀÇ ¾ÇÀ» ¼±ÅÃŃŃĪ'Ū.

Universal Serial Bus (USB) is a standard for connecting devices to a computer. It is a serial bus that allows for the connection of a wide range of devices, including keyboards, mice, printers, and external hard drives. USB is a popular choice for users because of its ease of use and the ability to connect multiple devices to a single port. The USB standard is maintained by the USB Implementers Forum (USB-IF).

È£È<sup>-</sup> ½°Å©·Ñ,μÀ» È°¼°ÈÇĭ·Á,é ĵ©±â,ĭ '©, " ĭ'Ù.

„Πρόμθεσ À Áπ³ÍÁ» , ®½Ã¹öζί μζ±âÈÇĬ·Á,é ζ©±â,ı ‘©,ıı‘ÍÙ.



Α°ε,μâ ¶όμδζÀ Æκ³ÎÀ» ,®½Ã¹öζί μζ±âÈÇĭ·Á,έ ζ©±â,† '©,¨ĭ'Û.

ÀÛ¼÷ Ç¥½ÃÀÛ; ¼¼± Åº, μâ; 'ëÇÑ ¼ýÀÚ Àá±Ý »óÃ, Ç¥½ÃÇ·Á, é ÿ©±â, ! '©, " 'Û.

ÀÛ¼÷ Ç¥½ÄÁÛ; Å°µâ µí·Ī Áæ°, ¼ÆÀĪÛÀ» Ç¥½ÄÇĪ·Á,é ĵ©±â,Ī'©,Ī'Ī'Û.

1«¼± Å°μâ¿; ´ëÇÑ ÀÛ¾÷ Ç¥½ÄÁÛ¿; ½°Å©Ñ Àá±Ý »óÅ, Ç¥½ÄÇİ·Á,é ¿©±â,ı ´©,ıı´Û.

ÀÛ¼÷ Ç¥½ÄÀÛ; ¼¼± Åº,µã; 'ëÇÑ ¼Ò¹®ÀÚ Àá±Ý »óÄ, Ç¥½ÄÇĭ·Á,é ĵ©±â, '©, "ĭ'Ù.

¼Óμμ °, °í ½½¶óÀì´ö. ½½¶óÀì´ö, | ¿À, ¥ÁÊÀ, ·í Àìμ¿Çĭ, é PS/2 È£ÈÈ⁻ Æ÷Æ®¿¼, ¶¿¿½º ÆßÀû ÇØ»όμμ°; Áα¹ÐÇØÁý´ĭÙ.

¼±ÅÃĴ,é ÀŞÀÇ Ç® 'ÙĴî »óÀÚ,İ »çĴëÇĴĴ© »çĴëÀÚ ÁπÀÇ ±â'ÉÀ» 'ÜÃß 3°ú 4Ĵİ ÁöÁπÇÒ ¼ö ÀÖ½À'Ĵ'Ù.

¼±ÅÄÇĭ,é 'ÜÃß 3°ú 4´Â ¹®¼,ĭ ÀŞĭí ¾Æ·ĭ·ĭ ½ºÅ©·ÑÇÖ´ĭ´Ù.



¼±ÅÃĵ,é 'ÜÃß 3°ú 4ÀÇ ½°Å©·Ñ,μ ¹æÇàÀì ¹Ù²ò'Í'Ù.

//,ϱì½º μî·Ĭ Áπº,ÀÇ Æ÷ÀîÁí ÆëÀìÁö¿i ´ëÇÑ Microsoft μμ¿ð,» Ç×,ñ.//

»ç¿èÇÒ ¼ö ÀÖ´À ,¶¿ì½º Æ÷ÀíÁí ÁýÇÖÀ» ³²¿ÇÖ´Í´Ù. °ç Æ÷ÀíÁí ,ð¾çÀº Windows°; ¼öÇà ÁßÁí ÀÙ¾÷, ¶Ç´À ÁÖ¾íÁø È°æ¿;¼ ¼öÇàÇÒ ¼ö ÀÖ´À ÀÙ¾÷À» Ç¥½ÃÇí´À ½Ã°çÀù Ç¥½ÃÀÖ´Í´Ù

±,¼°Ç¥ »óÁÚ;¼ ¼±ÅÃÇÑ Æ÷ÀÍÃÍ ±,¼°Ç¥,| »èÁ|ÇÕ´ÍÙ.

ÇöÀç Æ÷ÀÍÁÍ ±,¼ºÇ¥ Àì,§À» ÇÁ·ÒÇÁÆ®ÇÕ'Í'Ù. »çìëÀÙ°; ÁöÁπÇÑ Àì,§Áº ³²Áβì; Àì ¼³ÁπÀ» ½±°Ö  
º¹±,ÇÒ ¼ö ÀÖμμ·Í ±,¼ºÇ¥ ,ñ·Íì; ³²Á, ³³'Í'Ù.

ÇöÀç Æ÷ÀÍÁÍ ¼³Á±¿; 'ëÇÑ Àì,ŞÀ» ÀÔ·ÂÇÒ Àâ¼Ô, Áì°øÇÕ Í'Ù. »ç¿ëÀÚ°; ÀÔ·ÂÇÑ Àì,ŞÀ° ³²Áß; Àì  
¼³Á±À» ½±°Ô °¹±,ÇÒ ¼ö ÀÔµµ·İ ±,¼²Ç¥ ,ñ·İ; ³²Á,³³ Í'Ù.

¼±ÅÃµË ±,¼°Ç¥¿; Æ÷ÇÔµË ,¶¿½° Æ÷ÀÍÃÍ,³¿¿ÇÖ'Í'Û. Æ÷ÀÍÃÍ,¼±ÅÃÇ'°í, Æ³¼Æ°±â, '©,¥  
'ÛÀ½, 'Û¾ÇÇÑ Æ÷ÀÍÃÍÇ ÆÄÄ'Àì,§À» µí ¹ø '· Æ÷ÀÍÃÍÇ ¿ÛÇüÀ» °°æÇÖ ¼ö ÆÖ½À'Í'Û.

¼±ÅÃÇÑ , ¶¿½º Æ÷ÀÍÃÍ, 'Ù, ¥ Æ÷ÀÍÃÍ·Î 'ëÃ¼ÇÏ·Á, é ¿©±â, | '©, " 'Ï'Ù.



¼±ÅÅμÈ Æ÷ÀÌÁÍ, Ç¥½ÃÇÖ´Û. ÀÏ°Í μδ½°ÇÃ·¹ÀÌ´À ζδÁ÷ÀÌ´À Æ÷ÀÌÁÍ, ÁöζøÇÖ´Û.ζδÁ÷ÀÌ´À  
Æ÷ÀÌÁÍ, ¼±ÅÅÇÏ´Í μδ½°ÇÃ·¹ÀÌ°; ÀÌ ±â´ÉÀ» ÁöζøÇÖ °æζì, ÀÌ »óÁÚζ;¼ ¾Ö´Û, ÞÀÌ¼ÇÀ» ì, ® ²¼ ¼ö  
ÀÖ½À´Û.

IDH\_MOUSE\_POINT\_DEFAULT Returns the default mouse pointer for Windows. The value is a pointer to a cursor resource. The cursor resource is a resource that is defined in the system resource file (system.rc) and is used to define the mouse pointer for Windows. The value is a pointer to a cursor resource. The cursor resource is a resource that is defined in the system resource file (system.rc) and is used to define the mouse pointer for Windows.

Àì ±x·ì; ÄÖ'Â °ç Çx,ñ; 'ëÇÑ μμzò.»Ä» ¼¼ö ÄÖ½Ä'Í'Ù. 'ëÈ »óÄÚ ,Ç Ä§; ÄÖ'Â ? , '©,¥ 'ÙÀ½,  
Äæ, , ·Ä'Ä Æ-Äæ Çx,ñÄ» '©, 'Í'Ù.

»çè ÁBÀÎ , ¶½ÀÇ À`ÇüÀ» ³À, ³À ´Ù. »ð·îî , ¶½À, ¶¼³Ä;ÇĪ·Á, é, °°æÀ» ´©, £½É½Ä.

»ö ,¶ž<sup>1/2</sup> ,| ÅŞÇÑ ¼ÒÇÁÆ® žp<sup>3/4</sup> ,| ¼<sup>3</sup>Ä;ÇĪ.Á,é ž©±â ,| ´©, "Ī'Û.

Ãß°; . ¶¿ì½º ¼³Á±À» °°æÇÒ ¼ö ÄÖ½Ä Í'Û.

Æ+ÀÎÁÍ'Â Windows ³»¿; ÀÖ'Â ±âº» ¼±ÅÃ/À§Ä; ÁöÁ± ±â¹ýÀ,·Î »ç¿ëµÇ'Â Ç¥½ÅÀÚÀÔ'Í'Ù. Æ+ÀÎÁÍ'Â  
ÇöÀÇÀÇ ÀÛ¾÷À» ³²Å,³»'Â ,đ; ½Ã°è³² 1-ºö°ú °°Àº ¿©·°;Áö ,đ¾¼ÇÀ» °;Áý'Í'Ù.

//What's This topics//



„ſſi½º ÜÃſ; ÁöÁÇÒ ¼ö ÀÖ´Á ±â´ÉÀ» ³²;ÇÕ´Í´Ù. ÁöÁÀ» ¼±ÃÇĬ·Á,é, ¾Æ·Ĭ È»ĬÇŸ,Ĭ´©,Ÿ´ÙÀ½,  
Ç×,ñÀ»´©,´Í´Ù.

±×,²Àº »çzë ÁßÀÎ ,¶zì½º,ìº,ç© ÁÝ'Ï'Ù. çPÂÊÀÇ »óÀÚ'Â ,¶zì½ºÀÇ 'ÜÃßz; ÁöÁµÈ ±â'ÉÀ» ³²Á,³À'Ï'Ù.

½½¶óÀì'õ,¡²ø¾4î μí¹ø´©,£±â¼Óμμ,¡Á¶ÁαÇÕ'Ï'Ù. Å×½ºÆ®¾⁄ÆÀìÄÜÀ» μí¹ø´·- ÇöÀç¼Óμμ,¡  
Å×½ºÆ®ÇÕ'Ï'Ù.

Àì ùμζ²À» »çzëÇĪz© μĭ ¹ø ´©, £±â ¼Óμμ,ĭ Å×½ºÆ®ÇÕ´ĭ'Ù.

½½¶óÀì'õ,¡ ²ø¾⁴î ,¶ì½²º; ÀìμζÇĪ'Â °Å,®ζ; μû¶ó ÄÄÇ>ÁÍ È,έζ;¼ Æ÷ÀîÁí°; ÀìμζÇĪ'Â °Å,®ζ,¡ °άΆπÇÕ'Ī  
'Ù. Άπ¹Ðμμ,¡ ³δÀì·Á,έ, ¼Óμμ,¡ 'À,²ζ;¼ ÁΒ°£ ¹üÀ§·í ¼³ΆπÇĪ'½Ê½ÃζÀ.

°;¼ÓÈ ¿É¼ÇÀ» ¼±ÄÄÇ¿¿© ¿¼¿½°; À¿μ¿Ç¿Á ¼Óμμ¿; μû¼ó ÄÄÇ»Á¿ È,έ¿;¼ Æ÷À¿Á¿°; À¿μ¿Ç¿Á  
°Á¿,¿, °άÁπÇÕ¿¿Ù.

Æ÷ÀÎÃÍ°; È,έζ;¼ ÀìμζÇÒ ¶S Æ÷ÀÎÃÍ μÚζ; ÀÚÃë°; <sup>32</sup>μμ.ĩ Çĩ·Á,έ ζ©±â,; ¼±ÃÃÇÕ´Ù.

½½¶óÀì'õ,¡ ²ø³⁄⁴î Æ÷ÀîÂí ÀÚÃë ±æÀì,¡ Á¶Á×ÇÕ'í'Ù.



Æ±ÀĪĪ, ĺ·Á ÀÖ'Â 'ëÈ »óÀÚÀÇ ±âº» ĵ,í·ÉÀ, ·Ī ÀÚμζÀ, ·Ī ÀĪμζÇĪ·Á,é ĺ©±â, ĺ¼±ĀĀÇÕ'Ī'Ù. 'ëŵºĐÀÇ  
ºæĺì, ±âº» ĵ,í·É 'ÜĀß'Ā È®ĀĪ 'ÜĀßĀÔ'Ī'Ù.

1æÇâ ¼³Áπ 'ÜÃß, ! '©, ¥ ÈÄ¿, , ¶¿½², ! Àìμ¿ÇÏ¿© »õ·¿¿ 1æÇâÀ» ÁπÀÇÇÕ'Í'Ù. Àì ¿μ¿³À° , ¶¿½²ÀÇ ¿ðÁ÷ÀÓÀ» μ·ÏÇÕ'Í'Ù. Ç³¼±Àì ±, , §¿¿ 'éÀ» ¶§±íÁö , ¶¿½², ! Àìμ¿ÇÕ'Í'Ù. Ç³¼±Àì ±, , §¿¿ 'éÀ, , é, »õ·¿¿ 1æÇâÀì ¼³ÁπμË'Í'Ù.



ÇöÀç ÄÄÇ»ÁÍ; 9ÍÂøμÈ , ½; Ç½ÄÇÖ'Í'Ù. , ½ Áß ÇÏ³; È¼ , ½·½ÄÇÏ·Á, é, ¼Æ; È-  
»iÇ, '©, ¥ 'Ù½, , ñ·½ , ½; ½±ÄÄÇÖ'Í'Ù. , ½ μí·Á, °æÇÏ, é È¼ , ½; ÀüèμÈ'Í  
'Ù.

1«¼± , ©½Ã¹ö¿ 1«¼± , ¶¿½² »çÀÌÇ Åë½Å» ¼³ÁçĬ·Á,é ¿©±â,ı '©,ı'ı'Ù.

MouseWare°; ½Ã½°ÂÛ; ÷¬°áμÈ ,δμç ,¶;½°; °"ÁöÇĭμμ·Ī Çĭ·Á,é ;©±â;! '©, "ĭ'Û.

„Πλὴν ἡμεῖς οὐκ ἐπινοοῦμεν ἄλλο τι πρὸς ὑμᾶς, ἀλλὰ ἵνα ἡμεῖς ἴδωμεν ὑμᾶς ὡς ἔσται ἡμεῖς ἰσχυροὶ ἐν ὑμῖν, ὡς ἡμεῖς ἴδωμεν ὑμᾶς ὡς ἔσται ἡμεῖς ἰσχυροὶ ἐν ὑμῖν.“

»çïë ÁßÀî MouseWareÀÇ ¹öÄüÀ» ³²Á, ³À´í´Ù.



»çzë ÁßÀî , ¶zì½º μå¶óÀì¹öÀÇ ¹öÀüÀ» ³²¶, ³À ´Í Ù.

Á;ÁñÈ, »ç ±ÇÀâ ¼³Áαζι μûñó, ñζì½º; ¼³Ä;Çĭ·Á, é ζ©±â; ĭ'©, "ĭ'Û. »çζèÀÚ ÁαÀÇμÈ, ñζì½º; ÀÖ'Â  
°æζì, Àĭ 'ÛÃß; ĭ'©, £, é ±âº» ¼³ÁαÀ, ĭ'º±, μË'ĭ'Û.

»çzë ÁßÀÎ , ¶zì½º , Ì³²À , ³» , ç ÇöÀçÀÇ 'ÜÃß ÁöÁ¼À»º , ç © ÁÝ'Í'Ù.

