

APrint

COLLABORATORS

	<i>TITLE :</i> APrint		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 1, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	APrint	1
1.1	APrint.guide	1
1.2	APrint/Read me first	2
1.3	APrint/Copyright	2
1.4	APrint/Registration Card	3
1.5	APrint/APrint needs	4
1.6	APrint/Install	4
1.7	APrint/History	5
1.8	APrint/Thanx	5
1.9	APrint/Menu/Project	6
1.10	APrint/Menu/Data	6
1.11	APrint/Menu/Print	6
1.12	APrint/Menu/Printer-Prefs	7
1.13	APrint/Windows/Main	7
1.14	APrint/Windows/Editor	8
1.15	APrint/Windows/Choice	8
1.16	APrint/Misc/Tooltypes	9
1.17	APrint/Misc/Bugs	10

Chapter 1

APrint

1.1 APrint.guide

"APrint (AddressPrint)" (V3.2)

29.09.96

Copyright (C) 1993-1996 by Falk Zühlsdorff

1. General

Read me first

Copyright

APrint needs

Install

History

Thanx

2. Menu from mainwindow

Project

Data

Print

Printer-Prefs

3. Windows

Main

Editor

Choice

4. Misc

Tooltypes

Bugs ?

Registration Card

1.2 APrint/Read me first

"APrint" is, I think, the best address-database and address-printing-office.
The meaning from APrint is:

- manage your addresses fast and simple
- functions you never need (you find in other programs) are not included
- print address-labels for your correspondence (snail-mail) with
dispatch, sender ...
- you can also print labels continuous or on pages (nice for
laser-printers).
- english and german version (use tooltypes)
- some good tricks you can find in the help-requesters
- if you don't need the guide the program is good
(and I think you needn't the guide...)
- ...

1.3 APrint/Copyright

"APrint" is SHARWARE. (C) & (P) by Falk Zühlsdorff 1993-1996.

All rights reserved. No liability for errors using APrint.

Germany: 8 DM incl. P&P
World: 10 DM incl. P&P
Internet: 5 DM (send you keyfile uuencoded / as MIME attachment)

With CDpro: (THE CD-Database (V3.5 using locale.library,
release time 10/96))

World: 20 DM Keyfiles: CDpro and APrint incl. P&P
Internet: 15 DM Keyfiles: CDpro and APrint ...

Author:

PackMAN
Falk Zühlsdorff
Registration Card
Lindenberg 66
98693 Ilmenau

Germany

Email: ai036@rz.tu-ilmenau.de

WWW: http://www.rz.tu-ilmenau.de/~ai036

Payment: cash (best) / german stamps / money order (-> post-office) /
eurocheques (2-3 weeks waiting)

Please use your

Registration Card
!

- Updates:
- With the registration you get your personal keyfile (name and userid included).
 - Then you can get all new versions from your software-dealer you found first version or you can find them on aminet (biz/dbase) (you need personal keyfile).

Demo: - you can't save data

Reqtools.library is (c) by Nico François / Magnus Holmgren
 xpkmaster.library is (c) by U.D. Müller
 Amiga / Installer / Workbench / Intuition is (c) by Escom AG.

1.4 APrint/Registration Card

--- APrint V3.2 ---

Registration Card

.....
 (Name)

.....
 (Street)

.....
 (ZIP / City)

.....
 (Email)

 hardware configuration

() ECS () OCS () AGA ()

() 68000 () 68020 () 68030 () 68040 () 68060 () PowerPC
 MHz () 68EC0xx/68LC0xx
 () OS2.x () OS3.0 () OS3.1 () OS

 There I found APrint:

() Aminet () Aminet-CD () Time-PD Disk: ... ()

-
- The data will be electronically saved.
 - The registration take place on my name and address.
 - I can't revoke registration and I accept the copyright orders.
 - I send you the share with this registration card

() 5 DM Internet (Keyfile via email) () uuencoded () MIME

() 8 DM Mail, Germany incl. P&P

() 10 DM Mail, World incl. P&P

() 15 DM Internet (CDpro+APrint) () uuencoded () MIME

() 20 DM Mail, World incl. CDpro

..... (City, Date) (Signature)

1.5 APrint/APrint needs

- needs OS2.x (Kickstart V37.175 or higher).
- "reqtools.library" / "xpkmaster.library" / "compressors/xpkENCO.library".

1.6 APrint/Install

use the script "Install" (using Installer),

or copy all libraries to LIBS: or LIBS:compressors/ and all other files you need to your private directory.

needs also:

```
L:PortHandler
Devs:printer.device
Devs:parallel.device or Devs:serial.device
Devs:Printer/...
```

1.7 APrint/History

V1.1 (03.11.93): - first german fd-version

...

V2.22 (03.01.95): - last german fd-version

V3.0 (20.12.95): - the first international sw-version, with listviews...

V3.1 (10.03.96): - some small buggs after the iconify fixed
(fontheight in the menu/if the font is to big)
- printertest yes/no for some printertools
- if you use a new list (clear all) and you want to save
your data at the first time you will get a filerequester.

V3.2 (29.09.96): - new routine for window size
- headword now 21 characters (18 before)
- OS3-Pointer
- new tooltypes (WINDOW_X, WINDOW_Y, PATTERN,
AUTO_SAVE_PATTERN, AUTOLOAD, AUTOLOAD_FILE, STATUSPEN)
- new routine for status message
- new routine for search (using MatchPatternNOCASE,...)
- using tooltypes also from the Shell.
- more requesters for more security

TODO: - locale.library for all other languages
(German / English possible with tooltype "GERMAN" until V3.2)
- some options, like "Delete Marked Items", "Rotate Marks"...

1.8 APrint/Thanx

greetings and thanks to:

- C= and Amiga Technologie for the AMIGA
- dopW (J.Tröger)
- RøgerSøft (M.Klein)
- BømberSøft (B.Schotte)
- A.Tetzl
- S.Erbert
- Janosh (J.Stötzer)
- Diesel (B.Künnen)
- Rascal (F.Schmal)
- FlipFlop (G.Frank)
- Wurzelsepp (A.Neumann)
- Wolfgang Wesemann
- Thomas, Kai, Andreas Mache

- all PURITY-Authors

- ...

1.9 APrint/Menu/Project

Load: Select the APrint-File to load (filerequester).

Save: Save data in last selected file.

Save as: Save data in selected file (filerequester)

Copyright: Requester

Help: Requester

Iconify: Sleepmode, close mainwindow and build appicon from APrint on the Workbench-Screen. Doubleclick to return.

Quit: Finish APrint

1.10 APrint/Menu/Data

Clear all: Clear addresses, senders, dispatch (new list)

Clear addresses: Clear all your addresses

Clear dispatch: Clear data from dispatch

Clear senders: Clear all senders

Clear marks: Clear all marks you made

Sort addresses: Sort addresses towards headwords

1.11 APrint/Menu/Print

Help: Some tips for timely printmodus

Label: You can print Label (for snail-mail ...) with
dispatch, sender, address ... state.

Continuous: Prints all or marked labels continuous.

Page: Prints all or marked labels on normal paper (A4/Letter).
2 labels side by side (normaly 8-12 labels per side)

List 1: Prints all or marked addresses in one column with
keywords.

List 2: Prints all / marked addresses in to columns without
keywords.

1.12 APrint/Menu/Printer-Prefs

Continuous:

- Marked / All: Prints all / marked addresses using Print/Continuous
- Space: empty lines between 2 Labels

Page:

- Marked / All: Prints all / marked addresses using Print/Page
- Space bottom: empty lines between 2 Labels
- Space right: spaces between two columns

Dispatch,

Sender ...

State: Select what you want to print with Print/Continuous or Print/Page.

Lists:

- Marked / All: Prints all / marked addresses using Print/List 1 or 2
- Address ...
- Comment: Select what you want to print with Print/List 1 or 2

NLQ: Select quality

1/8": Lines per inch

Paper Length: Lines per side

Left margin: Left margin

Save Config.: Save configuration

1.13 APrint/Windows/Main

First read Requester "Help" on menu "Project"...

Headword: You can select address. Data you can read on the right top of the window.

On the left side of the listview you can select gadgets which marks the entries.

Delete: Delete selected address...

Change: You can change selected address...

Add: You can add new addresses to the list...

Search: Search towards headword from the top of the list and select the address if available.

Dispatch: Dispatch, you can use for your labels.

Sender: Your sender on the label...

Choice: You can select and modify dispatch and sender.

Status: There you can find last action, bugs ...

1.14 APrint/Windows/Editor

Firm / Mr /
Mrs / Ms: Choice one as address

Address...

Headword: There you can insert your data.

Okay: Finish editor-mode with this entry

Cancel: Finish editor-mode now (without this entry or no change)

Next Entry: Add topical entry to the and open new entry (only Add)

Clear field: clear all stringgadgets...

1.15 APrint/Windows/Choice

Dispatch: After select an entry you can modify it or/and use it on mainwindow

X: There you can modify string...

Copy: Copy string from "X" to list.

Delete: Selected entry (you can see in "X") from list.

New: Clear all from Dispatch

Sort: Sort dispatch

System: Clear list and add systemlist

Sender: After select an entry you can modify it or/and use it on mainwindow

W: There you can modify string...

Add: Copy string from "W" to list.

Delete: Selected entry (you can see in "W") from list.

New: Clear senders

Sort: Sort senders

Help: Tips & tricks

1.16 APrint/Misc/Tooltypes

You can use 12 tooltypes now:

TEMP_PATH the temporal path (encode/decode data)

like: TEMP_PATH=T:

DATA_PATH data path (filerequester starts with this path)

like DATA_PATH=DH0:APrintData/

GERMAN 2 languages are available, english and german.

like GERMAN=YES or NO

START_AS_APPICON Starts APrint with appicon. (If you use WBStartup add "DONOTWAIT" to the tooltypes)

like START_AS_APPICON=YES or NO

PRINTERTEST Check the printer (offline/paperout...)
You can switch off this test (it is in conformity with your system) if some printertools like "DruckManager" have problems with it.

like PRINTERTEST=YES or NO

WINDOW_X, WINDOW_Y Window position for the next start.
"Save Config." also write the window position to the tooltypes.

like WINDOW_X=100 / WINDOW_Y=50

PATTERN Pattern for load-/save-filerequester

like PATTERN=#?.aprint

AUTO_SAVE_PATTERN add PATTERN to filename (like "Filename.aprint")

like AUTO_SAVE_PATTERN=YES or NO

AUTOLOAD Loading file which was active on last "Save Config."
(Or change tooltype AUTOLOAD_FILE ...)

like AUTOLOAD=YES or NO

AUTOLOAD_FILE If AUTOLOAD=YES this file is automatically loading
if you start APrint.

like AUTOLOAD_FILE=HD3:APrint-Data/230696.aprint

STATUSPEN Color for the status message.
Take your favourite Color (1-6)

like STATUSPEN=6

1.17 APrint/Misc/Bugs

If you find bugs or you have some ideas write them to me (use email if possible). Don't forget adding your hardware-configuration to the bugreport...

Thanx.
