

Text Windowing Interface

Version 1.2

An Advanced Interface System For Turbo Pascal 6.0

By,
David Pabst
18 McAdams Road
Framingham, MA 01701
USA

Available through
CompuServe EMAIL
ID 76547,2643
-Or-
RelayNet Shareware Conference

copyright 1992
all rights reserved

USE OF TWI IS
ONLY ALLOWED FOR A
LIMITED 31 DAY TRIAL
PERIOD FOR UNREGISTERED
VERSIONS.

The Text Windowing Interface (TWI) is a Turbo Pascal 6.0 windowing toolkit that replaces Borland's Turbo Vision. TWI easily incorporates text and windows together in an attractive and consistent interface. TWI is great for new programs, and even better for old programs that need a new look.

Ease Of Use

With TWI you can give your users a consistent, easy to use, and great looking interface without much work. When users start to see your great software, you'll start receiving registrations.

Windowing

In the age of windowing you have to have a comprehensive Windowing system to compete with another product. Even if your program has more features than a competitor's product, but his interface is better; You're going to lose out.

Quickly Incorporate TWI Into Your Programs

The Text Windowing Interface has many procedures that can set the background up, set default colors, and much more. These features are so easy to use, that even an amateur Pascal programmer will be able to use them.

Pull Down Menus

The Text Windowing Interface has support for Pull Down Menus. Pull down menus are now standard in almost every program, and are now expected by the computer using public.

TWI is Colorful

TWI has been designed so that users can change the colors of the interface, you can even hard code colors, or just call the Default Color procedure and don't worry about having to set the colors.

Support

When you register TWI, you get:

- A) on-line support through Compuserve E-Mail,
- B) support through RelayNet ShareWare (unofficial support base) message base (Route To Xevious; To: David Pabst),
- C) Text Windowing Interface Source Code,
- D) A reduced upgrade price for all major upgrades (All future versions will be totally registered for you by using your registration code),

The Text Windowing Interface (C) David Pabst 1992

- E) notification of all future releases, and
- F) A disk with the latest version of TWI.

Table Of Contents

License For Shareware Version of TWI	Page 8
License For Registered Version of TWI	Page 10
File Listing	Page 11
Important Information	Page 12
The Text Windowing Environment	Page 13
More Important Information	Page 13
Colors	Page 13
Setting The Interface Up For The First Time	Page 13
Overall Interface\Background Procedures	Page 15
Procedure DRAWBACKGROUND	Page 15
Procedure QUICKBKGDRAW	Page 16
Procedure CHANGESTATUSLINE	Page 17
Procedure CHANGEBOTTOMLINE	Page 17
Procedure TWICLOSE	Page 18
Windowing Procedures	Page 19
Procedure DRAWONELINEWINDOW	Page 19
Procedure TWIFILELOAD	Page 20
Procedure DRAWSMALLWINDOW	Page 21
Procedure CLEARSMALLWINDOW	Page 21
Procedure DRAWMEDIUMWINDOW	Page 22
Procedure CLEARMEDIUMWINDOW	Page 22
Procedure DRAWLARGEWINDOW	Page 23
Procedure CLEARLARGEWINDOW	Page 23
Procedure DRAWVERYBIGWINDOW	Page 24
Procedure CLEARVERYBIGWINDOW	Page 24
Procedure DRAWCOLORBOX	Page 25
Procedure DRAWFULLWINDOWOUTLINE	Page 25
Pull-Down Menuing Procedures	Page 26
Procedure DRAWMENUS	Page 26
Procedure MOVETOLOCAL	Page 26
Procecedure CLEANOLDLOCATION	Page 27
Procedure DRAWSUBMENU	Page 27

Procedure WHERECURSORISREWRITE Page 28
Procedure OLDPLACEREWRITE Page 28

Miscellaneous Commands Page 29
 Procedure WAITFORRETURN Page 29
 Procedure DEFAULTCOLORS Page 29
 Procedure WRITEXY Page 30
 Procedure WRITEXYI Page 30

Further Help Page 31

Getting The Latest Version Page 31

Order Form Page 32

License - Unregistered Shareware Copy

CAREFULLY READ THE FOLLOWING TERMS AND CONDITIONS. IF YOU DO NOT AGREE WITH THEM, YOU SHOULD PROMPTLY DELETE THE ENTIRE TOOLKIT. USING THIS SOFTWARE INDICATES YOUR ACCEPTANCE OF THE AGREEMENT.

The Text Windowing Interface is not Public Domain *or* free. It is ShareWare. ShareWare is a way of distributing software so the user can try the software before purchasing.

Non-Registered users of this software have 31 days to test TWI before removing it from their system or registering. Using TWI after the 31 days without registering is illegal.

TWI can not be modified in any respect, for any reason, including but not limited to, de-compiling, disassembling, or reverse engineering of TWI. The registration screen and all of the menus, help files, and start up files must never be altered, removed, bypassed, or disabled by any means (the bug-a-boo registration screens are disabled with the registered copy).

You are free to distribute the **publicly available shareware version of TWI** to others subject to the above restrictions and also the following:

- A) No fee is charged for its use.
- B) No re-numeration may be accepted for TWI. This does not apply to bulletin board service, online membership, subscription, or access services, etc... charges.
- C) TWI must be distributed in un-altered form, complete with licensing information, **full** documentation, and all accompanying files and programs. The archive must not be altered in any respect.
- D) All Shareware vendors must make sure that the version is the unregistered shareware version. You may request a free evaluation disk¹. (**Shareware houses ONLY**)

Bulletin Board Systems (BBS) may make TWI available for download only if the above conditions are met. The archive (TWI12.ZIP) distributed by me or an equivalent archive may be made available only in complete form. Refer to the *File Listing* for a complete listing of all the files, use this to verify a

¹This offer to shareware vendors may change without notice, if you really want it bad, download it from CompuServe or purchase the evaluation copy. See order form.

complete packet. If the contents appear to be altered or not complete, you may obtain the latest shareware release² of TWI for only \$5.

Vendors must give a description that treats TWI fairly. It must be an objective and non-biased review. Vendors may not refer to this software as cheap, gaudy, et cetera. Included with TWI is VENDORS.DOC which includes a few sample descriptions for TWI.

²Evaluation Copy

License - Registered Copy

The previous license statement does not apply to the registered version of TWI. The registered software is protected under United States Copyright. It must be treated just like commercial software with certain exceptions as follows:

A) I authorize the making of archival copies of the registered version for the sole purpose of backing up your software and protecting your investment from possible loss.

B) The medium on which the registered software is recorded is transferred to the customer, but not the title of the software.³

C) The software cannot be transferred to anyone. It can be used only on one computer at a time. You can have it on two or more computers, BUT IT CAN ONLY BE USED BY ONE PERSON AT ONE TIME.

This license is effective until terminated. You may terminate it at any time by destroying the software together with all copies, manuals, disks, saved files, etc.. The license also terminates if you fail to comply with the terms and conditions of the license agreement.

Also, by terminating the license, you wave the right to reduced upgrade fees, upgrade notices, etc.

Thanks for taking the time to read the legal information...

³This means the author retains the rights to the software, you own the disk with the software on it. But you have full rights to use the software.

File Listing

These files are included within the Text Windowing Interface archive. The following are a semi complete list (any additions will be in README.DOC).

File Name -----	Description -----
TWI.TPU	Text Windowing Interface UNIT variation 1.
TWI2.TPU	Text Windowing Interface UNIT variation 2.
TWIDEMO.PAS	Demo program for TWI. (pull down menu demo)
TWIDEMO.EXE	Compiled demo program for TWI.
TWIDEMO2.PAS	Another demo program for TWI. (windowing demo)
TWIDEMO2.EXE	Compiled demo program for TWI.
MENUS.TPU	Pull down menu unit for TWI.TPU (not TWI2).
AWBDUSER.EXE	Another demo of TWI.
TWI.DOC	DOS Text version of documentation.
TWI.WPF	Word Perfect 5.1 version of documentation.
FILE_ID.DIZ	Upload description for BBSs.
README.DOC	Various notes that didn't make it into the documentation.
HISTORY.DOC	History, upgrade, and improvement documentation file for TWI.
SHAREWRE.DOC	DOS Text file describing Shareware.
ORDER.DOC	Order form.
CATALOG.EXE	A catalog of software from DSP Software.
VENDORS.DOC	File filled with descriptions for vendors.
TWI_DESC.DOC	Description file for posting in message bases.
PRINTDOC.BAT	Batch file that will print documentation on printer.

Important Information

The documentation for TWI has been written in such a way that it should be easy for a person with basic Turbo Pascal understanding to use. If you need more help, please contact me at any of my support boards or services (Further help section).

The Text Windowing Interface (TWI) is divided into three separate parts. Each part is a unit and has its individual characteristics. The three parts are: TWI.TPU, TWI2.TPU, and MENUS.TPU.

TWI.TPU - Variation 1 of TWI

The First variation of the Text Windowing Interface has two major differences from TWI2.TPU. The first being that if you want to use pull down menus with TWI.TPU, you must put MENUS.TPU in the USES clause at the beginning of your program. The second difference is that all colors for the windows are passed through the procedures themselves.

TWI2.TPU - Variation 2 of TWI

TWI2 includes MENUS.TPU; So if you want to use the menus just call the procedures. Second, all colors are passed to the unit globally. Meaning, all you have to do is type the color variable + := and the color you want; All the windows and menus will have that color.

MENUS.TPU - Menuing toolkit for TWI.TPU

Since TWI.TPU doesn't include MENUS.TPU in it, you must place MENUS.TPU in the USES clause at the beginning of your program.

Basically, if you are using TWI2.TPU then MENUS.TPU does not have to be included in the USES clause. Otherwise you must include both TWI and MENUS in the USES clause of your program.

Descriptions of every procedure and function are included within this documentation; If there is any thing specific to either unit it will be specifically pointed out.

The Text Windowing Environment

The Text Windowing Interface Environment is very simple to program, but very advanced and integrated! There are three major parts that go into the interface: The Windows, The Colors, and The BackGround. As well as, the optional pull down menuing toolkit.

Important

If you use TWI2.TPU then you CANNOT use MENUS.TPU with it. You cannot use TWI2.TPU and TWI.TPU at the same time. In TWI2.TPU make sure you call DEFAULTCOLORS or carefully define all the color variables before you begin initializing the environment.

Also, make sure you define every variable of text that will be placed on the screen. If you don't you'll get lots of garbage on the screen.

Colors

You should initialize all the following variables if you do not use the DEFAULT COLOR procedure: FGC, BGC, LC, FCCF, FCCB, HFC(*), HBC(*), and WCOL. You also have to make Fillchar equal a character for filling in the background.

Description of colors:

- FCCF (Foreground Fill Character Color)
- FCCB (Background Fill Character Color)
- WCOL (Word Color)
- FGC (Overall Foreground Color)
- BGC (Overall Background Color)
- LC (Line Color For Windows)
- HFC (Highlight Foreground Color) *
- HBC (Highlight Background Color) *
- HC (Highlight color) *

* These colors are not initialized by DEFAULTCOLORS and are used only by menuing functions.

Setting The Interface Up For The First Time

Your first program using TWI should be kept simple. If you like to learn by immersion then dive into the demonstration code that is included with TWI. If you don't, please carefully read through this manual.

This is the first sample program. Let's call it HELLO.PAS:

The Text Windowing Interface (C) David Pabst 1992

```
Program Hello;  
Uses TWI2;  
Begin  
  QuickBKGDDraw('This Is The Top Of The Screen','This isn't!');  
  DefaultColors;  
  DrawSmallWindow('This is HELLO.PAS',",",",",25,8);  
  WaitForReturn;  
  TwiClose;  
End.
```

This is about as simple as writing a program in the Text Windowing Interface is! The output that will result is a box in the middle of the screen, and nothing will happen until you press return.

If you have problems when you are using TWI feel free to contact me, and I'll try to help you out. If you're really having trouble with your program, its always good to print it out, and go through and map the code out in your mind. You should always comment code in your programs by either using {...} or (*...*). Commenting makes it easier for both me (if I have to help you out), and you later on if you want to upgrade and improve upon your program.

The demonstration programs that I have included is only a small potential of what TWI can do. I've included AWBDUSER.EXE that uses a small portion of TWI (It is from one of my other products, Alley-Wall) for its interface. Also, I am developing a full Shareware electronic messaging system that can be used on networks and stand alone computers, and it uses TWI throughout.

The following pages contain a full description of each command. All three units have things that are unique to themselves, and these differences will be pointed out in the following pages.

Overall Interface\Background Procedures

Procedure DRAWBACKGROUND - Draw Background

Variation 1 (TWI.TPU): DrawBackGround(Top,Bottom: String;
Fillchar: char; fccf, fccb, wcol:
integer);

Variation 2 (TWI2.TPU): DrawBackGround(Top,Bottom : String);

Example Usage

For TWI.TPU:

```
DRAWBACKGROUND('HELLO',BOTTOMLINE,☼,7,1,4);
```

For TWI2.TPU:

```
DRAWBACKGROUND(TOPLINE,'HELLO');
```

Description

Drawing the background is the heart of TWI. You should almost always draw the background as one of the first initialization steps in your program. Also, if the screen becomes cluttered with garbage or messed up, just call up DRAWBACKGROUND and you can redraw the screen.

DRAWBACKGROUND initializes the whole interface. First it paints the background with the fill character (FILLCHAR : CHAR). The FILLCHAR color is defined by FCCF and FCCB. The Fill-In Character Color: Foreground (FCCF) and the Fill-In Character: Background (FCCB) define the color of the FILLCHAR. FCCF and FCCB are used any time you clear a window from the screen, or when the background is effected by a change.

Second, it places the status lines on the top and bottom of the screen. These status lines are referred as TOP,BOTTOM and the color that they are display in is Word Color (WCOL).

Also Refer To: QUICKBKGDRAW, DEFAULTCOLORS, and Setting Colors Up.

Procedure QUICKBKGDRAW - Quickly Draw Background

Twi var 1 and 2: QUICKBKGDRAW(TOP,BOTTOM : STRING);

Example Usage

```
QUICKBKGDRAW('THIS IS THE TOP OF THE SCREEN','THIS ISN'T');
```

Description

This procedure uses hard-coded color defaults to initialize the interface. This procedure should be used if you want to do a quick program with TWI. QUICKBKGDRAW benefits you, because you do not have to initialize and define every color and option.

The color defaults for QUICKBKGDRAW and DEFAULTCOLORS are:

FCCF (Foreground Fill Character Color)	Blue
FCCB (Background Fill Character Color)	White
WCOL (Word Color)	Red
FGC (Overall Foreground Color)	Blue
BGC (Overall Background Color)	White
LC (Line Color For Windows)	Blue

...also thrown in the default background fill character (FILLCHAR):

FILLCHAR (Background Fill-In Character) █

In TWI2 all you have to do is type any one of the above variables and the := plus the value you want to assign to it at any point in your program. Even if you use QUICKBKGDRAW, you should call DEFAULTCOLORS afterwards.

In TWI you can change the colors at any time by modifying the variables in the window procedure. For instance, DRAWSMALLWINDOW(A,B,C,D,FGC,BGC,LC,X,Y); You have to either enter values into those variables, or place them in the VAR in your program. Then go through and assign values for colors.

So, you can have DRAWSMALLWINDOW('Hello',' ',' ',1,2,3,4,5); or you can have it all variables (even a combination of variables and just sticking the information into the procedure.)

Procedure CHANGESTATUSLINE; - Change status line without redrawing background

TWI variation 1 (TWI.TPU) - CHANGESTATUSLINE(TOP,Bottom: String;
FCCF, FCCB, WCOL : Integer);
TWI variation 2 (TWI2.TPU)- CHANGESTATUSLINE(TOP,BOTTOM: STRING);

Example Usage

TWI variation 1:
CHANGESTATUSLINE(",BOTTOM,1,7,4);

TWI variation 2:
CHANGESTATUSLINE('ON TOP','ON BOTTOM');

Description

Changes the status line on the top and bottom of the screen to whatever you want. *Remember: If you are using the pull down menus then make sure that you don't place anything on the top line.*

Refer: DRAWBACKGROUND, QUICKBKGDRAW, and CHANGEBOTTOMLINE.

Procedure CHANGEBOTTOMLINE; - Changes only the bottom status line

CHANGEBOTTOMLINE(BOTTOM: STRING; COLOR: INTEGER);

Example Usage

CHANGEBOTTOMLINE('F1 Help ESC Exit',4);

Description

This is very helpful to use instead of CHANGESTATUSLINE when you are using pull down menus. There are two reason that you want to use this procedure when you use pull down menus:

- 1) It won't affect the line with the menu bar
- 2) It makes it easy for you to change the status line when the user moves the cursor from one menu option to the next. (take a look at the TP6 pull down menus)

Basically, all it does is change the status line on the bottom of the screen. Enter in a string, and then a color. To maintain consistency throughout the interface, (if you are using variables to contain the colors) you should use WCOL as the color.

Procedure TWICLOSE; - Shut TWI down, and end program

```
TWICLOSE;
```

Description

Shuts the Text Windowing Interface down. This procedure cleans up the screen, stops program execution, and makes a quick check to see if everything is okay.

Windowing Procedures

Procedure DRAWONELINEWINDOW; - Draws a window with a single space of text

TWI variation 1 - DrawOneLineWindow(A: String; FGC, BGC, LC, X, Y : Integer);

TWI variation 2 - DrawOneLineWindow(A: String; X, Y : Integer);

Example Of Usage

TWI.TPU: DRAWONELINEWINDOW(ALine,2,3,4,1,5);

TWI2.TPU: DRAWONELINEWINDOW(ALine,1,5);

Description

The name says it all. Draws a small (40 char) one line window.

Refer: DRAWFULLWINDOWOUTLINE

Procedure TWIFILELOAD; - Loads a file and displays it in a window.

```
TWI.TPU: TWIFILELOAD(FileName, Title : String; FGC, BGC, LC :  
                Integer);  
TWI2.TPU: TWIFILELOAD(FileName, Title : String);
```

Example Of Usage

```
TWI.TPU: TWIFILELOAD('HELP.HLP','TWI HELP',1,2,3);  
TWI2.TPU: TWIFILELOAD('HELP.HLP','MORE HELP');
```

Description

TWIFILELOAD draws a box (40x10) and loads a file. This is very helpful if you have want to have a help system, or you just want to load a small file and view it.

The file can be up to 10 lines long, and 40 characters wide.

For the filename, you might want to make everything consistent. For instance, if your program is BM.EXE then you might have BM01.HLP, BM02.HLP, et cetera.

As for the title, put anything you want. There is a limited space for the title as well.

FGC, BGC, and LC are still Foreground color, background color, and line color.

Procedure DRAWSMALLWINDOW; - Draw a small and compact window

TWI Variation 1:

```
DRAWSMALLWINDOW(A,B,C,D : String; FGC, BGC, LC, X, Y : Integer);
```

TWI Variation 2:

```
DRAWSMALLWINDOW(A, B, C, D : STRING; X, Y : INTEGER);
```

Usage Example

```
TWI.TPU: DRAWSMALLWINDOW('Yo','Yo','Go','Go',FGC,BGC,LC,1,2);
```

```
TWI2.TPU: DRAWSMALLWINDOW('YO','YO','GO','GO',1,2);
```

Description

DRAWSMALLWINDOW draws a 4 line window at position you put in the procedure (X,Y). The colors that are used by DRAWSMALLWINDOW are FGC, BGC, and LC.

The length of each line in this small window is approximately 35 characters long, and 4 lines long.

Refer: CLEARSMALLWINDOW

Procedure CLEARSMALLWINDOW; - Removes a small window from the screen

TWI Variation 1:

```
CLEARSMALLWINDOW(X, Y, FCCF, FCCB : INTEGER);
```

TWI Variation 2:

```
CLEARSMALLWINDOW(X,Y : INTEGER);
```

Example of Usage

```
TWI.TPU: CLEARSMALLWINDOW(1,2,7,1);
```

```
TWI2.TPU: CLEARSMALLWINDOW(1,2);
```

Description

CLEARSMALLWINDOW removes a small window that was drawn by DRAWSMALLWINDOW by placing the FILLCHAR over each character of the small window.

The Text Windowing Interface (C) David Pabst 1992

X and Y are the coordinates that the window was drawn at, or is at. FCCF and FCCB are the colors that are used on the FILLCHAR.

Refer: DRAWSMALLWINDOW

Procedure DRAWMEDIUMWINDOW; - Draw a medium sized window

TWI Variation 1:

```
DRAWMEDIUMWINDOW(A,B,C,D,E,F : String; FGC, BGC, LC, X, Y :  
    Integer);
```

TWI Variation 2:

```
DRAWMEDIUMWINDOW(A, B, C, D, E, F : STRING; X, Y : INTEGER);
```

Usage Example

TWI.TPU:

```
DRAWMEDIUMWINDOW('Yo','Yo','Go','Go',' ',' ',FGC,BGC,LC,1,2);
```

TWI2.TPU:

```
DRAWMEDIUMWINDOW('YO','YO','GO','GO',' ',' ',1,2);
```

Description

DRAWMEDIUMWINDOW draws a 6 line window at the position you put in the procedure (X,Y). The colors that are used by DRAWMEDIUMWINDOW are FGC, BGC, and LC.

The length of each line in this small window is approximately 45 characters long, and 6 lines long.

Refer: CLEARMEDIUMWINDOW

Procedure CLEARMEDIUMWINDOW; - Removes a medium window from the screen

TWI Variation 1:

```
CLEARMEDIUMWINDOW(X, Y, FCCF, FCCB : INTEGER);
```

TWI Variation 2:

```
CLEARMEDIUMWINDOW(X,Y : INTEGER);
```

Example of Usage

TWI.TPU: CLEARMEDIUMWINDOW(1,2,7,1);

TWI2.TPU: CLEARMEDIUMWINDOW(1,2);

Description

CLEARMEDIUMWINDOW removes a small window that was drawn by DRAWMEDIUMWINDOW by placing the FILLCHAR over each character of the

The Text Windowing Interface (C) David Pabst 1992

small window.

X and Y are the coordinates that the window was drawn at, or is at. FCCF and FCCB are the colors that are used on the FILLCHAR.

Procedure DRAWLARGEWINDOW; - Draw a large sized window

TWI Variation 1:

```
DRAWLARGEWINDOW(A,B,C,D,E,F,G,H,I,J : String; FGC, BGC, LC, X, Y  
: Integer);
```

TWI Variation 2:

```
DRAWLARGEWINDOW(A, B, C, D, E, F, G, H, I, J : STRING; X, Y :  
INTEGER);
```

Usage Example

TWI.TPU:

```
DRAWLARGEWINDOW('Yo','Yo','Go','Go','','','WOW',h,i,j,  
FGC,BGC,LC,1,2);
```

TWI2.TPU:

```
DRAWLARGEWINDOW('YO','YO','GO','GO','','','','','','',1,2);
```

Description

DRAWLARGEWINDOW draws a 10 line window at the position you put in the procedure (X,Y). The colors that are used by DRAWLARGEWINDOW are FGC, BGC, and LC.

The length of each line in this small window is approximately 45 characters long, and 6 lines long.

Refer: CLEARLARGEWINDOW

Procedure CLEARLARGEWINDOW; - Removes a medium window from the screen

TWI Variation 1:

```
CLEARLARGEWINDOW(X, Y, FCCF, FCCB : INTEGER);
```

TWI Variation 2:

```
CLEARLARGEWINDOW(X,Y : INTEGER);
```

Example of Usage

TWI.TPU: CLEARLARGEWINDOW(1,2,7,1);

The Text Windowing Interface (C) David Pabst 1992

```
TWI2.TPU: CLEARLARGEWINDOW(1,2);
```

Description

CLEARLARGEWINDOW removes a small window that was drawn by DRAWLARGEWINDOW by placing the FILLCHAR over each character of the small window.

X and Y are the coordinates that the window was drawn at, or is at. FCCF and FCCB are the colors that are used on the FILLCHAR.

Procedure DRAWVERYBIGWINDOW; - Draws a huge window

TWI Variation 1:

```
DRAWVERYBIGWINDOW(A,B,C,D,E,F,G,H,I,J,K,L,M,N,O : String; FGC,  
BGC, LC, X, Y : Integer);
```

TWI Variation 2:

```
DRAWVERYBIGWINDOW(A, B, C, D, E, F, G, H, I, J, K, L, M, N, O :  
STRING; X, Y : INTEGER);
```

Usage Example

```
TWI.TPU:
```

```
DRAWVERYBIGWINDOW('Yo','Yo','Go','Go',"","WOW',h,i,j,  
FGC,BGC,LC,1,2);
```

```
TWI2.TPU:
```

```
DRAWVERYBIGWINDOW('YO','YO','GO','GO',"","","","","","","",  
"","","",1,2);
```

Description

DRAWVERYBIGWINDOW draws a 15 line window that takes up 3/4ths of the screen at the position you put in the procedure (X,Y). The colors that are used by DRAWVERYBIGWINDOW are FGC, BGC, and LC.

The length of each line in this small window is approximately 45 characters long, and 6 lines long.

Refer: CLEARVERYBIGWINDOW

Procedure CLEARVERYBIGWINDOW; - Removes a very big window from the screen

TWI Variation 1:

```
CLEARVERYBIGWINDOW(X, Y, FCCF, FCCB : INTEGER);
```

The Text Windowing Interface (C) David Pabst 1992

TWI Variation 2:
CLEARVERYBIGWINDOW(X,Y : INTEGER);

Example of Usage

TWI.TPU: CLEARVERYBIGWINDOW(1,2,7,1);
TWI2.TPU: CLEARVERYBIGWINDOW(1,2);

Description

CLEARVERYBIGWINDOW removes a small window that was drawn by DRAWVERYBIGWINDOW by placing the FILLCHAR over each character of the small window.

X and Y are the coordinates that the window was drawn at, or is at. FCCF and FCCB are the colors that are used on the FILLCHAR.

Procedure DRAWCOLORBOX; - Puts a window on screen with colors

TWI Variation 1:
DrawColorBox(X, Y, FGC, BGC, LC: Integer);
TWI Variation 2:
DrawColorBox(X, Y : Integer);

Example Of Usage

TWI.TPU: DrawColorBox(1,1,2,3,4);
TWI2.TPU: DrawColorBox(1,1);

Description

DRAWCOLORBOX places a window on the screen that contains every possible combination of colors for IBM text, that ranges from 1-15 in foreground and 1-7 for the background. You can use this window to let users modify the interface colors, but you have to write the actual color changing code and entry system.

Procedure DRAWFULLWINDOWOUTLINE; - Draws a box around the side of the screen.

TWI Variation 1:
DRAWFULLWINDOWOUTLINE(FGC, BGC, LC : INTEGER);
TWI Variation 2:
DRAWFULLWINDOWOUTLINE;

Example Of Usage:

TWI.TPU: DRAWFULLWINDOWOUTLINE(1, 2, 3);
TWI2.TPU: DRAWFULLWINDOWOUTLINE;

Description

DRAWFULLWINDOWOUTLINE draws an outline of a box around the screen. Anything you want to put on the screen has to be done manually with WRITEXY, WRITEXYI, GOTOXY, WRITELN, and WRITE.

Pull-Down Menuing Procedures

The following procedures are built into TWI2.TPU. You cannot place both TWI2 and MENUS in the USES statement of your program, but you HAVE TO place both TWI and MENUS in the USES statement.

Basically, if you are using TWI2, there is no need to use MENUS, since it is built into TWI2. On the other hand, since MENUS isn't built in to TWI then you must (if you are going to use menus) place MENUS and TWI in the USES statement.

Procedure DRAWMENUS; - Draw the menu bar on the top of the screen

```
DRAWMENUS;
```

Description

DRAWMENUS will draw the "menu bar" on the top of the screen. It reads MENUA..MENUG which is a string of 10 characters. All you have to do is before you call DRAWMENUS, type MENUA := 'Title'; for MENUA all the way to MENUG. These MENU titles for the menu bars are passed to the toolkit, and you don't have to put anything in the VAR statement.

Procedure MOVETOLOCAL; - Moves the highlighted part of the cursor to one of the menu bar titles

```
MOVETOLOCAL(MoveToPlace : Integer);
```

Description

MOVETOLOCAL will highlight a menu bar title. For MoveToPlace type an integer from 1 to 8. If you enter 1, it will make TWI highlight MENUA, which is the first menu bar option.

Refer: CleanOldLocation

Procecedure CLEANOLDLOCATION; - De-Highlights a menu bar title

CLEANOLDLOCATION(OldLocation : Integer);

Description

CLEANOLDLOCATION will dehighlight a menu title that was highlighted by MOVETOLOCAL. This is done by switching to the original colors, and rewriting the menu title to the screen.

OLDLOCATION is the position you want to dehighlight. It can range from 1 to 8.

Refer: MoveToLocal

Procedure DRAWSUBMENU; - Draws a sub menu

DRAWSUBMENU(var SubA, SubB, SubC, SubD, SubE, SubF, SubG, SubH :
String; X, Y, LGTH: Integer);

Example Of Usage

DRAWSUBMENU(SUBA,SUBB,SUBC,SUBD, SUBE, SUBF, SUBG, SUBH, 2, 2,
2);

Description

DRAWSUBMENU is a procedure that draws a sub menu that can have up to 8 options.

Its length is determined by LGTH which is an integer. If you only have one option in the sub menu then set LGth to 1, et cetera.

X and Y determine its position on the screen. I have found that it works best if you place it right below the menu bar. So that would usually be that Y would be 2, and X would be a multiple of 10 up to 80. (10 div 80 equals 8, and there are 8 menu titles).

SUBA..SUBH must be variables or your program will not compile. These variables tells TWI what to put in your submenu.

Refer: WHERECURSORISREWRITE, and OLDPLACEREWRITE

The Text Windowing Interface (C) David Pabst 1992

Procedure WHERECURSORISREWRITE - Highlights an option in the submenu

```
WHERECURSORISREWRITE(PLACEX, PLACEY : INTEGER; OPTION : STRING);
```

Example Of Usage

```
WHERECURSORISREWRITE(3,3,SUBA);
```

Description

WHERECURSORISREWRITE will highlight an option in a submenu drawn by using DRAWSUBMENU.

PLACEX and PLACEY are where the option you want to highlight is, and OPTION is the actual string of the option. So if you draw window at 1,1 on the screen, and want to highlight the first option; Then use WHERECURSORISREWRITE(3,2,SUBA);.

Refer: DRAWSUBMENU and OLDPLACEREWRITE

Procedure OLDPLACEREWRITE - De-Highlights an option in the submenu that was highlighted by WHERECURSORISREWRITE

```
OLDPLACEREWRITE(PLACEX, PLACEY: INTEGER; OPTION: STRING);
```

Example Of Usage

```
OLDPLACEREWRITE(3,3,SUBA);
```

Description

OLDPLACEREWRITE will de-highlight an option highlighted by using OLDPLACEREWRITE.

PLACEX and PLACEY tells the menu where the option you want to turn back to normal is. OPTION is the actual string that the option you are de-highlighted is.

Refer: WHERECURSORISREWRITE

Miscellaneous Commands

Procedure **WAITFORRETURN;** - Wait for user to press return

WAITFORRETURN;

Description

WAITFORRETURN waits for the user to press return. Nothing is placed on the screen by this procedure. So, you probably should place something on the screen that tells the user that they have to push return.

Procedure **DEFAULTCOLORS;** - Set colors to defaults

DEFAULTCOLORS;

NOTE: Only available in TWI2.TPU.

Description

DEFAULTCOLORS sets the colors of the interface to preset, hard-coded defaults. These defaults can be changed at any time during program execution by changing the color variable values. You do not have to use this procedure when calling QUICKBKGDRAW, but you must if you want to use any windows. (You can manually initialize and assign values to the color variables)

Color defaults in DEFAULTCOLORS:

FCCF (Foreground Fill Character Color)	Blue
FCCB (Background Fill Character Color)	White
WCOL (Word Color)	Red
FGC (Overall Foreground Color)	Blue
BGC (Overall Background Color)	White
LC (Line Color For Windows)	Blue

...also thrown in the default background fill character (FILLCHAR):

FILLCHAR (Background Fill-In Character) █

Refer: QUICKBKGDRAW

Procedure WRITEXY; - Write to any point on the screen

```
WRITEXY(X,Y : INTEGER; TEXT : STRING);
```

Example Of Usage

```
WriteXY(5,5,'I am at point 5,5 on the screen!');
```

Description

WRITEXY is a simple screen writing procedure that I wrote for one simple reason: save a couple of lines of space. Originally, every time I wanted to place something at a particular point on the screen, I would have to use GOTOXY and WRITE. Now I just call WRITEXY.

Refer: WRITEXYI;

Procedure WRITEXYI; - Write an integer to a point on the screen

```
WRITEXYI(X, Y, TEXT : INTEGER);
```

Example Of Usage

```
WriteXYI(5,5,5);
```

Description

WRITEXYI does what WRITEXY does (write to a point on the screen), but WRITEXYI writes integers instead of strings.

Refer: WRITEXY;

Further Help

If you need more help with TWI or anything else that is related to the interface, please contact me by mail or electronic mail at any time. I can be contacted on COMUSERVE, please send mail in the EMAIL (go mail) and post a message to 76547,2643. I can also be contacted on INTERNET: 76547.2643@compuserv.com or david.pabst@channel1.com. I can also be contacted on the RelayNet message bases: SHAREWARE and TURBO PASCAL.

Also, you can directly call (evious at (508)875-3618 (up to 14400bps), and leave a message in the EMAIL conference to me.

My home address is:

18 McAdams Road
Framingham, MA 01701
USA

Getting The Latest Version

The latest version may be found on Compuserve, (evious (508-875-3618), or your local bulletin board. If you can't find it in a Shareware catalog or on a BBS you can mail away for a shareware evaluation copy (\$5).

Order Form

*** Use this form, the form in ORDER.DOC, or in CATALOG.EXE ***

NAME: _____

ADDRESS: _____ APT: _____

CITY: _____ ZIP: _____

COUNTRY _____

Voice phone (optional): _____

Data phone (if a BBS): _____

Version of TWI you are using? 1.2

Disk Format (Circle): 5.25" 3.5"

Do you have a high density disk drive: _____

The Text Windowing Interface is \$15. Please send as a check or money order made out to David Pabst. US FUNDS ONLY. If outside of Canada or United States add \$5 shipping and handling.

Your order will be processed as soon as it is received.

Send all orders to:

DSP Software
C/O David Pabst
18 McAdams Road
Framingham, MA 01701
U.S.A

Thank you for using and registering TWI.