INS Entries used by IEDKCS32.DLL

Section	Entry	Value Type
[Animation]	Big_Name	Filename
	Big_Path	File path
	DoAnimation	Boolean 0/1
	Small_Name	Filename
	Small_Path	File path
[ActiveSetup]	WizardBitmap	File path
	WizardBitmapTop	File path
	WizardTitle	String
[ActiveSetupSites]	SiteName0	String
1	SiteRegion0	String
1	SiteURLO	URL
2	SiteName1	String
2	SiteRegion1	String
2	SiteURL1	URL
3	SiteNameX	String
3	SiteRegionX	String
3	SiteURLX TestCertsOK	URL Boolean 0/1

[Batch]	Build_CD Build_Floppy	Boolean 0/1 Boolean 0/1
	Build_MultiFloppy	Boolean 0/1
	Build_W31	Boolean 0/1
[Big_Logo]	Name	Filename
	Path	
[Branding]	Add on Url	URL
	BrowserDefault	Numeric (0,1

CMBitmapName	Filename
CMBitmapPath	File path
CMProfileName	Filename
CMProfilePath	File path
CMUseCustom	Boolean 0/1
CompanyName	String
EncodeFavs	Boolean 0/1
CMUseCustom CompanyName	Boolean 0/1 String

FavoritesDelete

FavoritesOnTop	Boolean 0/1
IE4 Welcome Msg	Boolean 0/1
Language ID Language Locale	Numeric String
NoDial	Boolean 0/1
NoIELite	Boolean 0/1
Silent Install	Boolean 0/1
StealthInstall	Boolean 0/1
Toolbar Bitmap	File path
Туре	Numeric
User Agent	String
Version WebIntegrated	String Boolean 0/1
Win32DownloadSite	Boolean 0/1
Window_Title Window_Title_CN	String String
WizardVersion	String

[BrowserToolbars]	Action0 Caption0	File path String
	DeleteButtons	Boolean 0/1
	Hotlcon0	File path
	lcon0	File path
	Show0	Boolean 0/1
	ToolTipText0	String
[CabSigning]	InfoURL	URL
	Name	String
	pvkFile	File path
	spcFile	File path
[CDCustomFiles]	DisableStart MoreInfo	
	StartHtm	
[Channel Add]	Category	Boolean 0/1
	CDFUrlO	URL
	ChBmpPath0	File Path

	ChlconPath0 ChPreloadUrlName0 ChPreloadUrlPath0 ChTitle0 No Channels	File Path File Path File Path String
[ConnectionSettings]	ConnectName0 ConnectName1 DeleteConnectionSettings	Boolean 0/1
	Option	Boolean 0/1
[Custom Branding]	Branding	URL
[Custom Wallpaper]	File0	Filename
	File1	Filename
	NumFiles	number
[DesktopObjects]	Channel Bar Delete Old Channels	
	Desktop Component URL	url
	Desktop Wallpaper Path Option	File path Boolean 0/1
[DeleteChannels]	ChannelP ChannelZ	

[Device]	Туре	String
[Entry]	Cancel Entry_Name	String String
	<i>,</i>	J
[ExtRegInf]	chat	String
	conf	String
	inetres	String
	inetset	String
	oe	String
	shell	String
	sp1shell	String
	subs	String
	ConnectionSettings	String
[FavoritesEx]	IconFile1	File Path
	Offline1	Boolean 0/1
	Title1	String
	Url1	URL
[Favorites] legacy	fav name.url	URL
[HideCustom]	GUID	Boolean 0/1
[ICW_IEAK]		
	Header_Bitmap	File path
	Watermark_Bitmap	File path
[Internet_Mail]	Default_Client	yes/no
	Infopane	File path

	Infopane_Bitmap	File path
	Install_Mail_16	Boolean 0/1
	Junk_Mail_Filtering	Boolean 0/1
	Logon_Using_SPA	yes/no
	POP_Server	hostname
	SMTP_Logon_Required	Boolean 0/1
	SMTP_Logon_Using_SPA	yes/no
	SMTP_Server	hostname
	Use_IMAP Welcome_Address	yes/no email addres
	Welcome_Message	File path
	Welcome_Name	String
	Window_Title	String
[Internet_News]	Default_Client	yes/no
	Logon_Required	Boolean 0/1
	Logon_Using_SPA	yes/no
	NNTP_Server	hostname
[ISP_Security]	RootCertPath	Full path
[LDAP]	AuthType	Boolean 0/1

	Bitmap	File Path
	Checknames	Boolean 0/1
	FriendlyName	String
	HomePage	URL
	SearchBase	URL
	Server	hostname
[Mail_Signature]		
	Signature_Text	text String
	Use_Mail_For_News	Boolean 0/1
	Use_Signature	Boolean 0/1
[Media]		
	Build_CD	Boolean 0/1
	Build_Download	Boolean 0/1
	Build_Floppy	Boolean 0/1
	Build_LAN	Boolean 0/1
	Build_MultiFloppy	Boolean 0/1
[Outlook_Express_Global]	Read_Only	Boolean 0/1
	Service_Name	String
	Service UD	
	Service_URL	URL

[Outlook_Express]

[Phone]

Contacts	Boolean 0/1
Folder_Bar	Boolean 0/1
Folder_List	Boolean 0/1
Outlook_Bar	Boolean 0/1
Preview_Pane	Boolean 0/1
Show_Preview_Beside_Msg Show_Preview_Header	
Show_Toolbar_Text	Boolean 0/1
Status_Bar	Boolean 0/1
Tip_Day	Boolean 0/1
Toolbar	Boolean 0/1
Area_Code Country_Code Country_ID Dial_As_Is	number number number String

	Phone_Number	number
[Proxy]	FTP_Proxy_Server Gopher_Proxy_Server HTTP_Proxy_Server Proxy_Enable Proxy_Override Secure_Proxy_Server Socks_Proxy_Server Use_Same_Proxy	String String String Boolean 0/1 String String String Boolean 0/1
[Scripting]	Name	
	Name16	
	Name32	
	Path16 Path32	
[Script_File]	1	text
	2 3 n	
[Security Imports]	ImportAuthCode	
	ImportRatings	
	ImportSecZones	
	ImportSiteCert	
	Win16SiteCerts	

[Server]	Disable_LCP	String
	Negotiate_IPX/SPX Negotiate_NetBEUI Negotiate_TCP/IP Network_Logon PW_Encrypt SW_Compress SW_Encrypt Type	String String String String String String String String
[Signature]	Signature_Text	String
	Use_Signature	Boolean 0/1
[SignupFiles]	file0 file1 file2 file3	
[Small_Logo]	Name	
	Path	
[TCP/IP]	DNS_Address DNS_Alt_Address	IP Number IP Number
	Gateway_On_Remote IP_Header_Compress Specify_IP_Address Specify_Server_Address	String String String String
[URL]	AutoConfig	Boolean 0/1
	AutoConfigJSURL AutoConfigTime AutoConfigURL	URL number URL

	FirstHomePage	URL
	Help_Page Home_Page	URL URL
	NoWelcome	Boolean 0/1
	Quick_Link_1	URL
	Quick_Link_1_Name	String
	Quick_Link_2	URL
	Quick_Link_2_Name	String
	Quick_Link_X	URL
	Quick_Link_X_Icon	File path
	Quick_Link_X_Name	String
	Quick_Link_X_Offline	Boolean 0/1
	Search_Page	URL
	Signup	File path
	UseLocalIns	Boolean 0/1
[User]	Display_Password	yes/no
	Name	String
	Password	String
	Requires_Logon	yes/no

Sample Value	Used By
38ani.bmp	Branding DLL
C:\My Documents\Branding\38ani.bmp	Branding DLL
1	Branding DLL
22ani.bmp	Branding DLL
C:\My Documents\Branding\22ani.bmp	Branding DLL
C:\My Documents\Branding\wizard.bmp	Branding DLL
C:\My Documents\Branding\wizardtop.bmp	Branding DLL
Custom Browser Setup	Branding DLL
Microsoft Download Page	Branding DLL
Northwest Region	Branding DLL
http://www.microsoft.com/ie5/download/northwest Microsoft Download Page	Branding DLL Branding DLL
Midwest Region	Branding DLL
http://www.microsoft.com/ie5/download/midwest Microsoft Download Page	Branding DLL Branding DLL
Atlantic Region	Branding DLL
http://www.microsoft.com/ie5/download/atlantic	Branding DLL

0 0	Branding DLL Branding DLL
0	Branding DLL
0	Branding DLL
static38x38.bmp	Branding DLL
C:\My Documents\Branding\static38x38.bmp	Branding DLL
http://server/addons/addon.htm	wizard only
0	Wizard Only
	Branding DLL
0	Branding DLL
Custom Company Name	Branding DLL
0	Branding DLL
0x89	Branding DLL

1	Branding DLL
1	Branding DLL
1033 EN	Branding DLL Branding DLL
0	Branding DLL
0	Branding DLL
1	Wizard Only
0	Wizard Only
\\server\share\bitmaps\toolbar.bmp	
2	
Acme v1.1	Branding DLL
5,0,0,1 0	Wizard Only
0	Branding DLL
Microsoft Internet Explorer provided by Custom Company Custom Company Name	Branding DLL Branding DLL
5.00.0707.2800	just handy information for pss and stuff

c:\windows\notepad.exe Sample	Branding DLL Branding DLL
1	Branding DLL
C:\My Documents\Branding\Icons\hoticon.ico	Branding DLL
C:\My Documents\Branding\Icons\icon.ico	Branding DLL
1	Branding DLL
Click on the sample button	Branding DLL
http://mycompany.net/moreinfo.htm	Wizard and Profile Manager
Microsoft	Wizard and Profile Manager
c:\key.pvk	Wizard and Profile Manager
c:\cert.spc	Wizard and Profile Manager
0	
D:\PROGRAM FILES\IEAK\iebin\EN\Optional\cdinfo.txt	Branding DLL
D:\PROGRAM FILES\IEAK\iebin\EN\Optional\cdstart.htm	Branding DLL
0	Branding DLL
http://server/sample.cdf	Branding DLL
sample.bmp	Branding DLL

sample.ico sample.cdf C:\WINDOWS\WEB\sample.cdf Sample Custom Channel	Branding DLL Branding DLL Branding DLL Branding DLL Branding DLL
Microsoft Test 0/1	Branding DLL Branding DLL Branding DLL
1	Wizard, Profile Manager, and Branding DLL

http://www.yourserver.net/cabs/branding.cab,1998.09. Branding DLL

wallpaper.htm	Branding DLL
wallpaper.gif	Branding DLL
2	Branding DLL
	Branding DLL
1 1	Branding DLL Branding DLL
http://	Branding DLL
C:\My Documents\Branding\wallpapr.bmp 1	Branding DLL Branding DLL

Branding DLL Branding DLL

modem	Branding DLL
yes / no XYZ Internet	Used by ICW
*,chat.inf,DefaultInstall	
<pre>*,conf.inf,DefaultInstall *,inetres.inf,DefaultInstall *,inetset.inf,DefaultInstall *,oe.inf,DefaultInstall *,shell.inf,DefaultInstall *,sp1shell.inf,DefaultInstall *,subs.inf,DefaultInstall *,connect.inf,DefaultInstall</pre>	
c:\windows\temp\iedktemp\branding\favs\news.ico 1	Branding DLL Branding DLL
fav name.url http://fav url	Branding DLL Branding DLL
http://fav url	Branding DLL
0	Branding DLL
C:\My Documents\Branding\ICW_Header	Used by ICW
C:\My Documents\Branding\ICW_Watermark	Used by ICW
No	Branding DLL
c:\My Documents\Branding\infopane.htm	Branding DLL

C:\My Document\Branding\fldr194x32.gif	Branding DLL
0	Branding DLL
1	Branding DLL
Νο	Branding DLL
pop.youserver.net	Branding DLL
1	Branding DLL
Yes	Branding DLL
smtp.yourserver.net	Branding DLL
No	Branding DLL
welcome@yourserver.net	Branding DLL
c:\My Documents\Branding\welcmsg.htm	Branding DLL
Welcome To Custom Internet Mail!!!	Branding DLL
Outlook Express provided by Custom Name Here	Branding DLL
no	Branding DLL
1	Branding DLL
No	Branding DLL
news.yourserver.net	Branding DLL
C:\Security\certificate.cer	Wizard and Branding Dll
1	used by oe branding dll (contact justinf or neil brench)

C:\My Documents\Branding\LDAP.bmp 1

LDAPServer

www.microsoft.com www.microsoft.com LDAP-SRV-1

	used by oe branding dll (contact justinf or neil brench)
This is a witty saying in my signature file \n 1 1	Branding DLL Branding DLL Branding DLL
	used by wizard internally
1	Branding DLL
1	Outlook Express Branding DLL
Acme	Outlook Express Branding DLL
http://www.acme.net	Outlook Express Branding DLL

	used by oe branding dll (contact justinf or neil brench)
1	Outlook Express Branding DLL
1 1	Outlook Express Branding DLL
1	Outlook Express Branding DLL
425 1 1	used by icw?
yes / no	

proxy proxy proxy 0 <local> proxy proxy 1</local>	Branding DLL Branding DLL Branding DLL Branding DLL Branding DLL Branding DLL Branding DLL Branding DLL
dialup.scp	used by icw?
dialup.scp	
dialup.scp	
c:\scripts\dialup.scp c:\scripts\dialup.scp	
First line of script file	used by icw?
Second line of script file Third line of script file n'th line of script file	
0	Wizard and Profile Manager
0	Branding DLL

yes / no	used by icw
yes / no yes / no yes / no yes / no yes / no yes / no ppp	
This is fun\n	Outlook Express Branding DLL
1	Outlook Express Branding DLL
cancel.ins signup.htm signup.isp	icw?
static22x22.bmp	Branding DLL
C:\My Documents\Branding\static22x22.bmp	Branding DLL
127.0.0.1 127.0.0.1	icw?
yes / no yes / no yes / no yes / no	
1	Branding DLL
http://auto proxy url 99 http://auto config url	Branding DLL Branding DLL Branding DLL

http://custom welcome page	Branding DLL
http://online support http://homepage	Branding DLL Branding DLL
1	Branding DLL
http://www.microsoft.com/isapi/redir.dll?prd	Branding DLL
Best of the Web.url	Branding DLL
http://www.microsoft.com/isapi/redir.dll?prd	Branding DLL
Channel Guide.url	Branding DLL
http://link url	Branding DLL
c:\windows\temp\iedktemp\branding\favs\news.ico	Branding DLL
News	
1	Branding DLL
http://searchpane	Branding DLL
signup.htm	Branding DLL
0	Branding DLL
yes	ICW
User	
Pass	
yes	

Description

Notes

Filename of bitmap file which contains the frames for the 38x38 animation.

Full path to the large 38x38 icon animation bitmap file.

Indicates weather or not to customize the animation

Filename of bitmap file which contains the frames for the 22x22 animation.

Full path to the large 22x22 icon animation bitmap file.

Full path of the bitmap file to appear in the left pane of the setup wizard.

Full path of the bitmap file to appear across the top of the setup wizard.

Text to appear in the wizard's title bar.

Friendly name of the download site, which will be displayed to the user

Geographical region in which the first download site is located

URL of the first download site

Friendly name of the download site, which will be displayed to the user

Geographical region in which the second download site is located

URL of the second download site

Friendly name of the download site, which will be displayed to the user

Geographical region in which the first download site is located

URL of the second download site

1 if CD package was built, 0 if not 1 if single floppy disk package was built, 0 if not

1 if multiple floppy disk package was built, 0 if not

1 if Windows 3.1 package was built, 0 if not

Name of the bitmap file containing the icon.

Full path to the bitmap file containing the icon.

Add on URL for Help > Product written to Updates in browser

registry via iesetup.inf

In corporate administrator mode, set to 0 if you want to lock down IE5 as the default browserd, set to 1 if you want to preserve existing default browser, and 2 will let the user decide.

Connection manager custom bitmap filename

Full path to connection manager custom bitmap file.

Name of connection manager profile

Full path to connection manager profile.

Indicates weather or not a custom connection manager profile is getting used

Name of company to which the IEAK license belongs.

Set this value to 1 to correctly encode pre-IEAK5 generated [Favorites] section

Set this value to 0x89 in order to remove all pre-existing Favorites and Quick Links. This feature is for use by corporate administrators only.

Indicates to put new favorites at the top of the Favorites Menu

Indicates to go to a welcome page the first time the browser is opened

code page of the language used? Locale of the version of IE being customized

For ISPs: Set this value to 1 if you are not using any kind of an IEAK based sign-up process.

Set this to 1 if you want the Active Setup Wizard to optimize for download, using existing files if possible.

Corporate adminstrators should set this to 1 if they want IE5 Setup to run non-interactively, but show progress and error messages.

Corporate administrators should set this to 1 if they want IE5 Setup to run without any visual feedback.

This is the bitmap which appears on the browser toolbar.

The type of customization being used: 2 = Corporate Administrator, 1= Internet Service Provider, 0 = Internet Content Provider

String to be appended to default User Agent string

If this is set to 1, the IE4 integrated shell was included in this package using the IEAK Wizard

URL from which the IE5 Setup file will be downloaded

Customized window title for IE 5

The name to be appended to the window title

Version of the IEAK wizard which created the ins file

Action for custom toolbar buttons

Caption for the custom toolbar button

Indicates whether or not to delete existing custom toolbar buttons upon install

The highlighted icon to appear in the button when moused-over

the gray icon to appear when not moused-over

Display the new toolbar button on the toolbar by default

ToolTip text for the custom button

The URL which will show up on the certificate dialog

The company name that is associated with the Certificate

Private Key File

The actual certificate file.

The file to pop up when the "More Info" button is clicked on in the CD Autorun Screen

An html file which can be triggered from the CD Autorun Screen

Set this to 1 if there will be only one channel category, for multiple channel categories, set this value to 0

URL of the channel's .CDF file to be added

The bitmap for the channel, to appear in the Channel Bar

Icon for the channel Name of .CDF file Full path to .CDF file Title for the channel No Channels indicates that no channels will be added

Name for connection.

Corporate Administrator Mode Only: Set this to 1 to remove the existing connection settings at install time.

This will be set to 1 if a user selected to import connection settings in the IEAK Wizard

URL to branding cab

HTML file for custom wallpaper to be installed

supporting files for custom wallpaper

Total number of files for custom wallpaper

HTML file for custom wallpaper to be installed

Display the Channel Bar on startup Indicates to delete existing channels at install time

URL to the desktop component being added

Path to the desktop wallpaper Set this to 1 if using any desktop customizations

Channels to be deleted Channels to be deleted The type of connection being used for setup

If this is yes, then this ins cancels The name of the Dial-Up Networking to be created

INF file and install mode for components

Icon for favorite to be added Indicates if the favorite should be made available for offline browsing

Title of the Favorite URL of the Favorite

left-half of value pair is the favorite name

The left-half of the pair is the GUID for the component, and the value should be 1 if it should be hidden on the custom screen, and 0 if not.

Custom header bitmap for the Internet Connection Wizard

Custom watermark bitmap for the Internet Connection Wizard

Should Internet Mail be the default client (for IE4 Custom)

HTML file for branded infopane for the custom Outlook Express

Branded GIF file for custom Outlook Express

Install the Mail Client on 16-Bit Windows computers.

Activate the Junk-mail filtering feature by default

Logon using Secure Password Authentication

Hostname of POP3 Server to be set by default

Require logon to SMTP Server by default

Logon to SMTP Server using Secure Password Authentication

Hostname of SMTP server to be set by default

Use IMAP protocol for email.

"From Address" for the Welcome message in Outlook Express

Location of the html file containing the Welcome message.

Friendly name of the "From Address" for the welcome message

Custom window title for Outlook Express

Should Outlook Express be set as default news client?

1 if NNTP server requires that users log on to it.

Yes, if NNTP server uses Secure Password Authentication

Hostname of your NNTP Server

Specifies a root certificate to add to the system.

Should Outlook Express always check names and email addresses against the LDAP server?

Friendly name for the LDAP server account

Hostname of LDAP server.

Text of email Signature Use email signature for news also. Use signature

Indicates that a CD install package should be created

Indicates that a download install package should be created

Indicates that a single floppy, branding only install package should be created

Indicates that a LAN-based install package should be created

Indicates that a multiple floppy disk install package should be created

Display contacts by default

display folder bar by default

display folder list by default

display Outlook Bar by default

Display preview pane by default

Display the preview pane header bar by default

Display the toolbar text by default

Display the status bar by default

Display the tip of the day by default

Display the toolbar by default

Area code for dial up connection Country code for dial up connection Country ID for dial up connection Dial the number as is, without appending area code, etc... Phone number to dial

Hostname for Proxy Server Hostname for Proxy Server Hostname for Proxy Server Use a proxy server Hostname for Proxy Server Hostname for Proxy Server Use one proxy server for all services

Filename of dial up networking script

Filename of dial up networking script (16 Bit)

Filename of dial up networking script (32 Bit)

Full path to 16 bit script Full path to 32 bit script

Actual text of the script file to create

Imports the existing Authenticode settings

Imports the existing Content Ratings settings

Imports the existing Security Zones settings

Imports exisiting site Certificate Authorities

Uses site certificates for 16 bit Windows systems.

Default settings for Internet connection

Use IPX Protocol Use NetBEUI Protocol Use TCP/IP Protocol Log on to network Use Encrypted Password Use software compression Require Data encryption Server Type

Text of signature

Use Signature

Filename

Name of 22x22 pixel bitmap file for icon to appear in top right corner of browser

Full path to bitmap file

IP Number of DNS server to use IP Number of alternate DNS server to use

Use remote gateway Use IP Header compression Specify an IP Address to use Specify a server address to use

Set this to 1 to use an autoconfigured proxy.

URL of JS format auto-proxy file AutoConfig after this many minutes url of auto-proxy file Page to browse to on first run of customized browser URL of help page URL for default homepage Do not display a welcome page the first time the browser is used Quick link URL Quick Link Name Quick link URL Quick Link Name Quick link URL Quick Link Icon Quick link Name Make the quick link available for offline browsing Default search page Path to page with link to ins file for signup server Use a local ins file Display the password Username

Password

Is user logon required