

```

//
// SAVEALL.WCM -- save all docs that need saving.
// <rreiner@nexus.yorku.ca> 6 April 1992.
//
// Named documents that have been modified are saved silently, overwriting
the previous
// version on disk; unnamed documents that have been modified are saved
via the Save As
// dialog, so that the user may supply a filename.
//
// At macro termination, the user's context is exactly what it was at macro
invocation.
//
// Suggestion: put this on your Button Bar, next to a Save or Save As...
button.
//

```

```
APPLICATION(WP;WPWP;Default;"WPWPCE.WCD")
```

```
GetWPData(InitialCurrent;CurrentDocument!)
```

```
REPEAT
```

```
    DocNext()
```

```
    GetWPData(Current;CurrentDocument!)
```

```
    GetWPData(Modified;DocumentModified!)
```

```
    GetWPData(FName;Name!)
```

```
    GetWPData(Path;Path!)
```

```
    Name := Path + FName
```

```
    IF (Modified)
```

```
        IF (FName <> "")
```

```
            MacroStatusPrompt(On!; "Saving document: " + Name +
```

```
            ".")
```

```
            FileSave(Name; WordPerfect51!; Yes!)
```

```
        ELSE
```

```
            MacroStatusPrompt(On!; "Saving unnamed document.")
```

```
            FileSaveAsDlg()
```

```
        ENDIF
```

```
    ELSE
```

```
        MacroStatusPrompt(On!; Name + " unmodified.")
```

```
    ENDIF
```

```
UNTIL (Current = InitialCurrent)
```