

in

A76 !"#%&'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPSctUVWXYZ[]^_`abdefghijklmnopqrt@uvwxyz{
 |}~A
 276
 V B Xs q E ` \? \ K v 8 Ole\$%&'()*+,-./0
 6789n@ContentsF JKLMNOPUX UVWXYhF`OlePr
 V B Xs q E ` \? \ @ X ? \ 8 Ole\$%&'()*+,-./0
 6789n@ContentsF JKLMNOPUX UVWXYhF`OlePr
 Contents00 j B > H
 !"#%&'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNOPSQRSTUVWXYZ[]^_`abc
 GContents D OlePres000 5 OlePres001 DEL
 &lconOnly MS Sans Serif-.2
 \$7n>NoteBlox.&C:\BLOX\noteblox.exe&1 "Arial- -
 !Company!: 8!Time! !8!Action0!: 08
 !Message?!: ?8"Systemn- - Oh + Oh + 0d \$(, D
 P Phone MessageC
 Michael Skok
 Michael Skok C5C NoteBlox C NoteBlox1.03
 Phone Message "Arial8@ ?=3=?*? From :
 Company:
 Time:
 Action:
 Message: 0.04F0 SummaryInformation Contents j j
 j p j { H
 !"#%&'()*+,-./0123456789:;<=>?@ABC EF JKLMNOPSQRSTUVWXYZ[]^_`abc
 ORJ \$ /OlePres001 ORJ \$ I
 Embedding 2rmation> ORJ \$ > \ 8 > \ y Embedding 3rmation : ORJ \$ 8 >
 & ORJ \$ k > \ Embedding 9'()*+,-./0" ORJ \$ > \
 Contents OlePres000 B Xs q E
 &lconOnly MS Sans Serif-.2
 \$7n>Metric Conversions.&C:\BLOX\noteblox.exe&1 Oh + Oh + 0`
 L h/ "Arial- - i ' zjzji2!WThis NoteBlox lets you perform som
 v v .
 < <0.00@ (
 < <0.00@ (
 { } { .
 < <0.00@ (
 s s .
 < <0.00@ (

in

s s .

< <0.00@ ((ts

To activate the CalcBlox icon you need, double-click on it. Enter the number you want to convert in the relevant cell, tSummar
Contents00 OlePres000 j j > a S
Contents Contents
(" Ole
! Contents
Contents00)+ OlePres000 j j , >
ORJ \$ Contents 2rmation- / ORJ \$ OlePres000rmati
qContents13 cOlePres000 4 B Xs q E? SummaryInformation
(8 Ole\$%&'()*+,-./0
67897@ContentsF JKL MNOP57 UVWXY+ `OlePr
B Xs q E Contents
Contents=? OlePres000 @ B Xs q E

Convert miles to kilometres and vice versa.

Convert pounds to kilos and vice versa.

Convert inches to centimetres and vice versa.

Convert acres to hectares and vice versa.

Convert litres to gallons and vice versa.0.04w0 CBwonotesCntrlItemU \ < U U < U [+< U
U!F]f< U! U] < r > Oh + ' Oh + ' 0 ,04H h
t CalcBlox in NotesonAlan Helmore-SimpsonNo templateAlan Helmore-Simpson E4E CalcBlox E 4

< <0.00@ ((ts

CColorFont "Arial qC) DEL
(Yp Y LabelLabelLabelLabelStandard Keypad 1@ "Arial qC) DEL
Y Y "Arial qC) DEL
Y Y "Arial qC) DEL
Y Y "Arial qC) DEL
Y Y "Arial 1I1 ~*Cw 1I1
CCalcEntryEnter no. of miles

in

???

??t CalcBlox in NotesonAlan Helmore-SimpsonNo templateAlan Helmore-SimpsonE4E CalcBloxE44

<<0.00@ ((ts

CColorFont"ArialqC)

(YpYLabelLabelLabelLabelStandard Keypad1@"ArialqC)

YY"ArialqC)

YY"ArialqC)

YY"ArialqC)

YY"ArialqC)

YY"Arial111~*Cw111

CColorFontEnter no. of miles

=R1/0.621No of kilometresA@A@Enter no. of kilometres

=R4*0.621No. of miles 2,00,Ti<> Oh+'Oh+'0,04H h

???

??t CalcBlox in NotesonAlan Helmore-SimpsonNo templateAlan Helmore-SimpsonE3E CalcBloxE44

<<0.00@ ((ts

##\$%&'()*+,-./0123456789:;<=>?@ABCDEFGHIJKL NOPQRSTUVWXYZ

CColorFont"ArialqC)

(YpYLabelLabelLabelLabelStandard Keypad1@"ArialqC)

YY"ArialqC)

YY

CColorFontEnter no. of pounds=R1*2.205No of kilogramsEnter no. of kilograms=R4/2.205No of pounds

4,<> Oh+'Oh+'0,04H h

???

??t CalcBlox in NotesonAlan Helmore-SimpsonNo templateAlan Helmore-SimpsonE3E CalcBloxE44

<<0.00@ ((ts

CColorFont"ArialqC)

(YpYLabelLabelLabelLabelStandard Keypad1@WorkBlox0.01"ArialF)GE

"ArialqC)

YY"ArialqC)

YY"Arial@1~*2@1

CColorFontEnter no. of inches=R1*2.54

No. of cmsEnter no of cms

=R4/2.54

No. of inches<> Oh+'Oh+'0,04H h

???

??t CalcBlox in NotesonAlan Helmore-SimpsonNo templateAlan Helmore-SimpsonE3E CalcBloxE44

<<0.00@ ((ts

!#\$%&'()*+,-./0123456789:;<=>?@ABCDEFGHI

CColorFont"ArialqC)

(YpYLabelLabelLabelLabelStandard Keypad1@"ArialqC)

in

0\$0k0kE]E]0\$66EE6\$0+>+>E0E0+`-
`\$k3y3yEkEk3\$+>+EE+\$>6L6LE>E>6
\$y(E(EyEy(\$. . .EE\$.L&Z&ZELEL&--'Ef)--'---

E)Arialn-E%E)6%6)&%&)%E)EeI)E|EE|EE|eEe--"Systemn-'---

2

.10

20

30---'
r
r

PPFood2

PGas

2

P Motel---'
r

n n---'
o---'
o" -
-

{

s2

~Jan---'
- | o---'
- | o ` -
`

*{"s2
~Feb---' | o---' | o

?{7s2

2~Mar---'
- | o---'
- | o

T{Ls2

G~Apr---' | o---' | o ` -
`

i{as2

\~May---'
- | o---'

in

PPFood2

P Gas

2

P Motel---

n n---|o---|o"--

{

s2

-Jan---|o---|o`-`

*{"s2

-Feb---|o---|o

?{7s2

2-Mar---|o---|o

T{Ls2

G-Apr---|o---|o`-`

i{as2

\-May---|o---|o

~{vs2

q-Jun---|o---|o r---|o r- -'r' -

BChart1

Sheet1

m &APage &P "@F=P?R3Sheet1;U3Q:+

JanQ;GQ;cE43Q: {

FebQ;Q;E43Q: {

MarQ;Q;E43Q: {

AprQ;7Q;SE43Q:k

MayQ;Q;E43Q: {

JunQ;Q;E4D

FA_30_

?

3#43*#!

4523

43"

3O

% @3OQ44444

FoodFoodFoodFoodFoodGasGasGasGasGasGas

Motel

Motel

Motel

Motel

Motel

Motel(@1@6@,@(@3@1@&@=@\$@1@.@\$@5@,@1@\$@4@>

m

d MbP?_+,% ,&APage &P",D?U

bb FoodGas

in

MotelJan (@1@\$@Feb 1@&@5@Mar 6@=@,@Apr, @\$@1@May (@1@\$@Jun 3@.@4@x:+++++>

Apr, @\$@1@May (@1@\$@Jun 3@.@4@x:+++++>

Microsoft Excel ChartBiff5Excel.Chart.5 9q r WorkBlox"E r

Michael Skok r

Microsoft Excel ChartBiff5Excel.Chart.5 9q r WorkBlox"E r

4!>n eA

P ^h`

0!>n eA (DEL ?

5!>n eA (DEL ?

Notes can be any size and color and can contain ot

Michael SkokoCAndrew ThomasC8E NoteBlox(C r OlePres001rmation

Embedding 1 zB B

&lconOnly MS Sans Serif-.2

\$7n>Meeting Request.&C:\BLOX\NOTEBLOX.EXE&1 r Oh + Oh + 0p,048

NoteBlox in NoteBlox.wbxC

Michael Skok

Michael Skok(C2D NoteBlox(C r X!"Arial-E'FF

!Message!: P'"Systemn-zF3 eA (DEL ?

&lconOnly MS Sans Serif-.2

\$7n>Minutes.&C:\BLOX\NOTEBLOX.EXE&1' w F3 eA (

&lconOnly MS Sans Serif-.2

\$7n>Action List.&C:\BLOX\LISTBLOX.EXE&1' r

ContentsSummaryInformation/0_ 6789@OlePres000

SummaryInformation(Oleding 74

B Xs q E Contents00ad OlePres000 j j

ce A7v

SummaryInformation+,-/0(5 B89o RCDEFGHIJKLMNOP

Topic:

When:

Where:

Who:

Message: 0.04 H0 CBwonotesCntrlItemUz n>U wn> r Oh +

X Minutes of the meeting

Michael Skok

Michael Skok(C2C NoteBlox(C r ^h`

0!>n eA (DEL ?

&lconOnly MS Sans Serif-.2

\$7n>Minutes.&C:\BLOX\NOTEBLOX.EXE&1 r Z Times New Roman-

0.04wH0 r Oh + Oh + 0,04P h

in

```

?ListBlox in Meeting request
Michael SkokoFDefault TemplateF
Michael SkokF3F ListBloxF^hd
2!>n?eA '( ?
&lconOnly MS Sans Serif-.2
$7n>Action List.&C:\BLOX\LISTBLOX.EXE&1?r?>? ??: ?+?"ArialE

"-

-h-g.2
;h Text Column.--'g-hh.2
g Text Column.--'--.2
Text Column.--'--8-6 .2
#81.--'--P7-N88.2
;7P2.--'--hO-fPP.2
SOh3.--'Times New Roman-"-8h-.2
##d4."-Ph7-.2
;dL."-hhO-.2
SSdd."-8g-.2
#kk#4."-P7g-.2
;kk;L."-hOg-.2
SkkSd."-8-.2
#4."-P7-.2
;L."-hO-.2
S?Sd.-ggg ?"--+?+h--?r?>?BwoList1.06?"Arial?"Arial?"System?CColumn
ImportanceZ
Items ArisingQ
Complete ?1Who ?v@
CTitleInfoNew RowNew RowNew RowNew RowNew Row^@@
CPullDownCell
?
?
?
?
?
?

?
?CQuery
CColumnFilterCObListCBoolCStringListNo
Incomplete02468YesComplete024CLong8RedUrgent024B8Red Important Impor
?Contentsj}
?j}{
?!"#$%&'()*+,-./01
?GContents=OlePres0005OlePres001?j}
?
?From!: 8
!Company!: 8!Time!!: !8!Action0!: 08

```

in

!Message?: ?8' "Systemn- - r NoteBlox1.03

Phone Message "Arial8@ ?=3=-?***? From :

Company:

Time:

Action:

Message: 0.049D0 Oh +' Oh +' 0d \$(,D

P Phone MessageC

Michael SkokAndrew ThomasC6_ NoteBlox C < r r > Embedding 8

& ORJ \$ k > \ > \ Embedding 9'()*+,-./0" ORJ \$ > \

ORJ \$ /OlePres001 ORJ \$ |

Embedding 2rmation> ORJ \$ > \ 8 > \ y Embedding 3rmation ORJ \$ 8 >

Embedding 1 Zb B

!Message?: P' "Systemn- - zkb3 eA ' (DEL ?

&lconOnly MS Sans Serif-.2

\$7n>Minutes.&C:\BLOX\NOTEBLOX.EXE&1' w kb3 eA ' (

&lconOnly MS Sans Serif-.2

\$7n>Action List.&C:\BLOX\LISTBLOX.EXE&1' tA@ 9u T \$ t D \$ L \$ 9t Ju 3

8 P D \$ R j

P) D \$

8 P D \$ R j

P)

8 D \$ D \$ P R D \$ j P G) D \$ V t \$ P V 8 T \$ Q j R

v v .

< <0.00@ (ts DEL DEL .

< <0.00@ (ts { }

< <0.00@ (ts s s .

< <0.00@ (ts s s .

< <0.00@ (ts] J @ _ ^ [+ † Z @] _ ^ [S V \$ W U t

&lconOnly MS Sans Serif-.2

\$7n>NoteBlox.&C:\BLOX\NOTEBLOX.EXE&1' r > "Arial - -

in

XX


XX
SummaryInformationXXXXXXXXXX

XXXXXXXXXX (XX) SummaryInformat


XX
XX
XX
XX

XX

in



in



in

??

iaKU0.03A n> r > Oh + ' Oh + ' 0d \$ (, D

FO F@L;? \tD? \Y

>3f 3fff3ffff ff ff f3 ff f ff f3 f f f f f f f3 f f f f f f f f 3

3f 3f 3fff3ffff ff ff f3 ff f ff f3 f f f f f f f3 f f f f f f f f 3

in

#0;\-"#,"##0"#"#,"##0;[Red]\-"#,"##0"#"#,"##0.00;\-"#,"##0.00!"#,"##0.00;[Red]\-"#,"##0.00:

in

▶ [REDACTED]

▶ j ([REDACTED] j p j a ' ([REDACTED] DEL [REDACTED]

[REDACTED]
▶ [REDACTED]
▶ [REDACTED]

[REDACTED] DEL [REDACTED] ? [REDACTED] 8 [REDACTED] |

in



in

ORJ\$`>|>|>

j(pj aX! "Arial
j p j a X! "Arial
j p j a X! "Arial

eed, double-click on it. Enter the number you want to convert in the relevant cell, then click on the

in

??

??

??

??

??

>\????>\??
SummaryInformation(??
??

kilometres and vice versa.[p! ?! ?! Convert pounds to kilos and vice versa. ?p! ?! ?! -Convert inche


??

??

??

??

in



ation(Olents



in




in



in

3*0_-"* #,##0_-;\-"* #,##0_-;"* "-"_-;_@_*)'_-* #,##0_-;\-* #,##0_-;_* "-"_-;_@_--;8_-"'

in



in



in

Embedding 4

kbkka!!PROPOSED MEETING!Topic*!: *P!WhenR!: RP!Wheref!: fP!Wh

cell where the result will be displayed. When you have finished, select File/Exit & Return to 0 !Note.'


in



in



in



in

?

GI FtD? <U? M SummaryInformationp j j j (

3 f 3 3 3 3 3 f 3 f f f f f

3 f 3 3 3 3 3 f 3 f f f f f

in



NoteBlox1.032Notes can be any size and color and can contain ot "Arial]0

f3f333f333f333f333f333ff




f3f333f333f333f333f333ff

in

* ##0.00_-;\-"* ##0.00_-;"* "-"??_-;_@_-2+/_-* ##0.00_-;\-* ##0.00_-;_-" "??_-;_@_-


in



!AFf '(



learyInformation



in



in

6 ORJ \$ > \ > \

oz!: zP

?!, !!{!8!,Convert miles to kilometres and vice versa.{p! 8!'Convert poi

in

??

f? \????? Olents00

??

> \?? Embedding 7????????????????????????????????

??

res to gallons and vice versa.kp' ??????Systemn- ?????? #a

??

??

??

??

in



in



in



in

▶ [corrupted] OlearyInformation

DEL [corrupted] P [corrupted] W [corrupted] Notes can be any size and color and can contain

3 [corrupted] 3 [corrupted] 3 [corrupted]


· [corrupted] [corrupted]

[corrupted] 3 [corrupted] 3 [corrupted]


in



in



in



in



Embedding 5

unds to kilos and vice versa. Convert inches to centimetres and vice versa. Conve

in




ORJ \$ > | >




in




in




in



in






g g f!0Notes can be any size and color and can contain \$!<Blox or other OLE ob



in



in



in



in


2 ORJ \$ > > Embeddi

rt acres to hectares and vice versa./p!k!k8!)Convert litres to gallons and vice versa.kp' 'Syste

in



mj Embedding 8



in



where the result will be displayed. When you have finished, select File/Exit & Return to Note.




in



in



in



jects such as spreadsheets and graphics.



in



in

Oh + 0H (@

in



in

ng 6

mn- W

in

Root Entry G\ @X ?\ @St

Separator line

Separator line

Separator line

Separator line

Separator line

Separator line


in



in




in



in



in



in




SummaryInformation

in

ORJ \$ > > Embedding 7

in

SummaryInformation(???????????????????? Contents???????????????????? cEmbedding 7



in



in



in






in



in






in




in


2A B Xs q E', > > > > >





in



in



in



in




in




in




►Embedding 73 


in




in



in



in





in



in



in







in



in

↳  Conversions

BwoCalc Beta 1.16    

in


BwoCalc Beta 1.160"K

BwoCalc Beta 1.16wK


BwoCalc Beta 1.16v%Q



in

BwoCalc Beta 1.16 





BwoCalc Beta 1.16wK 




in

BwoCalc Beta 1.16v%Q

in



in



in

>? ?

? ? ? ? ? ? ? ?

þZ8 Z<; w t>; s J<+iZ<Bu Z@; w t>; v

in




in

Michael SkokoCAndrew ThomasC4C

NoteBloxCf> NoteBlox1.03Conversions

in



in



in



in



in

W W K W& y This NoteBlox lets you perform some simple


in



in



in



in



in

conversions and calculations using CalcBlox.

in



in



in



in



in



in



in

?? "????? -?????"