

INTUIFONTLIB

Conversion program

COLLABORATORS			
	<i>TITLE :</i> INTUIFONLIB		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Conversion program	October 9, 2022	

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	INTUIFONLIB	1
1.1	Overview of INTUIFONLIB	1
1.2	INTUIFONLIB	1
1.3	INTUIFONLIB	2
1.4	INTUIFONLIB	2

Chapter 1

INTUIFONTLIB

1.1 Overview of INTUIFONTLIB

Overview

An Acid Software Library

Converted to AmigaGuide by

Red When Excited Ltd

Used with the permission of Acid Software

Edited, fixed and cleaned by Toby Zuidveld 27/02/1999.
<mailto:hotcakes@abacus.net.au>

1.2 INTUIFONTLIB

Statement: LoadFont

Modes :

Syntax : LoadFont IntuiFont#,Fontname.font\$,Y size [,style]

LoadFont is used to load a font from the fonts: directory. Unlike BlitzFonts any size IntuiFont can be used. The command WindowFont is used to set text output to a certain IntuiFont in a particular Window.

The LoadFont command has been extended with an optional style parameter. The following constants may be combined:

```
#underlined=1  
#bold=2  
#italic=4  
#extended=8 ;wider than normal
```

```
#colour=64 ;hmm use colour version I suppose
```


1.3 INTUIFONTLIB

Statement: IntuiFont

Modes :

Syntax : IntuiFont A Font for use by intuition

1.4 INTUIFONTLIB



[Overview](#)

[Command Index](#)

[IntuiFont](#)

[LoadFont](#)