

Opener

ALeX Kazik

Copyright © 1999 ALeX Kazik

COLLABORATORS

	<i>TITLE :</i> Opener		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	ALeX Kazik	October 9, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1 Opener	1
1.1 Opener © 1999 ALeX Kazik	1
1.2 English Manual	1
1.3 Deutsche Anleitung	2
1.4 Author	3

Chapter 1

Opener

1.1 Opener © 1999 ALeX Kazik

Opener V1.0+ written by ALeX Kazik in 1999

English

Deutsch Author

This guide is designed for V40.

1.2 English Manual

Note: This are only the original Web-Pages in the Amigaguide-format.

The original documentation can be read under <http://www.kazik.de/en/opener.html>.

Opener V1.0 (1997-08-16)

Opener is a great (but little) Public Screen Utility. If the user wants to use a public screen, which are not opened yet, automatically a screen with will be opened, if one with exactly that name is defined with MUI's PSI.

Attention!

Opener uses some undocumented features of the muiscreen.library. It is tested with V11 (MUI3.?) upto V19 (MUI3.8).

With muiscreen.libraries greater than V19 it could crash!

I asked Stefan Stuntz, the author of MUI, to make the functions public the answer was:

```
/*
```

```
** NOTE: Never use one of these in your own programs. I guarantee to change
```

```
** the offsets with every new MUI release.
```

```
*/
```

Installation

1. Extract the archive.
2. Copy Opener to SYS:WBStartup.
3. Launch Opener or boot.

Usage

Opener works in the background.

To configure Opener, you can either a) start MUI:PSI, or b) click on "Show Interface" after selecteing Opener.

Configuration

is very simple, use MUI's PSI, and Opener opens the configured screens, if neccacary.

History

Version 1.0+ (1999-04-07)

- EMail/HomePage has changed!
- Support-Site: <http://www.kazik.de/en/patchid.html>

Version 1.0 (1997-08-16)

- first release.

1.3 Deutsche Anleitung

Hinweis: Dies ist nur die Original Web-Seite im Amigaguide format.

Die original Dokumentation ist unter <http://www.kazik.de/de/opener.html> zu lesen.

Opener V1.0 (1997-08-16)

Opener ist ein großartiges (aber kleines) Public Screen Utility. Wenn der Benutzer einen Public Screen benutzen möchte, der noch nicht geöffnet ist, ein Bildschirm wird automatisch geöffnet, wenn einer mit exakt so einem Namen durch MUI's PSI definiert ist.

Achtung!

Opener benutzt einige undokumentierte Funktionen der `muiscreen.library`. Es wurde mit V11 (MUI3.?) bis V19 (MUI3.8).

Mit der `muiscreen.library` größer als V19 kann es zum absturz führen!

Ich habe Stefan Stuntz, den Autor von MUI, gebeten, die Funktionen publik zu machen, die Antwort war:

```
/*
```

```
** NOTE: Never use one of these in your own programs. I guarantee to change
```

```
** the offsets with every new MUI release.
```

```
*/
```

Installation

1. Das Archiv entpacken.
2. Opener nach `SYS:WBStartup` kopieren.
3. Opener starten oder booten.

Benutzung

Opener läuft im Hintergrund.

Um Opener einzustellen können sie a) MUI:PSI starten, oder b) bei Exchange Opener auswählen und "Anzeige sichtbar" anklicken.

Einstellungen

Die konfiguration ist sehr einfach, benutze MUI's PSI, und Opener öffnet den konfigurierten Screen, wenn nötig.

Historie

Version 1.0+ (1999-04-07)

- EMail/HomePage hat sich geändert!
- Support-Seite: <http://www.kazik.de/en/patchid.html>

Version 1.0 (1997-08-16)

- Erste Veröffentlichung.
-

