

Netax-FAQ-english

COLLABORATORS

	<i>TITLE :</i> Netax-FAQ-english		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 8, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Netax-FAQ-english	1
1.1	Netax-FAQ	1
1.2	Netax-FAQ	1
1.3	Netax-FAQ	1

Chapter 1

Netax-FAQ-english

1.1 Netax-FAQ

Netax-FAQ
Stand: 28 May 1999

The PCMCIA port does not reset when resetting the machine.

What do I need to connect my Amiga to a PC?

This FAQ is Copyright by Haage&Partner.

News and most recent FAQs at: <http://www.haage-partner.com>

Created on 28 May 1999 by Fiasco written by Nils Bandener
and by a magic ARexx script written by Martin Steigerwald.

1.2 Netax-FAQ

The PCMCIA port does not reset when resetting the machine.

This rarely happens. For towered 1200 owners, it can help to extract and reinsert the card. New boards will have a socket that plugs on the Gayle chip in the 1200 (no soldering required) and solves this behaviour of the 1200 (A600s don't have this problem).

1.3 Netax-FAQ

What do I need to connect my Amiga to a PC?

A TCP/IP stack like Genesis and a software like Samba:
<http://www.samba.org>.
