

# **Gumband**

Bablos <angband@blueyonder.co.uk>

**COLLABORATORS**

	<i>TITLE :</i> Gumband		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Bablos <angband@blueyonder.co.uk>	August 11, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Gumband</b>	<b>1</b>
1.1	Gumband Documentation . . . . .	1
1.2	Introduction... . . . .	1
1.3	Requirements... . . . .	2
1.4	Installing Gumband . . . . .	3
1.5	Settings . . . . .	3
1.6	Inscriptions . . . . .	6
1.7	Macros . . . . .	7
1.8	Variants . . . . .	10
1.9	Links . . . . .	12
1.10	History . . . . .	13
1.11	Contact . . . . .	14

---

## Chapter 1

# Gumband

### 1.1 Gumband Documentation

Gumband 2.1.7b

~~~~~

Introduction

Requirements

Installation

Settings

Inscriptions

Macros

Variants

Links

Credits

Author

Written by Bablos, 05.08.2001

### 1.2 Introduction...

Introduction

~~~~~

Angband

~~~~~

Angband is a single player role playing game. You choose a race and a class, then roll up statistics to describe your various abilities. Then

---

you're unleashed upon the dungeons of Angband, ultimately dropping to dungeon level 100 and trying your damndest to kill Morgoth, Lord of Darkness.

Along the way you encounter a myriad of creatures and uniques to hinder your progress, and objects and artifacts to help you achieve your goals.

Angband is loosely based on the works of JRR Tolkien, and had the game Rogue as an ancestor, hence the term 'roguelike' that is encountered in this guide and many other documents relating to Angband and it's variants.

Angband is constantly under development, and has been since it came out in its most basic form back in 1985.

Gumband  
~~~~~

For full details of all the changes made to Gumband throughout it's history, please consult the gumband-211f.txt file, either via the link in the guide or by perusing the file itself which you will find in the game directory.

## 1.3 Requirements...

Requirements  
~~~~~

Absolute Minimum  
~~~~~

You'll need at least this to run plain Gumband.

- o Kickstart 1.3
- o 4.5 Mb of memory
- o 68000 - a faster processor is nice, but by no means necessary.

Recommended Level  
~~~~~

This is what is recommend to get the most out of Gumband:

- o Kickstart 3.0 or better
- o 6 Mb of memory
- o 68020 or better.
- o A Hard drive.

Running Angband and it's variants under kickstart 1.3 is somewhat restricted. Mark doesn't plan to support 1.3 further, and the assumption will be made that everyone is using 2.04 or better. Don't worry though, the game will still work under 1.3, it'll just do so without the bells, whistles and shiny bits that Mark's put together for those of us that aren't living in the stone age...

Machines that Gumband have been tested on;

---

- o A1200, 68060/50, 603e/200, 32Mb FAST, AGA, OS 3.1 (Bablos)
- o A1200, 68060/50, 603e/200, 32Mb FAST, AGA, OS 3.9 (Bablos)

## 1.4 Installing Gumband

Installing Gumband

~~~~~

Installing to Hard disc

~~~~~

Couldn't be easier - just unpack the archive to the directory of your choice! Then it all depends on what kickstart your machine has;

- o KS 2.0+

If you're lucky enough to have a kickstart 2.0 or better machine, then all you need to do to get Gumband up and running is to run the program Gumband.

- o KS 1.3

If you only have Kickstart 1.3, you'll also need to place a few commands into your S:startup-sequence file, or make a script file if you're feeling particularly adventurous and execute it as and when you intend to play Gumband. Anyway, the commands required are;

```
assign Gumband: DH1:Games/Gumband
path add Gumband:
```

Obviously, replace the DH1:Games/Gumband with the path to the Gumband directory on your system. Make sure that this new Gumband: assignment points to the right place! It should point to the main directory containing all the file, data, apex, raw etc. directories.

Playing Gumband

~~~~~

If everything went well, and you successfully installed the game, then all you need do is run the Gumband executable. Gumband automatically loads in the previously saved character, but you can change this if needs be using the -u command;

- o Gumband -u<char>

So, if you wanted to load up Sharon the Half-Troll Warrior, you'd type the command Gumband -uSharon. Simple, huh? Typing Gumband -? will give you a list of the options available.

## 1.5 Settings

Settings

~~~~~

---

Angband and it's variants need to know how to set themselves up, what with screenmode, graphics, sound, menus, windows - it's all user configurable. The configuration for this is read from the settings.prf file, which can be found in the /user directory. Below is a brief description of the various settings available and how they can help to make your gaming experience that little bit easier. All of the settings are optional, and have their own default settings.

- o ANGBAND.gifx

Do you want graphics or just plain ASCII? Rogue old timers and users that find the graphics version a tad slow on 68000 machines may well benefit from setting this to Y. Set to N for ASCII, Y for 8x8 bitmap, or E for Adam Bolt's 16x16 tile set which can be scaled down for smaller screens.

- o ANGBAND.sound

Do you want to include sound in the game? Floppy users will have no choice but to leave sounds out. Individual sounds can be removed, see the section of the documentation on sound for that. Set to Y or N.

- o ANGBAND.version

The version of the game that you're playing. A setting used by the AngMan program for determining the type of variant being played. Optional.

- o SCREEN.blankmouse

Blanks the mouse pointer as and when a key is pressed. Saves mouse pointer getting in the way whilst you're playing the game. Set to Y or N.

- o SCREEN.menus

Use the pull down menus or not? Set to Y or N.

- o SCREEN.quick

Quick graphics - can speed things up on 68020+/AGA machines. Set to Y/N.

- o SCREEN.rtg

Use RTG system for screen display? Set to Y or N.

- o SCREEN.name

If you've made a custom screen for Angband to display on, then you provide the name of the screen after this setting.

- o SCREEN.mode

Choose the screenmode that the Angband public screen will open under. Set to the mode value or ? to have a screenmode requester pop up.

- o SCREEN.width

Width of the public screen in pixels. Minimum default of 640.

- o SCREEN.height

Height of the public screen in pixels. Minimum default of 200.

- o SCREEN.depth

Depth of the public screen in bitplanes.

- o SCREEN.overscan

Screens overscan settings. Set to 1 for text size, 2 for graphics size,

3 for extreme size and 4 for maximum size.

#### Window Options

~~~~~

Angband and it's variants has the choice of using up to eight different windows to display all of it's information. The use of MAIN is an absolute necessity, but the use of CHOICE, RECALL, MIRROR, WIN5TH, WIN6TH, WIN7TH and WIN8TH are all optional. They come into their own when used with high screen resolutions, as they can be used to constantly display information which you would otherwise have to access via options - keep a list of your inventory in one, a list of your equipment in another, a list of all past messages in a third - the choice is yours. What the window actually displays is set from within Angband itself via the options menu (= command). Their settings and positions can also be saved from the pull down menus in Angband too.

#### MAIN Window

~~~~~

- o MAIN.use  
Should the main window be displayed? Should be set to Y at all times, otherwise you've no chance of seeing a single thing!
- o MAIN.title  
The main windows title, to be displayed in the title bar if on a custom screen.
- o MAIN.font  
Font to use with the main window. Defaults to topaz/8.
- o MAIN.xpos  
X-axis offset for the main window from the top left of the screen. Set with number of pixels.
- o MAIN.ypos  
Y-axis offset for the main window from the top left of the screen. Set with number of pixels.
- o MAIN.cols  
Number of text columns that the main window has. Must be set to at least 80.
- o MAIN.rows  
Number of text rows that the main window has. Has a default value of 25.
- o MAIN.background  
Path to a file that is used as a background pattern for the main window. This option is only active in current versions of Angband and it's variants.

#### Other Windows

~~~~~

In the example below, I've used the window CHOICE, but this can be substituted for any of the remaining windows as they're all defined in exactly the same way.

- o CHOICE.use  
Same as for MAIN. Should the window be used? Set to Y or N.
-



- o CHOICE.show  
Should the window be displayed? Set to Y or N.
- o CHOICE.title  
Same as for MAIN. The title of the window to be displayed.
- o CHOICE.font  
Same as for MAIN. The choice of font that will be used in the window.
- o CHOICE.scroll  
Should the window have a scroll bar? Set to Y or N.
- o CHOICE.xpos  
Same as for MAIN. X-axis offset from the topleft of the screen.
- o CHOICE.ypos  
Same as for MAIN. Y-axis offset from the topleft of the screen.
- o CHOICE.cols  
Same as for MAIN. Number of columns of text to display.
- o CHOICE.rows  
Same as for MAIN. Number of rows of text to display.
- o CHOICE.background  
Same as for MAIN. Choose a background pattern.

## 1.6 Inscriptions

### Inscriptions

~~~~~

Inscriptions are a pretty useful part of Angband and it's variants, so long as you know how to make the most of them. Once you've been playing the game for a bit, you'll be used to the standard inscriptions that objects have - telling you when they're cursed or uncursed, your pseudo-id kicking in to announce that an object is terrible, worthless, average, good, excellent or special. Shopkeepers will inscribe items with any special offers they might have going. You might even get imaginative yourself and decide that Brian the Broadsword should have his name emblazoned across his blade. Well, written in braces next to his inventory slot!

### Protecting Items

~~~~~

Inscriptions can help you protect your items from any inadvertant keypresses your impatient fingers may be capable of. Once you become adept at the controls of Angband, and could guide a character with your eyes closed, or in your sleep, you'll soon discover that it's all too easy to destroy, drop, activate, fire, etc that one item that you just can't do without. How do you get around this? Use the following inscription;

- o !X where X is the command to protect the item from.

So, if you inscribe an item with !d, you'll be asked if you really do want to drop that particular object. If one check isn't enough, you can add multiple inscriptions of the same type - inscribing !d!d!d will ask you about dropping the object three times over. You may think it overkill, but you don't want to go dropping plenty of things in the lower depths of the dungeons of Angband.

You can combine the !X commands - if you inscribe !d!k, then you'll be asked again if you try to either drop or destroy the item. If you need FULL protection, you can use !\*, which will ask for verification no matter which command is used upon the item in question.

Roguelike Keyset Users - you'll have to inscribe the original commands, not the roguelike ones, unfortunately.

### Numbering Items

~~~~~

Inscriptions of the following form are incredibly useful when combined with macros. They assign a number to a particular item, thus;

o @n where n is a number between 0 and 9.

What use is this? Well, say you have a particular wand or staff that you use all the time. Instead of having to check your inventory to see which slot it's in when you want to use it, you could inscribe it with @1 which would let you select it by using the number 1 in with your command. You can also restrict what commands use the numbered item;

o @Xn where n is a number between 0 and 9, and X is a command.

This will cause the item to only be referred to as this particular number by the command X. A fine example of this is the one macro that's automatically defined in all Angband variants - if you inscribe your main weapon as @0, and your shovel, pick or secondary weapon as @0 also, the command X will swap between these two items for you.

## 1.7 Macros

### Macros & Keymaps

~~~~~

Macros are mappings from a single logical keypress to a sequence of keypresses, allowing you to use special keys on the keyboard such as function keys or the keypad, to automate repetitive multi-keypress commands that you use alot.

The macro system has changed between Angband 2.8.2 and 2.8.3, and some older variants are still based on the 2.8.2 code. I shall concentrate on the 2.8.3 code here, and direct users of the older system to the file help/command.txt, which should contain details on the old macro system.

Macro and keymap definitions are kept in what are called user pref files, which can be found in the user/ directory, funnily enough. Specific .prf files are loaded in with each character - if you run a human priest called Kenneth, then the files human.prf, priest.prf and Kenneth.prf would all be

loaded. You can thus have similar macros and keymaps together - spell macros could be in `priest.prf`, and macros you wanted humans to have in general could go in `human.prf`, and any specific to just this character - say to activate a particularly good item they have - would go in `Kenneth.prf`.

So, how do you define macros and keymaps? Both of them need an action;

- o `A:<action>` - this is the definition of the action the keymap/macro will expand to.

To define a macro to perform the above action you would follow the action definition line with;

- o `P:<str>` - `str` is the sequence of keypresses that would perform the action.

If, however, you wanted to define the above action as a keymap, then you'd follow it's definition with the line;

- o `C:<mode>:<keyst>` - `mode` is the keymap mode where the keymap will take effect (0 for original and 1 for roguelike) and `keyst` is a string that translates to one key. Note that `Ctrl-<char>` is considered one key, but function keys aren't.

So, a macro is defined by;

- o `A:<action>`  
`P:<str>`

and a keymap by;

- o `A:<action>`  
`C:<mode>:<keyst>`

Whenever macros need to contain special characters, they are represented in a specific way, thus;

- o `\xHH` - character number `HH` in hexadecimal
- o `\NNN` - character number `NNN` in octal
- o `\e` - ESC
- o `\n` - newline
- o `\r` - RETURN
- o `\s` - space
- o `\` - backslash
- o `\^` - caret
- o `^X` - code for any control key "`ctrl-X`"

So, what's the difference between the two? Why choose a macro definition over a keymap definition, or vice versa? There are three main differences;

- o Keymaps don't get executed in stores, macros do. Imagine having `'u'` set up as a macro, then trying to sell item `'u'` in your inventory - as you hit `u`, up sprouts your macro string! You can't sell item `u`!
- o Keymaps are defined as one key, but macros can be triggered by an

arbitrary number of keys. As function keys are considered more than one keypress, anything you bind to a function key has to be a macro.

- o Keymaps can be different depending on the mode - original or roguelike. Macros use original commands.

Examples; well, ones that I use..

Activate light source - this is a macro which uses F1 for when I have the Phial of Galadriel. It can't be defined as a keymap as the code for the F1 key isn't a single key. Not that it stops anyone else using another key, or course!

- o A:\e\eAf\e  
P:\x9B0~

Kill top item on the floor - I played the 'bands for SO long without knowing how useful this little one could be. If you've got a pile of stuff on the floor, and you know the top three items are useless, just stand on it and hammer the key three times, and they're destroyed. Very useful for going through good sized treasure hoardes.

Macro;

- o A:\e\e^d-yy\r  
P:`

Keymap;

- o A:\e\e^d-yy\r  
C:0:`

I use a keymap in the above example, as a) it's simpler, and b) you don't have to rely on the ` key in stores whatsoever. I map it to the ` key as I use the roguelike command set, and so I can hit it with my left hand whilst controlling the character with my right. If you use the original command set, and you use the keypad, you might find it easier to maybe set up F10 as the macro. Why all the \e in the commands? It's to flush the output buffer of any text it might display, and to get rid of any -more- messages. Some people use \s too, as it performs the same task, so long as you have quick messages activated in your options.

Example using numbered inscriptions;

Say you have a Rod of Trap Detection inscribed with @z1, and a Rod of Detect Doors and Stairs inscribed with @z2. You could combine the activation of the two by pressing F1 by setting up the macro;

- o A:\e\ea1\ea2  
P:\x9B0~

\e\e will clear the output buffer of any existing messages that have yet to be displayed, a1 will activate rod 1 (trap detection, irrespective of it's location in the inventory), \e will clear the result of the activation of rod 1, a2 will activate rod 2 (doors and stairs). Easy, huh?

## 1.8 Variants

Variants

~~~~~

Sure, Angband is a great game, but there are people out there who want more. People who want to personalise the game, make their own alterations, or take it in a completely new direction. If they're lucky enough to be familiar with programming C, then all they need do is alter the source code and a new variant is born.

What follows is an exhaustive list of the variants available. Unfortunately (fortunately in some cases) they're not all available for the Amiga. Those that are can be found in bold type. Check out the links section of the documentation if you'd like to know more about any of the variants below.

- o Amberband - Angband with a heavy Amber influence.
  - o Angband/64 - lots more traps, bigger dungeons, reformed spell system.
  - o AngbandTk - Angband with a swanky graphical system written in TCL.
  - o Bangband - Now defunct variant letting the player be dragons and monks.
  - o CathAngband - aiming to balance all classes in Angband.
  - o Cthangband - Zangband variant, replacing Zangband's Zelazny world with that of H.P. Lovecraft's Cthulhu mythos.
  - o Discband - Terry Pratchett's Discworld, in Angband form.
  - o Drangband - Ancient variant allowing various dragons as players.
  - o DvEband - Angband with Oangband influences.
  - o Easyband - For those who have trouble getting past 50'.
  - o EyAngband - Eytan Zweig's own Angband adaptation.
  - o Fangband - First variant to include targetting code for bows!
  - o FFVII Angband - Variant based on Squaresoft's excellent RPG.
  - o Goingband - Lots of patches written by various people.
  - o GSNband - Zangband variant, removing all Zelazny material in order to get back to the Tolkien feel of the game.
  - o GSN2band - Vanilla based GSN minus the Zangband elements.
  - o Gumband - Joseph Dixon's own adaptation of Zangband 2.1.1c.
  - o GW-Angband - New magic system, balanced classes.
  - o Ingband - Ironman Angband - dive 'til you drop!
  - o Kamband - Kangband variant - religions, new races, alchemy, new spells.
-

- o Kangband - New classes, bigger town, wilderness area around the town.
  - o KangbandTk - Kangband with the TCL graphical interface.
  - o Langband - Stig E. Sandø's Common Lisp re-write of Vanilla.
  - o Mangband - Multiplayer Angband, played via a TCP connection.
  - o MJBand - Angband variant with some interesting changes.
  - o NewAngband - PernAngband with updated class system.
  - o Oangband - Opinion Angband - changes right across the board.
  - o OangbandTk - Oangband with the TCL graphical interface.
  - o Pangband - Plot based Angband, uses RPL scripts to describe the plot.
  - o PernAngband - Zangband variant based on the novels on Anne McCaffrey.
  - o PernMangband - Fusion of PernAngband and Mangband.
  - o Psiband - Angband with psionic powers.
  - o Pziband - Zangband with psionic powers.
  - o QuestAngband - Variant based around a quest system.
  - o Rangband - Realistic Angband. Reality steps into Angband.
  - o Sangband - Skills based Angband. Develop various skills to advance.
  - o SBFband - Steve Fisher's own version of Zangband.
  - o Sillyband - Angband with ridiculous alterations.
  - o Tangband - TeamAngband, taking the traditional RPG approach to adventure.
  - o Terminal Angband - Beta of Angband using multiple term windows.
  - o TKKband - South Park derived variant.
  - o Yakband - bizarre variant, where you can play a Yak, of all things!
  - o Yin-Yangband - Various changes to classes, races etc.
  - o Zangband - Most played game, even moreso than Ang. Changes galore!
  - o ZangbandTk - Zangband with the TCL 8.0 graphical interface.
  - o Zceband - Eric Bock's own version of Zangband.
-

## 1.9 Links

### Links

~~~~~

Here are a list of useful Angband related websites, along with a blatant plug for my own site!

- o Newsgroup  
[rec.games.roguelike.angband](mailto:rec.games.roguelike.angband)
- o Official Angband Page  
<http://www.phial.com/angband>
- o Bablos' Angband Variants Page  
<http://www.angband.pwp.blueyonder.co.uk>
- o Development FTP Site  
<ftp://export.andrew.cmu.edu/angband>
- o Roguelike News  
<http://www.skoardy.demon.co.uk/rlnews>

### Variant Homepages

~~~~~

- o Amberband  
[http://members.xoom.com/Lord\\_Emrys/amber.htm](http://members.xoom.com/Lord_Emrys/amber.htm)
  - o Angband/64  
<http://www.sx4all.nl/~thunder7/angband>
  - o AngbandTk  
<http://www.mypage.direct.ca/d/dbaker/angbandtk.html>
  - o CathAngband  
<http://dbox.victoly.com/~neko/cath>
  - o Cthangband  
<http://www.visi.com/~thornley/david/cthangband>
  - o Drangband  
<http://hercules.itctel.com/~apwhite/drang.html>
  - o EyAngband  
<http://eyangband.sourceforge.net>
  - o GSNband  
<http://ifg.amu.edu.pl/~naskrent>
  - o GW-Angband  
<http://www.kellnet.com/woledge/angband.html>
  - o Kangband  
<http://kangband.sourceforge.net>
  - o Langband
-

- `http://langband.sourceforge.net`
- o Mangband  
`http://mangband.org`
- o MJBand  
`http://www.litening.dircon.co.uk/mjband.html`
- o NewAngband  
`http://members.nbci.com/variav`
- o Oangband  
`http://www.consume.org/Oangband`
- o Pangband  
`http://www.umn.edu/~keldon/pangband`
- o PernAngband  
`http://www.pernangband.org`
- o PernMangband  
`http://pernmangband.pernangband.org`
- o Sangband  
`http://www.fragment.com/~jl8e/sangband`
- o SBFband  
`http://www.cs.unr.edu/~fisher_s/sbfband.html`
- o Sillyband  
`http://www1.50megs.com/tarael`
- o Zangband  
`http://www.zangband.org`

## 1.10 History

Credits

~~~~~

- o Bablos <angband@blueyonder.co.uk>  
Me. I maintain every variant for the Amiga these days, apart from Mangband, which is compiled by Ian Gledhill. I wrote the Amiga specific documentation, I beta test all variants, I upload any Aminet archives that are ready, I run the Angband Variants Website, and I run lots of borgs on my machine!
  - o Mark Howson <markh@angband.org>  
Mark took over the Amiga specific Angband code from Lars Haugeth's 2.7.9v6b code, and improved it alot up until 2.8.2. Since then Mark's machine has died, and real life prevents him from developing and compiling further, so I took on that part of things. Mark has moved on from the Angband community now, but he still responds to any code related questions I care to throw at him.
-



- o Rob Reuhlmann <rr9@angband.org>  
Rob took over the Angband maintainership from Ben Harrison in April 2000, and released 2.9.0 as his mark on the world of Angband. He also heads the Zangband development team, taking over it's development from Topi Ylinen.
- o Joseph William Dixon <gumby@gwar.net>  
Joseph is responsible for maintaining Gumband.
- o Andrew Tait <antait@blueyonder.co.uk>  
Totty is the main beta tester besides myself, and might end up being the only other Amiga user to actually play some of the variants I knock out! He runs lots of borgs on his machine, too...

## 1.11 Contact

### Contact Information

~~~~~

Got something to say? Like to buy Mark and I a pint or a Mars Bar for our wonderful work? Head full of suggestions, questions, comments, criticism, improvements or insults? If so, we want to hear it.

Start up your favourite email client and drop us a line at;

- o Bablos  
angband@blueyonder.co.uk
- o Mark  
markh@angband.org

Please remember however, that neither of us actually write any of the variants that are currently available, we just convert them for use on the Amiga. Any bugs that are obviously specific to the code and not the Amiga version should be directed towards the original author via email or the newsgroup.

---