

MCommands

Michael Letowski

COLLABORATORS

	<i>TITLE :</i> MCommands		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Michael Letowski	August 3, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	MCommands	1
1.1	MCommands 1.2	1
1.2	MCommands Copyright	2
1.3	Introduction to MCommands	3
1.4	Requirements for MCommands	3
1.5	MCommands History	4
1.6	To do in MCommands	5
1.7	ChangeFont	5
1.8	ClickStart	6
1.9	Examine	7
1.10	For	8
1.11	RXControl	9
1.12	Time	10
1.13	Touch	10
1.14	DataTypes Information	11
1.15	About the Author	12

Chapter 1

MCommands

1.1 MCommands 1.2

MCommands 1.2

MCommands package is Copyright © 1994-95
Michael Letowski

.

All rights reserved.

The author's native language is Polish, so please forgive bad spelling,
grammar mistakes etc. Or better - correct them.

Copyright notice

Introduction

Requirements

History

To do

ChangeFont

ClickStart

Examine

For

RXControl

Time

Touch

1.2 MCommands Copyright

Copyright

MCommands package is Copyright © 1994-95
Michael Letowski

MCommands is freely distributable under the following conditions:

- no more than a reasonable fee is charged for copying/downloading;
- this distribution is not a part of other non-free distribution;
- the distribution is complete - it contains all the files (full list at the end of this chapter);
- no file in the distribution is changed.

Distribution without meeting conditions specified above requires written permission from me.

The commands from the package work, but no guarantee is given nor implied. In no case will I be liable for any results of using any of the commands supplied.

The source code is provided only for informational purposes and is also under copyright.

List of all files in the distribution:

```
Install MCommands
Install MCommands.info
MCommands.guide
MCommands.guide.info
C
  ChangeFont
  ClickStart
  Examine
  For
  RXControl
  Time
  Touch
Locale
  polski
    Instaluj MCommands
    Instaluj MCommands.info
    MCommands.guide
    MCommands.guide.info
  polski.info
Locale.info
S
  RX-Startup
Src
  ChangeFont.c
  ClickStart.c
  Examine.c
  For.c
  RXControl.c
  Time.c
  Touch.c
```

1.3 Introduction to MCommands

Introduction

This package contains 7 CLI commands that fill some gaps left by current versions of AmigaDOS. The commands are very compact and follow the guidelines for writing Amiga software. These are:

```
ChangeFont
- globally replaces topaz.font with a user supplied one;

ClickStart
- enables/disables some features of AmigaDOS;

Examine
- determines type of files using
DataTypes
;

For
- allows execution of a command with multiple arguments;

RXControl
- controls ARexx interpreter;

Time
- measures command's execution time;

Touch
- updates files dates.
```

I've been using these commands extensively for several months now, and failed to observe any glitches. In fact, two of them are part of my regular Startup-Sequence and I didn't notice any strange behaviour. I hope you will like them.

The commands are 'pure' and can be made resident.

1.4 Requirements for MCommands

Requirements

```
ChangeFont
,
ClickStart
,
For
,
RXControl
,
Touch
and
Time
```

require AmigaDOS 2.04 or higher.

Examine
requires AmigaDOS 3.0 or higher (datatypes.library V39+).

1.5 MCommands History

History

Version 1.0 (21.3.94) - initial release

Version 1.1 (27.3.94):

Improvements:

- even more optimizations;
- better installation - commands requiring AmigaDOS 3.0 are no longer installed under 2.0;
- slightly improved documentation;
- all commands now give more informative error messages;
- directories (or volumes) can now be parameters for
Examine

;

.

Examine

now prints directory names as it scans them;

- multiple patterns can now be specified in

For

if DO keyword

appears;

- NOQUOTE option of

For

prevents parameters from being taken

into quotes;

- DIRS option of

For

allows execution of a command for

directories as well.

Bug fixes:

.

Examine

could crash when used with badly defined

DataTypes

;

.

For

treated '%' literally, instead of replacing it with '%';

.

Touch

did not touch directories.

Version 1.2 (31.1.95):

Improvements:

.

```

        RXControl
        command added;
    .
        Time
        command added;
    · RETRY option added to
      ClickStart
    .

```

1.6 To do in MCommands

To do

Improvements:

- modify
 - ChangeFont
 - to use semaphores, so it doesn't waste memory on each run;
- add more options to
 - ClickStart
 - suggest something;
- improve '%' commands in
 - For
 - currently they are not flexible enough.

1.7 ChangeFont

NAME

ChangeFont - replace topaz font with user supplied one

SYNOPSIS

ChangeFont FontName [Sizes] [QUIET]

TEMPLATE

ChangeFont "NAME/A,SIZE/N/M,QUIET/S"

DESCRIPTION

ChangeFont replaces ROM topaz.font with user specified font. Only sizes specified by user are replaced. The replacement is global: any program using topaz.font utilizes the new font immediately.

The replacement font must have the properties of topaz.font: it has to be non-proportional and of proper width. The sizes you specify on command line indicate which ROM sizes to replace: you can't replace 8 points height font with 12 points one! The default sizes for replacement are 8 and 9. Replacement font with given size must exist: it is not possible to use a scaled one.

PARAMETERS

NAME - name of replacement font;
 SIZE - topaz.font sizes to replace (default: 8 and 9);
 QUIET - suppresses informational messages.

EXAMPLES

```
Test ChangeFont EOBf8 8
    ; Replace topaz 8 with font from Eye Of the Beholder
    ; topaz 9 is not replaced
Test ChangeFont topazpl.font QUIET
    ; use Polish char set instead of international, don't print any info
```

BUGS

Once you used this program, there is no turning back: you can't use original topaz anymore. Every replacement font remains in memory, so you will notice memory loss.

NOTES

I wrote this program because Polish language has 18 special characters, that don't exist in international ASCII char set. Changing disk fonts was easy, but topaz could not be replaced. And Preferences font settings don't mean match to many programs.

This program is not 100% legal: it manipulates TextFont structures directly. But it's not a hack either, as no private/undocumented variables are touched.

1.8 ClickStart

NAME

ClickStart - enable or disable some AmigaDOS features

SYNOPSIS

```
ClickStart [CLICK|NOCLICK] [STAR|NOSTAR]
           [PIPE=PipeChar|NOPIPE] [MULTI=MultiCommandChar|NOMULTI]
           [RETRY=NumberOfRetries] [ALERT=AlertDisplayTime] [QUIET]
```

TEMPLATE

```
ClickStart "CLICK/S,NOCLICK/S,STAR/S,NOSTAR/S,PIPE/K,NOPIPE/S,
           MULTI/K,NOMULTI/S,RETRY/K/N,ALERT/K/N,QUIET/S"
```

DESCRIPTION

ClickStart allows you to customize AmigaDOS to suit your preferences. Possible changes are:

- Disk drives clicking;
- Star wildcard;
- Unix style pipes;
- Execution of several commands at once;
- Number of floppy disk retries (in case of an error);
- Alert display time (AmigaDOS 3.0 or higher only)

An information about current settings is printed.

PARAMETERS

```
CLICK - enables drive clicking;
NOCLICK - disables drive clicking;
STAR - enables use of * as a replacement for #?;
NOCLICK - disables use of * as a replacement for #?;
PIPE=PipeChar - sets char to be recognized by Shell as pipe. Only one
char is used. If you supply empty string, default char is assumed (pipe).
NOPIPE - disables piping;
```

MULTI=MultiCommandChar - sets char to be recognized by Shell as multiple commands char. Only one char is used. If you supply empty string, default char is assumed (backslash).

NOMULTI - disables multiple execution;

RETRY=NumberOfRetries - sets number of retries for floppy disks access. Set to zero will force any errors to be reported immediately, set to some higher value will cause AmigaDOS to try to read bad track(s) NumberOfRetries times. Choosing a low value is recommended if you use non-standard formats (CrossDOS, DiskSpare), since such disks will get recognized much faster.

ALERT=AlertDisplayTime - sets length of alert display time. The time is given in display frames (there are 50 frames/second in PAL, 60 frames/second in NTSC). 0 means no alert.

QUIET - suppresses informational messages.

EXAMPLES

```
Test ClickStart NOCLICK STAR
    ; Disable clicking, enable * wildcard
Test ClickStart ALERT 0
    ; Don't display alerts
Test ClickStart RETRY 0
    ; Force floppies errors to be reported immediately, speed up foreign
    ; formats recognition.
```

NOTES

This program does nothing illegal: it just sets some values in some structures. It installs no patches and uses no additional memory. Ideal for placement in Startup-Sequence.

Piping and multi-command execution are enabled by setting local shell variables `_pchar` and `_mchar`. Therefore if you want pipes in every shell, you should use ClickStart in Startup-Sequence.

To fully utilize pipes and multiple commands execution you also need Pipe command. It can be found on Aminet: `os20/cli/hacks204.lha`, but it seems to be a little buggy.

Alert display times are preserved across warm-boots.

1.9 Examine

NAME

Examine - examine type of file using

DataTypes

SYNOPSIS

```
Examine [Dir] [GROUPID=Group] [TYPEID=Type] [FULL] [ID] [ALL]
```

TEMPLATE

```
Examine "DIR/M,GROUPID=G/K,TYPEID=T/K,FULL/S,ID/S,ALL/S"
```

DESCRIPTION

Examine examines types of specified files using

DataTypes

. Name of

the file, name of group it belongs to and descriptive class name are printed. ID's for group and type may be printed as well.

By default (no files supplied) it examines current directory. You can use Examine to search for specified types of files (eg. pictures or 8SVX sounds) by specifying GROUPID or TYPEID. These should be no longer than 4

letters and are case-sensitive. Subdirectories can be scanned using ALL option. DIR parameter can be either directory (or volume) or file pattern.

PARAMETERS

DIR - name of directories or files (wildcards allowed) to be examined;
 GROUPID=Group - print informations about files belonging
 to Group only;
 TYPEID=Type - print informations about files belonging
 to Type only;
 FULL - print full path of examined file;
 ID - print group ID and type ID that the file belongs to;
 ALL - scan subdirectories as well.

EXAMPLES

```
Test Examine ID
    ; Examine all files in current directory, printing group ID and
    ; type ID.
Test Examine DH0:#? GROUPID pict ALL
    ; Find all pictures on partition DH0:
Test Examine DH0:#? DH1: DH2: TYPEID amig FULL ALL
    ; Scan entire disk searching for AmigaGuide files.
    ; Print them with full path.
Test Examine S:
    ; Examine contents of S: directory
Test Examine Work:Music/Modules ALL
    ; Examine type of modules you have
```

1.10 For

NAME

For - do command for multiple arguments

SYNOPSIS

```
For [ALL] [DIRS] [NOQUOTE] [FilePattern] [Command] or
For [ALL] [DIRS] [NOQUOTE] [FilePatterns] DO Command
```

TEMPLATE

```
For "FILE/M,DO/K/F,ALL/S,DIRS/S,NOQUOTE=NQ/S"
```

DESCRIPTION

For runs specified command for multiple arguments. You can use current argument's name in command by using %S or %P. %S is replaced with file's name, %P is replaced with full path. File names are automatically being taken into quotes. If no COMMAND is supplied, then simple execution is assumed (%S pattern).

In case you specify more than one file pattern, DO keyword must appear before command. If you specify no file pattern, FOR assumes #? (all files in current directory).

PARAMETERS

FILE - file(s) to execute command for;
 DO - command line to execute for a file;
 ALL - scan subdirectories as well;
 DIRS - call command for directory names too;
 NOQUOTE - prevent files from being taken into quotes.

Please note that switches (ALL, DIRS and NOQUOTE) must appear before command text.

EXAMPLES

```
Test For RAM:#?
    ; Run all files on Ram Disk
Test For DEVS:Monitors/~(#?.info) %S
    ; Run all monitor drivers - replaces two instructions from
    ; original Startup-Sequence.
    ; Note that full path is not necessary - current directory is
    ; changed automagically for each argument.
Test For ALL SYS:#? Work:#? NQ DO Echo '%s'
    ; List emulation
Test For ALL C:#? Version %s
    ; Get versions of all DOS commands
```

1.11 RXControl

NAME

RXControl - control ARexx

SYNOPSIS

```
RXControl [CANCEL] [HALT] [SUSPEND] [RESUME] [TRACESTART] [TRACEEND]
          [CONOPEN] [CONCLOSE] [QUIET]
```

TEMPLATE

```
RXControl "CANCEL=RXC/S,HALT=HI/S,SUSPEND/S,RESUME/S,TRACESTART=TS/S,
          TRACEEND=TE/S,CONOPEN=TCO/S,CONCLOSE=TCC/S,QUIET/S"
```

DESCRIPTION

RXControl controls internals of ARexx interpreter. It may be run only after REXXMast.

PARAMETERS

CANCEL - stop ARexx server. It will be stopped after all ARexx programs finish their execution (equivalent to RXC command);

HALT - immediately stop all executing ARexx programs (equivalent to HI command);

SUSPEND - suspend execution of all ARexx programs;

RESUME - resume execution of all ARexx programs (suspended with SUSPEND option);

TRACESTART - sets global tracing mode for all ARexx programs (equivalent to TS command);

TRACEEND - disables global tracing mode enabled with TRACESTART option (equivalent to TE command);

CONOPEN - opens special console for tracing ARexx programs (equivalent to TCO command);

CONCLOSE - closes tracing console opened with CONOPEN option (equivalent to TCC command);

QUIET - suppresses informational messages.

EXAMPLES

```
Test RXControl HALT CANCEL
    ; Stop all ARexx programs and stop ARexx server
Test RXControl CONOPEN TRACESTART
```

```
; Open tracing console and start tracing ARexx programs
```

NOTES

The main purpose of this RXControl is to provide complete control of ARexx in one command. This command is a replacement for most of ARexx control commands from SYS:Rexxc directory (Show aliases S/RX-Startup/main}).

For full compatibility, this command may be run from Workbench (you must make an icon yourself). It accepts all switches described above as ToolTypes. If you don't use QUIET, it will display a requester describing current state of ARexx.

1.12 Time

NAME

Time - time command execution

SYNOPSIS

Time [NOHEADER] Command

TEMPLATE

Time "NOHEADER/S,COMMAND/F/A"

DESCRIPTION

Time executes specified command and measures time it takes to complete it. This time is then printed in seconds and microseconds.

PARAMETERS

NOHEADER - only time (without any additional messages) is printed (useful in scripts);

COMMAND - command to time (with parameters);

Please note that NOHEADER switch must appear before command text.

EXAMPLES

```
Test Time Copy C:#? RAM:
```

```
; Find out how long it takes to copy C: directory commands to  
; Ram Disk
```

```
Test Time NOHEADER List LIBS:#? ALL
```

```
; Print execution time of List command
```

NOTES

If you redirect output of command being Timed to another stream, the results of Time will also go there. To avoid such situation, redirect output of Time too, as in following example:

```
Test Time >CONSOLE: NOHEADER List >NIL: ENV:#?.info ALL
```

1.13 Touch

NAME

Touch - change date of last modification for files

SYNOPSIS

```
Touch [Files] [ONEDATE] [ALL] [QUIET]
```

TEMPLATE

```
Touch "FILE/M,ONEDATE/S,ALL/S,QUIET/S"
```

DESCRIPTION

Touch changes date and time of last file modification to current system date for specified files. With ALL option subdirectories will be affected as well. Normally, current date is used for each file (therefore files Touch'ed with one command can have different dates). ONEDATE forces same date and time for all files. This version differs from the Unix one in that it doesn't create empty files or directories.

PARAMETERS

```
FILE - file(s) to touch;  
ONEDATE - use one date for all files;  
ALL - scan subdirectories as well;  
QUIET - don't print any messages.
```

EXAMPLES

```
Test Touch  
    ; Touch all files in current directory  
Test Touch #?.o #?.gst #?.c  
    ; Prepare files for Make
```

NOTES

Directories will be Touched too, right after files.

1.14 DataTypes Information

DataTypes

DataTypes is an AmigaDOS subsystem (introduced in AmigaDOS 3.0) for dealing with different types of files found on different machines (PC's, Macs and Amigas). DataTypes can be used for recognizing types of files and interpreting informations in this files. An example of the latter is MultiView, which can show many types of data.

For DataTypes to work the following files are needed:

- LIBS:datatypes.library;
- DEVS:DataTypes/#? - these short files contain information necessary to determine type of file;
- LIBS:DataTypes/#? - these shared libraries are used for interpreting contents of the file.

Because

```
Examine command  
    tests files, it needs DEVS:DataTypes/#?
```

only. Unfortunately, these descriptions are not easy to create or edit, as there is no program that does it (although I've heard that licensed developers have something...). Currently I'm writing one, but it may take some time until it's finished (if you desperately need it, send me some money, so I can work faster :-).

DataTypes divide all files into the following main categories:

- syst (System) - system files;
-

- text (Text) - textual files;
- docu (Document) - documents (spreadsheet data, text with pictures etc.);
- soun (Sound) - sound samples;
- inst (Instrument) - musical instruments;
- musi (Music) - songs;
- pict (Picture) - graphics;
- anim (Animation) - animations;
- movi (Movie) - animation with sound.

The categories are identified by four letter (case sensitive) group ID's (first column of above table). Each category is further divided into types: for example a picture could be: gif, ilbm or pcx and text could be asci or FTXT. Again, each type is identified by up to 4 letters and type names are case-sensitive. These unique identifiers are used by

Examine command
as GROUPID and TYPEID and are printed if you use ID
option.

1.15 About the Author

About the Author

MCommands package was written by Michael Letowski, who is a Software Engineering student at Technical University of Wroclaw and has A1200.

If you have something to say me (questions, remarks, suggestions, wishes, bug reports) please contact me (I like receiving mail!):

by E-Mail (preferred way):

pro37@ci3ux.ci.pwr.wroc.pl (valid until February 1995)

by normal mail:

Michal Letowski
Przyjazni 51/17
53-030 Wroclaw

POLAND

This documentation is based on CatEdit.guide, which is Copyright © 1993 Rafael D'Halleweyn.