

ERRID,ERRSHORT,C,254
20100 ALAIS name has invalid characters
20200 ALIAS name duplicate
20300 ALIAS name length range error (1-63 characters)
20400 APPEND FROM field type mismatch between files
20500 APPEND FROM no matching fields in source file
20550 Bitmap reference required
20600 Data store creation error
20700 DBF database format error
20750 DBF must be opened for EXCLUSIVE use
20775 Dialog in use
20800 INDEX RDE index format error
20900 MEMO RDE memo format error
21000 Field addition attempt to existing database
21100 Field extent exceeded
21200 Field extent not defined
21300 Field name characters invalid
21400 Field name duplicated
21500 Field not found
21600 File creation error
21700 File or record lock error
21800 File open error
21900 File open mode invalid
22000 File opened for read only
22100 File read error
22200 File seek error
22300 File seek error (zero length)
22400 File lunlock error
22500 File write error
22600 File write error (invalid record number)
22700 Invalid child work area
22800 Invalid data type specified during replacement
22900 Invalid date
22950 Invalid DOS file handle detected in lock attempt
22980 Invalid memo block size
23000 Invalid record length for WINDOWS
23100 Invalid record number
23150 Invalid string address passed to SDE2 function
23200 Invalid work area
23300 Locate expression not defined
23400 Maximum files exceeded (MAX 250) in current task
23500 Maximum tasks exceeded (24)
23600 Memo field reference required
23700 Memo maximum length (65534) exceeded
23800 Memo memory allocation error
23900 Memo write error
24000 Memory allocation error (SDE2)
24100 Memory allocation error (WINDOWS)
24200 Memory deallocation error
24300 Order close error
24400 Order file read error
24500 Order head read error
24600 Order key block size error

Sheet1

24650 Order key delete failure
24700 Order key does not match expression
24750 Order key insert failure
24800 Order key length maximum exceeded
24900 Order key pointer invalid
25000 Order skip error
25100 Order keys block read error
25200 Order keys in block exceeded
25300 Order positioning error (bottom)
25400 Order positioning error (top)
25500 Order read error during key insertion
25600 Order root block seek error
25700 Order select area invalid
25800 Order sort out of memory
25900 RDE DLL load error
26000 RDE DLL not found
26100 RDE type invalid
26200 RDE type mismatch
26215 Scope low value must be less than or equal to high value
26230 Unsupported function
26250 Write failure. Record locked
26400 xBase expression contains unsupported function
26300 xBase expression alias name not found
26500 xBase expression error: length
26600 xBase expression error: number of parameters
26700 xBase expression error: type
26800 xBase expression evaluation error
26900 xBase expression incomplete
27000 xBase expression maximum parameters exceeded
27100 xBase expression number of delimiters invalid
27200 xBase expression operator invalid
27300 xBase expression parameter invalid (date)
27400 xBase expression parameter invalid
27500 xBase expression parentheses mismatched
27600 xBase expression string delimiter missing
27700 xBase expression type mismatched within function parameters
27800 xBase expression type must evaluate as LOGICAL
20560 Blob reference required
22101 File read error, index header
22102 File read error, index page
22103 File read error, memo
25050 Order key zero length
26223 Tag name required
26240 Waiting for lock.
26241 Waiting for index lock

ERRPROBLEM,C,254

An alias name must begin with a letter and may contain letters, numbers, and the underscore (_) character.

The alias defined in "sx_Use" has already been assigned to a different work area.

Maximum length of an alias name is 63 characters. The first ten characters must be unique.

Two fields with the same name in the source and target files are not the same type. The operation cannot proceed.

There are no matching field names between the source and the target file.

The memo field passed to "sx_GetBitmap" doesn't hold a bitmap

An error has occurred while attempting to create the new database.

"sx_Use" cannot open the defined database as a dbf.

If using a compound index driver (CDX/NSX), "sx_IndexTag", "sx_Pack", and "sx_Reindex" all require that the Dbf be open.

Only one instance of "sx_FilterDlg" is allowed.

"sx_IndexOpen" does not recognize the index format.

"sx_Use" does not recognize the memo format. The SDE2X RDE supports DBT memos, the SDEFDX RDE supports F

"sx_CreateField" has been called while the current work area is pointing to a valid database.

"sx_CreateField" has been called more times for the new database than the number of fields defined by "sx_CreateNew".

The new database defined by "sx_CreateNew" must have at least one field specified.

A field name must begin with a letter and may contain letters, numbers, and the underscore (_) character. Maximum length

"sx_CreateField" has already processed a field with the defined name. Duplicate names are not allowed .

A function requiring a valid field name cannot find the passed name in the field definition array attached to the current wo

The physical creation of the file on disk has failed. Out of disk space? File Sharing error?

An error has occurred while attempting to lock the file or record.

The file cannot be opened. Is the name correct? Has a sharing violation occurred?

Use the SDE2 API defined constants to specify file open mode.

A write operation has been attempted on a file opened in READONLY mode.

A physical read error has occurred.

A physical seek error has occurred.

A seek error has occurred while because DOS reports the file as having a length of zero bytes.

An error has occurred while attempting to unlock the file.

A physical write error has occurred. Out of disk space? Sharing violation?

An attempt has been made to write to a record location in the database that does not exist.

An attempt has been made to define a relationship to a child file whose work area invalid.

Use the SDE2 API defined constants to specify data type to "sx_Replace".

Dates must be formatted according to the mask specified by "sx_DateFormat".

A file may have been deleted without formally issuing a close instruction through SDE2.

FPT/SMT memo block sizes must be a power of 2 with a range of 16 to 1024.

Maximum record length under Windows is the maximum number allowed in a signed integer (32,767).

The function requiring a record number has encountered a number greater than the number of records in the file.

A parameter declared "As Any" is invalid. These parameters are usually described "As Any" in the Visual Basic declaration

Referenced work area is not attached to an open database.

An attempt has been made to continue a locate operation without ever starting it (sx_Locate).

An attempt has been made to open more than 250 data files in the current task.

No more than 24 concurrent SDE2 tasks may be open at a single workstation.

The defined memo field cannot be found.

Textual memo strings cannot exceed 65,534 characters.

An error has occurred while attempting to allocate memory to hold a memo.

A physical write error has occurred while attempting to save a memo. Out of disk space? Sharing violation?

"sx_MemAlloc" has failed. Out of memory?

An internal memory allocation via a Windows API call intended to supply working memory has failed.

"sx_MemDealloc" has failed. Is the address still valid?

The index file close routine has failed.

A physical disk read error has occurred while attempting to read the index file.

A physical disk read error has occurred while attempting to read the index header.

The index has been physically corrupted. Use "sx_Reindex" or use "sx_Index" to repair.

Sheet1

When an index key is inserted, the old key must be deleted first. This function has failed. The most likely cause of the failure is that the index key expression results in a key length or type that differs from the keys actually residing in the index.

When an index key is inserted, the old key must be deleted first. This function has failed. The most likely cause of the failure is that the index key expression results in a key length or type that differs from the keys actually residing in the index.

SIXNTX key length maximum is 328 characters. SIXFOX and SIXNSX key length maximum is 240 characters.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

The index has been physically corrupted. Use "sx_Reindex" or "sx_Index" to repair.

Valid order select areas are returned from "sx_IndexOpen" when the index is opened or from "sx_Index" when the index is closed.

Not enough memory to complete the index build operation. Try a shorter key value.

An error has occurred while attempting to load the RDE defined via "sx_Use".

The RDE specified in sx_Use cannot be found. It must be in your path and is usually loaded in the WINDOWS\SYSTEM directory.

Use SDE2 API defined constants to specify the RDE type.

An attempt has been made to perform an operation on two databases that requires databases of the same type.

Self explanatory.

A SDE2 function that is only available in the Pro edition has been called when using the standard edition RDE.

An attempt has been made to write to a record that is locked by another user.

Not all xBase functions supported by the various dialects are supported by the SDE2 expression parser. Either the requested function is not supported or the expression is too complex.

An invalid alias name has been used to qualify a field name in an xBase expression.

The length of the result of an xBase expression compilation exceeds the internal size allocated (2048 bytes).

An xBase function has been passed an incorrect number of parameters. Check the expression syntax.

Mixed types are not supported. For example, both TRUE and FALSE results contained in an IF() expression must be of the same type.

Generic error. Something has gone wrong during the evaluation of the expression.

Syntax error. For example, a logical operator does not have expressions on both sides.

Too many parameters have been passed as input to an xBase function.

Mismatched parentheses or quotation marks within the expression.

An unknown operator has been detected in the expression.

The passed date string is invalid.

The parser could not identify one of the elements in the xBase expression.

Mismatched parentheses or quotation marks within the expression.

Mismatched parentheses or quotation marks within the expression.

Mixed types are not supported. For example, both TRUE and FALSE results contained in an IF() expression must be of the same type.

A SDE2 function requiring an xBase expression that will return a TRUE or FALSE result has been passed a function that does not return a TRUE or FALSE result.

A physical read error in the index header has occurred.

A physical read error in the index page has occurred.

A physical read error in the attached memo file has occurred.

A key expression that has a null value has been passed to one of the internal index functions.

Self explanatory.

ERRRESPONERERERRAPP,C,1

0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
0 2 S
2 1 S
1 1 S
2 1 S
0 2 S
0 2 S
2 1 S
2 1 S
0 2 S
1 1 S
2 1 S
1 1 S
0 2 S
0 2 S
3 3 S
3 3 S
3 3 S
3 3 S
0 2 S
3 3 S
0 2 S
0 2 S
3 3 S
0 2 S
0 2 S
3 3 S
3 3 S
3 3 S
3 3 S
3 3 S
2 3 S
3 3 S
2 3 S
3 3 S
1 1 S
1 1 S
0 2 S

