

JEF

{paneloff} {LET A1,0}~/rez20~{ONERROR kk1,z20} {F} {let f1,"b"} {gc

List

List the current subject titles

{F} {let a1,a1+1}~{NEST} {onerror l}{F} {let a1,a1+1}~{NEST} {onerror l
{menuBRANCH mm}

Edit

Edit the current subject titles

{F} {let a1,a1+1}~{NEST} {onerror l}{F} {let a1,a1+1}~{NEST} {onerror l
{menuBRANCH mm}

3

Jeff Johnson's personal records

{onerror kk1,z20} {F} {LET Y10,z3}{onerror kk1,z20} {F} {LET Y10,Z4}
{F} {nest} {LET Y11,y1} {getlabel "t}{nest} {F} {LET Y11,y2} {getlabel "t
/cb476~b15~/cy1..z11~
y601~
{f}/c~b19~/C~B11~{n} {menubranci

4

Matt Cook's personal records

{onerror kk1,z20} {F} {LET Y10,z3}{onerror kk1,z20} {F} {LET Y10,Z4}
{F} {nest} {LET Y11,y1} {getlabel "t}{nest} {F} {LET Y11,y2} {getlabel "t
/cb476~c15~/cy1..z11~
y601~
{f}/c~c19~/C~C11~{n} {menubranci

3

Jeff Johnson's personal records

{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{onerror b538,z20} {MENUBRANC{onerror b538,z20} {MENUBRANC

4

Matt Cook's personal records

{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{onerror b538,z20} {MENUBRANC{onerror b538,z20} {MENUBRANC

{f} {copi y61~/cb350..H350~b20~/cy61..z71~y1~{n} {menucall mm}
{windowsoff}
/rez1..z11~{branch display}

{f} {copi y121~/cb351..H351~b20~/cY121..z131~y1~{n} {menucall mn
{branch eras2}

{f} {copi y181~/cb352..H352~b20~/cy181..z191~y1~{n} {menucall mm
{branch eras2}

{f} {copi y241~/cb353..H353~b20~/cy241..z251~y1~{n} {menucall mm
{branch eras2}

{f} {copi y301~}/cb354..H354~b20~/cY301..z311~y1~{n} {menucall mm
{branch eras2}}

{f} {copi y361~}/cb355..H355~b20~/cy361..z371~y1~{n} {menucall mm
{branch eras2}}

{f} {copi y421~}/cb356..H356~b20~/cy421..z431~y1~{n} {menucall mm
{branch eras2}}

{f} {copi y481~}/cb357..H357~b20~/cy481..z491~y1~{n} {menucall mm
{branch eras2}}

{edit} {left 16} {bs 8} {home} {right 2} {del 9}~{down 4}

{f} {copi y601~}/cY601..z611~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y661~}/cy661..z671~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y721~}/cy721..z731~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y781~}/cY781..z791~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y841~}/cy841..z851~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y901~}/cy901..z911~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y961~}/cy961..z971~y1~{n} {menucall mm1}
{branch eras3}

{f} {copi y1081~}/cY1081..z1091~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1141~}/cy1141..z1151~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1201~}/cy1201..z1211~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1261~}/cY1261..z1271~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1321~}/cy1321..z1331~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1381~}/cy1381..z1391~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1441~}/cy1441..z1451~y1~{n} {menucall mm1}
{branch eras4}

{f} {copi y1561~}/cY1561..z1571~y1~{n} {menucall mm1}
{branch eras5}

{f} {copi y1621~}/cy1621..z1631~y1~{n} {menucall mm1}
{branch eras5}

{f} {copi y1681~}/cy1681..z1691~y1~{n} {menucall mm1}
{branch eras5}

{f} {copi y1741~}/cY1741..z1751~y1~{n} {menucall mm1}
{branch eras5}

{f} {copi y1801~}/cy1801..z1811~y1~{n} {menucall mm1}
{branch eras5}

{f} {copi y1861~}/cy1861..z1871~y1~{n} {menucall mm1}
{branch eras5}

{f} {copi y1921~}/cy1921..z1931~y1~{n} {menucall mm1}

{branch eras5}

{f} {copi y2041~}/cY2041..z2051~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2101~}/cy2101..z2111~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2161~}/cy2161..z2171~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2221~}/cY2221..z2231~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2281~}/cy2281..z2291~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2341~}/cy2341..z2351~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2401~}/cy2401..z2411~y1~{n} {menucall mm1}
{branch eras6}

{f} {copi y2521~}/cY2521..z2531~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y2581~}/cy2581..z2591~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y2641~}/cy2641..z2651~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y2701~}/cY2701..z2711~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y2761~}/cy2761..z2771~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y2821~}/cy2821..z2831~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y2881~}/cy2881..z2891~y1~{n} {menucall mm1}
{branch eras7}

{f} {copi y3001~}/cY3001..z3011~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3061~}/cy3061..z3071~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3121~}/cy3121..z3131~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3181~}/cY3181..z3191~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3241~}/cy3241..z3251~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3301~}/cy3301..z3311~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3361~}/cy3361..z3371~y1~{n} {menucall mm1}
{branch eras8}

{f} {copi y3481~}/cY3481..z3491~y1~{n} {menucall mm1}
{branch eras9}

{f} {copi y3541~}/cy3541..z3551~y1~{n} {menucall mm1}

{branch eras9}

{f} {copi y3601~}/cy3601..z3611~y1~{n} {menucall mm1}
{branch eras9}

{f} {copi y3661~}/cY3661..z3671~y1~{n} {menucall mm1}
{branch eras9}

{f} {copi y3721~}/cy3721..z3731~y1~{n} {menucall mm1}
{branch eras9}

{f} {copi y3781~}/cy3781..z3791~y1~{n} {menucall mm1}
{branch eras9}

{f} {copi y4841~}/cy3841..z3851~y1~{n} {menucall mm1}
{branch eras9}

/cy1~P364~{branch fileIMP1} /cy2~P368~{branch fileIMP2}

{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y · {GETLABEL "Sub titles ? (Y/N) Y ·

/cy1~m364~{branch filedos1} /cy2~m372~{branch filedos2}
/cy1~b364~{branch filecall1} /cy2~b368~{branch filecall2}

/cy1~E364~{branch filecal1} /cy2~E368~{branch filecal2}

{onerror kk1,z20}/fr{esc} {esc}

~

{onerror kk1,z20}/fr{esc} {esc}
basica

~

{onerror kk1,z20}/fr{esc} {esc}

~

{onerror kk1,z20}/fr{esc} {esc}

~

{onerror kk1,z20}/fr{esc} {esc}

~

{onerror kk1,z20}/fr{esc} {esc}

~

{onerror kk1,z20}/fr{esc} {esc}

~

/rez1..z11~{branch main0}

/rez1..z11~{branch display}

{F}/cy1~H364~{branch fileca1} /cy2~H368~{branch fileca2}

```
{f} {copi y4421~/cb349..H349~b20~/cy4421..z4431~y1~{goto}z1~{do  
{f}/rez1..z11~{branch display}}
```

{BREAKOFF}

```
{F} {goto} ac4440~{goto} ac4459~{n}  
{f} {menucall cont}  
{f} {goto}z1~{down}/rey1..z11~{if f1="a"} {branch main0}  
{branch main1}
```

Small scale

Small scale organizer (399 files)

```
{let f1,"b"}~/cb398~b27~
```

Full scale

Full scale organizer (3500 files)

```
{let f1,"a"}~/cb396~b27~
```

```
{f} {getlabel "Input file name - ",h392}~{if h392=""} {branch filec10}  
{branch fileca9}
```

Save

Save the file before quitting

```
{if f1="b"} {branch savve2}
```

```
{f}/cb400..H400~b20~/CY4421..Z4431~Y1~{n} {MENUcall lm}
```

Yes

Yes quit session

```
/qy
```

```
{f} {let g1,"b"}~/cz1~aa1~/cy1..y7~aa3~{goto}aa1~{down} {n} {menubr:
```

```
{f} {let g1,"a"}~{goto}z1~{down} {n} {menubbranch mm}
```

```
{f}/RTZ3..Z9~B11..H11~/cb11..H11~b19~{goto}z1~{down}/cb20..h20~
```

```
{f}/RTZ3..Z9~B11..H11~/cb11..H11~b19~{goto}z1~{down}/cb20..h20~
```

```
{f} {let g1,"b"}~/cz1~aa1~/cy1..y7~aa3~{goto}aa1~{down} {n} {menubr:
```

```
{f} {let g1,"a"}~{goto}z1~{down} {n} {menubrand mm1}
```

```
{f}/RTZ3..Z9~B11..H11~/cb11..H11~b19~{goto}z1~{DOWN}/cb20..h2
```

```
{f}/RTZ3..Z9~B11..H11~/cb11..H11~b19~{goto}z1~{down}/cb20..h20
```

```
{menubrand menudos}
```

Default directory

Retrieve

The user needs to input the same defRetrieve lotus files and erase the org:

```
{GOTO}AB1~{let ac2,ab1}~{getlat}{if f1="b"} {branch retriev}
```

```
{let ab1,ab1&"\"}~{menubrand me}{if f1="a"} {branch combin} {menuB
```

Next page

Previous page

Go to the next page

Go to the previous page

```
{pgdn}
```

```
{pgup}
```

```
{menubrand texthelp}
```

```
{menubrand texthelp}
```

```
{define b476}
```

```
{return}
```

y61~

```
{f}/rez1..z11~{branch display}
```

```
{f}/rez1..z11~{branch mAIn1}
```

{f}/rez1..z11~{branch menu1a}

{f}/rez1..z11~{branch menu1b}

{f}/rez1..z11~{branch menu1c}

{f}/rez1..z11~{branch menu1d}

{f}/rez1..z11~{branch menu1e}

{f}/rez1..z11~{branch menu1f}

{f}/rez1..z11~{branch menu1g}

{f}/cc1~ab61~{goto}ab61~{edit}*~{goto}z60~/dqf{n}
{MENCALL FINDD} {branch QUE}

Down

Up

Continue searching for other titles in

{down}

{up}

{menubbranch findd}

{menubbranch findd}

{onerror kk1,z20}

{IF A1="ITZHAR"}{BREAKON}

{if a529>60#and#a529<72} {branch main1}

{if a529>120#and#a529<132} {branch menu1a}

{if a529>180#and#a529<192} {branch menu1b}

{if a529>240#and#a529<252} {branch menu1c}

{if a529>300#and#a529<312} {branch menu1d}

{if a529>360#and#a529<372} {branch menu1e}

{if a529>420#and#a529<432} {branch menu1f}

{if a529>480#and#a529<492} {branch menu1g}

{if a529>600#and#a529<972} {branch chh1}

{if a529>1080#and#a529<1452} {branch chh2}

```
{if a529>1560#and#a529<1932} {branch chh3}
{if a529>2040#and#a529<2412} {branch chh4}
{if a529>2520#and#a529<2892} {branch chh5}
{if a529>3000#and#a529<3372} {branch chh6}
{if a529>3480#and#a529<3852} {branch chh7}
{if a529>4420#and#a529<4432} {branch main0}
```

603

209

```
{f} {query} {esc 4} {calc} {let a529,a530}~{end} {down} {down 2} {up 11}
{N} {BRANCH MOTI}
```

```
{beep} {GETLABEL "Press ENTER to continue.... ",a1}
{BREAKOFF}
{f} {goto} z1~{down} {n} {menucall mm} {branch \m}
```

```
{LET B547,@CELL("CONTENTS",A1..A1)}~{IF B547>19} {return}
{RETURN}
```

57

```
{WINDOWSOFF} {RETURN}
```

```
{WINDOWSON} {RETURN}
```

{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·

oto}z60~/dqiz60..z4431~q/dqcab60..ab61~q{branch display}

Keyword Retrieve/run
Searching for the titles using a keyword Retrieve lotus files or execute *.COM
{F} {onerror kk1,z20}/rez20~{getlab{F} {onerror kk1}/rez20~{N} {menu
{menuBRANCH mm} {menuBRANCH mm}

5 6
Amiram Kehaty's personal records Jenny Hill's personal records
{onerror kk1,z20} {F} {LET Y10,Z5}{onerror kk1,z20} {F} {LET Y10,Z6}
{F} {nest} {LET Y11,y3} {getlabel "t{F} {nest} {LET Y11,y4} {getlabel "t
/cb476~d15~/cy1..z11~ /cb476~e15~/cy1..z11~
y601~ y601~
{f}/c~d19~/C~D11~{n} {menubranc{f}/c~e19~/C~E11~{n} {menubranci

5 6
Amiram Kehaty's personal records Jenny Hill's personal records
{GETLABEL "Sub titles ? (Y/N) Y }{GETLABEL "Sub titles ? (Y/N) Y }
{onerror b538,z20} {MENUBRANC{onerror b538,z20} {MENUBRANC

1}

}

}

1}

}

}

}

/cy3~E372~{branch filecal3}

/cy4~E376~{branch filecal4}

{onerror kk1,z20}/rey1..y50~{let y1
group1
~{branch main0}}

{onerror kk1,z20}/rey1..y50~{let y1
~{branch main0}}

{onerror kk1,z20}/rey1..y50~{let y1
~{branch main0}}

{onerror kk1,z20}/rey1..y50~{let y1
~{branch main0}}

{onerror kk1,z20}/rey1..y50~{let y1
~{branch main0}}

{onerror kk1,z20}/rey1..y50~{let y1
~{branch main0}}

{onerror kk1,z20}/rey1..y50~{let y1
~{branch main0}}

/cy3~H372~{branch fileca3}

/cy4~H376~{branch fileca4}

wn} {n} {menuCALL mm}

Help

On line help

{GOTO}IT1~{N} {MENUBRANCH TEXTHELP} {GOTO}Z4440~{MI

No

Resume session

{esc}

anch mm}

~b600~/cb360..H360~b20~{n} {MENUcall lm}/cb600..h600~b20~

~b600~/cb361..H361~b20~{n} {MENUcall lm}/cb600..h600~b20~

anch mm1 }

!0~b600~/cb359..H359~b20~{n} {MENUcall LM}/cb600..h600~b20~

~b600~/cb347..H347~b20~{n} {MENUcall lm}/cb600..h600~b20~{GOT

Execute

Import

Execute DOS files (*.EXE, *.COM, Import text files for viewing only

{goto}ab1~{getlabel "Is the default c{branch imp}

{BRANCH RUNDOS} {GOTO}Z1~{goto}z1~{DOWN} {menubrand D

Up

Down

One line down

One line up

{up}

{down}

{menubrand texthelp}

{menubrand texthelp}

Choose

Choose this title

}~{left}/c{down 8} {right}~y1~{goto}z1~/rtz3..z9~b11..h11~/cb11..h11~

{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·

b

b

File/title

Quit/save

Switch between files names and filesPrompts the user to save the updated
 {F} {onerror kk1,z20}/rez20~{if g1={F} {onerror kk1,z20}/rez20~{N} {m
 {branch title} {MENUBRANCH MN{menubranchn mm}}

7

8

Tom Dennis's personal records Kenny Brown's personal records
 {onerror kk1,z20} {F} {LET Y10,Z7}{onerror kk1,z20} {F} {LET Y10,Z8}
 {F} {nest} {LET Y11,y5} {getlabel "t{F} {nest} {LET Y11,y6} {getlabel "t
 /cb476~f15~/cy1..z11~ /cb476~g15~/cy1..z11~
 y601~ y601~
 {f}/c~f19~/C~F11~{n} {menubranchn}{f}/c~g19~/C~G11~{n} {menubranchn

7

8

Tom Dennis's personal records Kenny Brown's personal records
 {GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
 {onerror b538,z20} {MENUBRANCH MN{menubranchn mm}{onerror b538,z20} {MENUBRANCH MN{menubranchn mm}}

/cy5~P380~{branch fileIMP5} /cy6~P384~{branch fileIMP6}

{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·
{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·

/cy5~m396~{branch filedos5} /cy6~m404~{branch filedos6}
/cy5~b380~{branch filecall5} /cy6~b384~{branch filecall6}

/cy5~E380~{branch filecal5} /cy6~E384~{branch filecal6}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

6,"....Loading...."~{goto}y1~/fcee{esc} {esc}

/cy5~H380~{branch fileca5} /cy6~H384~{branch fileca6}

ENUBRANCH CONT}

O}Z1~{down}

Help

On line help

{GOTO}IT1~{N} {MENUBRANCH TEXTHELP} {GOTO}Z1~{down}
EPMENU}

/cb350..h350~b20~{windowson} {menubranh mm1}

/cb351..h351~b20~{windowson} {menubranh mm1}

/cb352..h352~b20~{windowson} {menubranh mm1}

/cb353..h353~b20~{windowson} {menubranh mm1}

/cb354..h354~b20~{windowson} {menubranh mm1}

/cb355..h355~b20~{windowson} {menubranh mm1}

/cb356..h356~b20~{windowson} {menubranh mm1}

-b19~{goto}z1~{down} {GETLABEL "Press the ENTER key to continue

{GETLABEL "Sub titles ? (Y/N) Y ·{GETLABEL "Sub titles ? (Y/N) Y ·

n

Help

System

On line help

Exit to DOS without quitting the org

{F}{onerror kk1,z20}/rez20~{GOTO}s

{GOTO}Z1~{DOWN}{MENUBRA{menubbranch mm}}

9

Help

Chris Hanses's personal records

On line help

{onerror kk1,z20}{F}{LET Y10,Z9}{onerror kk1,z20}{GOTO}IT1~{N}

{F}{nest}{LET Y11,y7}{getlabel "t{f}{nest}{GOTO}Z1~{DOWN}{n}

/cb476~h15~/cy1..z11~

y601~

{f}/c~h19~/C~H11~{n}{menubbranch depmenu}

9

Help

Chris Hanses's personal records

On line help

{GETLABEL "Sub titles ? (Y/N) Y .{nest}{GOTO}IT1~{WINDOWS01

{onerror b538,z20}{MENUBRANC{onerror b538,z20}{GOTO}Z1~{D0

/cy7~P388~{branch fileIMP7}

{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI
{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH MI

/cy7~m412~{branch filedos7}

/cy7~b388~{branch filecall7}

/cy7~E388~{branch fileca7}

/fxv{esc}{ESC}

group1

~y1..z4420~r{esc}

/fxv{esc}{ESC}

group2

~y1..z4420~r{esc}

/fxv{esc}{ESC}

group3

~y1..z4420~r{esc}

/fxv{esc}{ESC}

group4

~y1..z4420~r{esc}

/fxv{esc}{ESC}

group5

~y1..z4420~r{esc}

/fxv{esc}{ESC}

group6

~y1..z4420~r{esc}

/fxv{esc}{ESC}

group7

~y1..z4420~r{esc}

/fS{esc}{esc}{ESC}

ORG50

~R{esc}

{esc}

/cy7~H388~{branch fileca7}

/cy8~H392~{branch fileca8}

~{MENUBRANCH menudos}

$\dots, A1 \sim \{\text{branch moti}\}$

{GETLABEL "Sub titles ? (Y/N) Y - ",E1} {IF E1<>"N"} {BRANCH Me

anizer

{MENUCALL TEXTHELP}
{MENUBRANCH DEPMENU}

N} {MENUCALL TEXTHELP}
OWN} {MENUBRANCH LM}

AIN1}

nu1G}

ENU1G1}

ENU1G2}

ENU1G3}

ENU1G4}

ENU1G5}

ENU1G6}

ENU1G7}

nu1G}

Edit

Keyword

Edit and create the main subject title: Searching for the titles using a keyword
{F} {let a1,a1+1}~{NEST} {onerror !{F} {onerror kk1,z20}/rez20~{getlab
{menuBRANCH mm1} {menuBRANCH mm1}

MMMMMMMM

```
{windowsoff} {goto} ab1~{open @c  
{goto} m364~{writeln @cellpointer(  
{writeln "exit"}  
{close}  
/s{goto} z1~{down} {windowson} {r
```

basica

```
{windowsoff} {goto} ab1~{open @c  
{goto} m372~{writeln @cellpointer(  
{writeln "exit"}  
{close}  
/s{goto} z1~{down} {windowson} {r
```

basica

```
{windowsoff} {goto} ab1~{open @c  
{goto} m380~{writeln @cellpointer(  
{writeln "exit"}  
{close}  
/s{goto} z1~{down} {windowson} {r
```

basica

```
{windowsoff} {goto} ab1~{open @c  
{goto} m388~{writeln @cellpointer(  
{writeln "exit"}  
{close}  
/s{goto} z1~{down} {windowson} {r
```

basica

```
{windowsoff} {goto} ab1~{open @c  
{goto} m396~{writeln @cellpointer(  
{writeln "exit"}  
{close}
```

```
/s{goto}z1~{down} {windowson} {r
```

basica

```
{windowsoff} {goto}ab1~{open @c  
{goto}m404~{writeln @cellpointer(  
{writeln "exit"}  
{close}  
/s{goto}z1~{down} {windowson} {r
```

basica

```
{windowsoff} {goto}ab1~{open @c  
{goto}m412~{writeln @cellpointer(  
{writeln "exit"}  
{close}  
/s{goto}z1~{down} {windowson} {r
```

Retrieve/run	File/title	Quit/save	Help	System
Retrieve lotus files or execute *.COM	Switch between	End session	On line help	Exit to DOS with
{F} {onerror kk1,z20}/rez20~{N} {m{F} {onerror kk{onerror kk1,z{F} {onerror kk/s				
{menuBRANCH mm1}	{branch title1}	{menubran	n{GOTO}Z1~{}	{menubran

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
MMMMMMMMM  
~{windowson} {menubrand texthelp}
```

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
org.txt  
~{windowson} {menubrand texthelp}
```

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
c:\autoexec.bat  
~{windowson} {menubrand texthelp}
```

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
org.txt  
~{windowson} {menubrand texthelp}
```

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
c:\autoexec.bat  
~{windowson} {menubrand texthelp}
```

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
org.txt  
~{windowson} {menubrand texthelp}
```

```
{onerror KK1,z20} {windowsoff} {goto} iv1~  
c:\autoexec.bat  
~{windowson} {menubrand texthelp}
```

```
callpointer("contents")&"\c.bat",w}  
"contents")}
```

```
menubrand menus}
```

```
callpointer("contents")&"\c.bat",w}  
"contents")}
```

```
renubbranch menudos}
```

```
allpointer("contents")&"\c.bat",w}  
"contents")}
```

```
renubbranch menudos}
```

```
allpointer("contents")&"\c.bat",w}  
"contents")}
```

```
renubbranch menudos}
```

ithout quitting the organizer

nm}

/reiv1..iv8192~/fit{ESC}

/reiv1..iv8192~/fit{ESC}

/reiv1..iv8192~/fit{ESC}

/reiv1..iv8192~/fit{ESC}

/reiv1..iv8192~/fit{ESC}

/reiv1..iv8192~/fit{ESC}

/reiv1..iv8192~/fit{ESC}

basica
basica
basica
basica
basica
basica
basica

Aerospace engineering department
org.txt

....Loading....

MMMMMMMM

org.txt

c:\autoexec.bat

org.txt

c:\autoexec.bat

org.txt

c:\autoexec.bat

Aerospace engineering department

org.txt

basica
basica
basica
basica
basica
basica
basica

Accounting office-employees personal records
basica

7A

basica
basica
basica
basica
basica
basica
basica

Jeff Johnson's personal records
basica

basica
basica
basica
basica
basica
basica
basica

3333333
basica

basica
basica
basica
basica
basica
basica
basica

basica
basica
basica
basica
basica
basica
basica

basica
basica
basica
basica
basica
basica
basica

66666666
basica]

basica
basica
basica
basica
basica
basica
basica

basica
basica
basica
basica
basica
basica
basica

7A

////////////////////////////////////

////////////////////////////////////

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

7A

group1
group2
group3
group4
group5
group6
group7

Boeing Helicopters
BLOCK-7

Jeff Johnson's personal records
Matt Cook's personal records
Amiram Kehaty's personal records
Jenny Hill's personal records
Tom Dennis's personal records
Kenny Brown's personal records
Chris Hanses's personal records

[ESC] - Previous menu

[FILES/TITLES] - Check files names

Break

dbase1

Main titles

Finance department

Communication engineering department

Mechanical engineering department

Manufacturing department

Electronic engineering department

Aerospace engineering department

Computer engineering department

Accounting office-employees personal records
Purchasing office-employees personal records
Sellings office-employees personal records
Information office-employees personal records
Tax office-employees personal records
Legal office-employees personal records
Advertizing office-employees personal records

Jeff Johnson's personal records
Matt Cook's personal records
Amiram Kehaty's personal records
Jenny Hill's personal records
Tom Dennis's personal records
Kenny Brown's personal records
Chris Hanses's personal records

3333333

444444

555555

6666666

777777

888888

99999999

33333333

44444444

55555555

66666666

77777777

88888888

999999

3333333

44444

5555555

666666

7777777

888888

9999999

333333

4444444

55555

6666666

7777777

888888

99999999

33333

44444

55555

66666

777777

88888

99999

3333

44444

55555

66666

777777

8888

999999

b23

b23

3A

4A

555555555555555555555555555555555555

6A

777777777777777777777777777777777777

b23

b23

3A

4A

555555555555555555555555555555555555

6A

777777777777777777777777777777777777

b23

b23

3A

4A

555555555555555555555555555555555555

6A

777777777777777777777777777777777777

b23

b23

3A

4A

555555555555555555555555555555555555

6A

777777777777777777777777777777777777

Main groups

Boeing Seattle

Boeing San Francisco

Boeing Georgia

Boeing Detroit

Boeing Virginia

Boeing software

Boeing Helicopters

Main titles

MMMMMMMM

org.txt

c:\autoexec.bat

org.txt

c:\autoexec.bat

org.txt

c:\autoexec.bat

c:\spr\

dbase1
JEF*

c:\spr\

** ** * * ** ** ** ** **
** **
** The OR GANIZER for Lotus **
** **
** Version 1.1 **
** **
** ** * * ** ** ** ** **

Copy right (C) K. I.T.A.L. Software, 1987. All rights

Lotus is a registered trademark of Lotus Development Corporation

Developed and written by Israel Kehaty

This is a SHAREWARE version, for more detail read the file README.DOC

reserved.

The ORGANIZER for Lotus

GENERAL

This program allows the user to keep track and/or retrieve any file without the need to remember the file name. Using the program menus the user gives a description for every file. The next time he looks for a file, the program lists the files by their description instead of by their file names. The user needs to remember ONLY THE FILE DESCRIPTION. The user can retrieve LOTUS files, Import text files and execute DOS files. The user can track a file using a keyword and letting the organizer search for all the matching titles or move through the menus and to look for the desired title.

The program has two different modes:

1. Small scale organizer

This mode can keep track and handle 399 files organized in three levels. The first level hold 7 titles, each title has 7 sub titles, and each sub title has 7 sub titles. Therefore in the first level the organizer can hold 7 titles/files, in the second level 49 titles/files and in the third level 343 files/titles, total of 399 files/titles. The data is stored in the program and is saved with the program.

2. Full scale organizer

This mode keeps track of 7 blocks of small scale organizer, total of $(499*7)+7=3500$ files and titles. The data is stored in 7 separate user defined blocks of data and not with the organizer.

IMPORTANT NOTE:

The user has to be careful not to mix both modes when saving the organizer.

HELP

Activates this help document, which explains the function keys and the way the program works.

LIST

Lists the 7 titles in the current level. Pressing one of the title numbers 3-9 or highlighting one of the numbers and pressing the ENTER key brings up the 7 sub titles in the next level.

EDIT

Lists the 7 titles in the current level. Pressing one of the title numbers 3-9 or highlighting one of the numbers and pressing the ENTER key prompts the user to input the title and then to input the drive\directory\file name.

QUIT/SAVE

Pressing the FIRST letter or highlighting and pressing the ENTER key brings the following menu: [SAVE] [YES] [NO]

SAVE

If the current mode is SMALL SCALE then the organizer is saved. If the current mode is FULL SCALE MODE then only the data is saved.

RETRIEVE/RUN

Pressing the FIRST letter or highlighting and pressing the ENTER key brings the menu: [DEFAULT DIRECTORY] [RETRIEVE] [EXECUTE] [IMPORT] [HELP]

DEFAULT DIRECTORY

The user needs to set the default drive/directory for the organizer use. This is not necessarily the same default setting for 1-2-3 which is usually the directory where the spreadsheets are stored. When you choose the EXECUTE command the organizer writes a batch file to the disk which includes the name of the file to execute and then uses the Lotus /System to exit to to DOS i.e to the same directory where the /System command exits to. Therefore this default directory and "THE SYSTEM DIRECTORY" should be the same.

RETRIEVE

Retrieve any LOTUS spreadsheet and erase the organizer.

EXECUTE

Execute DOS file (for example BASICA.EXE). Any executable DOS files which is listed in the organizer can be execute by using the FIRST letter or the ENTER key and choosing one of the numbers 3-9. When you see the DOS prompt press the letter "C" and the ENTER key. When you quit the application the organizer is resumed.

IMPORT

Import any text file (ASCII) to the organizer for viewing only.

SYSTEM

Quit to DOS without quitting the program. Print EXIT and press ENTER to return to the program.

KEYWORD

Prompts the user to input a keyword to find a match with the files titles. The program uses the /Data/Query/Find command which looks for a match between the keyword and the first characters of the title. A match will be found ONLY if the title STARTS with the keyword. When you chose the keyword option and you input the keyword, two things can happen:

1. A match is found, and the title is highlighted. The following menu appears [DOWN] [UP] [CHOOSE]. Using the DOWN option you can move the highlight downward to see all the matching titles. Using the UP option you can move upward. When you have found the desired title press the CHOOSE option to get the titles menu.
2. No match is found and you will here a "beep". The following menu appears [DOWN] [UP] [CHOOSE]. Press the ESCAPE key to return to the previous menu.

FILES/TITLES

This command switches between the list of the files names or the list of the descriptions. Sometimes you might need to press twice before it will switch to the other list depending on the position you left the program the last time you used it.

ERROR HANDLING

The program includes error handling routines, when error occurs you will hear a beep and error message will appear at line 20 of the screen and the program will jump to the main menu.

* * * * *

Information in this document is subject to change without notice and does not represent a commitment on the part of K.I.T.A.L. Software. It is against the law to copy this software on magnetic tape, disk, or any other medium for any purpose other than the purchaser's personal use.

(c) Copyright K.I.T.A.L. Software, 1987. All rights reserved.

If you have comments about the software, please send your comments to K.I.T.A.L. Software.

First edition, November, 1987

1-2-3 and Lotus are registered trademarks of Lotus Development Corporation.

LICENSE AGREEMENT

K.I.T.A.L. Software grants you without charge the right to reproduce and distribute copies of the "shareware" version of The ORGANIZER for LOTUS software package on the express conditions: 1. NO fee other than a disk and handling charge (of up to \$10) may be charged. 2. NO charge will be to this licence agreement or the copyright notice. The rights to receive any such financial or other benefit are reserved exclusively by K.I.T.A.L. Software i.e. Israel and Tsipora Kehaty.

You are allowed to distribute ONLY the LOTUS version of this software (the file ORG-L123.WK1) but not The QUATTRO version (the files ORG-Q123.WK1 and/or ORG-QUAT.WKS) which are NOT a SHAREWARE software.

This software package is a Copyrighted software and "IS NOT" a PUBLIC DOMAIN software, but a SHAREWARE software package. Which means that you can copy and distribute this software freely for the sole purpose of evaluation and testing before purchasing. To use this software legally you need to be registered with us.

If you like this software and you USE it you need to be registered.

Support from users enables us to develop additional features and future versions of The ORGANIZER for LOTUS product. Your payment of \$25.00 would be greatly appreciated.

* Please, help us to help you and other users to keep and reserve the *
* SHAREWARE idea. *

By sending in your payment, together with your Company name, mailing address, telephone number and Version number; your copy of The ORGANIZER for LOTUS will be registered with us, thereby enabling you to receive:

- (1) The commercial version of The ORGANIZER for LOTUS and QUATTRO
- (2) Technical support
- (3) Announcements of possible later releases

Such a payment should be sent to (only till July 15, 1988):

K.I.T.A.L. Software
P.O. Box 1737
Corvallis, OR 97339
Telephone (503) 754-6568

Starting July 16, 1988 Such a payment should be sent to:

Israel Kehaty

Arbel Street 17/1
Karmiel 20100
ISRAEL
Telephone 04-987255

Please feel free to add comments and improvements that you would like to see included in future versions.

WARRANTY

THE ORGANIZER FOR LOTUS AND ACCOMPANYING WRITTEN MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE ENTIRE RISK AS TO THE RESULTS AND PERFORMANCE OF THE ORGANIZER FOR LOTUS IS ASSUMED BY YOU.

With respect to the physical diskettes and physical documentation enclosed herein, K.I.T.A.L. Software Warrants the same to be free of defects in material and workmanship for a period of 30 days from the date of purchase. In the event of notification within the warranty period of defects in materials or workmanship, K.I.T.A.L. Software's entire liability and your exclusive remedy for this warranty shall be limited, at K.I.T.A.L. Software's option, either (a) return of the purchase price or (b) replacement of the disk and/or of the documentation, and shall not encompass any other damages, including but not limited to loss of profit, special, incidental, consequential, or other similar claims.

K.I.T.A.L. Software, SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A DOCUMENTATION, AND THE PROGRAM LICENCE GRANTED HEREIN. IN PARTICULAR, AND WITHOUT LIMITING OPERATION OF THE USE, OR PURPOSE. IN NO EVENT SHALL K.I.T.A.L. SOFTWARE BE LIABLE FOR ANY LOSS OF PROFIT OR ANY OTHER COMMERCIAL DAMAGE, INCLUDING BUT NOT LIMITED TO SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR OTHER DAMAGE.