

MiraNAVIGATOR V.1.0

COLLABORATORS

	<i>TITLE :</i> MiraNAVIGATOR V.1.0		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		August 23, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	MiraNAVIGATOR V.1.0	1
1.1	MiraNAVIGATOR V.1.0	1
1.2	Something about me	1
1.3	About MiraNAVIGATOR V.1.0	1
1.4	Usage of MiraNAVIGATOR V.1.0	2
1.5	Request & Installation	2

Chapter 1

MiraNAVIGATOR V.1.0

1.1 MiraNAVIGATOR V.1.0

MiraNAVIGATOR V.1.0 (June '96) by Massimo Perfini

About MiraNAVIGATOR

Requests & Installation

Usage

The Author

This is a P.D. software.

1.2 Something about me

MASSIMO PERFINI

Via G. Rossini #4
Montegiorgio (A.P.)
-- ITALY --

(Excuse me for my English)

1.3 About MiraNAVIGATOR V.1.0

MiraNAVIGATOR is helpful for 'navigate' through a device that contains a lot of Lha archive and the respective Rea file in the format:

XXXXXXX.Lha

XXXXXXX.Rea

YYYYYYY.Lha

YYYYYYY.Rdm

If you indicate a device, MiraNAVIGATOR scans all

the directory and the sub-directory at the quest of XXXXXXXX.Lha files.

When an XXXXXXXX.Lha file is find, the program search for XXXXXXXX.(Rea|Rdm|Readme) and if it find a comment file relative to XXXXXXXX.Lha it read the contens and return the short description concerning XXXXXXXX.Lha file.

The results was show by the help of MultiView because the file contains all the list of the device is in AmigaGuide format.

1.4 Usage of MiraNAVIGATOR V.1.0

In the gadget "Device" the user must indicate the device that he want to make the guide file.

The name of the device must terminate with the ":" if you want to make the guide of a directory you must make an assign and then specify it as device. Is better use the name of the volume instead of the name of the device:

Ex. Use "EARSANCD:" instead of "CD0:"
Use "Lavoro:" instead of "DH1:"

In the gadget "File" the user must indicate the name of the AmigaGuide file to create for navigate through the device.

If a lot of fast memory is available I suggest to create the AmigaGuide file in "Ram:" for make faster the frequently acces to this file.

In the gadget "Ext Pat" is indicated the complete path (ending with "/" or ":") where do you want the files were uncompressed when selected.

When all the parameters are specify press the gadget start for begin the operations.

You may call MiraFIND directly in MiraNAVIGATOR with the gadget "MiraFIND".

1.5 Request & Installation

For work correctly MiraNAVIGATOR needs:

- 1 - The "List" command in OS 3.0/3.1 version.
- 2 - "XHelvetica/13" must be present in your "FONTS:" device.