

This is a Test

+A1

@UPPER(A1)

3.7616262E-37LOWER(B1)

@PROPER(A1)

@TRIM(A1)

@MID(A1,7,4)

@LEFT(A1,4)

@RIGHT(A1,4)

@EXACT(A1,B1)

@REPEAT("ABC",3)

@TIMEVAL("1:2:3")

@HOUR(B12)

This is a Test

1.1755082E-38

9.4040655E-38

1.1755082E-38

3.7616263E-37

2.3510164E-38

2.9387706E-39

6.0186021E-36

1

1.8808132E-37

0.043090278

1

2

2

@SECOND(B12)

3

@DATEVAL("6/15/89")

32674

@STR(1234.12345,3)

7.5232529E-37

@VAL(b17)

1234.123

=

=

=

=

64

84

2.407441E-35

3.0093012E-36

3

14

2.407441E-35

2.9387707E-39

64

84

@@(C25)

3.7616254E-37A21

7.5232531E-37

4.8148804E-35

6.0186025E-36

4.814882E-35

2.3510158E-38

4.7020316E-38

25

25

2

2

13

13

8

8

4.8148821E-35

2.9387708E-39

@INDEX(C44..E46,2,3)

1.8808133E-37

@CASE(2,"A","B","C")

4.7020333E-38

1

2

3

3

=

=

=

=

=

=

** See below for @INDEX and @CASE Input, See manual for Details **

=

=

=

=

=

=

—

This sample v
contains some
examples of t
string functio
refer to the m
more details o
functions. No
examples use
in cell A1 as :

—

TRIOUS, Inc.
231 Sutton St
Suite 2D-3
North Andov

Tel. 508-794-
BBS 508-79-

—

		INDEX LOOKUP		
Row\Col		1	2	3
		----	-	-
	1	a	d	g
	2	b	e	h
	3	c	f	i

=

===== END ===== = =

— —]
worksheet
e simple
he use of
ns. Please
annual for
on these
ote that most
the string
input.
— —]
reet,

er, MA 01845

.9377
4-0762
— —]

eference
ursor location

= = =

= = =

,

=

=

=