

Convert It!

V 1.1

User's Guide

SMI Corporation's Plain Language License

You may use this software on any computer, as long as only one person uses it at a time. If several people use the software at the same time, you must pay one license fee for each additional person. If you use the software on a computer network, you must pay for as many licenses as the number of people who use the software.

This software is protected by international copyright laws. You are granted a 30 day trial license. If you use the software longer than 30 days you **MUST** purchase a license. You may copy it only for backup purposes.

Convert It! is shareware. You may distribute complete copies of this software to others for evaluation purposes only, **as long as no file has been modified, and all files are included**. Anyone you distribute this program to is also bound by the 30 day trial agreement. SMI Corporation is licensing the software to you; it is not sold. You may **not** distribute your license number.

LIMITED WARRANTY

ANY IMPLIED WARRANTIES INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED TO THE TERMS OF THE EXPRESS WARRANTIES. SMI CORPORATION SHALL NOT IN ANY CASE BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL, INDIRECT OR OTHER SIMILAR DAMAGES ARISING FROM ANY BREACH OF THESE WARRANTIES EVEN IF SMI CORPORATION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state. SMI Corporation's maximum liability shall not exceed the price paid by the enduser/licensee.

Convert It! Contents

This Contents lists all the topics available for Convert It!. Items are arranged alphabetically within each category. All the topics listed below are available in the on-line help file, with the exception of the Introduction.

Introduction

- About Convert It!
- Files in This Release
- Getting Started

Commands

- Conversion Menu
- File Menu
- Angle Conversion Command
- Area Conversion Command
- Energy Conversion Command
- Length and Distance Conversion Command
- Mass Conversion Command
- Power Conversion Command
- Temperature Conversion Command
- Volume Conversion Command

Keyboard

- Convert It! Keys

Procedures

- Command Buttons
- Control Menu Commands
- Entering an Initial Value
- Exiting Convert It!
- Moving Within a Conversion Tool
- Opening the Control Menu
- Option Buttons
- Quitting a Conversion Tool
- Starting a Conversion Tool
- Using Scroll Bars

Background

- Weights and Measures

Tables

- Metric System
- Temperature Conversions
- Metric to Customary Conversion Factors
- Customary to Metric Conversion Factors
- General Conversion Factors

Registration

- How to Register Convert It!

Glossary

- Convert It! Glossary

Introduction

About Convert It!

Convert It! is shareware program for Microsoft Windows 3.0 or greater. It is NOT FREE. You are granted a 30 day trial period to try Convert It!, to see if it fits your needs. If you continue to use it beyond the 30 day trial period you must license your copy from SMI Corp.

Convert It! contains several dialogs that allow you to convert from one set of units to another. We feel we have included the most used conversions in this release, however as we continue to upgrade the program we would be glad to hear suggestions from you about new features you would like to see included in a future release. Thank you for choosing Convert It!.

Files in This Release

You should have the following files:

| | |
|-------------|--|
| CONVERT.EXE | The executable program |
| CONVERT.HLP | The on-line help file |
| CONVERT.WRI | This documentation file |
| BWCC.DLL | A DLL that contains Borland International custom controls. |
| INSTALL.EXE | The installation program |
| CONVERT.INF | The installation configuration file |
| ORDER.DOC | An ASCII order form to register Convert It! |

There could also be a READ.ME file that will contain any late breaking information about the program.

Getting Started

To install Convert It!, be sure that all the above files are on a single floppy disk. Then from the RUN... menu command in either File Manager or Program Manager type and enter the following command line:

```
a:\install
```

The "a:" could also be "b:" or any other drive that contains the above files.

When the install is complete you can then either start Convert It! from either the File Manager or from a group within the Program Manager.

Convert It! Commands

Below is a list of Convert It! commands.

Conversion Commands

Temperature
Distance
Mass
Area
Volume
Angle
Power
Energy

File Menu Commands

Exit
About

Conversion Menu Commands

The following are the commands available on the Conversion menu.

Temperature

Opens a dialog box showing an input area for the initial temperature you want to convert. It has a set of option buttons to indicate what units the initial temperature is in. Once you have an initial temperature you can use the scroll bar to change the temperature displayed in the Equivalent Temperature box. The CANCEL button will exit the dialog.

Distance

Opens a dialog box showing an input area for the initial length or distance you want to convert. It has a set of option buttons to indicate what units the initial length or distance is in. Once you have an initial length you can use the scroll bar to change the length displayed in the Equivalent Distance box. The CANCEL button will exit the dialog.

Mass

Opens a dialog box showing an input area for the initial mass you want to convert. It has a set of option buttons to indicate what units the initial mass is in. Once you have an initial mass you can use the scroll bar to change the mass displayed in the Equivalent Mass box. The CANCEL button will exit the dialog.

Area

Opens a dialog box showing an input area for the initial area you want to convert. It has a set of option buttons to indicate what units the initial area is in. Once you have an initial area you can use the scroll bar to change the area displayed in the Equivalent Area box. The CANCEL button will exit the dialog.

Volume

Opens a dialog box showing an input area for the initial volume you want to convert. It has a set of option buttons to indicate what units the initial volume is in. Once you have an initial volume you can use the scroll bar to change the volume displayed in the Equivalent Volume box. The CANCEL button will exit the dialog.

Angle

Opens a dialog box showing an input area for the initial angle you want to convert. It has a set of option buttons to indicate what units the initial angle is in. Once you have an initial angle you can use the scroll bar to change the angle displayed in the Equivalent Angle box. The CANCEL button will exit the dialog.

Power

Opens a dialog box showing an input area for the initial power you want to convert. It has a set of option buttons to indicate what units the initial power is in. Once you have an initial power you can use the scroll bar to change the power displayed in the Equivalent Power box. The CANCEL button will exit the dialog.

Energy

Opens a dialog box showing an input area for the initial energy you want to convert. It has a set of option buttons to indicate what units the initial energy is in. Once you have an initial energy you can use the scroll bar to change the energy displayed in the Equivalent

Energy box. The CANCEL button will exit the dialog.

Temperature Command

This dialog box has several areas.

Initial Temperature:

This text box shows the current temperature that is converted in the Equivalent Temperature box. By entering a new value here you can convert any temperature to its equivalent in another scale.

Initial Temp. is in:

This group of option buttons allows you to indicate what scale the value in the Initial Temperature text box is in. This allows the tool to properly convert to the other scales.

Equivalent Temps.:

This box contains an entry for each temperature scale. The scale indicated by the Initial Temp is in: option button is the one that is controlled by the Initial Temperature text box and the scroll bar.

Temperature Scroll Bar:

Using this scroll bar can change the temperature indicated by the Initial Temp. is in: option buttons. Pressing one of the scroll arrows will change the temperature by one degree. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the temperature by 10 degrees. Initially the scroll bar will top out at about 20000 degrees, however you can increase this limit by entering a new larger value in the Initial Temperature text box. The scroll range will be increased to two times the value entered.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Temperature

Distance Command

This dialog box has several areas.

Initial Distance:

This text box shows the current distance that is converted in the Equivalent Distance box. By entering a new value here you can convert any distance to its equivalent in another scale.

Initial Dist. is in:

This group of option buttons allows you to indicate what scale the value in the Initial Distance text box is in. This allows the tool to properly convert to the other scales.

Equivalent Distances:

This box contains an entry for each distance scale. The scale indicated by the Initial Dist. is in: option button is the one that is controlled by the Initial Distance text box and the scroll bar.

Distance Scroll Bar:

Using this scroll bar you can change the temperature indicated by the Initial Dist. is in: option buttons. Pressing one of the scroll arrows will change the distance by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the distance by 10 units. Initially the scroll bar will top out at about 20000 units, however you can increase this limit by entering a new larger value in the Initial Distance text box. The scroll range will be increased to two times the value entered.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Length and Distance

Mass Command

This dialog box has several areas.

Initial Mass:

This text box shows the current mass that is converted in the Equivalent Mass box. By entering a new value here you can convert any mass to its equivalent in another scale.

Initial Mass is in:

This group of option buttons allows you to indicate what scale the value in the Initial Mass text box is in. This allows the tool to properly convert to the other scales.

Equivalent Mass:

This box contains an entry for each mass scale. The scale indicated by the Initial Mass is in: option button is the one that is controlled by the Initial Mass text box and the scroll bar.

Mass Scroll Bar:

Using this scroll bar can change the mass indicated by the Initial Mass is in: option buttons. Pressing one of the scroll arrows will change the mass by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the mass by 10 units. Initially the scroll bar will top out at about 20000 units, however you can increase this limit by entering a new larger value in the Initial Mass text box. The scroll range will be increased to two times the value entered.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Weight and Mass

Volume Command

Convert It! User's Guide

This dialog box has several areas.

Initial Volume:

This text box shows the current volume that is converted in the Equivalent Volume box. By entering a new value here you can convert any volume to its equivalent in another scale.

Initial Volume is in:

This group of option buttons allows you to indicate what scale the value in the Initial Volume text box is in. This allows the tool to properly convert to the other scales.

Equivalent Volume:

This box contains an entry for each volume scale. The scale indicated by the Initial Volume is in: option button is the one that is controlled by the Initial Volume text box and the scroll bar.

Volume Scroll Bar:

Using this scroll bar can change the volume indicated by the Initial Volume is in: option buttons. Pressing one of the scroll arrows will change the volume by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the volume by 10 units. Initially the scroll bar will top out at about 20000 units, however you can increase this limit by entering a new larger value in the Initial Volume text box. The scroll range will be increased to two times the value entered.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Volume and Capacity

Area Command

This dialog box has several areas.

Initial Area:

This text box shows the current area that is converted in the Equivalent Area box. By entering a new value here you can convert any area to its equivalent in another scale.

Initial Area is in:

This group of option buttons allows you to indicate what scale the value in the Initial Area text box is in. This allows the tool to properly convert to the other scales.

Equivalent Area:

This box contains an entry for each area scale. The scale indicated by the Initial Area is in: option button is the one that is controlled by the Initial Area text box and the scroll bar.

Area Scroll Bar:

Using this scroll bar can change the area indicated by the Initial Area is in: option buttons. Pressing one of the scroll arrows will change the area by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the area

Convert It! User's Guide

by 10 units. Initially the scroll bar will top out at about 20000 units, however you can increase this limit by entering a new larger value in the Initial Area text box. The scroll range will be increased to two times the value entered.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Surface or Area

Angle Command

This dialog box has several areas.

Initial Angle:

This text box shows the current angle that is converted in the Equivalent Angle box. By entering a new value here you can convert any angle to its equivalent in another scale.

Initial Angle is in:

This group of option buttons allows you to indicate what scale the value in the Initial Angle text box is in. This allows the tool to properly convert to the other scales.

Equivalent Angle:

This box contains an entry for each angle scale. The scale indicated by the Initial Angle is in: option button is the one that is controlled by the Initial Angle text box and the scroll bar.

Angle Scroll Bar:

Using this scroll bar can change the angle indicated by the Initial Angle is in: option buttons. Pressing one of the scroll arrows will change the angle by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the angle by 10 units. The scroll bar will top out at 360 degrees or 6400 mils depending on the scale in use.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Angular Measurements

Power Command

This dialog box has several areas.

Initial Power:

This text box shows the current power that is converted in the Equivalent Power box. By entering a new value here you can convert any power to its equivalent in another unit.

Initial Power is in:

This group of option buttons allows you to indicate what units the value in the Initial Power text box is in. This allows the tool to properly convert to the other units.

Equivalent Power:

This box contains an entry for each power unit. The unit indicated by the Initial Power is in: option button is the one that is controlled by the Initial Power text box and the scroll bar.

Power Scroll Bar:

Using this scroll bar can change the power indicated by the Initial Power is in: option buttons. Pressing one of the scroll arrows will change the power by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the power by 10 units.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Power Measurements

Energy Command

Convert It! User's Guide

This dialog box has several areas.

Initial Energy:

This text box shows the current energy that is converted in the Equivalent Energy box. By entering a new value here you can convert any energy to its equivalent in another unit.

Initial Energy is in:

This group of option buttons allows you to indicate what unit the value in the Initial Energy text box is in. This allows the tool to properly convert to the other units.

Equivalent Energy:

This box contains an entry for each energy unit. The scale indicated by the Initial Energy is in: option button is the one that is controlled by the Initial Energy text box and the scroll bar.

Energy Scroll Bar:

Using this scroll bar can change the energy indicated by the Initial Energy is in: option buttons. Pressing one of the scroll arrows will change the energy by one unit. Clicking on the gray area to the right or left of the scroll box (or pressing page up or page down) will change the energy by 10 units.

When you have finished you can press the Cancel button to return to the main window. Pressing the Help button will get you this help topic.

For background information see Energy Measurements

File Menu Commands

The following are the commands available on the File menu.

Exit

This command will exit the Convert It! application. You may also press F3 to activate this command.

About

This command will display a dialog box showing the name of the application, its icon, its author, and how to register the program.

Cancel Command

If this button is clicked on the main Convert It! window, the Convert It! window will be closed and Convert It! will be removed from memory.

If this button is clicked on one of the Conversion Tools, the conversion tool dialog will be closed and you will return to the main Convert It! window.

Help Command

If this button is clicked on the main Convert It! window, Convert It! will display a help topic about the available conversion tools.

Convert It! User's Guide

If this button is clicked on one of the Conversion Tools, the conversion tool will display a help topic about the specific conversion tool.

Convert It! and Windows Keys

The following list shows the topics of keys used in Convert It! and Windows:

Convert It!

Convert It! Keys

Windows

Dialog Box Keys

Editing Keys

Help Keys

Menu Keys

System Keys

Text Selection Keys

Window Keys

Convert It! Keys

| <u>Key(s)</u> | <u>Function</u> |
|----------------------|--|
| Tab | Moves from one control to the next |
| direction keys | Moves between options in a group box |
| Alt+F4 | Exits the current window |
| Enter | Performs the action of the current control |
| Spacebar | Presses the current command button |
| Ctrl+T | Activates the Temperature Convert Tool |
| Ctrl+D | Activates the Distance Convert Tool |
| Ctrl+M | Activates the Mass Convert Tool |
| Ctrl+V | Activates the Volume Convert Tool |
| Ctrl+A | Activates the Area Convert Tool |
| Ctrl+N | Activates the Angle Convert Tool |
| F3 | Exits Convert It! or the current tool |
| F1 | Starts the Help System |
| Shift+F1 | Activates Help Mode |

Dialog Box Keys

Use the following keys within dialog boxes.

| <u>Key(s)</u> | <u>Function</u> |
|--|---|
| Tab | Moves from one control to the next |
| Shift+Tab | Moves from one control to the next in reverse order |
| Alt+letter | Moves to the option whose underlined letter matches the one you type |
| direction key | Moves the selection cursor from option to option in a group of options. |
| Or moves the cursor | left, right, up, or down within a list or text box. |
| Home | Moves to the first item or character in a list or text box |
| End | Moves the last item or character in a list or text box |
| PgUp or PgDn | Scrolls up or down in a list box, one window at a time |
| Alt+Down Arrow | Opens a drop-down list box |
| Alt+Up or Dn Arrow | Selects an item in a drop-down list box |
| Spacebar | Selects or cancels a selection in a list box or selects |
| Or clears a check box | |
| Ctrl+Slash(/) | Selects all the items in a list box |
| Ctrl+Backslash(\) | Cancels all selections except the current selection |
| Shift+direction key | Extends the selection in a text box |
| Shift+Home | Extends the selection to the first character in a text box |
| Shift+End | Extends the selection to last character in a text box |
| Enter | Executes a command button |
| Or chooses the selected item in a listbox and executes the command | |
| Esc or Alt+F4 | Closes a dialog box without completing the command(same as the Cancel button) |

Editing Keys

Use the following keys to edit text.

| <u>Key(s)</u> | <u>Function</u> |
|----------------------|---|
| Backspace | Deletes the character to the left of the insertion point. Or deletes selected text. |
| Del | Deletes the character to the right of the insertion point. Or deletes selected text. |
| Shift+Del | Deletes the selected text and places it on Clipboard. |
| Shift+Ins | Inserts text from Clipboard to the active window. |
| Ctrl+Ins | Makes a copy of the selected text and places it on Clipboard. |
| Alt+Bksp | Undoes the previous editing operation. |

Help Keys

Use the following keys to get Help.

| <u>Key(s)</u> | <u>Function</u> |
|----------------------|--|
| F1 | Gets Help and displays the Help Index for the application. If the Help window is already open, pressing F1 displays the index to Using Help |
| | In some Windows applications, pressing F1 displays a Help topic on the selected command, dialog box option, or system message. |
| Shift+F1 | Changes the pointer to a question mark with an arrow so you can get Help on a specific command, screen region, or key. You can then choose the command, click the screen region, or press the key or key combination you want to know more about. This feature is only available in some Windows applications. |

Menu Keys

Use the following keys to select menus and choose commands.

| <u>Key(s)</u> | <u>Function</u> |
|----------------------|---|
| Alt or F10 | Selects the first menu on the menu bar |
| Letter key | Chooses the menu or menu item whose underlined letter matches the one you type. |
| Left or Right Arrow | Moves among menus. |
| Up or Down Arrow | Move among menu items. |
| Enter | Chooses the selected menu item. |
| Esc | Cancels the selected menu. |

System Keys

Use the following keys can be used from any window, regardless of the application you are using.

| <u>Key(s)</u> | <u>Function</u> |
|----------------------|--|
| Ctrl+Esc | Switches to Task List |
| Alt+Esc | Switches to the next application window or minimized icon, including full-screen programs. |
| Alt+Tab | Switches to the next application window, restoring applications that are running as icons. |
| PrtSc | Copies an image of the screen contents onto Clipboard |
| Alt+PrtSc | Copies an image of the active window onto Clipboard |
| Alt+F4 | Closes the active application window. |
| Ctrl+F4 | Closes the active document window. |
| F1 | Gets Help and displays the Help Index for the application. (See Help Keys.) |

Text Selection Keys

The following keys can be used in most Windows applications. However, some of the keys listed here might not work in all places where you can select text or in all applications.

| <u>Key(s)</u> | <u>Function</u> |
|---------------------------|--|
| Shift+Left or Right Arrow | Selects text one character at a time to the left or right. Or, if the character is already selected, cancels the selection. |
| Shift+Home | Selects text to the beginning of the line. |
| Shift+End | Selects text to the end of the line. |

Window Keys

| <u>Key(s)</u> | <u>Function</u> |
|----------------------|--|
| Alt+Spacebar | Opens the Control menu for an application. |
| Alt+Hyphen | Opens the Control menu for a document window. |
| Alt+F4 | Closes a window. |
| Alt+Esc | Switches to the next application window or minimized icon, including full-screen programs. |
| Alt+Tab | Switches to the next application window, restoring applications that are running as icons. |
| Alt+Enter | Switches a non-Windows application between running in a window and running full screen. |
| direction key | Moves a window when you have chosen Move from the Control menu. Or, changes the size of a window when you have chosen Size from the Control menu. |

Convert It! Procedures

This index lists all procedure topics available for Convert It!. Index items are arranged alphabetically.

- Command Buttons
- Control Menu Commands
- Entering an Initial Value
- Exiting Convert It!
- Moving Within a Conversion Tool
- Opening the Control Menu
- Option Buttons
- Quitting a Conversion Tool
- Starting a Conversion Tool
- Using Scroll Bars

Command Buttons

Command buttons initiate an immediate action. Like menu commands, command buttons use the following conventions.

Convention What it means

| | |
|---------------|--|
| Dark border | The currently selected default button. |
| Dimmed button | The button is unavailable at this time. |
| Ellipsis(...) | Opens another dialog box so you can provide more information. |
| Chevron(>>) | Expands the current dialog box to show you additional options. |

You can close a dialog box without completing any commands by choosing Cancel (or Esc).

To choose a command button:

With the mouse:

- * Click the command button.

With the keyboard:

1. Press Tab to select the command button you want. A selection cursor around the button text marks the selected button.
2. Press Spacebar (or Enter) to choose the button. Or hold down Alt and type the underlined letter in the button name (if the button has an underlined letter) to choose the button in one step.

Control Menu Commands

The following table defines the Control menu commands. Not all applications use every Control menu command listed here.

| Command | Action |
|-----------|---|
| Restore | Restores the window to its former size after it has been enlarged or shrunk to an icon. |
| Move | Lets you use the keyboard to move the window to another position on the desktop. |
| Size | Lets you use the keyboard to change the size of the window. |
| Minimize | Shrinks the window to an icon. |
| Maximize | Enlarges the window to its maximum size. |
| Close | Closes the window. |
| Switch To | Starts Task List, which lets you switch among running applications and rearrange their windows and icons on your desktop. |
| Edit | Displays a cascading menu with five additional commands. This menu is available only for non-Windows applications running 386 enhanced mode. To open the cascading menu, click Edit. Or press the Right Arrow or Enter with the keyboard. |

Command Action

| | |
|------|--|
| Mark | Lets you use the keyboard to select text to move onto Clipboard. |
|------|--|

Convert It! User's Guide

| | |
|----------|---|
| Copy | Copies the selected text onto Clipboard. |
| Paste | Copies text from Clipboard to the active window, inserting it at the insertion point. |
| Scroll | Lets you view information not currently visible in the window. |
| Settings | Displays a dialog box that requests information about multitasking options (such as foreground or background operation) or about allocation of system resources when running the application. |

Entering an Initial Value

The Initial Value field in each Conversion Tool is a text box. A text box is a rectangle into which you type information.

When you move to an empty text box, an insertion point appears at the left side of the box. The text you type starts at the insertion point.

If the box already contains text when you move to it, all the text in the box is automatically selected and any text you type replaces it. Or you can erase the existing text by pressing Del or Backspace.

To select text in a text box:

With the mouse:

* Drag the pointer across the text you want to select. Or double-click to select one word at a time.

With the keyboard:

1. Use the direction keys to move to the first character you want to select.
2. Hold down Shift and press a direction key to extend the selection. Press Shift+Home to extend the selection to the first character in the box. Press Shift+End to extend the selection to the last character in the box.

Exiting Convert It!

You may exit Convert It! in one of five ways:

1. Choose Close from the Control menu.
2. Press the Alt+F4 key combination.
3. Double click on the Control-menu box.
4. Choose Exit from the File Menu.
5. Press F3.

Moving Within a Conversion Tool

Often you need to move around within a Conversion Tool to make several selections. Since a Conversion Tool is a dialog box, the methods are the same. The current option is marked by

a selection cursor around the name of the option.

To move within a Conversion Tool (dialog box):

With the mouse:

- * Click the option or group you want to move to.

With the keyboard:

1. Press Tab to move forward (left to right and top to bottom) or Shift+Tab to move in the opposite direction. Or hold down Alt and type the underlined letter in the option or group name.
2. Within a group of options, use the direction keys to move from one option to another.

Opening the Control Menu

Application windows, document windows, application icons, group icons, and some dialog boxes have Control menus (also called System menus).

The procedure you use to open the Control menu varies slightly depending on what you are working in.

To open the Control menu for an application window or application icon:

With the mouse:

- * Click the Control-menu box in the upper left corner of the window. Or click the icon. Be careful not to double-click, or you will close the window or open the icon. Use the save procedure to open the Control menu of a non-Windows application that is running in 386 enhanced mode.

With the keyboard:

1. Press Alt+Esc until the application window or icon is selected.
2. Press Alt then the Spacebar. Press Alt to close the menu without choosing a menu item.

To open the Control menu for a document window or document icon:

With the mouse:

- * Click the Control-menu box in the document window. Or click the document icon

With the keyboard:

1. Press Ctrl+F6 or (Ctrl+Tab) until the document window or icon is selected.
2. Press Alt then the Hyphen. Press Alt to close the menu without choosing a menu item.

To open the Control menu for a dialog box:

With the mouse:

- * Click the Control-menu box in the dialog box.

With the keyboard:

- Press Alt and then Spacebar. Press Alt to close the menu without choosing a menu

item.

Option Buttons

Option buttons, also called radio buttons, provide lists of mutually exclusive items. You can select only one option from the list at a time. The selected option button contains a black dot. Unavailable options are dimmed.

To select an option button:

With the mouse:

- * Click the option button.

With the keyboard:

1. Press Tab to move into the option group.
2. Use the direction keys to select the option button. Or hold down Alt and press the underlined letter if the option name contains an underlined letter.

Quitting a Conversion Tool

You may exit a Conversion Tool in one of five ways:

1. Choose Close from the Control menu.
2. Press the Alt+F4 key combination.
3. Double click on the Control-menu box.
4. Press Esc.
5. Press the Cancel button.

Starting a Conversion Tool

You may start a Conversion Tool in one of five ways:

With the mouse:

- * Click the proper tool button. Or use the menu to choose the Conversion menu and select a tool.

With the keyboard:

Press Tab to move to the tool button. Then press Spacebar. Or press Alt and use the direction keys to select the Conversion menu then select the tool. Or use one of the keys listed in Convert It! Keys

Using Scroll Bars

The Conversion Tools have scroll bar you can use to change the value to be converted.

Mouse techniques:

| To scroll | Do this |
|-------------------|---------------------------------|
| Up or down 1 unit | Click one of the scroll arrows. |

Convert It! User's Guide

Up or down 10 units Click the scroll bar to the left or right of the scroll box.
Continuously Point to one of the scroll arrows and hold down the mouse button until the value you want is displayed.
To any position Drag the scroll box left or right on the scroll bar to a place you choose.

Keyboard techniques:

| To scroll | Do this |
|----------------------------|--|
| Up or down 1 unit | Press the direction key that points in the direction you want to scroll. |
| Up or down 10 units | Press Ctrl+PgUp or Ctrl+PgDn. |
| To the bottom of the scale | End |
| To the top of the scale | Home |

Control Minimize

Reduces the Convert It! window to a small icon at the bottom on the screen. For mouse users, clicking the Minimize icon is the same as choosing Control Minimize.

- » Minimizing is useful when you are running another application at the same time as Convert It!.
- » Appears only on the Control menu for the application.
- » You can restore a minimized window to its former size by using the Control Restore command.

Minimize Icon

Mouse users can click the Minimize icon to shrink the Convert It! window to a small icon.

- » As a icon, the application remains in memory but does not take up room on your desktop.
- » Clicking the Minimize icon has the same effect as choosing the Control Minimize command.
- » To restore the Convert It! window choose Control Restore. With the mouse, double-click the Convert It! icon.

Control Restore

Restores the Convert It! window to the size and location it had before you chose the Control Minimize command.

With the mouse, double-click the Convert It! icon.

Title Bar

The bar across the top of the window displays the application name. You can move a window by clicking on the title bar and dragging the window to a new location while holding the left mouse button down. When you release the button the window will be redrawn in the new location.

Control Move

Displays a four-headed arrow that you can use with the direction keys to reposition a window. This command is unavailable if the window is enlarged to maximum size.

Select the Control Move command to begin moving a window by:

Convert It! User's Guide

Clicking the Control-menu box, then click Move.

- or -

Press Alt, Spacebar, M.

Moving a Window or Dialog Box

Mouse techniques:

Drag the window or dialog box title bar. Note: Not all dialog boxes have title bars.

Keyboard techniques:

1. If the borders aren't visible, restore the window to display them.
2. Press Alt, Spacebar, M.
3. Press the direction keys to position the outline of the window.
4. Press Enter to move the window.

Control Close

Closes the active window. If a dialog box is open and has a Control menu, choosing this command closes the dialog box.

For mouse users, double-clicking the Control-menu box, is the same as choosing Control Close. Choosing Control Close is the same as choosing File Exit.

You can also close the window by pressing Alt+F4.

Control Switch To

Lists all the open applications.

Switch To

Activates the selected application.

End Task

Closes the selected application.

Cancel

Closes the Task List window.

Tile

Maximizes all open applications and sizes them so that the upper-left portion of each window is visible.

Arrange Icons

Arranges the icons of all minimized applications across the bottom of the screen.

Weights and Measures

Weights and Measures are the standards used to find the size of things. People in the United States and a few other countries use standards that belong to the customary, or English, system of measurement. This system was developed in England from older measurements standards, beginning about the 1200's. People in nearly all other countries -- including England --, and all scientists, now use a system of measurement called the metric system. The metric system was created in France in the 1790's. Its official name is *Système Internationale d'Unités* (International System of Units).

Weights and measures form one of the most important parts of our life today. Many weights and measures have had a fascinating history.

Length and Distance

Lengths and distances are measured from one point to another, usually along a straight line. Length usually refers to the measurement of an object. Distance usually refers to the measurement of the space between two places. Below is a table showing the customary and metric units for length and distance.

| Customary | Metric | Metric | Customary |
|------------------|---------------|---------------|-------------------|
| 1 inch | 2.54 cm | 1 nanometer | 0.00000003937 in. |
| 1 foot | 30.48 cm | 1 micron | 0.00003937in. |
| 1 yard | 0.9144 m | 1 millimeter | 0.03937 in. |
| 1 rod | 5.0292 m | 1 centimeter | 0.3937 in. |
| 1 furlong | 201.168 m | 1 decimeter | 3.937 in. |
| 1 mile | 1.6093 km | 1 meter | 39.37 in. |
| 1 dekameter | 393.7 in. | | |
| 1 hectometer | 328.0833 ft. | | |
| 1 kilometer | 0.62137 mi. | | |

Ancient peoples measured length by comparing the length of one thing with the length of the thing they wanted to measure, such as comparing a stick with an animal. Ancient people also based measurements on parts of the body. The Romans use the *uncia* for the width of a thumb. The English word inch comes from that word. Twelve uncia equaled a foot, which was roughly the length of a person's foot. Three feet equaled a yard, which was about the distance from a person's nose to the tip of the middle finger of an outstretched arm.

Measuring units based on body parts failed because not all people were the same size. Modern systems of measurement are based on units called measurement standards that are of a size agreed upon by the users of the system. Both the customary and the metric system use the same standard for length -- the meter. Scientists have defined the length of a meter as 1,650,763.73 wave lengths of light emitted from energized atoms of krypton-86. It is about 39 1/3 inches.

Surface or Area

An area of land or the surface of an object is measured in square units. These units result from multiplying the length of the area or object by its width. The square units of both the customary and metric systems are based on units of length and distance. Many times a small 2, placed the right and above the abbreviation of a metric unit (a superscript), indicates a square unit.

| Customary | Metric | Metric | Customary |
|------------------|------------------------|------------------|------------------|
| 1 sq. inch | 6.4516 cm ² | 1 sq. millimeter | 0.00155 sq. in. |
| 1 sq. foot | 0.0929 m ² | 1 sq. centimeter | 0.155 sq. in. |
| 1 sq. yard | 0.8361 m ² | 1 sq. decimeter | 15.5 sq. in. |
| 1 sq. rod | 25.293 m ² | 1 sq. meter | 1550 sq. in. |
| 1 acre | 0.4047 ha | 1 sq. dekameter | 119.6 sq. yd. |
| 1 sq. mile | 2.590 km ² | 1 sq. hectometer | 2.4711 acres |
| 1 sq. kilometer | 0.3861 sq. mi. | | |

Volume and Capacity

Volume refers to the amount of space occupied by an object. Capacity is the amount of a substance that a container can hold. Volume and capacity are both measured in cubic units. Cubic units combine length, width, and depth. But the names of many common cubic units, such as liter and quart, do not include the word cubic. A small 3, placed to the right and above the abbreviation of a metric unit (a superscript), indicates a cubed unit.

| Customary | Metric | Metric | Customary |
|------------------|------------------------|---------------|------------------|
| 1 cubic inch | 16.387 cm ³ | 1 milliliter | 0.0610 cu. in. |
| 1 cubic foot | 0.0283 m ³ | 1 centiliter | 0.6103 cu. in. |
| 1 cubic yard | 0.7646 m ³ | 1 liter | 61.025 cu. in. |
| 1 pint | 473.2 ml | 1 kiloliter | 264.179 gal. |

Weight and Mass

The customary system measures the weight of various materials. The metric system measures mass (amount of material something contains). An object's mass does not change, but its weight decreases with altitude. These two measurement units are equal at sea level on the earth, and the comparisons in this table are based on that location.

| Customary | Metric | Metric | Customary |
|------------------|---------------|---------------|------------------|
| 1 grain | 0.0648 g | 1 milligram | 0.0154 gr. |
| 1 ounce | 28.3495 g | 1 centigram | 0.1543 gr. |
| 1 pound | 0.45359 kg | 1 gram | 15.4324 gr. |
| 1 ton | 0.9072 t | 1 kilogram | 2.2046 lb. |
| 1 metric ton | | 2,204.62 lb. | |

Temperature

The customary system measures temperature in Fahrenheit degrees. The metric system measures temperatures in Celsius degrees. The Kelvin scale is based on absolute zero being 0 degrees Kelvin. In theory nothing can get colder than absolute zero.

On the Fahrenheit scale water freezes at 32° and boils at 212° under normal atmospheric pressure. On the Celsius scale, water freezes at 0° and boils at 100°. Because there are 100° between freezing and boiling on the Celsius scale it is sometimes called the centigrade scale. Absolute zero, 0° Kelvin, is -273.15° Celsius, otherwise the two scales are graduated the same. In other words 1° Kelvin measures the same temperature difference as 1° Celsius. Only their respective 0 points are different.

There is no single measurement standard for temperature. Various temperatures are used to standardize thermometers. One of these is 0.01° C, which is the triple point of water (the temperature at which water can exist as a liquid, a gas, and a solid at the same time).

Angular Measurements

There are four main units used to measure angles.

The degree is 1/360 of the way around a circle. Degrees are sometimes further divided into minutes and seconds. Usually called minutes of arc, a minute is 1/60 of a degree. Similarly a second of arc is 1/60 of a minute of arc.

Radians are also used to measure angles of arc. A complete circle contains $2 \times \pi$ radians. One radian is the angle at the center of a circle that cuts off an arc on the circumference equal in length to the radius.

Mils are also sometimes used to measure angles. A mil is 1/6400 of a circle. Mils are mainly used in aiming artillery.

A grade, or gon, is one-hundredth of a right angle. A circle contains 400 grades. The grade was developed in 1792. It is a metric measurement of angle.

Power Measurements

Power is a measure of the amount of energy spent over certain period of time. The units used in this program are the Watt, kilowatt, and the metric horsepower for the metric system. The customary power unit used is the horsepower.

The watt is the power provided when one joule is used for one second.

The British horsepower is the power needed to raise 550 pounds one foot in one second.

The metric horsepower is the power needed to raise 75 kilograms one meter in one second.

Convert It! User's Guide

| | |
|---------------|--------------|
| 1 horsepower | = 745.7W |
| 1 hp (metric) | = 735.3W |
| 1 Watt | = 0.001341hp |
| 1 kilowatt | = 1000 W |

Energy Measurements

Energy is defined as the equivalent of or the capacity to do work. The units used in this program are the joule, erg, calorie, and the Calorie for the metric system. The customary energy unit used is the Btu.

The joule (J) is the amount of energy needed to move a mass of one kilogram through one meter with an acceleration of one meter per second per second.

The erg is the amount of energy needed to move one gram through one centimeter with an acceleration of one centimeter per second per second.

The calorie (cal) is the amount of energy needed to raise the temperature of one gram of water by one degree Celsius from 14.5° Celsius to 15.5° Celsius. A Calorie is equal to 1000 cal.

The British thermal unit (Btu) is the energy needed to raise the temperature of one pound of water from 60° Fahrenheit to 61° Fahrenheit.

| | |
|---------|--------------------------|
| 1 joule | = 1×10^7 erg |
| 1 erg | = 1×10^{-7} erg |
| 1 cal | = 4.1855J |
| 1 Cal | = 1000cal |
| 1 Btu | = 1054.8J |

Other Measurements

Measurement units for length, temperature, time, and mass are called basic measurements. These units can be combined into other measurements called derived measurements. For example, area is one length times another to form square units.

Some measurements combine different units. The measurement of speed is derived by dividing distance traveled by time to travel. It tells the distance traveled in a certain time. For example, miles per hour or meters per second. Another derived measurement is pressure, which is the force acting on a unit of area. Pressure units include pounds per square inch and dynes per square centimeter.

Convert It! Tables

This index lists all the tables available for Convert It!. Index items are arranged alphabetically.

- Metric System
- Temperature Conversions
- Metric to Customary Conversion Factors
- Customary to Metric Conversion Factors
- General Conversion Factors

Metric System Unit Tables

Metric System Base Units

| Quantity measured | Unit | Abbreviation |
|---------------------|---------------|--------------|
| Length | meter | m |
| Mass | kilogram | kg |
| Time | second | s |
| Electric current | ampere | A |
| Temperature | degree Kelvin | K |
| Luminous intensity | candela | cd |
| Amount of substance | mole | mol |

Metric Decimal Multiples and Submultiples

| Multiples and submultiples | Prefixes | Symbols |
|----------------------------|----------|---------|
| 10^{18} | exa | E |
| 10^{15} | pecta | P |
| 10^{12} | tera | T |
| 10^9 | giga | G |
| 10^6 | mega | M |
| 10^3 | kilo | k |
| 10^2 | hecto | h |
| 10 | deca | da |
| 10^{-1} | deci | d |
| 10^{-2} | centi | c |
| 10^{-3} | milli | m |
| 10^{-6} | micro | μ |
| 10^{-9} | nano | n |
| 10^{-12} | pico | p |
| 10^{-15} | femto | f |
| 10^{-18} | atto | a |

Temperature Conversions

Temperature Factors

$$^{\circ}\text{F} = 9/5 (^{\circ}\text{C}) + 32$$

$$\text{Fahrenheit temperature} = 1.8 (\text{temperature in Kelvins}) - 459.67$$

$$^{\circ}\text{C} = 5/9 [(^{\circ}\text{F}) - 32]$$

$$\text{Celsius temperature} = \text{temperature in Kelvins} - 273.15$$

$$\text{Fahrenheit temperature} = 1.8 (\text{Celsius temperature}) + 32$$

Metric to Customary Conversions Factors

| To obtain | Multiply | by |
|---------------|------------------|------------------------------|
| Inches | Centimeters | 0.3937007874 |
| Feet | Meters | 3.280839895 |
| Yards | Meters | 1.093613298 |
| Miles | Kilometers | 0.6213711922 |
| Ounces | Grams | $3.527396195 \times 10^{-2}$ |
| Pounds | Kilograms | 2.204622622 |
| Gallons | Liters | 0.2641720524 |
| Fluid ounces | Milliliters (cc) | $3.381402270 \times 10^{-2}$ |
| Square inches | Sq. Centimeters | 0.1550003100 |
| Square feet | Square meters | 10.76391042 |
| Square yards | Square meters | 1.195990046 |
| Cubic inches | Milliliters (cc) | $6.102374409 \times 10^{-2}$ |
| Cubic feet | Cubic meters | 35.31466672 |
| Cubic yards | Cubic meters | 1.307950619 |

Customary to Metric Conversions Factors

| To obtain | Multiply | by* |
|------------------|---------------|------------------------------|
| Microns | Mils | 25.4 |
| Centimeters | Inches | 2.54 |
| Meters | Feet | 0.3048 |
| Meters | Yards | 0.9144 |
| Kilometers | Miles | 1.609344 |
| Grams | Ounces | 28.34952313 |
| Kilograms | Pounds | 0.45359237 |
| Liters | Gallons | 3.785411784 |
| Milliliters (cc) | Fluid ounces | 29.57352956 |
| Sq. Centimeters | Square inches | 6.4516 |
| Square meters | Square feet | 0.09290304 |
| Square meters | Square yards | 0.83612736 |
| Milliliters (cc) | Cubic inches | 16.387064 |
| Cubic meters | Cubic feet | $2.831684659 \times 10^{-2}$ |
| Cubic meters | Cubic yards | 0.764554858 |

* Boldface numbers are exact; others are given to 10 significant digits.

General Conversions Factors

| To obtain | Multiply | by* |
|---------------------|----------------------|------------------------|
| Atmospheres | Ft. of water @4°C | 2.950×10^{-2} |
| Atmospheres | In. of mercury @ 0°C | 3.342×10^{-2} |
| Atmospheres | Pounds per sq. inch | 6.804×10^{-2} |
| Ft. of water @4°C | Atmospheres | 33.90 |
| In. of mercury @0°C | Pounds per sq. inch | 2.036 |

Convert It! User's Guide

| | | |
|---------------------|---------------------|------------------------|
| BTU | Foot-pounds | 1.285×10^{-3} |
| BTU | Joules | 9.480×10^{-4} |
| Joules | BTU | 1054.8 |
| Joules | Foot-pounds | 1.35582 |
| Ergs | Foot-pounds | 1.356×10^{-7} |
| Foot-pounds | Horsepower-hours | 1.98×10^{-6} |
| Foot-pounds | Kilowatt-hours | 2.655×10^{-6} |
| Foot-pounds per min | Horsepower | 3.3×10^{-4} |
| Horsepower | Foot-pounds per sec | 1.818×10^{-3} |
| Watts | BTU per min | 17.5796 |
| Kilowatts | BTU per min | 1.758×10^{-2} |
| Kilowatts | Foot-pounds per min | 2.26×10^{-5} |
| Kilowatts | Horsepower | 0.745712 |
| Feet | Miles | 5280 |
| Miles | Feet | 1.894×10^{-4} |
| Nautical miles | Miles | 0.86897624 |
| Knots | Miles per hour | 0.86897624 |
| Degree (angle) | Radians | 57.2958 |
| Radians | Degrees (angle) | 1.745×10^{-2} |
| Cubic Feet | Cords | 128 |
| Square feet | Acres | 43560 |

* Boldface numbers are exact.

How to Register Convert It!

Convert It! 1.10 Registration Form/Invoice. Please send to:

SMI Corp., P.O. Box 582221, Tulsa, OK 74158

Ordering by check: You can order by sending a check and this order form to the address above. To print this order form, click on Print Topic in the File pull-down menu. Alternately, you can print the ASCII text file ORDER.DOC (distributed with Convert It!).

Credit card ordering: You can order with MasterCard or Visa from SMI Corp. by calling (918) 560-9536 from 8:00 am to 5:00 pm central time Monday through Friday. You can also mail credit card orders by filling out this order form and mailing it to the above address.

Site licenses: Site licenses are available for Convert It!. Call (918) 560-9536 to find out about the details.

Convert It! 1.10 quantity _____ @ \$10.00 ea. = _____
Oklahoma residents add 7.25% sales tax + _____
Total payment _____

Payments must be in US dollars drawn on a US bank. Prices are subject to change without notice.

Name: _____ Date: _____
Company: _____
Address: _____

City, State, Zip: _____ Country: _____
Day Phone: _____ Evening Phone: _____
Electronic mail address: _____
Comments:

Convert It! Glossary

absolute zero

a temperature characterized by a complete absence of heat. No molecular motion. - 217.15°C or -459.67°F

application

a computer program used for a particular kind of work, such as word processing. This term is often used interchangeably with "program".

command button

a large button in a window or dialog box that carries out or cancels the selected action. Two common command buttons are OK and Cancel. The button that carries out the action will often have a label that describes the action (for example, open, create, install). Choosing a command button sometimes causes another dialog box to appear.

control menu

The menu farthest to the left in the title bar, indicated by a Spacebar icon. The Control menu appears on every application that runs in a window and on some non-Windows applications. Document windows, icons, and some dialog boxes also have Control menus.

For application windows, document windows, icons, and dialog boxes, Control menu commands move, size, and close windows. You can also switch to Task List by using the Control menu. For non-Windows applications, the Control menu commands transfer information and perform other functions, depending on the application.

control-menu box

The icon (symbolized Spacebar) that appears farthest to the left in the title bar and that opens the Control menu for the window.

default button

The command button in some dialog boxes that is automatically selected or chosen by Windows as the most logical or safest choice. The default button has a bold border, indicating that it will be chosen if you press enter. You can override a default button by choosing Cancel or another command button.

dialog box

A rectangular box that either requests or provides information. Many dialog boxes present options for you to choose among before Windows or the application can carryout the command. Some dialog boxes present warnings or explain why a command can't be completed.

direction keys

The four arrow keys on your computer keyboard. These keys move the cursor or pointer to locations you choose on screen. Each direction key has an arrow on it to show which direction the cursor or pointer will move. Each arrow key is named for the direction the key points: the Up Arrow key, the Down Arrow key, the Left Arrow key, and the Right Arrow key.

drag

Hold down the mouse button and move the mouse.

icon

A graphical representation of a disk drive, a directory, a group, an application, a document, and so on. You can enlarge an application icon to a window when you want to use the application.

insertion point

The place where text will be inserted when you type. The insertion point usually appears as a flashing vertical bar in an application's window or dialog box. The text you type appears to the left of the insertion point which is pushed to the right as you type.

mass

The property of a body that is a measure of its inertia, that is commonly taken as a measure of the amount of material it contains and causes it to have weight in a gravitational field.

menu

A list of available commands in a application window. Menu names appear in the menu bar near the top of the window. You may use a command on a menu by selecting the menu name, then choosing the command you want.

non-Windows application

Applications that were not designed to run in Windows. Non-Windows applications do not necessarily conform to Windows user interface standards.

option buttons

A small round or diamond shaped button. That appears in a dialog box and is used to select an option within a group of related options. You can select only one option.

scroll arrow

An arrow on either end of a scroll bar, that is used to change the contents of a window or list box or change a value. Clicking the arrow moves the contents one line or one unit. Pressing a scroll arrow scrolls the contents continuously.

scroll bar

A bar that may appear in a dialog box that will allow a value to be changed within a certain range. Or may also appear to allow you to scroll through a window that has more lines than can be shown in the window.

scroll box

A small box in a scroll bar that shows the position of what is currently in the window or list box or value.

selection cursor

The marking device that shows where you are in a window menu or dialog box and what you have selected. the selection cursor can appear as a highlight or as a dotted rectangle around the text in a dialog box option.

shrink

To reduce a window to an icon at the bottom of the desktop using the Minimize button or the

Convert It! User's Guide

Minimize command. The document or application remains open (or running), and can be the active application or document.

task list

A window that shows all the applications you have running and lets you switch among them. You can open the Task List window by choosing Switch To from the Control menu or by pressing Ctrl+Esc.

text box

A type of box within a dialog box where you type information needed to carry out a command. When the dialog box appears, the text may be blank or it may contain text.

title bar

The horizontal bar at the top of the window that contains the title of the window or dialog box. On many windows, the title bar also contains a Control-menu box and Maximize and Minimize buttons.

weight

The force with which a body is attracted in a gravitational field which is equal to the product of the mass by the local gravitational acceleration.

window

A rectangular area on your screen in which you view an application or document. You can open, close, and move windows, and change the size of most windows. You can open several windows on the desktop at the same time and you can shrink windows to icons or enlarge them to fill the entire desktop.