

Sheet1

*---A macro to turn a 3-D or 2-D range of DATE VALUES into DATE LABELS.

This macro accepts and creates format 4 dates (mm/dd/yy).

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

!

\Z

DATEVAL

cont404

!

!

!

!

counter404

countera404

labels404

!

here404

!

labels404

!

!

!

day404

month404

year404

string404

!

counterb404

hereabs404

!

rel404

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs404,@cellpointer("address")}~{LET counter404,0}  
{FOR counter404,0,@cols(Which range ?)-1,1,labels404}  
{let rel404,@INFO("RELEASE")}~{IF @LEFT(REL404,1)<>"@"}{goto}{hereabs404}~{let counterb404,counterb404+1}~{if cou  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here404,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR countera404,0,@ROWS(WHICH RANGE ?)-1,1,labels
```

\$Y\$1

```
{recalc day404}{recalc month404}{recalc year404}{recalc string404}  
{IF @CELLPOINTER("TYPE")="v"}{string404}{EDIT}{HOME}'  
{DOWN}
```

\$X\$1

@INFO("RELEASE")

