

Sheet1

\*---A macro to turn all labels in a 3-D or 2-D range to LOWERCASE form  
\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)  
\*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

!

!

\Z

LOWRCASE

cont410

!

!

!

!

counter410

countera410

labels410

!

here410

!

labels410

!

!

PROP410

!

counterb410

hereabs410

!

rel410

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs410,@cellpointer("address")}~{LET counter410,0}  
{FOR counter410,0,@cols(Which range ?)-1,1,labels410}  
{let rel410,@INFO("RELEASE")}~{IF @LEFT(REL410,1)<>"@"}{goto}{hereabs410}~{let counterb410,counterb410+1}~{if cou  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here410,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR countera410,0,@ROWS(WHICH RANGE ?)-1,1,labels410}
```

\$D\$1

```
{panelon}{recalc prop410}{if @cellpointer("type")<>"b"#and#@cellpointer("type")<>"v"#and#@cellpointer("prefix")<>"\ "#and#  
{down}
```

\$A\$1

