

Sheet1

- \*---A macro to add data to a database. If you type a number the macro changes it to a label.
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Place the cell pointer on the upper left cell of your database field names. The data base should have at least two records.
- \*---Hold the <ALT> key and press <Z> to activate the macro  
\* \* \* Use the SAMPBASE.WK1 file as an example \* \* \*

```
!  
\Z  
ADDDATA  
!  
!  
menu1092  
!  
!  
!  
!  
move1092  
move092  
!  
!  
!  
!  
!  
counter092  
!  
key1092  
!  
fields092  
!  
ret092
```

```
{BREAKON}  
{windowsoff}{PANELOFF}/RNCDATABASE~/RNDDATABASE~/RNCDATABASE~/~{GOTO}IV1~{GOTO}DATABASE~{DOWN}  
{GETLABEL "How many fields in the database ? ",fields092}~{MENUBRANCH menu1092}
```

Add/edit

Add a record to the database, press the <RETURN> after typing a data

```
{let counter092,1}~{move1092}  
{MENUBRANCH menu1092}
```

```
{if counter092>@value(fields092)}{let counter092,1}~{windowsoff}{GOTO}IV1~{GOTO}DATABASE~{pgdn}{pgup}{end}{down}  
Insert data and press <RETURN> or <ESC> to quit: {get key1092}{ESC}{if key1092="{ESC}"}{ESC 6}{return}{PANELON}{GO  
{IF key1092="~"}{RIGHT}{let counter092,counter092+1}~{branch move1092}  
{IF key1092="{RIGHT}"#OR#key1092="{LEFT}"#OR#key1092="{UP}"#OR#key1092="{DOWN}"#OR#key1092="{PGDN}"#OR#  
{if @code(key1092)>=48#and#@code(key1092)<=57}{edit'  
{key1092}{?}~{right}{let counter092,counter092+1}~{branch move1092}
```

{ESC}

Quit  
Quit the macro  
/WTC/RNDDATABASE~{branch ret092}