

Sheet1

- \*---A macro to underline a range. Usually is used for underlining rows to the column's width minus one, or to the up label/number width -1.
  - \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
  - \*---Place the cell pointer under the cell/range/row to be underlined
  - \*---Hold the <ALT> key and press <Z> to activate the macro
  - \*---Highlight the cells where you want the underline (under the range)
- THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

\Z

RANGUNDL

!

!

cont207

!

!

!

!

counter1207

counter1a207

labels1207

!

here1207

!

labels1a207

!

!

!

!

!

char207

!

wid207

!

key1207

!

counterb207

hereabs207

!

rel207

```
{BREAKON}
{WINDOWSOFF}{paneloff}/RNCWHICH RANGE ?~/RNDWHICH RANGE ?~/RNC{panelon}{WINDOWSON}Which range ?~
{getlabel "Enter type of underline (+,-,!,*... etc) ",char207}~
{PANELON} <C>column width -1 or upper <L>abel width, [C/L] C {GET key1207}{ESC}
{let hereabs207,@cellpointer("address")}~{LET counter1207,0}
{FOR counter1207,0,@cols(Which range ?)-1,1,labels1207}
{let rel207,@INFO("RELEASE")}~{IF @LEFT(REL207,1)<>"@"}{goto}{hereabs207}~{let counterb207,counterb207+1}~{if cou
{goto}which range ?~/rndWhich range ?~{windowson}
```

```
{RIGHT}{LET here1207,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a207,0,@ROWS(WHICH RANGE ?)-1,1,labels1207}
```

\$C\$6

```
{UP}
{IF @UPPER(key1207)="L"#AND#@CELLPOINTER("TYPE")="v"}{DOWN}@REPEAT("{char207}",@LENGTH(@STRING({UP}))
{IF @UPPER(key1207)="L"}{DOWN}@REPEAT("{char207}",@LENGTH({UP})-1){CALC}{HOME}{END}{DOWN}{RETURN}
{DOWN}@repeat("{char207}",{wid207}){CALC}{HOME}{END}
{down}
```

+

~

\$A\$6

3.00.00

