

Sheet1

- \*---A macro to ELIMINATE completely empty rows in a range
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro
- \*---In release 3 and up make sure that the GROUP option is DISABLED
- \*---In release 2/2.01/2.2/2.3 the macro must be located ABOVE the range

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

\Z

ROWSELIM

!

!

cont157

!

!

!

!

counter1157

counter1a157

labels1157

!

labels1a157

!

!

!

!

!

ret157

!

rowsa157

rowsaa157

SHEETS157

COLSS157

!

loc1157

!

loc2157

!

counterb157

hereabs157

!

rel157

```
{BREAKON}
{let rel157,@INFO("release")}~
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{GOTO}
{if @LEFT(REL157,1)<>"@"}{LET SHEETS157,@SHEETS(WHICH RANGE ?)}~
{let hereabs157,@cellpointer("address")}~{LET counter1157,0}{let rowsa157,rowsaa157}~
{labels1157}
{let rel157,@INFO("RELEASE")}~{IF @LEFT(REL157,1)<>"@"}{goto}{hereabs157}~{let counterb157,counterb157+1}~{if cou
/rndWhich range ?~{windowson}
```

```
{FOR counter1a157,0,rowsa157-1,1,labels1a157}~{LET counter1a157,0}~{return}
```

```
{IF @CELLPOINTER("COL")=1}{END}{RIGHT}{IF @CELLPOINTER("COL")=256}{END}{LEFT}{IF @CELLPOINTER("TYPE")
{IF @CELLPOINTER("TYPE")<>"b"}{DOWN}{RETURN}
{END}{LEFT}{LET loc1157,@CELLPOINTER("COL")}~{END}{RIGHT}{LET loc2157,@CELLPOINTER("COL")}~{END}{LEFT}
{IF loc1157=1#AND#loc2157=256#AND#@CELLPOINTER("TYPE")="b"}/WDR~{LET rowsa157,rowsa157-1}~{RETURN}
{DOWN}
```

\$A\$1

