

\*---A macro to the current cell setup

\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

\*---Hold the <ALT> key and press <Z> to activate the macro

!  
!  
!  
!  
!

\Z {BREAKON}

CELLSTUP {WINDOWSON} {let rel524,@info("release")}~/wwc{GOTO}SETUP524~/RNCSE'

!

menu1524 Move Quit

! Move the cell pointer to otherQuit the macro

! {MOVE524} /wwc{BRANCH ret524}

! {menubranh menu1524}

!

ret524

!

rel524 3.10.00

!

move524 Use the arrow keys to move the cell pointer or press RETURN to end... {GET KEY52

! {IF KEY524="~"} {RETURN}

! {IF KEY524="{PGDN}"#OR#KEY524="{PGUP}"#OR#KEY524="{DOWN}"#OR

! {IF @LEFT(REL524,1)<>"@"#AND#(KEY524="{NS}"#OR#KEY524="{PS;}")}{k

! {recalc setup524} {BRANCH MOVE524}

!

KEY524 ~

!

setup524 Cell address #NAME? Column width

! Cell coord. #NAME? Default dir.

! Row number 2 File name

! Column number 25 Avaiable mem.

! Column letter #NAME? Total memory

! Sheet number 1 Wks. mode

! Sheet letter #NAME? No. of files

! Color format #NAME? Top left cell

! Cell format #NAME? Error level

! Negative No. #NAME? O.S. version

! Cell prefix #NAME? O.S. name

!  
!

Protection  
Cell type

#NAME? Recalc. mode  
#NAME? LOTUS release

ΓUP524~/~/rndsetup524~/~/rncsetup524~. {END} {DOWN} {RIGHT 3}~{end} {down} {down}/WWh/wwu{GOTC

!4} {ESC}

#KEY524="{UP}"#OR#KEY524="{LEFT}"#OR#KEY524="{RIGHT}" {KEY524}  
KEY524}

17

#N/A

#NAME?

#N/A

#N/A

Err:502

1

#N/A

Err:502

Windows (32-bit) NT 5.01

LINUX

Automatic  
30(Build:2)

0}SETUP524~/WCS17~{right}/wcs15~{right}/wcs17~{WINDOW}{WINDOWSON}{menubranh menu1524

4}