

Sheet1

\*--A macro to automatically PARSE a range, the macro parse every cell separately

\*--Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

\*--Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

\Z

PARSING

cont526

!

!

!

!

counter1526

counter1a526

labels1526

!

labels1a526

!

!

!

counterb526

hereabs526

!

rel526

```
{BREAKON}  
{windowsoff}{paneloff}/rncRange to parse?~/rndRange to parse?~/RNC{windowson}{panelon}Range to parse?~{bs}{bs}{?}~  
{let hereabs526,@cellpointer("address")}~{LET counter1526,0}  
{FOR counter1526,0,@cols(Range to parse?)-1,1,labels1526}  
{let rel526,@INFO("RELEASE")}~{IF @LEFT(REL526,1)="3"}{goto}{hereabs526}~{let counterb526,counterb526+1}~{if counte  
{goto}Range to parse?~/rndRange to parse?~
```

```
{FOR counter1a526,0,@ROWS(Range to parse?)-1,1,labels1a526}~{RIGHT}{UP @ROWS(Range to parse?)}{LET counter1a
```

```
/dpRFcl.{DOWN}~O{DOWN}~G/WDR~  
{DOWN}
```

\$A\$41

@INFO("RELEASE")

