

Sheet1

- \*---A macro to turn all labels in a 3-D or 2-D range to formulas and/or numbers, values and blank cells will not be changed.
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

\Z

UN\_LABEL

cont047

!

!

!

!

counter047

countera047

labels047

!

here047

!

labelsa047

!

!

counterb047

hereabs047

!

rel047

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs047,@cellpointer("address")}~{LET counter047,0}  
{FOR counter047,0,@cols(Which range ?)-1,1,labels047}  
{let rel047,@INFO("RELEASE")}~{IF @LEFT(REL047,1)="3"}{goto}{hereabs047}~{let counterb047,counterb047+1}~{if counte  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here047,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR countera047,0,@ROWS(WHICH RANGE ?)-1,1,labels047}
```

\$C\$1

```
{IF @CELLPOINTER("type")="I"#AND#@CELLPOINTER("prefix")<>""}{EDIT}{HOME}{DEL}{DOWN}{return}  
{DOWN}
```

\$A\$1

