

Sheet1

\*---A macro to add zero leads to all numbers in a 3-D or 2-D range  
\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)  
\*---Hold the <MACRO> key and press <Z> to activate the macro

!  
    THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
    IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

!

\Z

ZEROLEAD

!

cont212

!

!

!

!

counter1212

counter1a212

labels1212

!

here1212

!

labels1a212

!

!

!

rnd212

!

!

digits212

!

digits1212

!

counterb212

hereabs212

!

rel212

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{getlabel "How many digits for the numbers ? ",digits212}~{recalc digits1212}  
{let hereabs212,@cellpointer("address")}~{LET counter1212,0}  
{FOR counter1212,0,@cols(Which range ?)-1,1,labels1212}  
{let rel212,@INFO("RELEASE")}~{IF @LEFT(REL212,1)="3"}{goto}{hereabs212}~{let counterb212,counterb212+1}~{if counte  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here1212,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a212,0,@ROWS(WHICH RANGE ?)-1,1,labels1212}
```

\$D\$1

```
{IF @CELLPOINTER("TYPE")="v"}{rnd212}  
{DOWN}
```

```
{RECALC DIGITS1212}{edit}{HOME}'{DIGITS1212}~
```

7

\$A\$1

