

Sheet1

*--A MACRO MANAGER to activate any *.MLB library macro in the default directory
*--Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Y name)
*--Place the cell pointer at upper left cell of the range to be processed
*--Hold the <ALT> key and press <Y> to activate the macro
*** See the README.PRN file for details ***
*** FOR VERSION 2.2/2.3/2.4 ***

!
\Y
MACROMLB
!
TRASH@246
!
REMOVE@246
!
!
RNGNAM1@246
!
!
!
MACROMGR@246
!
OPTION1@246
FINDA@246
!
!
OPTION2@246
!
!
CRIT#1246
!
BACK#246
BACK#1246
!
!
NAMEDEL#1246
LOP#1246
!
!
!
RANGNAME@246
!
!
RANGERASE@246
!
!

!

!

!

!


```

{BREAKON}
{WINDOWSOFF}{PANELOFF}{LET BACK#1246,@CELLPOINTER("ADDRESS")}{RANGERASE@246}{MENUBRANCH M

{IF @CELLPOINTER("TYPE")="b"}{GOTO}Y~{left}{UP 10}/RND\Y~/RNDTRASH@246~/RNDREMOVE@246~/RNDRNGNA
{windowson}{IF @CELLPOINTER("CONTENTS")="!"}{DOWN}{branch REMOVE@246}
{LET RNGNAM1@246,@CELLPOINTER("CONTENTS")}{/rnd
EXECUTE3@246
~{DOWN}
{IF @CELLPOINTER("TYPE")="B"}{GOTO}Y~{left}{UP 10}/RNR/RE.{END}{DOWN}{RIGHT 7}{QUIT}
{branch REMOVE@246}

{WINDOWSOFF}{PANELOFF}{DATADEF@246}{GOTO}IV1~{GOTO}DATABASE@246~{WINDOWSON}{WINDOWSOFF}{g

{getlabel "Enter the search string: ",CRIT#1246}{recalc FINDA@246}

~{branch OPTION2@246}

/dqf{ESC 4}{QUERY}{WINDOWSON}{?}{query}{ESC 8}/C~NUM@246~/C~REMOVEA@246~
{BACK#246}{MACRORUN@246}{onerror REMOVE1@246}/FCCE@#@@#~{BACK#246}{WINDOWSON}{PANELON}{BRA

COPY

{GOTO}
$AF$1
~

{WINDOWSOFF}{GOTO}EXECUTE3@246~{LEFT}{DOWN 10}
{DOWN}{IF @CELLPOINTER("TYPE")="B"}{GOTO}EXECUTE3@246~{RANGERASE@246}{BACK#246}{WINDOWSON}{B
{IF @CELLPOINTER("CONTENTS")="!"}{BRANCH LOP#1246}
{IF @CELLPOINTER("TYPE")="B"}{GOTO}EXECUTE3@246~{RANGERASE@246}{BACK#246}{WINDOWSON}{BRANCH V
{LET RANGNAME@246,@CELLPOINTER("CONTENTS")}{/RND
COLL
~{branch LOP#1246}

{GOTO}EXECUTE3@246~{LEFT}{DOWN 2}{IF @CELLPOINTER("TYPE")<>"B"}{WINDOWSOFF}{PANELOFF}/RE{END}{D
{BACK#246}

```


Sheet1

```
{GOTO}LIST@246~{RIGHT}/RNLD~{GOTO}DATABASE@246~  
/DQRI.{END}{DOWN}{RIGHT}{UP}~C{UP 2}.{RIGHT}{DOWN}~{ESC 6}
```

Default-dir

Set the default directory to the directory where the macros are.

```
{panelon}{windowson}/wgdd{?}~{paneloff}{windowsoff}{esc 6}  
{MENUbranch MENU#1246}
```

```
{ERR#1246}{let BACK#1246,@cellpointer("address")}~{WINDOWSOFF}{PANELOFF}{goto}{name}{WINDOWSON}{name}{g  
{if KEYU@246="~"}{branch HHH#1246}  
{KEYU@246}{?}~{branch HHH#1246}
```

```
~{let ROUTIN#1246,@cellpointer("address")}~{BACK#246}{dispatch ROUTIN#1246}~
```

\$B\$10

```
{ONERROR WARNING@246}
```

```
{ONERROR WARNING@246}
```

```
{BEEP}{GETLABEL "KEYWORD ERROR or FILE IN MEMORY or MISSING FILE, Press <RETURN>... ",TRASH@246}~{BA
```

dddd

z1

```
Use ARROWS to move or press <E>xecute or Press <RETURN> to finish {get KEYU@246}{ESC}  
{IF KEYU@246="{RIGHT}"#OR#KEYU@246="{LEFT}"#OR#KEYU@246="{UP}"#OR#KEYU@246="{DOWN}"#OR#KEYU@  
{if @UPPER(keyu@246)="E"}{MACRORUNE@246}{ONERROR REMOVE1@246}/FCCE@#@@#~{restart}{branch ly}  
{RANGERASE@246}{BACK#246}{windowson}{branch ly}
```

E

FILE-NAME

FILE-NAME

~~~~~

ABS\_COPY  
ADDDATA  
ADDINATH  
ADDINDTH  
ADDLEFT  
ALIGNPG  
ANNOTATE  
ASCIICOD  
ASCIIFIL  
AUTO-NO  
AUTO-YES  
BEEP-NO

BEEP-YES  
CENTER  
CENTER2  
CHECKAMT  
CLOCKSET  
COLDELET  
COLINSFT  
COLINSRT  
COLSDISP  
COLSELIM  
COLSHIDE  
COLTOROW  
COLWIDTH  
COMBINE  
COPYALT  
COPYFRMT  
COPYMULT  
COPYSPL  
CORNERS  
CROSMULT  
CTRTITLE  
DATELABL  
DATELIST  
DATEMAC  
DATEPAST  
DATESTMP  
DATEVAL  
DAYSDIFF  
DEFLTDRV  
DELLABEL  
DELNUMBR  
DELZEROS  
DOCSHEET  
DO\_LABEL  
DUPENTRY  
EDITFORM  
ERASENDS  
ERRPROOF  
EXTRACT  
EXTRACT2  
FILEDEL  
FILEDIR  
FILELIST  
FILEMNGR  
FILETABL  
FILEXIST  
FOOTER  
FRAMERNG  
GOTOENDS

GOTORANG  
GRAPHDEL  
GRAPHMAK  
GRAPHRST  
GRAPHTBL  
GRAPHUSE  
GROUPEGRA  
GROUPELBL  
GROUPELGD  
GRPHDLBL  
GRPHGRUP  
GRPHLGND  
HEADER  
HIGHLIGHT  
IMPORT  
INDENT  
INVRTCOL  
INVRTRNG  
JUMPENDS  
LABLMCRO  
LEARN22  
LEFTALIN  
LIBEDIT  
LIBLOAD  
LIBRMOVE  
LINEADV  
LINKRANG  
LOAD\_MLB  
LOWRCASE  
MARGINON  
MARGNONE  
MESSAGE  
MESSAGE2  
MODIFRNG  
MOVESPL  
NAMEDOWN  
NAMELEFT  
NAMESDEL  
NAMESPLT  
NAME\_UP  
NAMRIGHT  
NEGATIVE  
NUMLOCKD  
NUMLOCKR  
PADDING  
PAGEADV  
PARSE  
PARSING  
PHRASE

PRINTALT  
PRNTHHEAD  
PROPER  
PRTDISPL  
PRTFORMU  
PRTRANGE  
QUERY  
RANGCOMB  
RANGDEL1  
RANGDELG  
RANGECRT  
RANGEDEL  
RANGEINS  
RANGETBL  
RANGKEEP  
RANGUNDL  
RANGWIDE  
RECLCRNG  
RECORDER  
REMOVMLB  
RESTORE  
RETRIEV2  
RETRIEVE  
RIGHTALN  
ROUNDVAL  
ROWDELET  
ROWDELPR  
ROWINSFT  
ROWINSRT  
ROWPUSH  
ROWSDLET  
ROWSELIM  
RULER  
RUNKEY2  
SAMEDAY  
SAVEFIL2  
SAVEFILE  
SAVE\_A  
SAVE\_A22  
SAVE\_B  
SAVE\_B22  
SETIME22  
SETTIME  
SIGNCHNG  
SLIDESH0  
SORT1ASC  
SORT1DES  
SORT2ASC  
SORT2DES

SORTKEYS  
SQZCOLMN  
SQZROW  
STRIPSPC  
SUBTOTAL  
SUMUNDRA  
SUMUNDRS  
SWITCH  
TIMESTAMP  
TITLECLR  
TITLESET  
TOPSCREEN  
TRANSP02  
TRANSP0S  
UNDERLIN  
UNDERLN2  
UNDO-DIS  
UNDO-ENB  
UNINDENT  
UNNAME  
UN\_LABEL  
UPERCASE  
VALUEWKS  
VALUFORM  
VERIFY  
VIEW@AVG  
VIEW@CNT  
VIEW@MAX  
VIEW@MIN  
VIEW@STD  
VIEW@SUM  
VIEW@VAR  
WIDMATCH  
WIDTHRST  
WIDTHRST  
WIDTHRST  
WIDTHSET  
ZEROBLNK  
ZEROERR  
ZEROLEAD  
@ABSCCELL  
@ABSRANG  
@ACOSCEL  
@ACOSRNG  
@ASINCEL  
@ASINRNG  
@ATANCEL  
@ATANRNG  
@COSCELL  
@COSRANG

@EXPCELL  
@EXPRANG  
@INTCELL  
@INTRANG  
@LNCELL  
@LNRANGE  
@LOGCELL  
@LOGRANG  
@ROUNDCL  
@ROUNDRG  
@SINCELL  
@SINRANG  
@SQRTCEL  
@SQRTRNG  
@SUMCELS  
@SUMRNGS  
@TANCELL  
@TANRANG

-----  
{windowsoff}{ERR#1246}{GOTO}NUM@246~/FCC{windowson}{panelon}NA11..A11~{NAME}{?}~{PANELOFF}/C~REMOVEA  
{ONERROR AGA@246}{ERR#6246}  
{BRANCH AGA@246}

{windowsoff}{ERR#1246}{GOTO}EXECUTE3@246~{L}{D 12}/C~NUM@246~/C~REMOVEA@246~{RANGERASE@246}{BA  
{ONERROR AGA@246}{ERR#6246}  
{BRANCH AGA@246}

{WINDOWSOFF}{ERR#1246}{RECALC BRNCH@246}{IF @ISERR(BRNCH@246)=1}{WARNING@246}  
{ONERROR AGA@246}{ERR#6246}  
{if @ISAPP("MACROMGR.ADM")=0}/AAMACROMGR~~Q  
/ADMACROMGR~AMACROMGR~~IMACROMGR~L  
ABS-COPY  
~{ESC 3}Q{ESC}

{PANELOFF}/AIMACROMGR~R  
ABS-COPY  
~{PANELON}{BRANCH \Y}



Search-by-Keyword

Search macro name by keyword and RUN Press <ENTER> to activate macro  
{MACROMGR@246}{BRANCH OPTION1@246}

DESCRIPTION@246

FALSE

DESCRIPTION@246

~~~~~

- Copy any range and keep absolute references
- Add data to a database
- Set or cancel automatic attaching and invoking add-ins
- Detach add-ins
- Add the current column's values to the left column's values
- Align the paper before printing
- ANNOTATE cells containing formulas
- Display the ASCII code for a given character
- Save a range as unformatted ASCII file
- Disable the AUTOEXEC \0 macros
- Enable the AUTOEXEC \0 macros
- Disable the BEEP bell in case of error

Sheet1

Enable the BEEP bell in case of error
Center all labels in a range
CENTER a column of titles in middle of screen
Write check's amount in words up to \$99,999,999.99
Set the date/time/file indicator in the lower left corner
Delete a specified number of columns
Insert a column with the column's to the left format
Insert a specified number of columns
View and/or unhide all hidden columns
ELIMINATE completely empty columns in a range
Continuously hide columns
Transpose a columnwised range to rowwised range or wise versa
Change multiple column width continuously
Combine a file from the default directory
Copy a cell every other specified number of rows or columns
Copy the adjacent cell's format
Create multiple copies of a range
Standard and extra special copy options
Cycle the cell pointer through the worksheet corners
Cross multiply two columns
Center a title across the row
Turn a range of date labels into date values
Enter a series of dates
Insert a date function (see the MACROHLP.WK1 macro too)
Insert dates for the future or the past
Write the current time and/or date in the cell
Turn a range of date values into date labels
Calculate the number of days between two dates
Change and update the default drive\directory
Erase all labels in a range
Erase all numbers in a range
Erase all zeros in a range
Document the worksheet
Turn a range of formulas and/or numbers into labels
Find duplicate entries in a column
EDIT a formula using the range names instead of addresses
ERASE from the cell next to the cellpointer to ends of spreadsheet
Make a formula ERROR PROOF
Extract a file to A:, B:, C: and D: to Reduce it's size
Extract a file to A:, B:, C: and D: to Reduce it's size
Delete files from the default directory
Change the DEFAULT FILE/DIRECTORY
List files and view size, creation date and time
file manager that allows activating executable files
Create file names table
Check for file existance and size
Prompt the user for a print footer
Print any range including the column and row headings
Jump with the cellpointer to ends of rows, columns, sheets

Sheet1

Jump to any range in the worksheet
Delete named graphs
Create a named graph
Delete (Reset) all named graph
Create graph names table
Make a named graph the current graph
Assign all graph data ranges (X and A-F) at one step
Assign all graph data labels (for A-F) at one step
Assign all graph legends (A-F) at one step
Assign all graph data labels (A-F) at one step
Assign all graph data ranges (X and A-F) at one step
Assign all graph legends (A-F) at one step
Prompt the user for a print header
Highlight and un-highlight a range
Import a file from the default directory
Indent all labels in a range a specified No. of spaces
Invert a column of numbers or text
Invert a range of numbers or text
JUMP to the ends of row, columns, sheets
Enter all data as labels (labels and numbers or combination)
Start LEARN mode and range
Left align all labels in a range
Edit and save a library macro (*.MLB)
Load a library macro (*.MLB) from the disk
Remove library macros (*.MLB) from the memory
Advance the printer paper one line
Create a range of cell linking formulas
Load *.MLB macros to memory
Turn a range of labels into LOWERCASE form
Clear and reset print margin
Set the margins to NONE
Present a flashing message in the panel area
Present a flashing message in the panel area
Modify all values in a range (Example *5, /7 etc.)
Standard and extra SPECIAL MOVE options
Name the cells down to the current cells
Name the cells left to the current cells
Continuously delete range names using point and shoot method
Extract and split a full name to: First, M.I. and Last name
Name the cells up to the current cells
Name the cells right to the current cells
Control the negative values display
Use the numeric keys pad (NUMLOCK ON) for column entry
Use the numeric keys pad (NUMLOCK ON) for row entry
PAD a cell content with trailing periods [.]
Advance the printer paper one page
PARSE a range of long labels
Automatically PARSE inconsistent text
Enter a phrase into a cell

Sheet1

Print only every other specified number of columns in a range
Print the worksheet including columns and rows headings
Turn a range of labels to Proper form
Print cells as displayed
Print cell formulas
Print selected ranges
A query macro with extract
COMBINE two ranges inside the worksheet
DELETE a range, partial column/row delete
Delete a list of range names, with macro name validity check
Create range names
Delete range names one by one
INSERT a range, partial column/row insert
Create and print a table of all range names
ERASE all the worksheet EXCEPT a specified range
Underline a range, usually is used for underlining rows
Measure range width before printing
Recalc a range
Record and execute keystrokes as they are typed
Remove *.MLB macros from memory
RESTORE all range names after issuing /RNR accidentally
Retrieve a file from the A:, B:, C: and D: drives
Retrieve a file from the default directory
Right align all labels in a range
Round all values in a range
Delete rows in a range containing 0 or empty cells
Delete rows even if the worksheet is protected
Insert a row with the row's above format
Insert a specified number of rows
Insert a duplicate of the row above
Delete a specified number of rows
Completely eliminate empty rows in a range
Insert a ruler for printing measurement
RUN KEY like the one in symphony or 123 version 2.2
Insert the same day for list of months (column or row)
SAVE A FILE with the current name or a new name
Save a file with the current name or a new name
Save a file with a new name to the A: drive
Save file with a new name to the A: drive
Save a file with a new name to the B: drive
Save file with a new name to the B: drive
Set the system time and date from within LOTUS 1-2-3
Set the system time and date from within LOTUS 1-2-3
Change the sign of all numbers in a range
Create graphics slide show
Sort ascending by primary-key only
Sort descending by primary-key only
Sort descending by primary-key and secondary key
Sort descending by primary-key and secondary key

Sheet1

Sort by multiple keys (more than two)
Squeeze a list of column entries (take out blank cells)
Squeeze a list of row entries (take out blank cells)
STRIP leading and trailing spaces from all strings
Subtotal and grand total macro for a database item
An automatic macro to sum and underline a column of numbers
Semi-automatic macro to sum and underline a column of numbers
Switch range places
Write the current time in the cell
Clear titles
Set titles ON
Move the current cell to the top of the screen
Transpose a range in a way that preserves formulas too
Absolute transpose of a range that contains formula/numbers
Underline the current column to one character narrower
UNDERLINE the current label
Disable the UNDO feature
Enable the UNDO feature
Un-indent all labels in a range a specified number of spaces
Delete all range names in a specified range
Turn a range of labels back to formulas and/or numbers
Turn a range of labels into UPPERCASE form
Change all formulas in worksheet into values
Turn a range of formulas to values
Verify range names existence
View the range to be @AVGed, the range is highlighted
View the range to be @COUNTed, the range is highlighted
View the range to be @MAXed, the range is highlighted
View the range to be @MINed, the range is highlighted
View the range to be @STDrd, the range is highlighted
View the range to be @SUMmed, the range is highlighted
View the range to be @VARianced, the range is highlighted
Adjust the column width to the length of the label in cell
Reset current column width to one more than entry width
Reset the width of group of adjacent columns
Change the width of group of adjacent columns
Replace all blanks in a range with zeros
Replace all ERR or NA in a range with zeros
Add zero leads to all numbers in the range
Calculate the @ABS of a value in a cell
Calculate the @ABS of all values in a range
Calculate the @ACOS of a value in a cell
Calculate the @ACOS of all values in a range
Calculate the @ASIN of a value in a cell
Calculate the @ASIN of all values in a range
Calculate the @ATAN of a value in a cell
Calculate the @ATAN of all values in a range
Calculate the @COS of a value in a cell
Calculate the @COS of all values in a range

Sheet1

Calculate the @EXP of a value in a cell
Calculate the @EXP of all values in a range
Calculate the @INT of a value in a cell
Calculate the @INT of all values in a range
Calculate the @LN of a value in a cell
Calculate the @LN of all values in a range
Calculate the @LOG of a value in a cell
Calculate the @LOG of all values in a range
@ROUND a value in a cell
@ROUND all values in a range
Calculate the @SIN of a value in a cell
Calculate the @SIN of all values in a range
Calculate the @SQRT of a value in a cell
Calculate the @SQRT of all value in a range
Sum multiple cells and stay where the formula is
Sum MULTIPLE ranges
Calculate the @TAN of a value in a cell
Calculate the @TAN of all values in a range

Sheet1

Run_quick

Short cut to run a macro. Make sure the macros are in the default directory

```
{MACRORUNA@246}{ONERROR REMOVE1@246}/FCCE@#@@#~  
{RESTART}{BRANCH \Y}
```

View

View the macro and operating instructions

{goto}EXECUTE3@246~{left}{down 2}{ERR#1246}/fccc{windowson}{panelon}{name}{?}~{windowsoff}{pgdn}{up 20}{windows

Sheet1

List

Display names of all files in current directory to verify macro existence

```
/FLO{WINDOWSON}{PANELON}{NAME}{NAME}{?}{ESC 8}~  
{menubran ch MENU#1246}
```


Sheet1

Erase

Remove the macro manager from the worksheet

{goto}MACROMGR@246~{left}{branch REMOVE@246} {Quit}

Quit

Quit the macro manager

{Quit}