

```

//*****
//
// NAME:          WPCH_BO0.WPM
// PURPOSE:      Coach on Creating Quickmark
// AUTHOR:       J. J. Westergren, WPCorp
// Rev Date:    6/07/93
//*****
// Revision History

// 6/7/93  Changes for consistency.
//
Error(off!)
NotFound(off!)
Global(ScrnMode;MsgAdj;DefTitle;CancelMsg;Title)
Global(w;h;hbox;title;action;qkmk;bkmk;mark)//tbox
Global(FakeBtns;HotElement;Savescrn)
select[0]=0

DefTitle="Coach"
Title="Coach" // Main title name
ScrnMode=?ScreenHigh-24
CancelMsg=0
Use("wpchlibr.wpm") // Shared library file
ScreenSetup()
ColorScheme()
MsgAdj=DlgMessage()
OnCancel Call (CancelCoach)

```

```

//*****
//
//  MAIN PROGRAM: Coach
//
//*****
Label (menu1)
Var[1]=0 Var[2]=0
WindowMaximize
Cancel(Off!)
Message(&tbox;1100)
  DlgCreate(Result;DefTitle;DlgNoOK!+DlgNoCancel!+DlgExit!;;w;h)
  DlgControl (CtrlPushButton!;"~Quit...Esc";StyCancel!;w-14;h-2)
  ForNext(x;1;tbox[0])      //Add Welcome Message
    DlgControl(CtrlLabel!;;tbox[x];;2;x+1;w-1;1)
  Endfor

  DlgControl(CtrlRadioButton!;qkmk;"[Bold On]Quickmarks[Bold Off]";;2;10;;2)
  DlgControl(CtrlRadioButton!;bkmk;"[Bold On]Bookmarks[Bold Off]";;2;14;;2)

  DlgEnd
If (Result=-1)
  If(Exists (hypertext))
    Run("wpch_hy0.wpm")
  Endif
  RestoreStates()
  Return
Endif

```

```

/*****
//      QuickMark?
/*****

      If(qkmk)                //QuickMarks
      Go(QuickMarkMenu)
      Else

/*****
//      Bookmark?
/*****

      If(bkmk)                //Bookmarks
      Go(BookmarkMenu)
      Else

      tbox={ "A selection was not made.";
            " ";
            "Choose [Bold On]OK[Bold Off] to return";
            "to the menu.";
            " ";
            }
      Result=MessageBox("Coach",&tbox;2)
      If (Result=0)
      Go(Menu1)
      Endif
      Endif Endif
RETURN

```

```

//*****
//
//  SUBROUTINE: Quickmark Menu
//
//*****
LABEL(QuickMarkMenu)

Var[1]=1 Var[2]=0
WindowMaximize
Cancel(Off!)

    steps={      "Set a QuickMark";
                "Find a Quickmark";
            }
Message(&tbox;1110)

Call(OverviewDlg)           // Overview Dialog
select[0]=Var[0]
ForNext(x;1;Var[0])
    select[x]=Var[x]
Endfor
Go(Quickmarks)

```

```

//*****
//
//  SUBROUTINE: Bookmark Menu
//
//*****
LABEL(BookMarkMenu)
Var[1]=1 Var[2]=0
WindowMaximize
Cancel(Off!)

    steps={      "Set a Bookmark";
                "Find a Bookmark";
    }
Message(&tbox;1120)

Call(OverviewDlg)           // Overview Dialog
select[0]=Var[0]
ForNext(x;1;Var[0])
    select[x]=Var[x]
Endfor
Success=0
Go(Bookmarks)

```

```

*****
//
//      Set a QuickMark?
//
*****
Label(Quickmarks)
  If(select[1])                                //Set QuickMark
    Success=0
    Call(SetQuick)

    If (Success=1)
      Message (&tbox;1001)                    //QuickMark set
      Result=MessageBox("Coach",&tbox;1)
    ELSE
      Message (&tbox;1002)                    //No QuickMark set
      IF(MessageBox("Coach",&tbox;4)<>1)
        Break
      Endif
    Endif
    Break
  Else
    Break
  Endif

```

```

*****
//
// Find a QuickMark?
//
*****
    If(select[2])                //Find QuickMark
        Mark="QuickMark"
        Success=0
        StepNum=1
        Call (FindQuick)
            If (Success=1)
                Message (&tbox;1003)    //QuickMark found
                Result=MessageBox("Coach";&tbox;1)
            ELSE
                Message (&tbox;1004)    //No QuickMark found
                IF(MessageBox("Coach";&tbox;1)<>1)
                    Break
                Endif
            Endif
        Break
    Else
        Break
    Endif
WindowMaximize
RestoreStates()
Return

```

```

//*****
//
// SUBROUTINE: Bookmarks
//
//*****
LABEL(Bookmarks)

//*****
// Create a Bookmark?
//*****

        If(select[1])                //Set Bookmark
            Call(SetBookmark)
        Endif

//*****
// Find a Bookmark?
//*****

        OnNotFound(notfound)
        If(select[2])                //Find Bookmark
            Mark="Bookmark"
            Call(FindBookmark)
            If(Success=1) // and (Mark="QuickMark")
                Message(&tbox;1003)
                Result=MessageBox("Coach",&tbox;1)
            Else If (Success=0)
                Message(&tbox;2004)
                Result=MessageBox("Coach",&tbox;1)
            Endif
        Endif
        RestoreStates()
// DisplayRewrite
        If(Exists (hypertext))
            Run("wpch_hy0.wpm")
        Endif
Return

```



```

//*****
//
// SUBROUTINE: OverviewDlg
//
//*****
Label(OverviewDlg)
  DlgCreate(Result;DefTitle;DlgNoOK!+DlgNoCancel!+DlgExit!;;w;h)
  DlgControl (CtrlPushButton!;;"~Quit...Esc";StyCancel!;w-14;h-2)
  ForNext(x;1;tbox[0]) //Add Welcome Message
    DlgControl(CtrlLabel!;;tbox[x];;2;x;w-1;1)
  Endfor

  Var[0]=steps[0]
  ForNext(x;1;steps[0]) //Add Steps
    DlgControl(CtrlRadioButton!;Var[x];steps[x];;2;x+tbox[0]-1;w-1;2)
  Endfor
  Var[1]=0 Var[2]=0
  DlgEnd
  If (Result=2)
    If(Exists(Hypertext))
      CancelMenus()
      CancelDialogs()
      Run ("WPCH_HY0.WPM")
    Else
      CancelCoach()
    Endif
  Endif
Return

```

```

*****
//
// SUBROUTINE: Set QuickMark
//
*****
Label(SetQuick)

    Message(&tbox;1200)                // Press Ctrl+Q
    FakeIt(DefTitle;&tbox;8;1;0)
    keypress={-8052;}                // Ctrl+Q
    chkcode={-1;}
    Key=DoEdit(1;&chkcode;&keypress) //Wait for Ctrl+Q
    Type (ntoc(-8052))
    WindowMaximize
        If (?LeftCode=-11227)
            Success=1
            Var[1]=0
        Endif
Var[1]=0
RETURN

*****
//
// SUBROUTINE: Find QuickMark
//
*****
Label (FindQuick)

    Message(&tbox;1205)                // Press Ctrl+F
    FakeIt(DefTitle;&tbox;8;1;0)
    keypress={-8063;}                // Ctrl+F
    chkcode={1;}
    Key=DoEdit(1;&chkcode;&keypress) //Wait for Ctrl+F
    Type (ntoc(-8063))
    WindowMaximize
        If (?LeftCode=-11227)
            Success=1
            var[2]=0
        Endif
    Var[2]=0
RETURN

```

```

*****
//
// SUBROUTINE: Set Bookmark
//
*****
Label(SetBookmark)
  Action="set"
  tbox={ "► Place the cursor where you want to set your Bookmark.";
        " ";
        }
  FakeIt(DefTitle;&tbox;3;1;0)

  keypress={-8154;} // F7 key
  chkcode={-1;}
  Key=DoEdit(1;&chkcode;&keypress) //Wait for user to F7
  While(?MouseLeft)
  EndWhile
  WindowMaximize

  Call(BookmarkScreen)

*****
//
// In the Bookmark Dlg Box #232
// Create a Bookmark
//
*****
Result=0 Savescrn=0

While(?Dialog = 232) //Bookmark Dialog
  Message(&tbox;2200) //Choose Create
  x1={ 58; 6; 5;54; //Create, Bookmark,
      } //List, Scroll Bar
  x2={ 70;17;52;54;
      }
  y1={ 8; 5; 6; 6;
      }
  y2={ 8; 5;16;16;
      }
  hotkey={ 99; //c create
          98; //b bookmark
          -768; //List Ntoc(key)
          -768; //Scroll bar Ntoc(key)
          }
  Hotpnt={1;0;0;0}
  helpmsg={ "► Choose [Bold On]Create.";
           " ";
           }

  Switch(?DialogControl)
  CaseOf 0: //OK
    info={ 0; //Control ID

```

```

        232;                //Dialog ID
        0;                  //don't allow arrows
        "Coach";           //Title
        31;                //xpos for Postit
        8;                 //ypos for Postit
        0;                 //Hint button
        "Coach";           //Help title
        0;                 //Restore Screen
        0;                 //Reserved
    }
    accel={ 49;98;         //1 or b for Bookmark
    }
    aclpnt={1;1;}

Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
&helpmsg)

CaseOf 2183:              //Empty List--Create Active
info={ 2183;             //Control ID
        232;            //Dialog ID
        0;              //don't allow arrows
        "Coach";        //title
        31;            //xpos for Postit
        8;             //ypos for Postit
        0;             //Hint button
        "Coach";       //Help Title
        0;             //Restore Screen
        0;             //Reserved
    }
    accel={ 51;99;      //3 or c for create
    }
    aclpnt={1;1;}

Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
&helpmsg)

DEFAULT:                 //Default
info={ ?DialogControl; //Control ID
        232;            //Dialog ID
        0;              //don't allow arrows
        "Coach";        //title
        31;            //xpos for Postit
        8;             //ypos for Postit
        0;             //Hint Button
        "Coach";       //Help Title
        0;             //Restore Screen
        0;             //Reserved
    }
    accel={ 51;99;      //3 or c for create
    }
    aclpnt={1;1;}
    allow={ 0; 2183; 2187;

```

```

    }
    Result=InvalidControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
    &helpmsg;&allow)

```

ENDSwitch

```

*****
//
// In the Create Bookmark Dlg Box #423
//
*****
Result=0    SaveScreen=0

While(?Dialog = 423)    //Create Bookmark Dialog
x1={    48;12;    //OK, Window
}
x2={    56;65;
}
y1={    12;10;
}
y2={ 12;10;
}
hotkey={    -8182; //Enter
           110;    //n Name
}
Hotpnt={    1;1;}

helpmsg={    "► Type the name for your Bookmark,";
            " then choose [Bold On]OK[Bold Off].";
            "";
}
Message(&tbox;2205)
Switch(?DialogControl)
CaseOf 0:
    info={    0;    //Control ID
            423;    //Dialog ID
            0;    //don't allow arrows
            "Coach"; //Title
            5;    //xpos for Postit
            16;    //ypos for Postit
            0;    //Hint button
            "Coach"; //Help Title
            0;    //Restore Screen
            0;    //Reserved
    }
    accel={ 110;    //n for Bookmark Name
           -8182;    //Enter
           -8154;    //Exit
    }
    aclpnt={0;1;1;}

```

```
Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
&helpmsg)
```

```
CaseOf 3927:                                     //Enter bookmark name
```

```
info={ 3927;          //Control ID
      423;           //Dialog ID
      0;            //don't allow arrows
      "Coach";      //title
      5;            //xpos for Postit
      16;           //ypos for Postit
      0;            //Hint button
      "Coach";      //help Title
      0;            //Restore Screen
      0;            //Reserved
    }
accel={ -1;         //
    }
aclpnt={ 0;}
HotElement=2
Message(&tbox;2205)
Result=WinEdControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
&helpmsg)
```

```
DEFAULT:
```

```
info={ ?DialogControl; //Control ID
      423;           //Dialog ID
      0;            //don't allow arrows
      "Coach";      //Title
      5;            //xpos for Postit
      16;           //ypos for Postit
      0;            //Hint Button
      "Coach";      //Help Title
      0;            //Restore Screen
      0;            //Reserved
    }
accel={ 110;        // n for Bookmark Name
    }
aclpnt={ 0;}
allow={0; 3927}
Message(&tbox;2205)
Result=InvalidControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
&helpmsg;&allow)
```

```
ENDSwitch
```

```
While (?Dialog=0)          //Yes/No Dlg--If name in use
x1={ 30;41;                //Yes, No
    }
x2={ 39;49;
    }
```

```

y1={ 13;13;
}
y2={ 13;13;
}
hotkey={ -8182; //Enter
         121; //y Yes
         110; //n No
        }

helpmsg={ "► Choose Yes or No";
          "";
        }

```

```

Message(&tbox;2210)
Switch(?DialogControl)

```

```

CaseOf 2: //On No
info={ 2; //Control ID
      0; //Dialog ID
      0; //don't allow arrows
      "Coach"; //Title
      5; //xpos for Postit
      2; //ypos for Postit
      0; //Help button
      "Coach"; //Help Title
      0; //Restore Screen
      0; //Reserved
    }
accel={ 110;121;//yes or no
}
aclpnt={1;1}
Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel;
&aclpnt; &tbox; &helpmsg)

```

```

CaseOf 4368: //On YES
info={ 4368; //control ID
      0; //Dialog ID
      0; //don't allow arrows
      "Coach"; //title
      5; //xpos for Postit
      2; //ypos for Postit
      0; //Help button
      "Coach"; //Help title
      0; //Restore Screen
      0; //Reserved
    }
accel={ 110;121; //yes or no
}
aclpnt={1;1}
Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel;
&aclpnt; &tbox; &helpmsg)

```

```

        DEFAULT:
        info={ ?DialogControl; //Control ID
              0; //Dialog ID
              0; //don't allow arrows
              "Coach"; //Title
              5; //xpos for Postit
              2; //ypos for Postit
              0; //Help button
              "Coach"; //Help Title
              0; //Restore Screen
              0; //Reserved
        }
        accel={ 110;121 //n or yes
        }
        aclpnt={1;1;}
        allow={2;4368;}
        Result=InvalidControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel;
        &aclpnt; &tbox; &helpmsg; &allow)
    ENDSwitch
    EndWhile //end Dlg 0, Yes/No Dlg
    DisplayRewrite
    EndWhile //end dlg 423, Create Bookmark Dlg
    DisplayRewrite

    EndWhile //end Dlg 232, Bookmark Dlg
    DisplayRewrite

If (?LeftCode=-11227)
    Success=1
Endif

If (Success=1)
// DisplayRewrite
    Message(&tbox;2001) //Bookmark created
    Result=MessageBox("Coach",&tbox;3)
    If(Result=1)
        Go(SetBookmark)
    Else
    If(Result=2)
// Return
        Message(&tbox;2011)
        Result=MessageBox("Coach",&tbox;1)
    Endif Endif
ELSE
    Message(&tbox;2002) //No Bookmark Created
    IF(MessageBox("Coach",&tbox;4)<>1)
        Break
    Endif
Endif
RETURN

```



```
//*****  
//  
// SUBROUTINE: Find Bookmark  
//  
//*****  
Label(FindBookmark)  
Action="find"  
    Call(BookmarkScreen)
```

```

*****
//
// In the Bookmark Dlg Box #232
//
*****
x1={ 58; 5;58; 6; //Find, List,
      } //Name Search, Bookmark
x2={ 65;54;72;17;
      }
y1={ 6; 6;12; 5;
      }
y2={ 6;16;12; 5;
      }
hotkey={ 49; //1 Find
        -1; //1 Bookmark
        110; //N Name search
        49; //1 bookmark
      }

HotPnt={ 0;0;0;0;0;}
helpmsg={ "Highlight Bookmark to find,";
          "then select [Bold On]Find[Bold Off].";
          ""};
      }
Result=0 SaveScnr=0
Message(&tbox;2215)
While(?Dialog = 232) //Bookmark Dlg Box
  If (Result="Hint")
    Message(&hbox;6015)
    Hint=Hint(&hbox;-99;-99;4)
  Endif
  Switch(?DialogControl)

    CaseOf 0: //OK
      info={ 0; //Control ID
            232; //Dialog ID
            0; //don't allow arrows
            "Coach"; //title
            5; //xpos for Postit
            16; //ypos for Postit
            0; //Hint button
            "Coach"; //Help Title
            0; //Restore Screen
            0; //Reserved
          }
      accel={ 49;98; //1 or B for Bookmark
            }
      aclpnt={1;1;}
      Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &actpnt;
        &tbox; &helpmsg)

    CaseOf 2183: //Empty List

```

```

Message(&tbox;2004)
Result=MessageBox("Coach",&tbox;2)
If(Result=-1)
    If(Exists(Hypertext))
        CancelMenus()
        CancelDialogs()
        Run ("WPCH_HY0.WPM")
    Else
        CancelCoach()
    Endif

    CancelCoach()
Else
    CancelDialogs()
    Go(BookMarkMenu)
Endif

CaseOf 2181:
    info={ 2181; //in list on an item
           232; //Control ID
           0; //Dialog ID
           "Coach"; //don't allow arrows
           5; //Title
           16; //xpos for Postit
           1; //ypos for Postit
           "Coach"; //Hint button
           0; //Help title
           0; //Restore Screen
           0; //Reserved
        }
    accel={ 49;102; //1 or f for Find,
            110; //N Name search
        }
    aclpnt={ 1;1;0}
    If(((?List=1) AND (?Entry="QuickMark")) OR (?List=0))
        Message(&tbox;2405)
    Endif
    Result=LstBxControl (&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
    &helpmsg)

CaseOf 2187:
    info={ 2187; //3 Name Search
           232; //Control ID
           0; //Dialog ID
           "Coach"; //Title
           5; //xpos for Postit
           16; //ypos for Postit
           0; //Hint button
           "Coach"; //Help Title
           0; //Restore Screen
           0; //Reserved
        }
    accel={ -1;

```

```

    }
    aclpnt={0;}
    HotElement=4
    Result=WinEdControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
    &helpmsg)

```

DEFAULT:

```

    info={ ?DialogControl;           //Control ID
           232;                       //Dialog ID
           0;                          //don't allow arrows
           "Coach";                     //Title
           5;                           //xpos for Postit
           16;                          //ypos for Postit
           0;                            //Hint button
           "Coach";                     //Help Title
           0;                            //Restore Screen
           0;                            //Reserved
    }
    accel={ 49;102; //1 or f for Find,
            110;   //N Name search
    }
    aclpnt={1;1;0}
    allow={0;2187;2181}
    Result=InvalidControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt; &tbox;
    &helpmsg; &allow)

```

ENDSwitch

EndWhile

DisplayRewrite

If (?LeftCode=-11227)

Success=1

Var[4]=0

Endif

RETURN

//

// SUBROUTINE: BookMarkScreen

//

Label(BookMarkScreen)

//Set menu variables

hbox1= {"Choose [Bold On]Edit[Bold Off].";

}

hbox2= {"Choose [Bold On]Bookmark[Bold Off].";

}

hbox3= {-1}

EditMenu(&valid)

allow= { 1500;} //Bookmark

exallow= {0;}

```

accel=      {          107;}          //k Bookmark
exaccel={0;}
NoSubMenu(&subval;&subacl;&exsubacl;&subs)
funkey={-8132;-7149;}          //Alt+F5 or Shift+F12
paint={0;0;}

```

Repeat

```

DisplayRewrite
Message(&tbox;2225)          //Choose Edit, Bookmark
Result=PostIt("Coach";&tbox;45;14;0;2;0)

```

```

SaveScrn=0
MenuActive=0
sbox=      {"Choose [Bold On]Bookmark.";}
}
Show=HotSpot(0;0;62;0;-544;&funkey;1)

```

Switch(Show) //Creating Bookmark

```
// *****
```

```
// User chooses Show Me
```

```
// *****
```

```

CaseOf 1:
    Result=Postit("Coach";&tbox;45;14;0;3;0)
    While (?MouseLeft)
    Endwhile
    ShowMenu("Coach";&sbox;22;14;1;14;0;0)

```

```
// *****
```

```
// User chooses Edit
```

```
// *****
```

```
CaseOf 1475:          // User chooses Edit
```

```
// *****
```

```
// User presses Alt+E
```

```
// *****
```

```

CaseOf -544:          // User pressed Alt+E
    Result=Postit("Coach";&tbox;45;14;0;3;0)
    PullDownDlg
    Type("e")

```

```
// *****
```

```
// User Presses Shift+F12
```

```
// Bookmark Dlg Box
```

```
// *****
```

```

CaseOf -7149:
    BookmarkDlg
    Return

```

```
// *****
```

```
// User Presses Alt+F5
```

```
// Mark Dialog Box
//*****
CaseOf -8132: // User pressed Alt+F5
MarkTextDlg
Call(MarkDlgBox)
RETURN
```

```

// *****
// User presses Alt-=
// *****
CaseOf -8085:                                // User pressed Alt+=
    Result=PostIt("Coach";&tbox;45;14;0;3;0)
    MenuActive=MenuBarControl ("Coach" ;&hbox1; &sbox; 22; 14; 101;&funkey)

// *****
// No Choice
// *****
DEFAULT:                                     // Default
    MenuActive=MenuBarControl ("Coach"; &hbox1; &sbox; 22; 14; 101;&funkey)

ENDSwitch

If(Show<>-8132 or Show<>-7149)
    Result=MenuControl (&hbox1; &hbox2; &hbox3;&valid; &allow; &exallow; &accel; &exaccel;
        &subval; &subacl; &exsubacl; &subs; &funkey)
    MenuActive=Result
Endif

Until (MenuActive<>-1)
If (?Dialog<>232)
    CancelMenus()
    BookmarkDlg
Endif

RETURN

```

```

*****
//
// SUBROUTINE: MarkDlgBox
//
*****
Label (MarkDlgBox)
If (Show=-8132)
    x1={ 10;51;          //Bookmark, OK
    }
    x2={ 21;59;
    }
    y1={ 16;20;
    }
    y2={ 16;20;
    }
    Hotkey={ 98;    //b Bookmark
            -8182; //Enter for OK
    }
    HelpMsg={"Choose Bookmark."}
    hbox={" "}

Result=0 SaveScrn=0
Message(&tbox;2230)
While(?Dialog = 487) //Mark Dlg
    Switch(?DialogControl

        CaseOf 0:          //OK
            info={ 0;          //Control ID
                487;          //Dialog ID
                0;            //don't allow arrows
                "Coach";      //Title
                5;            //xpos for Postit
                11;           //ypos for Postit
                0;            //Hint button
                "Coach";      //title
                0;            //Restore Screen
                0;            //Reserved
            }
            accel={ 98;53;    //B or 5 for Bookmark
            }
            aclpnt={ 1;1;}
            Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt;
                &tbox; &helpmsg)

        CaseOf 729:        //5 Bookmark
            info={ 729;      //Control ID
                487;          //Dialog ID
                0;            //don't allow arrows
                "Coach";      //Title
                5;            //xpos for Postit
                11;           //ypos for Postit
                0;            //Hint button

```



```

        "Coach";                //Help Title
        0;                      //Restore Screen
        0;                      //Reserved
    }
    accel={ 98;53;              //B or 5 for Bookmark
    }
    aclpnt={ 1;1;}
    Result=ButtonControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt;
    &tbox; &helpmsg)

DEFAULT:                      //Any other items on menu
    info={ ?DialogControl;     //Control ID
        487;                   //Dialog ID
        0;                     //don't allow arrows
        "Coach";               //Title
        5;                     //xpos for Postit
        11;                    //ypos for Postit
        0;                     //Hint button
        "Coach";               //Help Title
        0;                     //Restore Screen
        0;                     //Reserved
    }

    accel={ 98;53;              //B or 5 for Bookmark
    }
    aclpnt={ 1;1;}
    allow={729;0;}
    Result=InvalidControl(&info; &x1; &x2; &y1; &y2; &hotkey; &hotpnt; &accel; &aclpnt;
    &tbox; &helpmsg;&allow)

    ENDSwitch
DisplayRewrite
    EndWhile

Endif
RETURN

```

```
//*****  
//  
// SUBROUTINE: No Mark Found  
//  
//*****  
LABEL (NotFound)  
    Success=0  
    WindowMaximize  
RETURN
```

```

//*****
//
// PROCEDURE: Message
//           WPCB_BO0.WPM
//           Bookmarks
//
//*****
PROCEDURE MESSAGE (&tbox;Msg)

Switch(Msg)
//*****Messages for Quickmarks
  CaseOf 1001:
    Tbox={ "Your QuickMark is set. To find your QuickMark later on,";
           "press [Bold On]Ctrl-F[Bold Off].";
           " ";
           "Your QuickMark is temporary; it will be removed when you";
           "exit your document. Use a Bookmark rather than a";
           "QuickMark when you want a permanent mark in your document.";
           " ";
           }

  CaseOf 1002:
    Tbox={ "Somehow no QuickMark was placed in your document. ";
           " ";
           }

  CaseOf 1003:
    tbox={ "The cursor is now next to your "+ mark+ ".";
           " ";
           "You can see the "+mark+" code in your document by ";
           "choosing [Bold On]View[Bold Off], then [Bold On]Reveal Codes[Bold Off] or by pressing";
           "[Bold On]Alt+F3[Bold Off].";
           " ";
           }

  CaseOf 1004:
    Tbox={ "No QuickMark was found in your document.";
           " ";
           }

  CaseOf 1100:
    w=56 h=21
    tbox={ " [Bold On]Setting and Finding Bookmarks[Bold Off]";
           " ";
           "You can place Bookmarks in your document so that";
           "you can quickly return to specific places.";
           " ";
           "There are two kinds of bookmarks. Choose the";
           "bookmark you need.";
           " ";
           " --used for rapidly returning";
    }

```

```

        "        to one specific place after your work";
        "        has been interrupted. ";
        " ";
        "        --used for tagging a number";
        "        of places in your document you would";
        "        like to return to later, and for ";
        "        Hypertext Links.";
        " ";
    }
CaseOf 1110:
    w=35 h=9
    tbox={ "Would you like to set or find";
           "a QuickMark?";
           " ";
           " ";
        }

CaseOf 1120:
    w=35 h=9
    tbox={ "Would you like to set or find";
           "a Bookmark?";
           " ";
           " ";
        }

CaseOf 1200:
           //Insert Quick BookMark
    Tbox={ "To set a QuickMark:";
           " ";
           "► Place the cursor where you want your QuickMark.";
           "► Press [Bold On]Ctrl+Q[Bold Off].";
           " ";
        }

CaseOf 1205:
           //Find Quick BookMark
    tbox={ "To find a QuickMark:";
           " ";
           "► Press [Bold On]Ctrl+F[Bold Off].";
           " ";
        }

//*****Messages for Bookmarks
CaseOf 2001:
    Tbox={ "Your Bookmark is now set. Would you like";
           "to set another Bookmark?";
           " ";
        }

CaseOf 2002:
    Tbox={ "Somehow no Bookmark was placed in your ";
           "document. Would you like to try again?";
           " ";
    }

```

```
}
```

CaseOf 2004:

```
tbox={ "There are no Bookmarks in your document. ";
      " ";
}
```

CaseOf 2011:

```
tbox={ "Your Bookmark is now set. To find your Bookmark";
      "later on, choose [Bold On]Bookmark[Bold Off] again from the [Bold On]Edit[Bold Off]";
      "menu, and select the appropriate Bookmark.";
      " ";
      "You can see the Bookmark code in your document by ";
      "choosing [Bold On]View[Bold Off], then [Bold On]Reveal Codes[Bold Off] or by pressing";
      "[Bold On]Alt+F3[Bold Off].";
      " ";
}
```

CaseOf 2200:

```
tbox={ "► Choose [Bold On]Create[Bold Off].";
      " ";
}
```

CaseOf 2205:

```
tbox={ "► Type a name for your Bookmark.";
      "► Choose [Bold On]OK[Bold Off].";
}
```

CaseOf 2210:

```
tbox={ "The name you typed is already used as a Bookmark. ";
      "► Choose [Bold On]Yes[Bold Off] to replace the old Bookmark or [Bold On]No[Bold Off] to";
      " type a different name.";
      " ";
}
```

CaseOf 2215:

```
tbox={ "► Highlight the Bookmark you want.";
      "► Choose [Bold On]Find[Bold Off].";
      " ";
}
```

CaseOf 2220:

```
tbox={ "There are no Bookmarks in this document.";
      " ";
}
```

CaseOf 2225: //Choose Edit, Bookmark

```
tbox={ "To "+action+" a Bookmark.";
      " ";
      "► Choose [Bold On]Edit[Bold Off].";
      " then [Bold On]Bookmark[Bold Off].";
}
```

```
        " -or-";
        "► Press [Bold On]Shift+F12[Bold Off].";
        "";
    }
}
```

CaseOf 2230:

```
tbox={ "► Select [Bold On]Bookmark[Bold Off].";
        " ";
    }
```

CaseOf 2405:

```
Mark="QuickMark"
tbox={ "There are no Bookmarks in the document, but there is";
        "a Quickmark. ";
        " ";
        "► Choose [Bold On]Find[Bold Off] to find the Quickmark.";
        " ";
    }
```

DEFAULT:

```
Tbox={ "No message is available for this dialog.";
        " ";
    }
```

```
hbox={ "No hint is available. What type of information";
        "would be useful here?";
        " ";
    }
```

ENDSwitch

ENDPROC