

“ú- {Āĕ MS-Windows ‘Ī%ž Adobe Photoshop 2.5J  
;”“Ç,Ý,,¾,¾,ç

,±,ì’—p,É,ÍA Adobe Photoshop 2.5J ,ÉŠÖ,μ,Ä,ì^È%º,ì,æ,κ,ÈÁVî•ñ,ªŠÜ,Ü,ê,Ä,ç  
,Ü,·B- {f\ftfgfEjFfAfAvfšP[fVf†f” ,ìfCf“fXfg[f<, ,æ,Ñ<N“ ®•û-@,É,Ä,ç  
,Ä,ÍA•t® ,ìft[fUfKfCfh,ìu ,í,¶,β,É v,ìà-¾,ðŽQÆ,μ,Ä,,¾,¾,çB

- i fpftfH[f}f“fX,ìĀĕüã,Æff,fš,ìš,,è“- ,Ä
- i “ú- {Āĕ MS-Windows ,ìftf|[fg
- i fXfLffffi,ìftf|[fg
- i Kodak XLPrint Šg’£<@\f,fWf...[f<,É,Ä,ç,Ä
- i fCf“fXfg[f<,É,Ä,ç,Ä
- i ADOBEMSE.DRV ,É,Ä,ç,Ä
- i fJf%º[fpfĀfbfg“à,ìfXfNf%ºfbf`fGfšfA,ìœ<Ž
- i ftfBf<f^ ,É,Ä,ç,Ä
- i JPEG f,fWf...[f<,É,Ä,ç,Ä
- i f%ºfCf“fc[f<,É,Ä,ç,Ä
- i fpfX,É,Ä,ç,Ä
- i Š’^ªfyf“ ,ìŽg—p,É,Ä,ç,Ä
- i fvfšf“fg,É,Ä,ç,Ä
- i fXfNf[f<Žž,ì%ºæ-ÈÄ•`%ºæ,É,Ä,ç,Ä
- i <<ŠEü,ì,ÍA,«,è,μ,½’È%º~Āĕ ,ì’I’ð”Í’Í,ìì-
- i •¶Žšf\_fCfAffOf{fbfNfX,É,Ä,ç,Ä
- i ‘€ì,ìfLffff“fZf<
- i %º¾’z<L%º`fffBfXfN,ì“à—e,ìœ<Ž
- i u fXf%ºfCf\_ v<@\Šg’£f,fWf...[f<,ìŽg—p,É,Ä,ç,Ä
- i ftf@fCf<,ì’¾,ìfAvfšP[fVf†f“ ,Ö,ìo—Í
- i Adobe Illustreator ftf@fCf<,Æ~a•¶ftfHf“fg,É,Ä,ç,Ä
- i frfffflfhf%ºfCfo,ìĀĕÝŠ·«
- i fvfšf“f^fhf%ºfCfo,ìĀĕÝŠ·«
- i fffBfXfN^ªk\ftfgfEjFfA,ìĀĕÝŠ·«
- i fJfXf^f€frfffflf{[fh<@\Šg’£f,fWf...[f<,ìŽg—p,É,Ä,ç,Ä
- i ^óüšÄ<<,É,Ä,ç,Ä
- i CMYK ,ìF•ª%ºð,É,Ä,ç,Ä
- i fR[fi[fgf“f{ ,É,Ä,ç,Ä
- i %º¾’z<L%º`^ªk,É,Ä,ç,Ä

fpftfH[f}f“fX,ìĀĕüã,Æff,fš,ìš,,è“- ,Ä

fpftfH[f}f“fX,ìĀĕüã,Æff,fš,ìš,,è“- ,ÄfpftfH[f}f“fX,ìĀĕüã,ð}  
,èA’â,«,ÉfTfCfY,ìfCf[fW,ðš],ç,Ä,ì<Æ,ð,Æ,Ç,±, ,è,È,s,ì,é,æ,κ,É, ,é,½,β,ÉAAdobe

Photoshop ,Á,ÍA ^êŽŽ,Ü,½,ÍÝ,ìfXffbfvftf@fCf<,É,æ,Á,Ä'ñ<ÿ,³,ê,é"ú-{CEê MS-Windows ,ì%¼'z<L%¯,ÌŽg—p,μ,Ä,ç,Ü,¹,ñB,±,ìfZfNfVfjff",Á,ÍAAdobe Photoshop ,Á,ìff,fŠ,ìŽg,í,ê•û,ÆÁ"K,ÈfpftfH[f]f"fX,ðŽÀCE»,·,é,½,β,ìfVfXfef€\—,É,Á,ç,Äà-¾,μ,Ü,·B

%¼'z<L%¯ffBfXfN,Éfflf^,ð^Ú"®¹,·,ÉfCf[fW,É'í,μ,Ä,ì<Æ,ðs,π,½,β,É,ÍAAdobe Photoshop ,É,ÍAì<Æ,ðs,Á,Ä,ç,éftf@fCf<fTfCfY,ì,R" {,©,ç,T" {,ì RAM —e—É,ª•K—v,Æ,È,è,Ü,·B%¼'z<L%¯ffBfXfN,ÉŠÖ,·,éÚ×,ÍA•t'®,ìw Adobe Photshop 2.5] ft[fUfKfCfh x,ðŽQÆ,μ,Ä,,¾,³,çB

Á"K,ÈfpftfH[f]f"fX,ðŽÀCE»,·,é,½,β,É,ÍA"ú-{CEê MS-Windows ,ª 386 fGf"fnf"fXfhf,[fh,Á"®ì,μ,Ä,ç,é,±,Æ,ðŠm"F,μ,Ä,©,ç Adobe Photoshop ,ðŽg—p,·,é,æ,π,É,μ,Ä,,¾,³,çBAdobe Photoshop ,ð•W€f,[fh,ÁŽg—p,μ,½,çê±,É,ÍA'¼,ìfAfvfŠfP[fVfjff",ª•Á,¶,½ó'Ô,Á Adobe Photoshop ,ðŽg—p,·,é,©A,Ü,½,Í Adobe Photoshop ,ÉŠ,,,è"—,Ä,éff,fŠ—É,ðCE,,ç,·i ^È%º,Äà-¾,μ,Ü,·j,±,Æ,ð, "Š©,β,μ,Ü,·B,±,ìfZfNfVfjff",ÍAŽâ,Æ,μ,Ä"ú-{CEê MS-Windows ,ª 386 fGf"fnf"fXfhf,[fh,Á"®ì,μ,Ä,ç,é,±,Æ,ð'O'ñ,É',©,ê,Ä,ç,Ü,·B

Adobe Photoshop ,ð<N"®·,é,ÆAfVfXfef€,ÁŽg—p,Á,«,é RAM —e—É,ªŠm"F,³,è,Ü,·BAdobe Photoshop ,Á,ÍA SmartDrive ,â RAM disks ,È,Ç,ìffBfXfNfLfffbfVf...f\ftfgfEfFfAA,Ü,½,Í Windows flfyfCE[fefBf"fOfVfXfef€,ðŠÜ,β RAM ,ðŽ-'O,ÉŽg—p,·,é,»,ì'¼,ìf\ftfgfEfFfA,ÁŽg—p,³,è,Ä,ç,é RAM ,ðfCf"fXfg[f<,³,è,Ä,ç,é RAM ,©,ç^ø,ç,½CE<%ºÉ,ðŽg—p,Á,«,é RAM ,Æ,μ,ÄCEvŽZ,μ,Ü,·B,±,ìCE<%ºÉ,ª Adobe Photoshop ,ÁŽg—p,Á,«,é RAM —e—É,Á,·BAdobe Photoshop ,ì%ŠúÝ'è,Á,ÍA,±,ì'l,ì 100% ,ì—É,ðfvffOf%ºf€,ìŽg—p,ÉŠ,,,è"—,Ä,é,±,Æ,É,æ,Á,ÄfpftfH[f]f"fX,ìÁ'âCEÀ,ìCEüä,ð},Á,Ä,ç,Ü,·B

Adobe Photoshop ,ð<N"®,μ,Ä,©,çfVfXfef€ ,ìfpftfH[f]f"fX,ìfCEfxf<,ðÁ'âCEÀ,É•Ü,Á,½,β,É,ÍA"ú-{CEê MS-Windows ,ª,»,ì'¼,ìfAfvfŠfP[fVfjff",ì<N"®,âfvfŠf"fg,È,Ç,ì"ú-{CEê MS-Windows ,ì'€ì,É•K—v,È RAM ,ðŠm•Ü,·,é,½,β,É Adobe Photoshop ,ðfXffbfvfvfAfEfg,·,é,ì,É\ª,È%¼'z<L%¯—e—É,ªfVfXfef€,É, ,é,±,Æ,ª—v<,³,è,Ü,·BfpftfH[f]f"fX,ðÁ'âCEÀ,ìfCEfxf<,É^ø,«ã,º,é,½,β,É,ÍAÍÝfXffbfvftf@fCf<,ìTfCfY,ðÁ'á,Á,âfVfXfef€,ÉfCf"fXfg[f<,³,è,Ä,ç,é RAM —e—É,Æ"—,¶,© 8 MB ,ì,Ç,ì,ç,©'â,«,ç•û,É±,π,æ,π,É'²β,·,é,±,Æ,ð, "Š©,β,μ,Ü,·B%º,β,Ä Adobe Photoshop ,ð<N"®,·,é,É,ÍA,±,ìfXffbfvftf@fCf<,ìTfCfY,ðŽ©"®"l,ÉŠm"F,³,èA%¼'z<L%¯,ð•IX,·,éK—v,ª, ,éê±,É,ÍACExfbfZ[fW,ª•\Žì,³,è,Ü,·B

fVfXfef€\—ã,ì—R,©,çAÍÝfXffbfvftf@fCf<,ìTfCfY,ð',â,·,± ,Æ,ª,Á,«,È,çê±,É,ÍAPhotoshop ,ÁŽg—p,³,è,é RAM ,ìŠ,,,è"—,Ä,ðCE,,ç,μ,Ü,·B,±,è,ðs,π,½,β,É,ÍAPhotoshop ,ð<N"®,μAŠÀ<«ÿ'èTfuffjf...[,©,çu %¼'z<L%¯...

v,đ'í'đ,μ,Ü,·B·K—v,É%ž,¶,Ä RAM ,ìš,,è“-,Ä,đ'²β,μ,ÄfAfvfšP[fVf#f“ ,đi—  
¹,μ,Ü,·B,» ,ìCEãA·ìX“ \_ ,ª—LCEø,É,È,é,æ,π,ÉAPhotoshop ,đÄ<N“ ®,μ,Ü,·B,±  
,ì'í,đ'²β,·,é,±,Æ,É,æ,Á,Ä Adobe Photoshop ,ìfpftfH[f]f“fX,í'á  
%º,μ,Ü,·,ªAPhotoshop ,đšÜ,þ·ì” ,ìfAfvfšP[fVf#f“ ,đ“ ˘ Žž,ÉŽg—p,·,é,±,Æ,ª—  
e^Ö,É,È,éê±,ª ,è,Ü,·B

fVfXfef€ ,ÉfCf“fXfg[f<,³,é,Ä,ç,é RAM ,ì—É,đ',â,·,±,Æ,É,æ,èAAdobe Photoshop  
,ìfpftfH[f]f“fX,í'~ ,μ,CEüã,·,é,±,Æ,ª¼ŽĐ,ìfefXfg,Å—šø,³,é,Ä,ç,Ü,·BAdobe  
Photoshop ,Æ“ú—{CEê MS-Windows ,ìfpftfH[f]f“fX,í'~ ,μ,çCEüã,ªCE©,ç,é,é,ì,íA32  
MB ,©,ç 256 MB ,ì RAM ,ªfCf“fXfg[f<,³,é,Ä,ç,éVfXfef€ã,Å,·B,±,é,íA,æ,è'½,,ì RAM  
,ª“ú—{CEê MS-Windows ,Æ'¼,ìfAfvfšP[fVf#f“ ,ÅŽg—p,Å,«,é,æ,π,É,È,é,½,β,Å,·B  
%º¼'z<L%º\_fffBfXfN,đ RAM fffBfXfNä,Éì¬,·,é,±,Æ,íAfpftfH[f]f“fX,í'á  
%ºº,đ,à,½,ç,·,˘,» ,é,è,ª ,é,ì,ÅA,˘š©,β,Å,«,Ü,¹,ñB

“ú—{CEê MS-Windows ,ìfTf|[fg

Adobe Photoshop ,íA“ú—{CEê MS-Windows ,ì 386 fGf“fnf“fXfhf,ìfh,ÅŽg—p,·,é,±  
,Æ,đ,˘š©,β,μ,Ü,·B“ú—{CEê MS-Windows ,ìW€f,ìfh,Å,ìŽg—p,íAftf@fCf<,đšJ,<@“\,â  
JPEG ^³k,Ü,½,í MacPaint“ ftf@fCf<,Æ,μ,Äftf@fCf<,đ·Ü'¶,·,é<@“\,È,Ç,ªŽg,ì,È,-  
,È,è,Ü,·B,Ü,½AAdobe Photoshop ,ªfVfXfef€ ,ÉfCf“fXfg[f<,³,é,Ä,ç,é RAM ,ìê•” ,đŽg  
—p,Å,«,È,,È,è,Ü,·B

Adobe Photoshop ,Á,íAWindows Object Linking and Embeddingi OLE j,Ü,½,í  
Dynamic Data Exchangei DDE j,ìfTf|[fg,³,é,Ä,ç,Ü,¹,ñB

fXfLfffi,ìfTf|[fg

Adobe Photoshop ,Á,íAfCf[fW“ü—í,ì,½,β,ì TWAIN Žd—í,Æ 100%  
CEÝš«,ì ,é'S<@Ží,ìfXfLfffi,đfTf|[fg,μ,Ä,ç,Ü,·B,Ü,½AfXfLfffi,ìf[j],É,æ,Á,Ä,íAAdobe  
Photoshop ,ìfvf%ºOfCf“ftfBf<f^ ,đ%ºî,μ,Ä'¼Ú Adobe Photoshop ,Æ,ìfCf“f^ftfF[fX,ª  
%ºÄ“\,È“ü—í—pfvf%ºOfCf“f,fWf...[f<,đ»'ç,μ,Ä,ç,Ü,·BfXfLfffi,đ Adobe Photoshop  
,ÅŽg,ì,é,æ,π,ÉÝè,·,éê±,ìÚ×,É,Ä,ç,Ä,íA·t'® ,ìft[fUfKfCfh,˘,æ,ñfXfLfffi,ìf}ffj...fAf<—  
þ,đŽQÆ,μ,Ä,,¾,¾,çBfXfLfffi,ìf[j],ª TWAIN f[fXf,fWf...[f<,Ü,½,í Adobe Photoshop  
,Á'¼ÚŽd—í,Å,«,évf%ºOfCf“f,fWf...[f<,đ'ñ<ÿ,μ,Ä,ç,È,çê±,É,íAfXfLfffi,ìf[j],É-  
â,ç±,í,¹AÄV,ìftf@[f€fEfFfA,âfXfLfffi,fhf%ºCfo,đ“üŽè,·,é,æ,π,É,μ,Ä,,¾,¾,çB

Kodak XLPrint <@“\šg'£f,fWf...[f<,É,Ä,ç,Ä  
w Adobe Photoshop 2.5] ft[fUfKfCfh x,ìu ,í,¶,β,É v,É<Lq,³,é,Ä,ç,é,±,ì<@“\  
šg'£f,fWf...[f<,íAAdobe Photoshop 2.5] ,ìo  
%º×žž,É,í,Ü,¾¼“üŽè,Å,«,É,çó'Ô,Å,μ,½BXL7720 ,Ü,½,í XL7700 —p,ì Kodak XLPrint  
<@“\šg'£f,fWf...[f<,ì“üŽè,É,Ä,ç,Ä,íAKodak ŽĐ,ìfjXf^f}][fT[frfX•” -â,É,˘ -â,ç±,í,¹,-

,3/4,3,çB

fCf“fXfglfç,É,Â,ç,Ä

fTlfhfp[fefB»,lfffXfNfgfbfv,Ü,½,Í Norton Desktop ,È,Ç,lfvffOf %of€f}fl[fWffl,É,æ,Á,Ä,ÍAdobe Photoshop ,lfvffOf%of€,“æ,Ñu README vAfCfRf“,ð’Ç%oÁ,Á,«,È,ç,±,Æ,ª, ,è,Ü,·BfvffOf%of€f}fl[fWffl,ì’ä— p,Æ,È,éfAfvfŠfP[fVf#f“ ,ðŽg—p,µ,Ä,ç,éê±,É,ÍÁ’ä—p,lfAfvfŠfP[fVf#f“,lă,ÁfvffOf %of€f}fl[fWffl,ð<N“ ®,µ,Ä,©,çASETUP fvffOf%of€,ð<N“ ®,·,é,±,Æ,ð,“Š©,ß,µ,Ü,·B

’ä—p,lfAfvfŠfP[fVf#f“ ä,ÁfvffOf%of€f}fl[fWffl,ð<N“ ®,·,é,É,ÍF

1. ftf@fCf<f}fl[fWffl,ðŠ],«,Ü,·B
2. Windows fffBfçEfNfgfŠ“à,Á PROGRAMAN.EXE ftf@fCf<,ðf\_fuf<fNfŠfbfN,µ,ÄAfvffOf%of€f}fl[fWffl,ð<N“ ®,µ,Ü,·B
3. fvffOf%of€f}fl[fWffl,lfAfvfŠfP“ffjf...l,©,çu ftf@fCf<-¼,ðŽw’è,µ,ÄŽÀs... v,ð’l’ð,µ,Ü,·Bftf@fCf<-¼,ðŽw’è,µ,ÄŽÀsf\_cfAffOf{fbfNfX,Áu A:\SETUP vi ,Ü,½,Íu B:\ vBA: ,Ü,½,Í B: ,ÍŽg—p,µ,Ä,ç,éfnlfhfhf%ofCfu,ðŽw,µ,Ü,·Bj,±,ì’è,É,æ,Á,Ä Adobe fOf<[fv,ªi—,³,éA,±,lfOf<[fv,ì’†,ÉfvffOf%of€,Æu ,““Ç,Ý,,¾,¾,ç v,ì,Q,Ä,lfAfvfŠfP“,ª³,µ,- “z’u,³,è,Ü,·B

ADOBEMSE.DRV ,É,Â,ç,Ä

Adobe Photoshop ,Á,ÍASYSTEM.INI ftf@fCf<“à,É ADOBEMSE.DRV fhf %ofCfo,ªfCf“fXfglfç,³,è,Ü,·B,±,lfhf%ofCfo,ÍAdobe Photoshop ,Æ,»,ì’¼,lfAfvfŠfP[fVf#f“,Ás,xfyfCf“fg,È,Ç,lj}fEfX,É,æ,é’è,ð,æ,è,·,Ý,â,©,ÁŠm,É,µ, Ü,·BDOS ,lŠÁ<«%oº,Á Microsoft” f}fEfXfhf%ofCfo,ðŽg—p,µ,Ä,ç,éê±,É,ÍAfhf %ofCfo,ì“ú•t,ª 1992/3/10 ^È~ ,É,È,Á,Ä,ç,é,±,Æ,ÆA,±,lfhf%ofCfo,ði CONFIG.SYS “à,ì MOUSE.SYS fhf%ofCfo,© AUTOEXEC.BAT “à,ì MOUSE.COM fhf%ofCfo,ðŽg— p,µ,Ä js—,ì /Y fXfCfbf` ,ð•t, ,Á“Ç,Ýž,Ý,Ü,·B,±,lfXfCfbf` ,ìY’è,É,æ,Á,ÄAf}fEfX,ªftf| [fg,³,è,Ä,ç,é DOS ,lfAfvfŠfP[fVf#f“,ð“ú—{çè MS-Windows ä,Á<N“ ®,µ,½çè,ÉAf}fEfX,ì“ ®ì,ªŽ~ ,Ü,é,±,Æ,ð-h,¬,Ü,·Bfff%of[fpfçfbfg“à,lfXfNf %ofbf`fGfŠfA,loç<Žjf%of[fpfçfbfg“à,lfXfNf %ofbf`fGfŠfA,ðœ<Ž,·,é,É,ÍÁ’•ûÇ`‘l’ðfc[fç,ÁfGfŠfA‘S’l,ð‘l’ð,µA‘l’ð’í’í,ð•\Žl,³,è,Ä,ç ,éfEfBf“fhfE,ìŠO’x,É^U“ ®,µ,Ü,·BfXfNf%ofbf`fGfŠfA,ÍACE»Y’l’ð,³,è,Ä,ç ,é”wçEiF,Á’u,«Š·,ç,è,Ü,·B

ftfBf<f^ ,É,Â,ç,Ä

u fff%of[fn[ftfglf“ vftfBf<f^ ,l%oŠúY’è,ðŽg— p,·,é,ÆAfA[fgflfN,Éf,fAfçEfpf^lf“ ,ª¶,¶,é,±,Æ,ª, ,è,Ü,·B,± ,lftfBf<f^ ,lflfvfVf#f“f\_cfAffOf{fbfNfX,ÁŠp“x,ð²®,·,é,±

,Æ,É,æ,Ä,ÄAf,fAfCEfpf^[f“,ð-h,®,±,Æ,ª,Å,«,Ü,·B

u —ÖŠsCEÿo vftfBf<f^,ì“K—pCE<%oÊ,íAMacintosh “Å,ì Photoshop 2.0.1 ,Å“¾,ç,ê,éCE<%oÊ,ð”½“],µ,½,à,ì,Å,·BPhotoshop 2.0.1 ,Å,ìCEø%oÊ,ð“K— p,µ,½,çê±,É,ÍA,Ü, u —ÖŠsCEÿo vftfBf<f^,ð“K—p,µ,Ü,·B,»],ìCEãAfCf[fWffjf...[,©,çu ŠK’²·â³ v,ð’ì’ð,µAFTfuffjf...[,©,çu ŠK’²,ì”½“] v,ð’ì’ð,µ,Ü,·B

JPEG frfbfgf}fbfv,Æ MacPaint ftf@fCf<,ðŠ],ç,½,è·Ü’¶,Å,«,éftfBf<f^,íAWindows 386 fGf“fnf“fXfhf,[fh,Å,ì,ÝŽg—p,ª%oÅ”\,Å,·B,±,ê,ç,ìftfBf<f^,íAWindows ·W€f,[fh,Å,ìfTf] [fg,³,ê,Ä,ç,È,ç,½,ßA,±,ìf,[fh,Å,ìŠ],,“,æ,Ñ·Ü’¶f\_fCfAffOf{fbfNfX,É,í·\Ž!,³,ê,Ü,¹,ñB

JPEG f,fWf...[f<,É,Ä,ç,Ä

Adobe Photoshop ,Å JPEG f,fWf...[f<,ðŽg—p,·,é,½,ß,É,ÍA2 MB ^Èã,ì%o¼’z<L %o¯ ,ªfVfXfef€,É·K—v,Æ,È,è,Ü,·B,±,ìê±A%o¼’z<L %o¯ ,í^èŽž,Ü,½,ìÝfXffbfvftf@fCf<,ì,ç,ì,ç,©,É,æ,Ä,Ä’ñ<ÿ,³,ê,Ü,·,ªAíÝfXffbfvftf@fCf<,ì Žg—p,ð,“Š©,ß,µ,Ü,·B

64 MB ^Èã,ì RAM ,ªfCf“fXfg[f<,³,ê,Ä,ç,éfvfXfef€,Å,íAWatcom 386 fRf“fpfCf%o ,ìfofo(),½,ß,É JPEG f,fWf...[f<,ª“Ç,Ýž,Ü,ê,È,çê±,ª, ,è,Ü,·BAdobe Photoshop ,ÉŠ,,,è“— ,Ä,ç,ê,Ä,ç,éff,fŠ—e—È,ðCE,ç,·i ftf@fCf<ffjf...[,ìŠÅ<<Ý’èTfuffjf...[,©,çu %o¼’z<L %o¯ ... v,ð’ì’ð,µ,Ü,·Bj,±,Æ,ÅA,±,ì-â’è,í%oðCE^,³,ê,Ü,·B

f%ofCf“fc[f<,É,Ä,ç,Ä

1:1 ,ì·\Ž!—!,Å,ì,Pf]fCf“fg,ì·,ì%oü,Ü,½,ìcü,ÍA— ×Ü,·,éfsfNfZf<,Éd,È,ç,,É,È,ß,ç,©,É·`, ,é,æ,æ,É,È,è,Ü,µ,½B

fpfX,É,Ä,ç,Ä

fpfXfpfCEfbfg,ìfyf“fc[f<,Àì—,µ,½fpfX,ð·Ü’¶,Å,«,é,ì,íAfpfXfpfCEfbfgffjf...[,ìu fpfX,ì<L~^... vRf}f“fh,ðŽg—p,µ,Ä,·,Å,É·Ü’¶,³,ê,Ä,ç ,éfpfX,ÉCEÀ,ç,ê,Ü,·Bftf@fCf<ffjf...[,ìo—í—pfvf%oOfTfuffjf...[,ìu fpfX... vRf}f“fh,íA·Ü’¶,³,ê,Ä,ç,éfpfX,ì,Ý,ðo—í,µ,Ü,·B

fpfXfpfCEfbfg,ðŽg—p,µ,Ä·Ü’¶,µ,½·i±fpfX’S’ì,ÉC³,ð %oÁ,ì,½,çê±,É,ÍA·K, \_fpfX’S’ì,ð’ì’ð,µ,Ä,©,çA’h,è,Ä,Ô,µAü,ìÝ’èAíœ,È,Ç,ì’èì,ðs,æ,æ,æ ,É,µ,Ä,- ,¾,¾,çBfpfX,ì^è·”,µ,©’ì’ð,µ,È,©,Á,½ê±,É,íAC³,Å,«,é,ì,íAftfufpfX,ÆCEÄ,ì,ê,éfpfX,ì^è ·”,ì,Ý,ÉCEÀ,ç,ê,Ü,·B

Adobe Photoshop ,Á,ÁEPS ftf@fCf<,ì,½,ß,ì Tiff 6.0 fvfCEfrf...[<@“\,áfTf][fg,³,é,Ä,ç  
,Ü,·B,±,ê,É,æ,Á,ÄATiff 6.0 fvfCEfrf...[<@“\,ðfTf][fg,·,é]ftfgfEjFfA,É EPS  
ftf@fCf<,ð”z’u,μ,½,Æ,«,ÉfNfŠfbsf”fOfpfX,ªCE©,ì,é,æ,κ  
,É,È,è,Ü,·BfNfŠfbsf”fOfpfX,ð“š-¾,Á,È,çf}fXfN,ðŽg—p,μ,Ä·\Žì,·,é\  
ftfgfEjFfA,É,æ,Á,Ä,Á‘€iä,ì-â’è,ªCE©,ç,é,éê±,ª, ,è,Ü,·B-â’è,ª¶,¶,½ê±,É,ÍA,»,)f\  
ftfgfEjFfA,ìfefNfj]f<fTf][fg·”-å,É,“-â,ç±,í,¹,,¾,³,çB

Š´³fyf“,ìŽg—p,É,Ä,ç,Ä

Adobe Photoshop ,Á,ÁMicrosoft PenWindows Žd—l,Æ 100% CEÝŠ·«,ì, ,éŠ  
´³fyf“,ì,Ý,ðfTf][fg,μ,Ä,ç,Ü,·BÚ×,É,Ä,ç,Ä,ÁŠ´³fyf“,ìŽæ,è^μ,ç“X,É,“-â,ç±,í,¹,-  
,¾,³,çB

Š´³fyf“,ðŽg—p,μ,ÄfTfCfYAFa”š-¾“x,È,Ç,ð·ìX,·,éé±,É,ÁŠ´³fyf“,ìÄ,,ì³—í,ª 100%  
,É“Ž’B,μ,È,çê±,ª, ,è,Ü,·B,±,ê,Áfhf%ofCfo]ftfgfEjFfA,É,æ,é,à,ì,ÁAdobe Photoshop  
,ªCE´ö,Á,í, ,è,Ü,¹,ñB,±,ì-â’è,ª¶,¶,½ê±,É,ÍA,»,)Š´³fyf“,ìŽæ,è^μ,ç“X,É,“-â,ç±,í,¹,-  
,¾,³,çB

fvfŠf“fg,É,Ä,ç,Ä

F·ª%øð,ðfvfŠf“fg,·,éÚAdobe Photoshop ,Á,ÍA,S-±,ì,·,×,Ä,ìfvfCE[fg,ð,P,Ä,ì  
PostScripti f]fXfgfXfNfŠfvg jCE¾CEèø—ìftf@fCf<,Æ,μ,Ä’—,è,Ü,·B,»,ìCE<%øÈAo—  
íffofCfX,Á,ÍA,Pfy[fW,ð^—,μ,½CEã,ÉŽŽÔ,ð’u,ç,Ä,©,çŽŸ,ìfy[fW,ð^—,·,é,±  
,Æ,É,È,è,Ü,·B,Ü,½A’âCE^,Ü,½,í·;ŽG,È’P^êfvfCE[fg,ìftf@fCf<,ðfvfŠf“fg,·,é,Æ,«,É,àŽ  
ŽŠÔ,ð’u,ç,Ä^—,ªs,í,é,Ü,·BF·ª%øð,Ü,½,í·;ŽG,Èftf@fCf<,ðfvfŠf“fg,·,é,Æ,«,ÉfGf%  
[ffbfZ[fW,ªø—í,³,é,È,ç,æ,κ,É,·,é,½,ß,É,ÍA’ú-{CEê MS-Windows  
,]fRf“fgf[f<fp]f<“à,ìfvfŠf“f^€-Ú,ðŠ],ç,Ä]fXfgfXfNfŠfvgø—  
íffofCfX,ð’l’ð,μ,Ü,·B,»,)CEãAm Ú’±... nf{f^f“,ðfNfŠfN,μ,ÄAm Ä,Ñ’—M,μ’¼,·,Ü,Á  
n,ìftfB[f<fh,ì”l,ð 999 ,É·ìX,μ,Ü,·B

Adobe Photoshop ,©,çfvfŠf“fg,ðs,κ’O,ÉAo—íffofCfXi  
“Á,ÉfnfCfGf“fh,ìfCf[fWfZfbf^,ðŽg—p,μ,Ä,ç,éé± j,É“KØ,ÈfvfŠf“f^fhf%ofCfo,ªŽg—  
p,³,é,Ä,ç,é,±,Æ,ðŠm”F,μ,Ä,,¾,³,çBfvfŠf“f^fhf%ofCfo,ìÚ×,É,Ä,ç  
,Ä,ÁfCf[fWfZfbf^,ìŽæ,è^μ,ç“X,É-â,ç±,í,¹AŽg—p,μ,Ä,ç,éø—íffofCfX,É±,Á,½“ú-  
{CEê MS-Windows 3.1 fhf%ofCfo,ð“üŽè,μ,Ä,,¾,³,çB

fvfŠf“f^fhf%ofCfo,]fo[fWf±f“,ðŠm”F,·,é,É,ÁfvfŠf“f^,]fRf“fgf[f<fp]f<,ÁŽg—p,μ,Ä,ç  
,éfvfŠf“f^,ð’l’ð,μAm Ý’è... nf{f^f“,ðfNfŠfN,μ,Ü,·B,»,è,©,çm fo[fWf±f“î·ñ...  
n,ðfNfŠfN,·,é,ÆAfo[fWf±f“,ª·\Žì,³,é,Ü,·B

Žg—p,μ,Ä,ç,é PC ,É’¼ÚÚ’±,³,é,Ä,ç,È,çf]

fXfgfXfNfŠfvgfVfŠf“f^,ÅfVfŠf“fg,ðs,æê±,É,ÍÁ^È%º,ÌŽè±,É],Á,Ä’èì,ðs,Á,Ä,,¾,¾,çB  
1. fVfŠf“fgf\_fCfAffOf{fbfNfX,Åm ftf@fCf<,Ö,lo—í n,ðŽw’è,µ,ÄAf|  
fXfgfXfNfŠfvgfVfŠf“fCf<,É’—p,lo—í,ðs,ç,Ü,·B  
2. „,Ìftf@fCf<,ðŽg—p,·,éVfŠf“f^,ÉÚ’±,¾,è,Ä,ç,éRf“fsf...[f^,É^Ú“® ,µ,Ü,·B  
3. „,Ìftf@fCf<,ðRf“fsf...[f^,©,çVfŠf“f^,Éf\_fEf“flfh,µ,Ü,·B

Ú’±,¾,è,Ä,ç,éRf“fsf...[f^,ª Macintosh ,ìè±,É,ÍÁ•¾ŽÐ,Ì Font Downloaderi  
ftfHf“fgf\_fEf“flf\_j,ðŽg—p,µ,Äftf@fCf<,ðf\_fEf“flfh,µ,Ä,,¾,¾,çBÚ’±,¾,è,Ä,ç,éRf“fsf...  
[f^,ª PC ,ìè±,É,ÍAftf@fCf<,ðf|fG,ÉfRfs[,µ,Ü,·B,Ü,½A,„,ÌfRf“fsf...[f^,É Photoshop  
,æfCf“fXfgf[f<,¾,è,Ä,ç,éè±,É,ÍAPhotoshop ,Ì PSD Ç`Ž®,ðŽg—p,µ,Ä—  
p,ð’¼,ÌfRf“fsf...[f^i PC ,Ü,½,Í Macintosh j,É^Ú“®,·,é,±,Æ,à,Ä,«,Ü,·BPhotoshop ,Ì  
PSD Ç`Ž®,ÍAPC , ,æ,Ñ Macintosh fRf“fsf...[f^,Æ 100% ,ìÇÝŠ·«,ðŽ,Á,Ä,ç,Ü,·B

f|fXfgfXfNfŠfvgfVfŠf“f^,ÅfVfŠf“fg,ðs,æê±,É,ÍAfvfŠf“fgf\_fCfAffOf{fbfNfX,Åm  
fofCfifŠ nflfvfVf#f“ ,Á,Í,È,Am fAfXfLl nflfvfVf#f“ ,ðŽg—p,µ,Ä,,¾,¾,çBf|  
fXfgfXfNfŠfvgfVfŠf“f^,É,æ,Á,Ä,ÍAm fofCfifŠ nflfvfVf#f“ ,ðfTf|fG,µ,Ä,ç  
,É,çè±,ª ,è,Ü,·B,Ü,½Aftf@fCf<,Ö,lo—í,ðs,æê±,àAŽg—p,·,éVfŠf“f^,É,æ,Á,Ä,Ím  
fofCfifŠ nflfvfVf#f“ ,æfTf|fG,¾,è,Ä,ç,È,ç,±,Æ,ª ,é,½,ßAm  
fAfXfLl nflfvfVf#f“ ,ðŽw’è,·,é,±,Æ,ð,“Š©,ß,µ,Ü,·B

fXfNf|f<Žž,ì%ºæ-ÈÄ•`%ºæ,É,Â,ç,Ä

Adobe Photoshop ,Á,ÍA,Q,Á,Ì•û-@,ðŽg,Á,ÄÇ»Ý’I’ð,¾,è,Ä,ç  
,éEfBf“fhfE,ðfXfNf|f<,·,é,±,Æ,ª,«,Ü,·B,P,Á,ÍAV,µ,çfsfNfZf<,ª•\Ž|,¾,è,é,½,Ñ,É%ºæ-  
È,ðÄ•`%ºæ,·,é•û-@,ÁA,à,æ,P,Á,ÍAV,µ,ç^É’u,ðfXfNf|f<•\Ž|,·,é’O,ÉÇ©,|,Á,ç  
,½fsfNfZf<,ì,Ý,ð•\Ž|,·,é•û-@,Á,·B

%ŠÚÝ’è,Á,ÍAV,µ,çfsfNfZf<,ª•\Ž|,¾,è,é,½,Ñ,É%ºæ-È,ªÄ•`%ºæ,¾,è,Ü,·B,±,ì%ºæ-  
È,ÌÄ•`%ºæ,ì,½,ß,ÉAfrff|f|f|fh,âfRf“fsf...[f^,É,æ,Á,Ä,ÍAfA|fgf|fN,Ì•\Ž|,ª’x,Ç©,|,½,è,  
,é,ç,Í~c,ñ,ÁÇ©,|,½,è,µ,Ü,·B

fA|fgf|fN,Ì^Ú“®,ªl—1,·,é,Ü,Á%ºæ-È,ÌÄ•`%ºæ,ªs,í,è,È,ç,æ,æ  
,É,·,é,½,ß,É,ÍAfL|f{|fhä,ì Scroll Lock fL,ð%ºÿ,µ,Ä—£,µ,Ü,·BScroll Lock fL,Ìf  
%ofCfg,ª•\Ž|,¾,è,Ä,ç,é,Æ,«,É,ÍAV,µ,ç^É’u,ðfXfNf|f<•\Ž|,·,é’O,É•\Ž|,¾,è,Ä,ç  
,½fsfNfZf<,ì,Ý,ª•\Ž|,¾,è,Ü,·BŽc,è,ÌfA|fgf|fN,ÍAfXfNf|f<,â^Ú“®,ªl—1,µ,Ä,©,ç•\  
Ž|,¾,è,Ü,·B,±,ì<@“\,ð’tŽ~ ,µ,ÄAV,µ,çfsfNfZf<,ª•\Ž|,¾,è,é,½,Ñ,É%ºæ-È,ªÄ•`  
%ºæ,¾,è,é,æ,æ,ß,·,½,ß,É,ÍAScroll Lock fL,ð%ºÿ,µ,Ä—£,µ,Ü,·B,±,è,ÁAScroll Lock  
fL,Ìf%ofCfg,ªÁ,ì,Ü,·B

Scroll Lock fL,Ìf%ofCfg,Æ’è<K,ª•\Ž|,¾,è,Ä,ç  
,é,ÆAZè,ì,Ð,çfc|f<,ÁfCf|fW,ð^Ú“®,µ,½,Æ,«,É%ºæ-È,æfuf%of“fN,É,È,è,Ü,·B^Ú“®,ªl

—<sup>1</sup>,·,é,ÆAfCf{fW,Í“KØ,ÉÄ•`%œ,<sup>3</sup>,ê,Û,·B^êŽž“l,É`è<K,ðflfti Ctrl + R  
j,É,·,é,©A,Û,½,Í Scroll Lock ,ðflft,É,·,é,ÆA,±,ì-â`è,Í%œÄ,<sup>3</sup>,ê,Û,·B

<<ŠEü,ì,í,Á,«,,è,μ,½`É%œ~Ā` ,ì‘ð”í^í,ì-

‘É%œ~Ā` ‘l’ðfc{f<,Àì-,μ,½‘l’ð”í^í,íA<ŠE,ì,Û,©,μ,<sup>a</sup>,O,ÉÝ`è,<sup>3</sup>,ê,Ä,ç  
,éê±,Á,àA<ŠE,ìü,í,ç,©,ÈŽdã,<sup>a</sup>,è,É,È,è,Û,·B,±,ê,É,æ,Á,ÄA`É  
%œ~Ā` ,ì<Èü,<sup>a</sup>Ž©`R,Èó`Ô,É•Û,½,è,Û,·B,±,ìfc{f<,ðŽg—  
p,μ,Ä<ŠEü,ì,í,Á,«,,è,μ,½‘l’ð”í^í,ðì-,·,é,½,ß,É,íA,Û,·,‘l’ð”í^í,ðì-,μ,Û,·BfpfXfpfĀfbfg,  
©,çu fpfX,ì-... v,ð`l,ñ,Á‘l’ð”í^í,ðfpfX,É•İŠ,μ,Û,·B,» ,ìĀãAfpfXfpfĀfbfg,©,çu  
‘l’ð”í^í,ì-... v,ð`l,ñ,ÁfpfX,ð‘l’ð”í^í,É•İŠ,μ<sup>¼</sup>,μ,Û,·B,±  
,è,ÄA<ŠEü,ì,í,Á,«,,è,μ,½‘l’ð”í^í,èì-,Ä,«,,Û,·B

•ŦŽšf\_fCfAffOf{fbfNfX,É,Ä,ç,Ä

•ŦŽšf\_fCfAffOf{fbfNfX,ìftf“fvf<f{fbfNfX,É,íA‘l’ð,μ,½ftfHf“fg,<sup>a</sup>·\Žì,<sup>3</sup>,ê,Û,·B

PHOTOSHP.INI ftf@fCf<,ð•ÒW,·,é,±,Æ,É,æ,Á,ÄAfTf“fvf<f{fbfNfX,É•\  
Žì,<sup>3</sup>,ê,é•ŦŽš,ìftfCfY,ð•İX,·,é,±,Æ,<sup>a</sup>,Á,«,,Û,·BĀ>Ý,Á,íA•ŦŽš,í 12 f{fCf“fg,Á•\  
Žì,<sup>3</sup>,ê,é,æ,±,É,È,Á,Ä,ç,Û,·,ªA48 f{fCf“fg,Û,Á,ìftfCfY,ì•ŦŽš,ðfvfĀfrf...[ ,·,é,±,Æ,<sup>a</sup>  
%œÄ”\,Á,·B

ftf“fvf<f{fbfNfX,É•\Žì,<sup>3</sup>,ê,é•ŦŽš,ìftfCfY,ð 17 f{fCf“fgi —á j,É•İX,·,é,É,íF  
1. WINDOWS fffBfĀfNfgfŠ“à,ì PHOTOSHP.INI ftf@fCf<,ðŠj,«,,Û,·B  
2. PHOTOSHP.INI ftf@fCf<,ìm Adobe Photoshop nfZfNfVf†f“ ,É^È  
%œ<sup>o</sup>,ìs,ð`á•ŦŽš,ÁfXfy{fX,ð“ü,è, , ,É`Ç%œÁ,μ,Û,·B

TYPEPREVIEW=17

3. PHOTOSHP.INI ftf@fCf<,ð•Û`Ŧ,μ,Ä,©,çA•ŦŽšf\_fCfAffOf{fbfNfX,ðÄ“xŠj,ç  
,Ä•İXĀã,ìf{fCf“fgfTfCfY,É,È,Á,Ä,ç,é,©,Ç,±,©Šm”F,μ,Û,·B

‘èì,ìfLfff“fZf<

“ú-{Āê MS-Windows ,Û,½,Í Adobe Photoshop ,æftf@fCf<“üo—í,ðs,Á,Ä,ç,éŠÔ,íAm  
fLfff“fZf< nf{f^f“ ,Û,½,Í Esc fL[,ðfNfŠfbfN,μ,Ä,à”FŽ` ,<sup>3</sup>,ê,È,ç,±  
,Æ,<sup>a</sup> ,è,Û,·B`èì,ðfLfff“fZf<,·,é,É,íA,» ,ì`èì,æfLfff“fZf< ,<sup>3</sup>,ê,é,Û,Á Esc fL[,ð%œÿ,μ`±, ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

%œ¼`z<L%œ`fffBfXfN,ì“à—e,ìÁ<Ž



Adobe Photoshop ,lžg—p't,ÉfpftfH[f]f“fX,ì-â'è,ª¶,¶,½ê‡,É,ÍAdobe Photoshop ,Å  
%¼'z<L%\_fffBfXfN,Æ,μ,Àì-,³,è,½ftf@fCf<,ÍfvffOf%of€'€ì,δ-W,°,éCE´^ö,É,È,é,±  
,Æ,ª, ,è,Ü,·B

%¼'z<L%\_ftf@fCf<,ðíœ,·,é,É,ÍF

1. root fffBfCEfNfgfŠ,Æ TEMP fffBfCEfNfgfŠ,É, ,é\*.TMP ftf@fCf<,ðíœ,μ,Ü,·B
2. DOS fRf}f“fh,Ä, ,é CHKDSK /F ,δ“ü—Í,μ,ÄŠ,,,è“- ,Ä,ç,è,Ä,ç,È,ç—ì^æi Adobe  
Photoshop ,ì%¼'z<L%\_ftf@fCf< j,δC³,μ,Ü,·B
3. ‘¹Ž ,μ,½f`fFfCf“,δftf@fCf<,É•İŠ·,·,é,æ,π,É,Æ,ìžwŽ!,ª•\Ž!,³,è,½,çANo ,δ“ü—  
Í,μ,Ü,·B,±,è,ÅA<ó,«fffBfXfNfXfy[fX,ªY, -,ç,è,Ü,μ,½B

Adobe Photoshop ,ÍfpftfH[f]f“fX,δCEüã,·,é,½,ß,É,ÍACHKDSK /F ,δ,È,,Æ,à,PTŠÔ,É,P  
%õñ,ÌŽÀs,·,é,±,Æ,δ, Š©,ß,μ,Ü,·B,Ü,½A'èŠú“l,Éfn[fhfffBfXfN,ÌÅ“K%»»,δs,π,±  
,Æ,Å,àfpftfH[f]f“fX,ÍCEüã,μ,Ü,·B%½ŽĐ,©,Íf[fj[,æ,èAÅ“K%»»,δ},é,½,ß,ÍfvffOf%of€  
,ª”” ,,,³,è,Ä,ç,Ü,·BÚ×,É,Ä,ç,Ä,ÍAfvtfgfEfFfAZæ,è^μ,ç“X,É,“-â,ç‡,í,¹,,³/4,³,çB

d—vFAdobe Photoshop ,ªfNf%ofbfVf...,·,éê‡,É,ÍACHKDSK/F fRf}f“fh,δŽÀs,μ,ÄAŽg  
—p't,Ífn[fhfffBfXfN,É-³CEø,È—ì^æ,âfŠf“fN,ª¶¶Y,μ,Ä,ç,È,ç,©,Ç,π,©Šm”F,μ,Ä,-  
,³/4,³,çB

u fXf%ofCf\_ v<@“\Šg’Éf,fWf...[f<,lžg—p,É,Ä,ç,Ä

u fXf%ofCf\_ v<@“\Šg’Éf,fWf...[f<,δŽg—p,·,é,ÆAfjff%ofpfCEfbfgfXf  
%ofCf\_ ,ÍF,ª¶;Ä,ÉXV,³,è,é,ì,ÅAfff%ofRf“f|[f]f“fg,ì²@CEø%oÉ,ªŠm”F,Ä,«,Ü,·B,±  
,Íf,fWf...[f<,í,-,ÍRf“fsf...[f^ ,Ä,ì,YŽg—p,·,é,±,Æ,δ, Š©,ß,μ,Ü,·B

u fXf%ofCf\_ v<@“\Šg’Éf,fWf...[f<,δŽg—p,Ä,«,é,æ,π,É,·,é,É,ÍF

1. WINDOWS fffBfCEfNfgfŠ“à,ì PHOTOSHP.INI ftf@fCf<,ðŠ},«,Ü,·B
2. PHOTOSHP.INI ftf@fCf<,ìm Adobe Photoshop nfZfNfVf‡f“,É^È  
%º,ìs,δ’â•¶Žš,ÅfXfy[fX,δ“ü,è, , ,É’Ç%oÄ,μ,Ü,·B

DYNAMICSOLIDERS=1

3. PHOTOSHP.INI ftf@fCf<,δ•Û’¶,μ,Ä,©,çAPhotoshop ,δÄ<N“@,μ,Ä,±,Íf,fWf...  
[f<,ªŽg—p,Ä,«,é,æ,π,É,È,Ä,½,©,Ç,π,©Šm”F,μ,Ü,·B

ftf@fCf<,ì¹/4,ÍAfvfŠfP[fVf‡f“,Ö,ìo—Í

¹/4,ÍAfvfŠfP[fVf‡f“,ÉfA[fgf[fN,δo—Í,·,éê‡Ao—Í,·,é’O,É EPS ,Ü,½,Í TIFF  
CE`Ž@,Ä•Û’¶,·,é,ÆA—Ç,ìCE<%oÉ,ª³/4,ç,è,Ü,·BWindows fNfŠfbfVf{[fh,δ  
%oî,μ,ÄfA[fgf[fN,δ“üo—Í,·,é,±,Æ,à,Ä,«,Ü,·,ªA16 F,Ü,½,Í 256 Ff,[fh,δŽg—p,μ,Ä,ç

,éê±,É,ÍAfAvfšP[fVf#f“ ,É“Ç,Ýž,Ü,ê,½fA[fgf[fN,ìž,ì’á%º,ðµ,,±,Æ,ª, ,è,Ü,·B

CorelDRAW“ ,â Micrografx Designerª ,ì,æ,κ  
,ÈxfNfgf<fx[fX,ÌfAvfšP[fVf#f“ ,Å,ÍA’Éírfbfjgf}fbfv,ì EPS Ć¾Ćêftf@fCf<,ðŠj,,±,Æ,ª  
ç“í,Èê±,É,ÍAftf@fCf<,ðo—ì,·,é’O,Éftf@fCf<,ð TIFF Ć`Ž® ,Å•Ú’ŋ,µ,Ä,,¾,¾,çB

Adobe Illustrator ftf@fCf<,Æ~a•ŋftfHf“fg,É,Â,ç,Ä

Adobe Photoshop ,Å,ÍAAdobe Illustrator ftf@fCf<,ðŠj,ç,½,è”z’u,ðs,κ,Æ,« ,ÉAAdobe  
Type Managerªi ATMª jf\ftfgfEfFfA,ðžg—p,µ,ÄfefLfXfg,ðŋ¬,µ,Ü,·B’l’ð,µ,½%º  
ç•ŋ“ì,ì Type 1 fAfEfjg%ºfCf“ftfHf“fg,ªžg—p,Å,« ,È,çê±,É,ÍAfAfEfjg%ºfCf“ftfHf“fg,Í  
\*TimesA\*HelveticaA,Ü,½,Í Courier ftfHf“fg,É’u,«Š,·,ç,ê,Ü,·BftfHf“fg,ð’u,«Š,·,é,±  
,Æ,É,æ,Á,ÄAAdobe Illustrator ftf@fCf<,ðŠj,ç  
,½,è”z’u,µ,½,Æ,« ,É•s“KØ,ÈfefLfXfg,ª•Žì,¾,ê,½,èAfefLfXfg,ª’S,•Žì,¾,ê,È,ç,±,Æ,ª, ,  
è,Ü,·B

Adobe Photoshop “à,É Adobe Illustrator ftf@fCf<,ð”z’u,µ,½,Æ,« ,ÉfefLfXfg,É-  
â’è,ªŋ,ŋ,½ê±,É,ÍAAdobe Illustrator ,Åftf@fCf<,ðfRfs[,µ,Ä,©,çAAdobe Photoshop  
,Éfy[fXfg,µ,Ä,,¾,¾,çBMS-Windows ‘í%ºž,ì Adobe Illustrator ,Å,ÍAfNfšfbfvf{[fh,ð  
%ºî,µ,Äj\XfgfXfNfšfvfgftf@fCf<,ð Adobe Photoshop ftf@fCf<“à,Éfy[fXfg,µ,Ü,·B

Adobe Photoshop ,Å,ÍAAdobe Illustrator 3.2J Macintosh ftf@fCf<,ð“Ç,Ýž,ñ,Åf  
%ºfXf^f%ºfCfY,·,é,±,Æ,ª,Å,« ,Ü,·BIllustrator ,ì<@“\,É,æ,Á,Ä,Í Photoshop ,ÅfTfj  
[fg,¾,ê,Ä,ç,È,ç,à,ì,ª, ,è,Ü,·,ªA’Éí,ÌfCf[fW,Í,µ,•Žì,¾,ê,Ü,·B,½,¾,µAIllustrator ,Åžg—  
p,¾,ê,Ä,ç,é~a•ŋftfHf“fgi ,½,Æ,ì,ÍAfšf...fEf~f” L-KL j,ÍAPC ,Æ Macintosh ,Å,Í’½-  
^Ü,È,è,Ü,·,ì,Å,²—¹³,,¾,¾,çB

frfff\fhf%ºfCfo,ìĆÝŠ•«

frfff\fhf%ºfCfo,ªĆ`^ö,Æ,Ý,ç,ê,é-â’è,ªŋ,ŋ,½ê±,É,ÍAfrfff\fhf%ºfCfo,ª-â’è,ìĆ  
`^ö,Æ,È,Á,Ä,ç,é,©,Ç,κ,©,ðŠm”F,µ,Ä,,¾,¾,çBWindows Ý’è,ðžg—p,µ,Ä Windows  
•W€i “Ä—p VGA jfhf%ºfCfo,É•İX,µA-â’è,ª,Ü,¾ŋ,ŋ,é,©,Ç,κ,©Šm”F,µ,Ä,-  
,¾,¾,çBWindows •W€ VGA fhf%ºfCfo,É•İX,µ,½Ćä,Å,±,ì-â’è,ª  
%ºðĆ^ ,µ,½ê±,É,ÍAfrfff\fhf%ºfCfo,Æ“ú—{Ćê MS-Windows ‘í%ºž Adobe Photoshop  
,ìŠÖ,Å,ìĆÝŠ•« ,ì-â’è,É,Á,ç,ÄA,» ,Ìfrfff\fhf[fj],É,“ -â,ç±,í,¹,,¾,¾,çB

fCf[fW,ì•Žì,ÉŠÖ,µ,Ä-â’è,ªŋ,ŋ,½ê±,É,ÍA•t’® ,Ìft[fUfKfCfh,ìu fgf%ºfuf<fvf...[fefBf“fo  
v,ðžQÆ,µ,Ä,,¾,¾,çB•¾ŽĐ,ÌfefNfjff<fTfj[fg•” -â,É-â,ç±,í,¹,é’O,ÉAAV,Ìfhf%ºfCfo,ðžg  
—p,µ,Ä,ç,é,±,Æ,ðŠm”F,µ,Ä,,¾,¾,çBfrfff\fhf[fj],É-â,ç±,í,¹,ÄAAV,Ìfhf  
%ºfCfo,ð“üžè,µ,Ä,,¾,¾,çB^È%ºº,É Adobe Photoshop ,Æ,ìĆÝŠ•« ,É-  
â’è,ª ,éfrfff\fhf,Æ-â’è,ì%ºðĆ^•ú-@,ðžì,µ,Ü,·B

i Weitek P9000 frffflf`fbfvfx[fX,]frffflfj[fh,É,ÍA'í'ðfc[f<,Ü,½,ÍØ,è"²,«fc[f<,ðŽg—p,·,é,Æ,«,É-â'è,ª¶,¶,Ü,·B,±,ì-â'è,ð%ñ"ð,·,é,É,ÍA'í'ð"í^í,ðì-,μ,Ä,©,ç%æ-ÉÄ·`%æi fEfBf"fhfE,ð·Ä,¶,Ä,©,çŠ),,©AfEfBf"fhfE,ðŠg'â,μ,Ä,©,çk-,μ,Ä,Ý,é j,ðs,Á,Ä,Ý,Ä,,¾,¾,çB

i Prodesigner II fj[fh,ð 256 Fj,[fh,ÅŽg—p,μ,Ä,ç,éê‡AfCf"ffbfNfXfjff%o [f,[fh,Å,ì-â'è,ª¶N,±,è,Ü,·B·,©,ç"´,ÉfufCEf"fh,·,é,Æ,«A,Ü,Æ,ñ,Ç,]f,[fh,É-â'è,ªCE©,ç,é,Ü,·B

i 9GXi ,Æ 9GXe fj[fh,É,ÍAAdobe Photoshop ,Æ,ìCEÝŠ·«,ì-â'è,ª, ,è,Ü,·B,±,ê,ç,ì,ç,·,é,©,]fj[fh,ðŽg—p,·,é,ã,Å-â'è,ª¶,¶,½ê‡,É,ÍAÄV,]fhf %ofCfo,ðfCf"fxfg[f<,μ,ÄÄÄ"xŽg—p,μ,Ä,Ý,Ä,,¾,¾,çB,»ê,Ä,à-â'è,ª %oðCE^,μ,É,çê‡,É,ÍA·ÉŽí,]frffflfj[fh,ðŽg—p,μ,½·ù,ª,ç,ç,±,Æ,à, ,è,Ü,·B

i Orchid Fahrenheit 1280 & VLB ,Ä,ÍA,ç,,Ä,©,]frffflf,[fh,Å Pantone"·\* fff%o [,ð·Ž],·,é,Æ,«,É-â'è,ª¶,¶,é,±,Æ,ª, ,è,Ü,·B,»)ê‡,É,ÍAfhf %ofCfo,ðÄV,ì,à,ì,ÆCEðŠ·,μA·É,]frffflf,[fh,É·ïX,μ,Ä,Ý,Ä,,¾,¾,çBVLB ,É,ÍAAdobe Photoshop ,ð<N"®·,·,é,Æ,«,Éfuf%ofVfpfCEfbfg,ðÄ·`%æ,·,é-â'è,ª¶N,±,é,±,Æ,à, ,è,Ü,·B

i ATI Graphics Ultra ,;æ,Ñ Graphics Ultra Pro frffflf{[fh,]ê‡,É,ÍAfffofCfXfrfbfgf}fbfv,ªflf"´,É,É,Á,Ä,ç ,ÄA,μ,©,àCEÄ,çfo[fWf‡f"´,]frffflfhf%ofCfo,ðŽg—p,μ,Ä,ç,é,Æ,«,ÉA%æ-É,ìÄ·` %oæAfXfNf[f<A,»,)¼,ì·Ž],ÉŠÖ,·,é-â'è,ª¶N,±,é,±,Æ,ª, ,è,Ü,·B

Ultra Pro fj[fh,ðŽg—p,μ,Ä,ç,éê‡,É,ÍAfrffflfj[fh,É·t®)ì FlexDesk Control Panel ft[feBfŠfB,Å,±,]f]fvfVf‡f"´,ì<@"\,ðflft,É,·,é,±,Æ,ª,Å,«,Ü,·BÚx,É,Ä,ç,Ä,ÍAATI ,]f}ffj...fAf<—p,ðŽQÆ,μ,Ä,,¾,¾,çBUltra Pro fj[fh,ÅÄ—Ç,ìCE<%oÉ,ª"¾,ç,é,éfvfXfefE\ -,ÍA2 MB ^Èä,ì RAM ,ªfCf"fxfg[f<,³,éA-ñ65000 F,Ü,½,Í -ñ1670 -œF,]ffj%o [f,[fh,ðŽg—p,μAfo[fWf‡f"´ 1.5i 59 j^Èä,]fhf%ofCfo,ªfCf"fxfg[f<,³,é,Ä,ç,éó'Ò,Å,·B256 Fj,[fh,ÅÄV,]ffj%o[f}fbf"´f"fo,ð"¾,é,½,β,É,ÍAFlexDesk Control Panel ,Ä 256 FfpfCEfbfgf]fvfVf‡f"´,ìÝ'è,ðflf"´,É,μ,Ä,,¾,¾,çBATI ŽÐ,Å,ÍA,±,é,ç,]frffflf{[fh,Å,ì·Ž]ä,ì-â'è,ª, ,é,±,Æ,ð"ŽŽ-,μ,Ä,ç,Ü,·B

i Opta MonaLisa fj[fh—p,ìCE»Ý,]frffflfhf%ofCfo,Å,ÍAÄ·` %oæAfXfNf[f<A,»,)¼,ì·Ž]ä,ì-â'è,ª¶N,±,é,±,Æ,ª, ,è,Ü,·BOpta ŽÐ,Å,ÍA,±,é,ç,ì·Ž]ä,ì-â'è,ª, ,é,±,Æ,ð"ŽŽ-,μ,Ä,ç,Ü,·B

i Matrox Impression frffflf{[fh,É,æ,Á,Ä,ÍAfyf"fc[f<,ðŽg—p,·,é,Æ,«,É·Ž]ä,ì-â'è,ìCE^ö,É,É,éê‡,ª, ,è,Ü,·BMatrox ŽÐ,Å,ÍA,±,é,ç,ì·Ž]ä,ì-â'è,ª, ,é,±,Æ,ð"ŽŽ-,μ,Ä,ç,Ü,·B

i Diamond SpeedStarASpeedStar 24ASpeedStar 24x frffflf{[fh,Å,ÍA,È,°,È,ifc[f<,Å'í'ð"í^í,ðì-,μ,½,çA,,ç"´{—,]f"´fc[f<,ðŽg—p,μ,½,èAfjff

%[fsfbfj][,đ•\Ž|,·,é,Æ,«,É•\Ž|ã,ì-â'è,ª<N,±,é,±,Æ,ª, ,è,Ü,·BDiamond ŽĐ,©,ç,Á,±,ì-â'è,đ%đĈ^,μ,½frfffj{[fh,ª""",³,ê,Ä,ç,Ü,·B

i 16 F,Å,ìŠg'£frfffj{[fh,ªŽg,ì,é'½,·,ìfrfffjfhf%ofCfoi ,½,Æ,ì,î Orchard Fahrenheit 1280 j,ìè±A16 Ff,[fh,Å³Šm,ÉfCf[fW,đ•\Ž|,Å,«,È,ç,±,Æ,ª, ,è,Ü,·B

frfffj{[fh,đ 16 Ff,[fh,ÅŽg—p,μ,Ä,ç,é,Æ,«,ÉfCf[fW,đ•\Ž|,·,éã,Å,ì-â'è,ª¶,¶,½ê±,É,ÁWindows •W€ VGA fhf%ofCfo,É•ĪX,μ,Ä,±,ì-â'è,ª,Ü,¾¶,¶,é,©,Ç,π,©Šm" F,μ,Ä,,¾,¾,çB,±,ì VGA fhf%ofCfo,É,æ,Ä,ÄAfCf[fW,ª³Šm,É•\Ž|,³,ê,é,æ,π,É,È,Á,½ê±,É,ÁfT[fhfp[fefB»,ì 16 Ffff%of[hf%ofCfo,É-â'è,ª, ,é,Æl,ì,ç,ê,é,½,ßA,»,ìfrfffj{[fh,ìŽæ,è^μ,ç"X,ÉÚ×,đ,"-â,ç±,ì,¹,¾,¾,çB

•K—v,É%ž,¶,ÄA256 F,đfTf|[fg,·,éf{[fh—p,ìfrfffjfhf%ofCfo,đ'l'đ,·,é,±,Æ,à,Ä,«,Ü,·B

fVfŠf"f^fhf%ofCfo,ìĈÝŠ·«

fVfŠf"f^fhf%ofCfoi "Á,É unidrv.dll fhf%ofCfo j,É,æ,Á,Ä,ÁAfrfbfgf}fbfvfCf[fW,đ HP fVfŠf"f^,ÁfVfŠf"fg,·,é,Æ,«,É Photoshop ,ªNf%ofbfVf...,·,éĈ^ö,É,È,é,±,Æ,ª, ,è,Ü,·BHP fVfŠf"f^,ÁfVfŠf"fg,·,é,Æ,«,É-â'è,ª¶,¶,½,çAfCf[fW,đÅ%ofOfĈ[fXfP[fç,É•ĪŠ,μ,Ä,©,çfVfŠf"fg,μ,Ä,Ý,Ä,,¾,¾,çB

fVfXfef€,Å"ú-{Ĉĕ^ÈŠO,ìfAfvfŠfP[fVf±f",đŽg—p,μ,Ä,ç,éê±,É,Á"ú-{Ĉĕ^ÈŠO,ìu COMMDLG.DLL v,ìfo[fWf±f",É,È,Á,Ä,ç,é,±,Æ,ª, ,è,Ü,·B,»,ìè±,É,Á•K, "ú-{Ĉĕ"Å,ìu COMMDLG.DLL v,đfVfXfef€,ÉfCf"fXfg[fç,μ,Ä,,¾,¾,çB

fffBfXfN^³k\ftfgfEfffA,ìĈÝŠ·«

Adobe Photoshop %¼'z<L%~fffBfXfN,đ"ñ^³k,ìfffBfXfN,ÉŠ,,è"-,Ä,é,±,Æ,đ,"Š©,β,μ,Ü,·BAdobe Photoshop %¼'z<L%~fffBfXfN,Æ^³kfffBfXfN,ìŠÒ,É,ìĈÝŠ·«,ì-â'è,ª, ,è,Ü,·BfvffOf%of€,Ü,½,ì%¼'z<L%~fffBfXfN,ª^³kfffBfXfNä,É, ,é,Æ,«,É Photoshop ,đŽg—p,·,éã,Å,ì-â'è,ª¶,¶,½,çAfvffOf%of€,đ^Ú"®,μA%¼'z<L%~fffBfXfN,đ"ñ^³kfffBfXfN,ÉŠ,,è"-,Ä,Ä,,¾,¾,çB

fjXf^f£frfffj{[fh<@"\Šg'£f,fWf...[fç,ìŽg—p,É,Ä,ç,Ä

Adobe Photoshop ,É,ÁfTf|[fg,³,ê,Ä,ç,éfrfffj{[fh,ª%æ-Èã,Åfff%of'²®,đs,ì,é,æ,π,É,·,é,½,ß,ìfjXf^f£frfffj{[fh<@"\Šg'£f,fWf...[fç,ìfZfbfg,ª—p^Ó,³,ê,Ä,ç,Ü,·Bi ,±,ì<@"\,Áfrrfffj{fbfNfAfbfvfe[fufçAfjff[fVf±f",ÆĈÄ,î,è,Ü,·Bj,±,ìfo[fWf±f",ì Adobe Photoshop ,É,ÁÄÈ%ª,ìfrfffj{[fh<@"\Šg'£f,fWf...[fç,ªŠÜ,Ü,è,Ä,ç,Ü,·B <@"\Šg'£f,fWf...[fç fTf|[fg,³,ê,Ä,ç,é{[fh

TV1024.8BX	Truevision 1024-32
MATROX.8BX	Matrox Impression 1024 Matrox Impression Ultra
THUNDER.8BX	SuperMatch EISA Thunder for Windows SuperMatch ISA Thunder for Windows
RAPIER24.8BX	VideoLogic Rapier 24
MI_RBWIN.8BX	microRAINBOW WIN
MIRO24S.8BX	microCRYSTAL 24
SMIRO8S.8BX	microCRTSTAL 8
SMIROS4.8BX	microMAGIC S4
CHROME.8BX	Hercules CHROME

fTf|[fg,<sup>3</sup>,é,Ä,ç,éfrfff|[f{fh,lfAfjff|fVf+f“<@“\,đŽg,|,é,æ,α,É,·,é,½,β,É,ÍAÎ  
%ž,·,éfrfff|Šg'£Žqtf@fCf<,đ \PHOTOSHOP\PLUGINS fTfufffBfçEfnfgfŠ,ÉfRfs[,μ,Ä,-  
,¾,¾,çBfRfs[,·,é,ì,ÍA,P,Ä,ìŠg'£Žq,¾,~ ,Ä,·BAdobe Photoshop ,Ä,ÍA8BX Šg'£Žq,ì·t,ç  
,½,·,·,×,Ä,|ftf@fCf<,đ PLUGINS fTfufffBfçEfnfgfŠ“à,Ä' {,μACEÿö,<sup>3</sup>,é,½±,É]  
,Ä,Ä,·,×,Ä,|ftf@fCf<,ª“Ç,Ýž,Ü,è,Ü,·B,»,ìÜŽg—p,Ä,« ,é,ì,ÍAæã,É“Ç,Ýž,Ü,è,½ 8BX  
ftf@fCf<,ì,Ý,Ä,·B,±,ì,½,βA,P,Ä,lfrrff|Šg'£Žq,¾,~ ,đ PLUGINS\VIDEO  
fTfufffBfçEfnfgfŠ,©,ç PLUGINS fTfufffBfçEfnfgfŠ,ÉfRfs[,·,é,æ,α,É,μ,Ä,-  
,¾,¾,çBfAfjff|fVf+f“<@“\,đŽg,α,½,β,É,ÍAfCf|fWffjff...[.İF'²·â³fTfuffjff...  
[“à,ì”C^Ó,lf\_fCfAffOf{fbfNfX,ÄfvfçEfrf...[f ffbfNf{fbfNfX,ìžw'è,đ%žœ,μ,Ä,-  
,¾,¾,çB

frfff|fjff%ö[,É,Ä,ç,Ä

16 F,ì,Ý,đfTf|[fg,·,éfrfff|f|[fh,Ä Photoshop ,đŽg—p,μ,Ä,ç,éè±A256 F^Èä,đfTf|  
[fg,·,éfrfff|f|[f{fh,đ'ì'đ,·,é,±,Æ,đ,“Š©,β,μ,Ü,·BÄ—Ç,ìCE<%žÉ,đ“¾,é,½,β,É,ÍA24  
frfbfgjff%ö[,đfTf|[fg,·,éfrfff|f|[fh,ìŽg—p,đ,“Š©,β,μ,Ü,·B

,SF·ª%žđ,É,Ä,ç,Ä

,SF·ª%žđ^—,ÍAAdobe Photoshop  
“à·”,Ä,ìžw'è^ÈŠO,É,àAŽg,çfCf|fWfZfbf^ ,âftfBfçf€,ìŽí—pACE»'œ%otAfCf“fLA—  
pžtA^óüŠA<C%ž,·,âž¼“xA,»,μ,ÄŽg,α,ìD,Ý,È,Ç,ì,³,Ü,´,Ü,È—v^ö,É,æ,é  
%ž<ç,đŽó,~ ,Ü,·B,½,Æ,|,ìAft|fU,É,æ,Ä,ÄfXf~“Ä,Éf}ff|f“f^ ,ª¹²,·,¬,½,èAfVfAf“ ,ª¹²,·,  
¬,½,èAl,ìD,Ý,É,æ,Ä,Ä,Ü,ç,Ü,ç,È“½%ž,ª ,è,Ü,·B,SF·ª%žđ,ÍAfefNfmffW[,ì-â'è,Ä, ,é,  
Æ<α,ÉAf|fg,ì-â'è,Ä,à ,é,½,βAâ'í“l,È,à,ì,í“¶Ý,μ,Ü,¹,ñB,±,ì,½,β,ÉAPhotoshop J  
,Ä,ìŽg,α,ìD,Ý,Æ^óüŠÄ«« ,É±,ì,¹,ÄjffXf^f}fCfY,<sup>3</sup>,é,½ BG j|[fui fuf  
%žfbfNfWfFf|f|çE|fVf+f“Ej|[fu j,ì“Ç,Ýž,Ý,Æ·Ü'¶,ª%žÄ“\,ÈjffXf^f}fCfY<@“\,ª ,è,Ü,·B,±  
,|fšš|[fX,ì Photoshop J ,É,ÍASWOPA“CE—mfCf“fLA'â“ú- {fCf“fL,ì·Wçff|f^ ,ª—  
p^Ó,<sup>3</sup>,é,Ä,ç,Ü,·,ªA“Á,É“CE—mfCf“fL,Æ'â“ú- {fCf“fL,ìè±,ÍA,±

,é,ðŽQI,Æ,μ,ÄŽg,κl,ÌŠÄ««,É‡,í,<sup>1</sup>,Ä BG fJlfu,ðffjXf^f}fCfY,·,é•K—  
v,<sup>2</sup>, ,éé‡,àø,Ä,«,Ü,·B

CMYK ,ìF•<sup>2</sup>%ø,É,Ä,‡,Ä

•<sup>3</sup>/<sub>4</sub>ŽĐ,ìf{fXfgfXfNfŠfVfgfCfxf<,Qf\ftfgfEfFfA,ðfTf|lfg,·,éfvfŠf“f^,ðŽg—  
p,·,éé‡AfvfŠf“f^Ž©‘ì,É CMYK F•<sup>2</sup>%ø,ðs,κ<@“\,<sup>2</sup>g,Ýž,Ü,é,Ä,‡,Ü,·B’Éí Adobe  
Photoshop ,Ä CMYK F•<sup>2</sup>%ø,ðs,í,é,Ü,·BAdobe Photoshop ,Ä,È,fvfŠf“f^,Ä CMYK F•<sup>2</sup>  
%ø,ðs,‡,½,‡é‡,É,ÍACMYK F•<sup>2</sup>%ø,ìfìfvfVf‡f“,ðfìft,É,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,‡BfvfŠf“f^,ìf  
fXfgfXfNfŠfVfgfCfxf<,Qf\ftfgfEfFfA,ÄF•<sup>2</sup>%ø,ðfTf|lfg,<sup>3</sup>,é,Ä,‡,éé‡,É,ÍA^È  
%ø<sup>2</sup>,ì‘èì,ðs,Ä,ÄAAdobe Photoshop ,ì CMYK F•<sup>2</sup>%ø,ð<@“\,ðfìft,É,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,‡B

1. WINDOWS fffBfCfNfgfŠ“à,ì PHOTOSHP.INI ftf@fCf<,ðŠJ,«,Ü,·B
2. PHOTOSHP.INI ftf@fCf<“à,ìm Adobe Photoshop nfZfNfVf‡f“,É^È  
%ø<sup>2</sup>,ìs,ð‘à•¶Žš,ÄfXfy[fX,ð“ü,é,, ,É‘Ç%øÄ,μ,Ü,·B

DISABLERGBTAGS=1

3. PHOTOSHP.INI ftf@fCf<,ð•Ü‘¶,μ,Ä,©,çAPhotoshop ,ðÄ<N“® ,μ,Ä,±,ì<@“\  
,ðfìft,É,È,Ä,Ä,‡,é,©,Ç,κ,©Šm”F,μ,Ü,·B

fR[fìlfgf“f{,É,Ä,‡,Ä

Adobe Photoshop 2.5J ,Ä,ÍAfR[fìlfgf“f{,ð“à‘κ,É^Ü“® ,<sup>3</sup>,<sup>1</sup>,é,±  
,Æ,É,æ,Ä,ÄÜ,ì,μ,è,ìfTfCfY,ð‘<sup>2</sup>B,·,é,±,Æ,<sup>2</sup>,Ä,«,Ü,·Bftf@fCf<fffj...l,©,çu —pŽtY‘è...  
v,ð‘l,ÑA—pŽtY‘èf\_fCfAffOf{fbfNfX,Äm Ü,ì,μ,è...  
nf{f^f“,ðfNfŠfNfN,μ,Ü,·BÜ,ì,μ,èf\_fCfAffOf{fbfNfX,Ä,ÍAfR[fìlfgf“f{,ì“à‘κ,Ö,ì^Ü“®—  
É,ðŽw‘è,Ä,«,Ü,·B

%ø<sup>1</sup>/<sub>4</sub>‘z<L%ø<sup>-</sup>^<sup>3</sup>k,É,Ä,‡,Ä

Adobe Photoshop ,ì%øŠúY‘è,Ä,ÍAfCf[fWff[f^,ðfffBfXfN,ÉfXffbfv,·,éÜ,É%ø<sup>1</sup>/<sub>4</sub>‘z<L  
%ø<sup>-</sup>^<sup>3</sup>k,ðs,κ,æ,κ,É,È,Ä,Ä,‡,Ü,·B,±,é,É,æ,èAAdobe Photoshop ,ÄŽg—  
p,<sup>3</sup>,é,éfffBfXfNfXfy[fX,Í,È,È,è,Ü,·,ðAfpftfH[f]f“fX,Í‘á%ø<sup>2</sup>,μ,Ü,·B,±,ì<@“\  
,ðfìft,É,·,é,ÆAAdobe Photoshop ,ÄŽg—p,<sup>3</sup>,é,éfffBfXfNfXfy[fX,Í‘<sup>1</sup>/<sub>2</sub>,-  
,È,è,Ü,·,ðA,»,ì‘ä,í,è,ÉfpftfH[f]f“fX,ÍCüä,μ,Ü,·B

%ø<sup>1</sup>/<sub>4</sub>‘z<L%ø<sup>-</sup>^<sup>3</sup>kìfvfVf‡f“,ðfìft,É,·,é,É,ÍF

1. WINDOWS fffBfCfNfgfŠ“à,ì PHOTOSHP.INI ftf@fCf<,ðŠJ,«,Ü,·B
2. PHOTOSHP.INI ftf@fCf<“à,ìm Adobe Photoshop nfZfNfVf‡f“,É^È  
%ø<sup>2</sup>,ìs,ð‘à•¶Žš,ÄfXfy[fX,ð“ü,é,, ,É‘Ç%øÄ,μ,Ü,·B

DISABLEVMCOMPRESSION=1

3. PHOTOSHP.INI ftj@fCf<,ð•Û'¶,μ,Ä,©,çAPhotoshop ,ðÄ<N“®,μ,Ä,±,ì<@“\ ,æfjft,É,È,Á,Ä,ç,é,©,Ç,æ,©Šm”F,μ,Û,·B

Adobe IllustratorAAdobe PhotoshopAPostScript ,íAAdobe Systems Incorporatedi fAfhfVfXfef€fYŽĐ j,ìŠe',Á,ì“o~^æ•W,à,μ,,íæ•W,Á,·B\*Helvetica ,Æ Times ,íALinotype-Hell AG ,“æ,Ñ,»„ìŽq%oiŽĐ,ìæ•W,Á,·BMicrosoft ,í Microsoft Corporation ,ì“o~^æ•W,Á, ,èAWindows ,ì“~ŽĐ,ìæ•W,Á,·BMacintosh ,í Apple Computer, Inc. ,ìæ•W,Á,·BMacPaint ,í Claris Corporation ,ì“o~^æ•W,Á,·BHPADeskJetALaserJet ,íAHewlett-Packard Company ,ì“o~^æ•W,Á,·BMicrografx Designer ,í Micrografx, Inc. ,ìæ•W,Á,·BThunder ,ÆSuperMatch ,íASuperMac Technology, Inc. ,ìæ•W,Á,·B\*FÄ¶,“æ,ÑFÄ¶Ž'— ç,É'Í,·,é Pantone, Inc. ,ì check-standard æ•W,Á,·B,»„ì'¼,ìfuf%of“fh-¼,“æ,Ñ»•i-¼,í,»„ê,¼,ê,ìŠ—LŽÒ,ì“o~^æ•W,à,μ,,íæ•W,Á,·B

copyright 1983-93 Adobe Systems Incorporated. All rights reserved.