H ADH SUB,C,15 110 OPEN 111 CREATE 112 DELETE 113 COPY TO 114 COPY FROM 115 EXIT 120 FORMS 121 REPORT 122 SCREEN 124 MACROS F2 123 FUNCTION KEYS 130 SELECT 131 DESTINATION 132 EJECT PAGE 133 LINE FEED 140 RUN PROGRAM 142 SCREEN SAVE 143 CHANGE DATE 144 ABOUT ARROW 210 EDIT 211 SCAN 212 CLOSE 220 LAST NAME 221 COMPANY 222 CITY 223 STATE 224 ZIP CODE 225 OPTION 226 PHONE # 227 ENTRY DATE 228 PRINT DATE 229 NOTES 230 FORMS 231 REPORTS 232 COPY 233 SET TAGS 234 REMOVE TAGS 235 DELETE 236 UNDELETE 237 EDIT 238 MAILMERGE 239 TABULATE 240 CATEGORIES 241 ATTRIBUTES 242 FILTER 243 SORT 244 INFO

H TXT1,C,40 This option allows you to select a This option allows you to create a This option will allow you to delete This option allows you to copy a This option will copy a database from This option will close all databases This option will allow you to create This option will allow you to create This option allows you to modify the This option, along with the F2 function This option allows you to enter This option allows you to designate This option allows you to select the This option will execute a form feed This option will execute a line feed This option allows you to run another 141 MOUSE CONTROL: This option allows to adjust This option allows you to select various This option allows you to change the Display copyright information about This option will place you into the This option will place you into the This option will close this database. This option will allow you search for This option will allow you to search This option allows to search for the This option allows you to search for This option will allow you to search This option allows you to print forms This option allows you to select This option allows you to copy This option allows you to set tag This option allows you to set tag This option allows you mark for This option will remove the mark of This option will global edit selected This option allows you to copy This option allows you to count This option will allow you to modify This option allows you to choose This option allows you to select This option allows you to have This option displays information

H TXT2,C,40

database to open for new database for adding and editing a current database. database to another drive or directory. another drive or directory, including in use and exit ARROW. new or modify existing form layouts. new or modify existing report layouts. background pattern and colors being key, allows you to record macros for frequently used text phrases into the current printer you are using with destination port or filename that on the current designated printer. on the current designated printer. program from within ARROW. the speed of mouse movement in time intervals to activate the screen current system date. ARROW.

single entry edit mode. Scan Mode, allowing you to view multiple

the last name of desired entry. for the company name of the desired for the name of the city of the by state abbreviation for the desired by ZIP code for the desired entry. by contents of the option field for for the desired entry by business or date that an entry was entered. the last date that a form was printed the text in the note page for the for selected entries. entries to be on a report. selected entries to another database. status ON for selected entries. status OFF for selected entries. deletion of seleted entries. These deletion from selected entries. entries by replacing the contents of selected entries to word processing selected entries. existing category headings and options for viewing and editing specific entries for viewing and entries sorted any field ascending about the current database.

245		This option allows you to delete	duplicate entries in the database
	DUP DELETE	This option allows you to delete	duplicate entries in the database.
	PURGE	This option will remove all entries	in the database marked for deletion.
	NOTES 1	Formulas start with = (an equal sign).	"A"- "T" References note lines
	L NOTES 2	- Subtraction / Division	^ Exponent () 7 level parenthesises
	2 NOTES 3	COS(x) = cosine of x in radiants	LOG(x) = base-10 logarithm of x
	3 NOTES 4	SQR(x) = square root of x	SUM(xy) sums values of lines x thru y
) EDIT SCREEN 1	S - Scan Mode switch	A - Add new entry
	L EDIT SCREEN 2	D - Delete current entry	N - Add or edit entry Notes
	2 EDIT SCREEN 3	F - Form Printing	R - Report Printing
	B EDIT SCREEN 4	MOVING AROUND THE DATABAS	
	1 EDIT SCREEN 5	End - Move to bottom of database	Ctrl-PgUp & Ctrl-PgDn - Continuously
310	OPEN	This option allows you to open a	previously created form layout, so that
311	CREATE	This option allows you to create a new	form layout, it can then be viewed
312	SAVE	This option allows you to save a form	layout that you created or resave a
313	SAVE AS	This option allows you to save a form	layout under a new name without
314	DELETE	This option allows you to delete a	form layout.
315	EXIT	This option allows you to exit the	Form Design Editor and return to
320	LAYOUT	This option allows you to modify the	form parameters such as page size,
321	SAMPLE	This option prints sample forms or	labels using the current layout.
322	COPY TO	This option copies a form layout to	another drive or directory. This allows
323	COPY FROM	This option copies a form layout from	another drive or directory. This allows
410	OPEN	This option allows you to open a	previously created report layout, so
411		This option allows you to create a new	report layout, it can then be viewed
	SAVE	This option allows you to save a report	layout that you created or resave a
	SAVE AS	This option allows you to save a report	layout under a new name without
414		This option allows you to delete a	report layout.
	EXIT	This option allows you to exit the	Report Design Editor and return to
	LAYOUT	This option allows you to modify the	report parameters such as page size,
	ATTRIBUTES	This option allows you to change a	report's attributes such as title
	SAMPLE	This option allows to print a sample	report using the current layout.
423		This option copies a report layout to	another drive or directory. This allows
424		This option copies a report layout from	another drive or directory. This allows
601		This option allows you to import data	from four types of standard text files.
	DBASE III	This option allows you to import data	from dBASE III, dBASE III+ and
	VISICALC	The option allows you to import data	Visicalc (DIF) data files.
	LOTUS	This option allows you to import data	from Lotus 123 Version 1.1 and Version
	MULTIPLAN	This option allows you to import data	from Multiplan datafiles.
606		Selecting this option will	return you to DOS.
	EDIT PRINTER	This option allows you to edit the	-
		This option allows you create a new	name, type and control codes of printer driver.
	COPY TO	This option allows you to delete a	printer driver.
		This options copies a printer driver to	another drive or directory. This allows
		This option copies a printer driver from	another drive or directory. This allows
	BEGIN IMPORT	This option imports all data from the	Import file to the ARROW database using
		This option allows you to open, edit,	and import with a previously created
653		This option allows you to create a new	import layout.
654		This option allows you to save an import	layout that you created or resave a
	SAVE AS	This option allows you to save an import	layout under a new name without changing
056	DELETE	This options allows you to delete an	import layout.

657 EXIT IMPORT 661 DATABASE 662 IMPORT FILE 663 ASCII FORMAT 671 DISPLAY 672 SAMPLE IMPORT 673 COPY TO 674 COPY FROM 675 RUN PROGRAM 691 STAN. DATA FILE 692 "DELIMITED" 693 'DELIMITED' 694 VARIABLE LINE 701 SAVE 702 SAVE AS 703 EXIT 711 PRINTER NAME 712 PRINTER TYPE 713 INITIALIZE 714 LINE SPACING 715 USER CODE 721 NLQ/DRAFT 722 BOLDFACE 723 ITALICS 724 UNDERLINE 725 DOUBLE WIDTH 726 DOUBLE HEIGHT 727 FONTS 728 FONT PITCH 5300 5301 5302 5303 5400 5401 5402 5403

This option allows to exit the Importer This option allows you to designate the This option allows you to designate the This options allows you to select the This options display the current ARROW This option allows you to import a small This option copys an import layout to This option copys a report layout from This option allows you to run another Select this for standard data files. Selected this for text files delimited Selected this for text files delimited Selected this for text files that This option allows you to save or resave This option allows you to save this This option close printer driver file This option allows you to edit This option allows you to change this This control code is sent very time a These controls are used to set Lines per These control codes are available for These codes are for NLQ or Draft. Draft is the default. If NLQ is selected, the These control codes are for turning These control codes are for turning These control codes are for turning These control codes are for turn double These control codes are to turn double This option allows you to edit the This option allows you to edit the

and return to the Toolbox Menu Bar. destination ARROW database source import file. This file should be type of ASCII file if the incorrected database indicated. Use these commands: sample of data. Use this to inspect a another drive or directory. This allows another drive or directory. This allows program from within "Toolbox". These are also called Fixed Length with double quotations. with single quotes. contain a single records data on this printer driver. printer driver as a new driver with out and return to the Toolbox Menu Bar. this printer name. printers type. report or series of forms is printed. page, 6 lines per inch, and 8 lines per any new functions. If User Code is boldface on and off. When printing italics on and off. When printing underlining on and off. When undering width printing on and off. When printing height printing on and off. When control codes for up to four different control codes for Pica, Elite and

- Moves 1 space

Tab - Moves 5 space right

Del - Delete field

- Moves 1 space

Tab - Moves 5 space right

Del - Delete field

H_TXT3,C,40 viewing and editing. of entries.	H_TXT4,C,40	H_PAGE,C,5 4-1 4-2
Note: Once a database is deleted it	can not be recovered.	4-2
	database to multiple floppy disks.	4-3 4-4
copy To will also back-up a large	ualabase to multiple hoppy disks.	
those on multiple floppy disks.		4-6
		4-7
		4-63
		4-76
displayed on the screen.		4-10
operation of the	ARROW.	4-90
function key definitions.		4-11
your computer system.		4-13
printed output will be sent to.		4-14
		4-15
		4-16
		4-17
ARROW.		4-18
save utility.		4-19
		4-20
		4-21
		4-22
entries.		4-23
		4-24
		4-25
entry.		4-25
desired entry.		4-25
entry.		4-25
		4-25
the desired entry.		4-25
home phone number.		4-25
		4-25
with information from an entry.		4-25
desired entry.		4-25
desired entry.		4-27
		4-27
		4-30
		4-35 4-35
		4-35 4-35
antrian will can be removed from the	detended with the DUDCE ention	
entries will can be removed from the	database with the PURGE option.	4-38
- 6 - 1-1		4-38
a field.		4-41
program's file formats.		4-43
		4-45
definitions.		4-47
of entries in the database.		4-48
editing.		4-49
order.		4-51
		4-52

		4-53
Note: Once deleted entries are purged	they can not be undeleted.	4-54
***** MATH OPERATORS *****	+ Addition * Multiplication	A-1
***** MATH FUNCTIONS *****	ABS(x) = absolute value of x	A-1
RND(x) = x rounded to nearest whole #	SIN(x) = sine of x in radiants TRC(x) = whole # of x	A-1 A-1
TAN(x) = tangent of x in radiants E - Edit current entry	S - Set & reset tag status	4-1 4-56
C - Copy entries to other database	M - Modify Entry Date & Print Date	4-50 4-56
1 or 2 Selects between databases	ESC ENTRY MENU BAR	4-56
PgUp/PgDn - Prev/Next Scan Screens	Home - Move to top of database	4-56
displays entries until a key is pressed.		4-56
it may be viewed and modified in the	Form Design Editor.	4-64
and modified in the Form Design Editor.	-	4-65
layout that you opened.		4-66
changing the layout that you	originally opened.	4-66
Note: A layout can not be recovered one		4-67
the Master Menu Bar.		4-68
margins, and spacing.		4-69
		4-70
you to transfer layouts to other	computers using ARROW.	4-71
you to transfer layouts from other	computers using ARROW.	4-72
that it may be viewed and modified in	the Report Design Editor.	4-76
and modified in the	Report Design Editor.	4-77
layout that you opened.		4-78
changing the layout that you	originally opened.	4-78
Note: A layout can not be recovered one	c it is deleted.	4-79
the Master Menu Bar.		4-80
margins, and spacing.		4-81
printing and grouping of entries.		4-82
		4-83
you to transfer layouts to other	computers using ARROW.	4-84
you to transfer layouts from other	computers using ARROW.	4-85 5-11
compatible database files.		5-11
compatible database lies.		5-11
2.01 worksheets.		5-11
2.01 WorkSheets.		5-11
		0 11
existing printer drivers.		5-2
		5-4
Note: A driver can not be recovered once	eit is deleted.	5-6
you to transfer drivers to others using	ARROW	5-7
you to transfer layouts to other	computers using ARROW.	5-9
the selected Layout.		5-12
import layout.		5-14
		5-15
layout that you opened.		5-16
the layout that you originally opened.		5-16
Note: A layout can not be recovered one	c it is deleted.	5-17

This is the file that will contain your of the TYPE indicated in the Import file type is indicated in the Import S-Scan/Normal N-Notes/No Notes	newly imported data. status window. status bar. D-Delete/Undelete ESC-Return to menu	5-21 5-19 5-20
portion of imported data and verify the	field positioning.	5-12
you to transfer layoutsto other	computers using ARROW.	5-23
you to transfer layouts from other	computers using ARROW	5-22
,		4-17
file.		C-1
		C-2
		C-3
multiple lines and have records	separated one or more blank lines.	C-4
		5-3
changing the original driver.		5-3
		5-2 5-2
		5-2
inch.		5-3
selected, ON is sent prior to print and	OFF is sent after.	5-3
ON is sent prior to print and OFF after.	If Draft is selected, no codes are sent.	5-3
italics the ON code is prior to printing	and the OFF code is sent after.	5-3
italics the ON code is sent prior to	printing and the OFF code after.	5-3
the ON code is sent prior to printing	and the OFF code is sent after.	5-3
in double width the ON code prior to	printing and the OFF code after.	5-3
printing in double height the ON code is		5-3
type faces. These codes will be sent	prior to printing each line.	5-3
Condensed pitches that will be sent	prior to each printed line.	5-3
	Shift Tab - Moves 5 spaces left Enter - Add or edit field	
	ESC - For Editor Menu Bar	
	ESC - FUI EUILUI MIEITU DAI	
	Shift Tab - Moves 5 spaces left Enter - Add or edit field	

ESC - For Editor Menu Bar