

GAGE Network Connection Manager Help Index

The Index lists the Help topics available for GAGE Network Connection Manager.

Buttons

[Connect](#)

[Disconnect](#)

[Add](#)

[Remove](#)

[Browse](#)

[Network](#)

Procedures

[Connecting to a shared disk drive](#)

[Connecting to a shared printer](#)

[Disconnecting from a shared disk drive](#)

[Disconnecting from a shared printer](#)

[Adding a network path to the previous list](#)

[Removing a network path from the previous list](#)

[Browsing the network](#)

[Accessing a network's extended features](#)

[Registering your software](#)

Glossary

[Defined Terms](#)

Connect Button

This button is used to connect to a shared network resource.

Connecting to a shared disk drive

Connecting to a shared printer

Disconnect Button

This button is used to disconnect from a shared network resource.

Disconnecting from a shared disk drive

Disconnection from a shared printer

Add Button

This button is used to add a network path to the Previous list box.

Adding a network path to the previous list

Remove Button

This button is used to remove a network path from the Previous list box.

Removing a network path from the previous list

Browse Button

This button is used to access the browse feature of your network. If the Browse button is grayed, then your network does not support this feature.

Browsing the network

Network Button

This button provides access to the extended features of your network and has the same functionality as double clicking on the network icon in the control panel.

[Accessing a network's extended features](#)

Procedure topics!

Connecting to a shared disk drive

1. Select a drive letter from the Redirect Device combo box.
2. Enter the network path for the shared disk drive in the Network Path edit or select a network path from the Previous listbox.
3. If required, enter the password in the Password edit.
4. Click the Connect Button.

If the operation was successful, the drive letter and its network path will appear in the Current list box.

Connecting to a shared printer

1. Select a printer port from the Redirect Device combo box. *Note: Printer ports appear after drive letters in the combo box.*
2. Enter the network path for the shared printer in the Network Path edit or select a network path from the Previous listbox.
3. If required, enter the password in the Password edit.
4. Click the Connect Button.

If the operation was successful, the printer port and its network path will appear in the Current list box.

Disconnecting from a shared disk drive

1. Select the drive letter and its network path from the Current list box.
2. Click the Disconnect button.

If the operation was successful, the drive letter and its network path will be deleted from the Current list box.

Disconnecting from a shared printer

1. Select the printer port and its network path from the Current list box.
2. Click the Disconnect button.

If the operation was successful, the printer port and its network path will be deleted from the Current list box.

Adding a network path to the previous list

1. Select the network path from the Current list box.
2. Click the Add button.

If the operation was successful, the network path will be added to the Previous list box.

Removing a network path from the previous list

1. Select the network path from the Previous list box.
2. Click the Remove button.

If the operation was successful, the network path will be removed from the Previous list box.

Browsing the network

1. Click the Browse button.
2. Select a network path. *Note: This will vary from driver to driver but each will give you some way of selecting a network path.*
3. Click the OK button.
4. Check that the selected network path is inserted in Network Path edit.
5. Select a drive letter or printer port from the Redirect Device combo box.
6. If required, enter the password in the Password edit.
7. Click the Connect Button.

If the operation was successful, the drive letter or printer port and its network path will appear in the Current list box.

Accessing a network's extended features

1. Click the Network Button.

If the operation is successful, the network driver will display a dialog box that allows access to the extended features of your network software.

Registering your software

1. Use Windows Write to print the order form, order.wri, included in conmgr.zip.
2. Fill out and mail to the address on the form.
3. You will receive a disk containing the latest version of the software, a license agreement and a registration number.
4. Make a backup copy of your disk and keep the original disk and registration number in a safe place.
5. Copy the ConMgr files to the desired location on your hard disk.
6. Run ConMgr.
7. Select the Register menu item from the Help menu.
8. Enter your name or company name and your registration number, then click OK.

Your software will then be registered and you will not be bothered by the shareware notice message again. If you are running ConMgr from a floppy disk you must use the same disk each time you run the program. If you are running ConMgr from a network server you must insure that the software license is not being violated.

Defined Terms

Current List

Network Path

Network Resource

Password

Previous List

Redirect Device

Term definitions

Previous List

The list of shared disk drives and printers previously connected.

Current List

The list of shared disk drives and printers currently connected.

Redirect Device

The drive letter or printer port used to reference a connected network resource.

Network Path

A string that includes the server and resource name.

Password

A unique string required to access restricted network resources.

Network Resource

A device shared by a server. Usually a disk drive or printer.

