

CRS Online

NEW USERS GUIDE

Etobicoke, ON M9W 6M5
(416) 213-6000

May 1993

Copyright 884097 Ontario Limited
All Rights Reserved

For the use of CRS Online subscribers only.
May not be reproduced by any means without express written
authorization.

Printing History -

First Published - 1988
This interim revision, May 1993

CONTENTS

Welcome to CRS Online1

HOW TO TALK TO CRS3
Sales And Administration3
Technical Support3

POLICIES4

GETTING ON-LINE5
Setting Up Your Software5
Busy Signals6
Out of Town Phone Numbers6

CONNECTED! NOW WHAT? 7
A Note On Speed 7
Main Board 8
Conferences 8
Exploring The Board 9
Electronic Mail 10
Sending Mail To Everyone 10
Sending Private Mail 11
Sending Comments To The System Operator 12
Reading And Erasing Mail Messages 12
Sending a Prepared Document to the Mail Facility 13
Downloading And Uploading Files 13
Uploading Files To The Board 14
Downloading Files From The Board 14
Downloading Archived Files 15
Batch File Transfers 16
Bulletins 16
Script Questionnaires 17
Other Bulletin Board Features 17

INFORMATION SERVICES 19
News And Information Publications 19
Stock Market Results19
Archival CD-Roms 20

HOW TO USE CD-ROMS 21
General Introduction: 21
Limitations: 21
Getting Started: 22
A Brief Description of the CD-ROMs: 23
Using the CD's: 23
Database Searching: 23
While Viewing an Article: 24
Taking a Look Around: 25
Contents: 25
Summary of Key Commands: 25
Downloading Saved Articles: 26

CRS ONLINE STOCK DOOR 27

CRS FAXMAIL SERVICE 29

COMMERCIAL AREAS 31

USENET 33
 Sending A Public Message 34
 Sending A Private Message 34
 Site Addresses 35
 Common Usenet Terms36

HOW TO GET HELP 39

CRS Online HOURS 40

TELEPHONE NUMBERS41
 Office & Technical Support41
 CRS PCBoard/Online System Lines: 41

PASSWORDS42

USER REQUESTED UPLOADS 42

24 HOUR CLOCK43

SHUTDOWNS AND MAINTENANCE 43

INET/DATAPAC USERS 44

REACH ACROSS CANADA 45

CRS Conferences47
 NorthAmeriNet47
 PRIVATE and/or SPONSORED CONFERENCES49
 Intelec Echo Mail Conference50
 RIME Echo Mail Conferences51
 EchoNet Mail Network Conferences53
 ILink Echo Mail Conferences53
 QUEBECNET Echo Mail Conferences55
 ADANET Echo Mail Conferences55
 MidiLink Echo Mail Conferences 56
 FidoNet Echo Mail Conferences57
 Vervan's RPG Net60

USENET CONFERENCES 63

SOFTWARE: FILE AREAS81
 MACINTOSH81
 IBM/DOS83
 AMIGA86
 ATARI ST86
 COMMODORE 64/12887
 APPLE II+, //e, //c, //gs88

ECHOMAIL NETWORKS 90

POPULAR TECHNICAL QUESTIONS 91

GETTING YOUR PERSONAL OFF-LINE READER 95

Files On-line - Why the .ZIP extension? 104

Introduction to Using Other BBSs 105

High Speed Modems 109

Why are my file transfers slow? 111

HIGH SPEED MODEM SETTINGS 115

PCBOARD - REFERENCE 117

Welcome to CRS Online

Since beginning in 1981, CRS has grown steadily. From a single line system, attracting 20 calls a day, CRS has grown to over 200 incoming lines and 5000 calls a day. This continuing growth is a tribute to you, our subscribers. Anyone can put the hardware together to run a bulletin board, but without the input, support and guidance of subscribers, you'll have just hardware. CRS subscribers make the difference, and we would be remiss if we didn't thank you for your continued support.

CRS is the largest system of our type in Canada and the second largest in North America. Our all inclusive annual fee structure means that you don't have to worry about per minute connect charges or file downloading charges. Files, messages, and network mail are all included in your low annual subscription fee.

Our systems are constantly changing, and we've tried to keep this manual fairly generic. If something in here doesn't seem to be applicable or work any longer, check the on-line help systems (Type H from any menu), or review the on-line bulletins (Type B from any menu). On-line help and on-line bulletins are typically more current than our printed material.

This manual is, of necessity, complex. Please take some time to read through the manual. Once you've done that, give our systems a call. And, if you have problems, give our tech line a call at (416) 213-6001. The tech support line is staffed by our full time system operators (sysops) from Monday to Friday 1pm to 7pm. We also run Thursday evening seminars about once every three weeks, so there's plenty of help available for you.

Thank you for your support of CRS. We hope you enjoy our on-line services.

David Chaloner
General Manager

HOW TO TALK TO CRS...

We'll give you more info regarding the computer setup later, but the most important #'s we have (and the ones you should keep in mind) are our voice #'s.

Unlike most small bulletin board services, CRS Online is a commercial full time operation. We have staff you can talk to. As a result, you'll find that questions or problems can often be resolved over the phone with very little delay.

Sales And Administration

Our sales and administrative staff deal with new accounts, password problems, time allocation, and the like, and they can be reached from 9am - 5pm, Monday to Friday at:

(416) 213-6000
(800) 563-2529

Toronto and Area
North America

If you encounter a problem with your account on any of our systems, call us, we will try to assist you in any way we can.

Technical Support

Our technical staff deal with system problems and questions. They cannot fix account problems, but they'll be happy to assist you with technical questions relating to CRS. They can be reached from 1pm to 7pm, Monday to Friday at:

(416) 213-6001 All Areas

If you are calling the technical line, please be seated at your computer and have a brief description of the problem ready. Be as detailed as you can. The more information that our tech staff has, the better they can assist you. Tech support is limited to CRS subscribers only and is typically fairly busy, so please be patient if you encounter some busy signals.

You can also leave messages on-line to the sysops, but keep in mind that their workload is such that it may be up to 7 days before you get a response. If your question is more urgent, you will get the fastest response by calling voice. If you have a less urgent question, then leaving a message to "SYSOP" is recommended.

POLICIES

CRS Online has some policies that you should be aware of -

1. Nothing illegal is permitted on-line. No uploading of commercial or copyrighted software of any kind is permitted.
2. No excessive profanity.
3. No undue abuse of the system.
4. We do not typically edit or censor messages in any way, but reserve the right to do so.
5. The use of our systems is at your own risk. We particularly caution you that doors are add-ons to PCBoard, and may not be of the same high quality as PCBoard. Some doors are prone to crashing.

Administrative Policies

1. It may take up to 3 working days to make an account change (new or existing). While we typically make changes the same day we receive a request, please allow 3 days.
2. Subscriptions are automatically suspended by the system on the date of expiry. Allow 2 weeks for your renewal to be processed, and don't leave it until the last minute if you want to ensure your access will continue uninterrupted.
3. An administrative charge of \$20 will be levied for the following:
 - i. Change of Account Name
 - ii. Returned cheque
4. CRS reserves the right to cancel any subscription with or without cause by refunding the balance of your subscription fee. Subscriptions are non-cancellable by a user.

CRS Online is operated by 884097 Ontario Limited as a private system. While we exercise due care and caution, we will not be responsible for any losses or damages you suffer while using our systems. We do not guarantee access at all times, and expressly reserve the right to change our policies at any time.

GETTING ON-LINE

Setting Up Your Software

To deal with any electronic medium, you have to have a modem, computer and communications software. While the choice of a terminal program and modem is yours, we recommend one of the newer shareware packages as your communications program (typically Telix, Procomm or our own *CRSEasyLink* for the PC Based machines) and as high a speed modem as your budget will allow.

Before reading any further in this handbook, now would be a good time to make sure that you do have the necessary equipment, and adequate documentation for your communications program. If you're not sure that it all works together, do the following:

- a. Turn on your computer (and modem, if you have an external modem)
- b. Bring your communications software up. This is usually explained in the manual that comes with your software package. As each package is different, we can't give specific instructions about getting your particular software running, but look for an EXE or a BAT file on your communications disk and try running it. Almost all communications software will start up in the "Terminal Mode" - this simply means that whatever you type on the keyboard is sent to the modem.
- c. Type (on your keyboard) "ATZ" (without the quotes) and hit a carriage return.
- d. If your modem/computer/software are all responding correctly, you will see on your screen either a "0" or an "OK". Either indicates proper functioning. If you don't see this, then you'll need to stop right here and get it all working together. We'll be happy to assist you on our technical line, but if you purchased the modem/software elsewhere, our first response will be to refer you to your dealer.

If you did, continue on. If you did not, go back to "Setting up your software"

Now, that you're communicating with the modem, you'll have to tell your software about CRS. CRS (and most Bulletin Boards) expect you to set up for 8 data bits (that's the number of bits in a computer character), 1 stop bit (that's the number of bits after the character is sent) and no parity. Basically, what this means is that we'll send you 10 bits for each character, allowing us to use 255 different combinations of bits to make characters that you and your computer can understand. You'll usually need to set these parameters (and the maximum baud rate of your modem) in two spots - One in the defaults section of your communication program and the other in the dialing directory of your communication program. Again, the exact specifics of your communications program cannot be covered in this manual, but look for a menu command in your software called "OPTIONS" or "TERMINAL OPTIONS". (See appendix J for special instructions on setting up error correcting modems)

Once you type in the phone # (or activate your dialing directory), you'll hear a dialing. When the modems connect, you'll hear a couple of tones and then a short song or screech. Your software/modem should then say "Connected at xxxx Baud".

You can also instruct the modem to dial one of our phone numbers by first entering our numbers into a dialing directory (This is often done with an ALT-D command, but check your software manual for dialing instructions) Phone #'s for our on-line systems are contained in the appendices section.

Busy Signals

If you are having problems getting through, and you've not been successful in the past, we suggest you try calling with your telephone as if you were going to talk to someone on the other end. You may find that we're busy, or that something else is wrong. When in doubt, call manually and listen first. CRS is often busy in the evening hours. We attempt to provide enough lines so that you'll wait no more than 10-15 minutes during the peak time, but you cannot expect immediate access during peak hours. As well, our systems have scheduled shutdowns daily from 12:00noon to 12:45pm, and you will never be able to access us during that period.

If one set of numbers is busy, try the other number. We search for open systems only within a particular hunt group (A hunt group is a fancy way of saying that if the first line in the 213-6002 group of numbers is busy, your call will go to the next number, and so on until it reaches an open line). You'll generally need to dial only one or two numbers to have access to the entire set of modems available on the system.

Out of Town Phone Numbers

CRS has placed a numbers of lines into communities surrounding Metro Toronto. If you are local to one of these lines then you can reach our systems without any long distance charges. For callers, even further away from CRS, our systems are accessible through iNET 2000 and Datapac (Canada) and a variety of alternative long distances services (US). If you'd like more information on iNET 2000 or Datapac, please call our office and ask us for details.

CONNECTED! NOW WHAT?

Once you are connected to our on-line systems, you will be prompted whether or not you want graphics. (How do you know you're connected? The modem speaker will turn off, and your software will normally say CONNECTED). If you're using a program which supports ANSI graphics, answer Y and press Return. For other software, check to see if it supports the ANSI.SYS emulation; if so press Y, otherwise answer N. (If you aren't sure, just hit N.)

Next you will be prompted for your first name, last name, and a Password. Enter these three identifiers as requested. (If you have not already been enrolled as a subscriber and assigned these three items, you will only be able to enter the on-line systems for a one hour demonstration. Contact CRS at (416) 213-6000 or (800) 563-2529 to register.) If you're not sure about your name and password, check the CRS invoice that came with your new subscribers kit. Typically, we use your first and last name as shown on the invoice. If we have set you up in any other manner, you'll see a note on the invoice "bb: name" which will identify you.

(Note - If you're not recognized, one of two things has happened: a. You may not be entered into our systems yet. Typically, we set up subscriptions the same day we receive a request, but occasionally it can take a little longer. If you are not set up within two business days, give us a call and ask what the status of your account is. b. We have set up your account incorrectly. Give our office a call and we'll fix that right away.)

Once the board has identified you as a subscriber, we'll display a NEWS file. This file appears the first time you log on and every other time you log on if the news file has been updated. It is an important source of news about the on-line systems and events that affect our subscribers. Avoid frustration - read this file when you log on. If you missed anything, you can always redisplay the file by typing NEWS.

Following the news file, you'll be prompted to scan for new messages. Selecting YES will cause the board to search the message base for mail addressed to you starting from the last message you read. If you don't read mail on a regular basis, this may take a few seconds to complete, so be patient. The main menu will follow and you are now on your way to accessing all the services available on CRS Online.

A Note On Speed

We run our system on a Novell Network with over 30 gigabytes of storage. More than 95% of our workstations or nodes (the computers you call into) are high speed AT class or better, but there are still a few older nodes. Speed is always a relative thing - and we'll take a moment to address it here.

In most instances, you'll find system speed to be more than adequate. However, when opening doors (external programs to the PCBoard software) or scanning messages, there may be a noticeable delay. This occurs for three reasons:

CRS ONLINE NEW USERS GUIDE

a. The door software code must be moved from the file server to the workstation, and PCBoard BBS software unloaded. More popular doors may result in 300+K of code being moved across the network. If the systems are busy, there will be a network delay in providing your workstation with this code.

b. Rosemail and Prodoors search an extended user file that is more than 400 megabytes in size for your name. If this is the first time you've logged onto the door, a delay of up to a minute may be encountered.

c. In message scans, we're scanning tens of thousands of messages. Typically, our main and IBM message bases are in excess of 2000 messages each, even though we only keep them for periods of 4 to 30 days, and we generally receive 20,000+ messages a day.

We constantly upgrade workstations to eliminate any bottleneck, but we're somewhat hamstrung with the other problems. As we don't charge you for connect time, it's not a big issue, but have patience in peak periods.

Main Board

The Main Board is a generic information area where you may view Bulletins, send Comments to the System Operator (Sysop) and change some of your Users Parameters. The Main Conference (Conference 0) is where you will find non-specific files. For most of you, you'll scan messages in the main conference and then move immediately to a computer specific conference (eg. IBM, Macintosh, Amiga, ...etc.) if you are interested in downloading software or a message conference if you want to browse messages on a certain topic. The Main conference contains private messages only, and unless there is a message to you, you'll see no messages in the Main conference.

Conferences

Many of the BBS features are available only after you have joined a conference, so the first step toward accessing more information is to "join a conference".

Conferences are the basic areas into which the bulletin board is divided. When you first log onto the bulletin board, you will be presented with the "Main Board" menu. At this main board menu, enter J to join a conference.

After typing "J", you'll be presented with a list of conferences. Conferences are available immediately by typing the conference number.

Once inside a conference, you are presented with the message "Scan Message Base Since 'Last Read' (Enter)=yes?" Press Return and the message base is searched for any new electronic mail, E-Mail, that has been sent to you.

After searching the message base, the system tells you if there are any messages for you, or from you. It will also tell you how many new messages were entered since you last read a message in this conference.

Press Return again, and the system tells you the number of the last message you read (L/Msg.Read), the number of the highest message entered (High Msg.#:) and the number of active messages.

Pressing Return again brings you to your Conference Menu. The command prompt at the bottom of the menu lists which conference you're currently in. At this menu you can read bulletins; send electronic mail to all conference subscribers or send private messages to specific subscribers; read public or private mail sent to you, upload a file (send a file to the conference) or download a file (copy a file from the BBS). Most of these files can be downloaded either directly to your screen, printed on your printer, or saved to disk for later use.

Conferences available at the time of reprinting of this book are shown in the appendices. The list changes often, however, so to get the current listing, just enter "J". There are some special conferences that are worth note -

- a. Computer Specific Conferences (1,2,3,5,6,13,14). Most of the files available here are in computer specific conferences. File listings do not cross conferences, so you must join the computer specific conference of your choice to obtain files for that computer type from CRS.
- b. Technical/Help Conference (#9) - All responses from the System Operators go into Conference 9. There are 3 operators dealing with your messages/comments/scripts, and to ensure that you can find our response, we place our answers to you in conference 9.
- c. Information Services (#39) - This area contains direct news feeds from Reuters and UPI, a selection of CD-ROMS, and closing stock market results from seven North American exchanges. This conference is an extra to the basic subscription, and you may join it only after paying an additional fee. (Call the office to join). It's described in some detail later in this manual.
- d. Buy and Sell (#34) - A very popular area to buy and sell products of all types. This area is intended for personal use only. Companies may not advertise products unless they are either corporate subscribers or have purchased the "commercial advertising" add-on. Call the office for details.

Exploring The Board

Feel free to try out the commands listed on the menus and explore your way through the BBS system. If you enter an invalid command, you'll get a message telling you what went wrong.

Sometimes at high transmission speeds, these messages disappear before you can read them. You may usually stop these by typing Ctl-S to stop and Ctl-Q to restart, or your communications software may support some form of scroll back feature. Unless you are using some kind of a script that requires continuous

CRS ONLINE NEW USERS GUIDE

sending of information, we recommend that you use the "P"age Length command to set your page length to a suitable number (this ensures that our systems only send your computer as much information as it can display at one time).

To ensure that everyone has a chance to use the BBS, each subscriber is allocated a certain amount of time per day to access it. The board keeps you continually informed of how much time you have remaining. Each subscriber can save up some of their unused time so that they can use it another time. There is a section later in this guide that covers the use of the Deposit door.

Whenever you want information about an operation, just enter the "H" command to display Help text. Anytime you're ready to log off the BBS, just enter "G" for Goodbye.

Electronic Mail

Four types of electronic mail communications are provided:

Public Mail - To all other conference subscribers - provides a public forum for exchanging information of interest to all conference subscribers. At the main or conference menu, enter "R S", and all public mail active since you last called will be presented.

Private Mail - To and from another individual - a direct message to another individual. Should be used for personal messages and messages that would typically not be of interest to all subscribers.

Echo Mail - To other systems - public mail that is echoed out through our connections to other systems. With echo mail, you can address questions and/or comments to hundreds of other Bulletin Boards and thousands of other users. Not all conferences permit echo mail. (See the appendices, for full details on our current echo connections)

Comment to SysOp - When you have a question about the Bulletin Board system - send a (C)omment to the System Operator by entering "C". The SYSOPs typically respond to messages within 4 days and all SYSOP responses are placed in conference 9 (our technical/help conference). Use this for general questions. System related problems (file not found, door not working, etc) should be addressed to the SYSOPs by completing Script Questionnaire #6 (type <<S>> from any menu prompt).

Sending Mail To Everyone

To send your questions, answers, or comments to all conference subscribers, at any conference prompt, enter "E" to Enter a message. When asked to enter the subscriber for whom the mail is intended just press Return to send the mail to all subscribers. You're presented with an area into which you can type your mail. The built in editor will provide word wrapping so you don't have to worry about carriage returns at the end of each line. (To insert a blank line, type a space, then Return.) If your software supports it, you may use the full screen editor that is provided on our system.

When the message is finished, press Return on a blank line (in Full Screen mode you would hit the escape key). You're then asked if you want to send the message, abort it, delete it, re-enter the message area for editing, and other options. Selecting "S" will save and send the message to everyone in your conference. You are encouraged to address your mail to all subscribers when you feel the topic is of general interest to your conference subscribers. In many instances, another caller already knows the answer to your question, or can benefit from the question and public reply. In this way, all subscribers can participate in and benefit from the conference.

Sending Private Mail

To send comments or questions privately to a CRS subscriber, enter "E" to Enter a message. The process is the same as that for sending mail to everyone, except that when asked to enter the subscriber for whom the mail is intended, enter the person's first and last name. Enter your message in the displayed, numbered blank lines (up to 99 lines), and end the message by pressing Return on a blank line.

You're then asked if you want to send the message, abort it, delete it, re-enter the message area for editing, and other options. Select "S" to save and send the message to whomever you addressed it. Selecting "SC" will save and send the message, then ask you if you want to send a "carbon copy" (of the same message) to another person. As long as you keep entering a first name/last name on the blank line you can continue sending carbon copies to individuals. To stop the process, just press Return on a blank line.

Depending on the conference you are in, the system may check for the identity of the intended recipient and you will be advised if he/she does not exist. **DO NOT RELY ON THIS.** It is not enabled in most conferences due to the additional time delays involved. If you're not sure of the name, you're better off not sending the mail. If sent to an invalid name, the recipient will not be able to retrieve it. (In many cases, if you are sending mail to a user on another system, our user records will not show the identity of that person - make sure you have the correct name, and send the message anyway.)

Many of CRS's message bases are shared with other BBSs in North America and throughout the world through a system called echo mail. All messages (public and private) marked for echo will be passed to all the participating systems. In these conferences, an additional "Echo Message" prompt will appear when you enter a message. If the message is for someone on CRS, do not echo the mail. If, however, the person you wish to send mail to is not on CRS, then you must set this flag to "Y". If you do not wish to echo the mail, make the first three characters of the SUBJECT = "NE:".

Sending Comments To The System Operator

When you have a question about the bulletin board system - send a (C)omment to the System Operator, who will re-direct the mail for you. Enter "C", and the process is the same as that for sending mail to everyone, except that you're not asked for a subscriber name. Enter your message in the displayed, numbered blank lines (up to 99 lines). End the message by pressing Return on a blank line and entering "S" to save the message.

The Comment to SysOp feature also provides a way for you to request more information about the BBS, comment on it, and request new features, such as the creation of a conference area for a topic of interest to you. Comments to SYSOP are automatically flagged private. Comments to system operators are always responded to in conference 9, but they may not be handled for a number of days. We offer faster, more effective ways of dealing with your questions -

Script #6 is our general system problem script. This is where you tell us if something is wrong with the system. You usually will not get responses to this script, but the problems will be fixed as soon as we can examine them. Other scripts allow you to order products, renew your subscription and more. You may use either the Comments to sysop or scripts, but Scripts will normally be handled slightly faster than will comments.

Reading And Erasing Mail Messages

When you joined your conference, if you pressed Return when asked "Scan Message Base Since 'Last Read' (Enter)=yes?", the system replied by telling you what new messages, if any, were waiting for you. If you enter "R" at the conference prompt, a numbered list of available messages is presented. If you had new messages waiting you should enter the number of the first one then press Return. Or you may enter "Y" for Your Mail, and then "S" for since the last time you logged on, and the system will begin displaying your new mail since the last time you checked.

As you become experienced you will learn that you can stack commands to save time. For example you could accomplish all of the above by entering the string "R Y S" Return. This tells the system that you want to read all your new mail since you last checked it. Many of the commands that you use within the conferences can be stacked in this manner.

Once read, the messages remain stored on the board until you "kill" (delete) them. To kill a private message, enter K after reading the message, then press Return.

Automatic Purging - We purge our message bases once daily. Messages will be deleted when either of the following conditions are met:

- a. The message is older than the predetermined conference parameter. Typically, messages will be purged (whether read or not) after 25 days (NANET) or 6 days (Other Networks);
- b. The message is both private and has been read.

This catches some users who read a message but do not respond immediately. By

CRS ONLINE NEW USERS GUIDE

the time they return to reread the message and respond, the automatic maintenance has deleted the message. It is best to respond to a message as soon as you read it if you want to avoid the automatic purging.

When reading mail, you can reply to messages with the Reply ("RE") option. If you select this option, you're presented with space into which you can enter the reply. Enter and send your reply just as you do when sending new mail to someone (see the sections above on sending mail).

Every reply to a message becomes logically tied to that message. This includes replies to replies. This logical tie is called a "thread". When a message you're reading has replies associated with it, you are presented the option of reading them. In this way, you can thread through all the responses to a topic and add your own comments to the forum, which are in turn threaded to the other messages.

Text searches may be done on a message base with the TS command. The searches can be done with logical AND/OR parameters. For example, if you wanted to find all messages on laser printers for the Atari and Amiga computers, the command would be:

```
TS Laser & (Atari | Amiga)
```

The "&" sign indicates a logical AND while the "|" represents a logical OR. The TS command can handle multiple parentheses and logical searches.

Sending a Prepared Document to the Mail Facility

You can prepare a document off-line (on your computer) and send it to the BBS as a mail message using many communications programs. You'll need to do an ASCII upload as follows:

Set your Character line length to be 72 characters or less.

A completely blank line is assumed to end the message. To insert a blank line, enter a space character, then a carriage return. Once you've composed your offline message, log on to CRS and join the CRS message conference of your choice. Start your message by completing the users name and subject matter in the normal manner. Then, when you see the 1: from our system (indicating the first line of your message), do an ASCII upload to us. You should see your offline message appear on-line. When the upload is complete exit the message editor and save the message as you normally would.

Downloading And Uploading Files

The BBS stores files for distribution to subscribers. Files can be sent to the board only by subscribers. If you are sending a file to us, it's called uploading (only subscribers can upload files to CRS). Files can also be transferred to your own computer's disk for usage or reading. This is called downloading.

Files can be transferred between the BBS and your computer with error-free file transfer protocols. Text files can also be transferred using ASCII protocol which does not perform error- checking.

If you select T at the main board or any conference prompt, you can then select the desired file transfer protocol. Among those available are:

```
HSLINK
Xmodem
Xmodem CRC
Xmodem-1K blocksG
```

CRS ONLINE NEW USERS GUIDE
Ymodem Batch
Zmodem (recommended protocol)
None

If you're just starting, we suggest that you choose ZMODEM, as it remains the most reliable protocol.

When you select a BBS protocol, select the same protocol in your communications software. Note that not all communications software uses the same naming convention, so you may have to experiment.

To use ASCII protocol to transfer text-only files, first turn on your communications software's disk capture option (if you want to save to disk).

Uploading Files To The Board

If you have a file you think might be of interest to other subscribers, select "U" at a conference menu. You're asked to enter the name of the file as you want it to appear on the bulletin board. Set your communications software to the desired file transfer protocol, and begin transferring the file. Before uploading, please make sure that you are in the proper machine specific conference (i.e. IBM/DOS is conference 2).

After you upload a file to the board, it is immediately available for downloading from the appropriate upload area. All uploaded files must first pass an integrity check that includes scanning for viruses. On a regular basis, CRS sysops will review the file and place it in an appropriate area on the BBS.

Please note that Canada Remote does not accept for upload OFFENSIVE, COMMERCIAL or PIRATED software. Subscribers found uploading such software will have their subscriptions suspended.

Downloading Files From The Board

CRS has defined a number of file areas to help find files more easily. To view the files in these areas, use the "F" command. You'll be presented with a menu of all the available file areas in the present conference. Select the area that interests you and enter the number when the system prompts you for it. You'll then be given a list of the files and their description. These file listings may also be downloaded. View file area 2 for the exact names of the file listings.

You can also display the names of files that have appeared on the BBS since a specific date. To do so, select "N" for New Files, and enter the date in the numerical format mmddyy. For example, October 31, 1987 would be entered as 103187.

Alternatively, you can search for filenames using the wildcard character *. Enter "L" for Locate File, then supply the wildcard designation. There are a number of sub-commands available for the locate command. Adding the number of a particular file area will instruct the system to search only that area, while "A" will search all areas.

If you're not sure of the file name, you can use the Zippy search. The Zippy search can be used to find files from the description as well as the file name. It searches on any combination of characters and will advise of matches regardless of where they fall in a name or description. For example, a Zippy search on "COMM" would turn up things like "teleCOMMunications" and "COMMand" in the same search. Zippy is a text search and does not require (and cannot handle) wild cards.

Both the LOCATE command and the ZIPPY command are searching text file listings, created by CRS. While we attempt to keep the text of the file listings up to date, there may be instances where a file is shown in the directory, but is not actually on-line. You will not know this until you actually try to download the file with the "D"ownload command and receive a "file not found" error. For files not on-line will generally be unavailable.

Once you've located a file you want to download, enter "D" at the menu and supply the name of the file you want to download. Then instruct your communications software to begin receiving the file to disk. Remember, CRS runs on IBM DOS based equipment, so the format of the file is always xxxxxxxx.yyy - (eight or fewer characters to the left of the period, three or fewer to the right).

Downloading files is generally a two step process - First you tell us to send you the file, using the "D" command. Then, you tell your computer to receive the file. This is often done with PageDown key, but again, will vary from communications package to communications package. If you tell us to send, and 60 seconds later you get a "Transfer Aborted" message, then you didn't tell your end to receive. When receiving files, most communications software will place them in your current directory, unless you specify otherwise. When the transfer is complete, a message to that effect is displayed.

Downloading Archived Files

Some of the files available for downloading have the extension .ARC or .ZIP. These extensions indicate that the file has been archived. Archiving a file reduces its size to conserve space on the BBS's host computer disk, and also to minimize the amount of time it takes to transfer the file. The .ARC. or .ZIP. file may actually be an archiving of multiple files into one. You can view the file makeup of an archived file by selecting "V" before downloading it.

Once you've transferred an archived file to your disk, you need to "unarchive" it so it can be used. To do so, use the program PKARC.COM or PKUNZIP.EXE. If you don't have these "shareware" programs, you can download a copy of them from file area 1. Be sure to print out

and read the documentation that comes with this series of programs. You may also find other compression formats on-line. There are many different compression systems for the various computer types. Some of the more popular ones are:

ARC	Use PK361.EXE	IBM
PAK	Use PKZ204G.EXE	IBM
ZIP	Use PKZ204G.EXE	IBM
SIT	Use Stuffit	MAC
CPT	Use Compactor	MAC
USQ	Use Unsqueeze	CPM
LU	Use Library Utility	CPM
PIT	Use Stuffit	MAC
LZH	Use LHARC	IBM

Working versions of these unpacking utilities are always maintained in our file area 1. To see the current contents of file area 1, enter "F 1", and then download the utility necessary for your machine. For IBM users, unzipping is done by typing PKUNZIP fn.ft (where fn.ft is the file name.file extension). For PKUNZIP, the extension must be .ZIP, so don't call it something else when you download it.

Batch File Transfers

We allow you to select a number of files for upload or download with the "UB" and "DB" commands respectively. When you select one of these commands, the system will prompt you for all of the files you wish to transfer. Once the file names are entered (and file descriptions in the case of uploads), we'll prepare to transfer them one at a time to you without further intervention.

When you have selected all of the files you wish (or the maximum that you have time or bytes available for), we'll give you the option of logging off immediately after the transfer. To do this, select "G" when prompted after you select the last file.

Bulletins

Messages the SysOp feels are of general interest are posted on the board as bulletins. Topics posted in the bulletins include information on each conference, tips on using the BBS, special announcements for the conferences, and other subjects. Bulletins are placed there by CRS and contain important information on the operation and use of our systems.

To read a bulletin, enter "B" at the main or conference menu. A list of bulletins are displayed, their numbers, and a description of their contents. When you see a bulletin of interest to you, enter its number to display it. To capture a copy to disk, turn on the disk capture option on your software and then display the bulletin.

To reread the daily news, type "NEWS" at the main menu. To read the news for any particular conference, "J"oin that conference and type "NEWS".

Bulletins can be downloaded or captured through a screen capture using your

Script Questionnaires

A script questionnaire is a method of allowing you to report problems, make requests, renew subscriptions and the like in a formal manner. We use scripts rather than allowing you to complete free form messages as there's a considerable amount of information we need to act on your request. You reach the scripts by typing "S" at any main menu.

For example, script #6 is our trouble reporting script. It's here that you report system problems. Script #6 asks you for a considerable amount of information including the Node Number (that's the workstation that you actually entered the system on). Each node has over 75 batch files controlling it and with 175 nodes, that's 10000+ batch files, one of which will be wrong when you report a problem. Without the node #, it's sometimes hard for us to know where to begin to solve your problem. The node # is displayed on logon, but can always be obtained on-line by entering "I" to redisplay the initial welcome.

Please use the proper script to make requests of us. Scripts are handled daily. Message to Sysop may not be for a number of days, depending on workload here at CRS Online.

Other Bulletin Board Features

As you become more experienced at using the BBS, you may wish to try out some of its other features. Use the H command, as needed, to display help messages. The X command changes to Expert mode, in which menus are bypassed. Review bulletins and messages for tips on features and short cuts available. If you ever have any questions or suggestions, just send a (C)omment to the System Operators.

The M command, which toggles Color Graphics on/off, can be changed anytime. You will find that your screen writes will be slightly faster while you are in the Non Color Graphics Mode, however, the Color Graphics Mode On may be more presentable.

Doors

Doors are a means of exiting from the PCBoard controlling software to DOS. In essence, they allow us to provide you with services that are not built-in to the PCBoard BBS software used for our main BBS.

When you select the door command, you are presented with a list of options. On CRS, all doors are identical in all conferences except for the gaming conference (#11) where, due to the nature of this conferences, additional special doors reside.

Doors are constantly changing, but three that you should always be aware of are:

RoseMail (for IBM users Only) is a door that will actually reduce your time connected to CRS while letting you participate with the message bases as much as you want. CRS does not supply you with an offline reader, but we recommend

RoseReader or QMAIL DELUXE (see Appendix G). The door allows you to select the message bases you wish to keep track of and then download to you automatically all new messages available. Unpacking of the message packet is handled off-line at your end, and replies are created automatically. The replies are compressed in a file that you upload through the door where they are inserted into the correct message base(s).

To access doors, simply "open ##" (where ## is the door number). Doors are available from every conference as well as the main conference. Conference 11 (the Gaming conference) has a different set of doors - specifically for gaming.

Other Features

CHATS

CRS supports full interactive CHAT between nodes. You can use it at any time. To enter a CHAT, just type CHAT. At that point, a list of all users on-line will be presented, and by typing the number of the user you want, he/she will be alerted that you'd like to CHAT. Wait up to 2 minutes for a response, as Chats are only available from the main prompts, and the person you wish to chat with may be doing something else.

To enter a group chat, just type CHAT G. This is the same as a private chat, except that any node wishing to participate may join in the session.

SUPPORTING VENDORS

CRS is pleased to have the support of many vendors, and you can talk directly to these vendors in conference 4 (the Vendor Support Conference). Your messages to vendors are answered at least weekly by the supporting vendors, and you have direct access to their technical and sales staff. For a current list of vendors, Join conference 4 and type NEWS.

We know that we can't possibly cover everything in this short guide, so feel free to ask questions- either on-line (as a comment to the Sysops) or on our technical line (213-6001). Please don't call the sales lines with system related questions.

INFORMATION SERVICES

CRS is a leader in the provision of information services at a fixed fee. The following are available to you in conference 39. You must be registered in (and have paid an extra fee) to access conference 39.

Here's what's currently available to you:

News And Information Publications

Newsbytes - Current Computer News and Information - (Updated Mon-Fri)

Newsbytes is an electronic publication available five times a week. Through a network of international correspondents, Newsbytes provides you with latest happenings in the world of computers. The local Newsbytes reporter, Grant Buckler, provides Newsbytes with Canadian Happenings.

Toronto Computes Newspaper - (Updated monthly)

Appears here at approximately the time it is sent to the printers for printing. Toronto Computes covers the local world of computer happenings, but also provides a window across Canada. No ads, but the entire editorial coverage is here.

Denver BoardWatch Magazine - (Updated Monthly)

BoardWatch is an electronic magazine published by Jack Rickart. Oriented towards telecommunications, it often provides BBS information not available any place else.

UPI Wirefeed (updated continuously)

A one hour time delayed feed directly from United Press International. Approximately 4 megabytes per day of news are moved over this wire feed. It's available to you in conference 39, door 59 or conferences 2381-2490.

Reuters Wirefeed (updated continuously)

A one hour time delayed feed directly from Reuters Financial Services. This wirefeed covers financial information and is moved into conference 39 by typing "reuters", through door 60 or conferences 2369, 2370 and 2380.

Stock Market Results

Currently available are over 14000 common stocks from seven different stock exchanges. (High, Low, Close and Volume). We update these daily at approximately 5:45pm, with the closing prices. See later section for more details.

Archival CD-Roms

CD-ROMS

A multitude of on-line information is available in our Information Services package, including the Canadian Encyclopaedia on CD-Rom, Family Doctor, World Book of Facts and Shakespeare on disk. See later section for more details.

HOW TO USE CD-ROMS

General Introduction:

In May of '91 CRS Online announced the addition of CD-ROMs to its list of Information Services. Since then the Family Doctor (1500 common medical questions with straightforward easy to understand explanations) Shakespeare on Disk and the CIA World Fact Book have been added. We expect to be adding the Canadian Encyclopaedia on CD-Rom in June 1993.

Limitations:

There are a few limitations that as a user you should be aware of before trying to use the CD-ROMs. None of these limitations affect the value of the service, but if you are unaware of them, you may find them to be quite annoying.

- 1) Some of the CD-ROMS have VGA graphics; these are unavailable due to the type of interface used for accessing the CD-ROMs.
- 2) All of the CD-ROMs provide facilities for saving and printing information located by your searches, however the files are not directly sent to your disk drive or printer. When you make a request to have the data printed or saved it is actually saved as a file on a hard drive located at CRS. At the end of your session with a particular CD-ROM, a menu will pop up that will allow you to select and download any of the articles you have requested. Once you have downloaded the articles of interest you may do with them what you wish (keep in mind that all articles are covered by standard copyrights).
- 3) CRS has placed two limitations on the CD-ROMs. They both deal with the amount of data a single user can access. The first one deals with the amount of disk space a user is able to use on CRS' hard drives. This limitation has been introduced so people that are unfamiliar with the CD-ROM services don't end up requesting that the entire database be saved for downloading and causing CRS to run out of disk space. The second one deals with a limit on the amount of data a user can actually download. At this time the limit has been set to 100 kilobytes. This limit exists simply because CRS would like to avoid unnecessary problems with the distributor of the CD-ROM should they feel users are downloading the data down in large volumes. While many distributors feel that it would be of some advantage to have their CD-ROM visible to 9,000 computer users, they don't want to see a loss in revenue due to it being available on such a service as CRS.
- 4) While CRS enjoys adding such interesting services as the CD-ROMs we make no guarantee as to the functionality of the service nor to the continued existence of any particular CD-ROM. We strive to maintain a fully functioning CD-ROM capability, but (as with so much here), we're pushing the state of the art, and the operation of the CD-ROM's is sometimes fragile.

Getting Started:

The CD-ROMs share several things in common in terms of how they are accessed. First, all information services are located in conference 39 (J 39). Since PCBoard doesn't and couldn't be expected to know how to handle CD-ROM information services, you will need to OPEN a door to access the CD-ROMs. Below is a list of the CD-ROMs and the door you will need to open to access them:

16 for the Family Doctor
18 for the World Fact Book
19 for Shakespeare

After a few seconds the system will display a screen similiar to the following:

CIA World Fact Book.

CRS Online.
Installed Aug 6th/1991.

Welcome to the CIA World Fact Book, before

When using this information service make sure that your communications software supports ANSI Graphics. The use of a communications package that supports DOORWAY mode is also recommended, but not necessary.

Options
1) Enter the CD-Rom.
2) Return to the BBS.

Which one? (1/2)

There are two terms used above that may be unfamiliar: ANSI Graphics and DOORWAY. ANSI Graphics refers to the ability of your communications package to support the sending and interpretation of certain character sequences that tell your communications package how to change the colors, clear the screen, and position the cursor. ANSI Graphics does not mean the ability to show GIF pictures or draw pretty pictures on the screen of your computer.

DOORWAY is a mode that your communications package can enter that will allow you to use certain keystrokes not usually supported while in a telecommunications package. For example: ALT-F (holding down the ALT key while pressing the F key) is a keystroke that does not belong to the ANSI Graphics terminal emulation, but under DOORWAY is able to be transmitted. Currently there are three telecommunications packages that support DOORWAY mode, Telix (for IBM compatible computers), QModem (IBM compatibles), and JR-COMM (for the Commodore-Amiga line of computers). If you are not using one of these communications packages it does not mean that you will be unable to access the CD-ROMs, just that it will require different keystrokes to be used to execute the same commands. These keystrokes will be listed at the end of this article for

convenience and while reading this article NON-DOORWAY keystrokes will appear in parentheses '()' right beside their DOORWAY equivalents.

If you are using one of the communications packages mentioned above you would need to enter DOORWAY mode at this point. In Telix and Qmodem the command to enter DOORWAY mode is "ALT-=". After enabling DOORWAY mode you will then choose option '1' from the screen shown above followed by a 'Y' to enter the CD-ROM and inform it of the fact that your communications package supports DOORWAY mode. If you are not using one of the packages mentioned above you will choose option '1' followed by a 'N'. This would enable the CD-ROM to be accessible in NON-DOORWAY mode.

Once you've entered your choices the CD-ROM database software will be loaded. At this point each of the CD-ROMs are accessed differently. Depending on which CD you are trying to access you may wish to skip certain sections of this article.

A Brief Description of the CD-ROMs:

The Family Doctor CD-ROM contains advice and information to over 1,500 commonly asked medical questions. Family Doctor also contains Health Update Booklets with detailed information regarding the most common health problems, names and addresses of support groups and informational resources and complete data on over 1,600 prescription drugs from Consumers Guide to Prescription drugs.

World Fact Book carries a wealth of information on different countries of the world. Such tidbits vary from the country's literacy rate to what import and exports can be found in that country. It's really quite an impressive body of data.

Shakespeare on Disc. If I had only had this when I was in school! Full copies of every play and poem that Shakespeare ever wrote are available from this CD-ROM in both American English and Queen's English versions. Shakespeare on Disc would be a valuable resource to anyone that needs to find references to characters or incidents that happened within any of his works.

Using the CD's:

When you enter one of the three CD-ROMs listed above, you will be shown a welcoming message and asked to press ENTER (ENTER) to continue. After the welcoming screen you are placed inside the retrieval software. At the top of the screen will be a pull down menu containing such options as Search, Browse, Contents and Database.

Database Searching:

Finding a particular piece of information is as easy as choosing the Search option from the pull down menu located at the top of the screen. The cursor keys (CTRL-S, CTRL-D, CTRL-X and CTRL-E) will allow you to move around the menu and ENTER (ENTER) can be used to select an option.

The search function is broken down into four different categories:

CRS ONLINE NEW USERS GUIDE

Search every word contained in the database

Search only by the the authors name

Search by the subject of an article

Search by the title of an article

Note: depending on which CD-ROM you have chosen, not all of the options described above may be available. i.e. A search by the authors name in Shakespeare on Disc would be of no value, so that menu option has been made unavailable.

Once you have selected the type of search wanted, a new window appear asking you to supply the criteria for locating the article of interest. The CD-ROMs will allow you to supply up to 7 pieces of data, each item being seperated by a boolean operator.

For example to search for "chickenpox and children" in the Family Doctor CD-ROM you would enter:

Type: Chickenpox(ENTER)

The display will show: [AND]

Press: ENTER to use the boolean AND function, or the SPACE BAR to select a different boolean operator

Type: Children(ENTER)

The display will show: [AND]

Press: ENTER to use the boolean AND function, or the SPACE BAR to select a different boolean operator

Press: ENTER again to inform the software you are finished with entering the criteria

When finished the display should look something like this:

```
Use: CHICKENPOX _____  
[AND] CHILDREN _____  
[AND] _____  
_____  
_____  
_____  
_____
```

Next you'll see yet another window open, this one containing a list of the articles found matching the criteria. Use the cursor keys (CTRL-S, CTRL-D, CTRL-X and CTRL-E) to move around the menu and press ENTER (ENTER) on the article you wish to view.

While Viewing an Article:

When viewing the article you'll find that the cursor keys (CTRL-S, CTRL-D, CTRL-X and CTRL-E) are active and can be used to scroll through the article. If you decide that you would like to save copy of the article, just press the F8 (CTRL-C) key. You will be prompted to enter a filename. YOU MUST prefix the file name with B: in order to save a copy of the text. Please refer to the section "DOWNLOADING SAVED ARTICLES" for more details.

Pressing the F3 (CTRL-N) key will cause the next article in the list of ones found matching you criteria to be displayed. The F10 (CTRL-T) key will cause the screen to display the area of text where the next match of the criteria was met to be displayed. SHIFT-F10 (CTRL-B) will cause the software to display the previous

Taking a Look Around:

Another way of checking out what is on the CD-ROM is to use the Browse feature from the main pull down menu. This feature like the search feature has four sub-functions, which describe what part of the CD-ROM is to be browsed. Once, a method is selected a window will appear listing the contents of the CD-ROM with the number of occurrences for each entry. A quick way to check for a particular entry is to enter part of the text that would be found in that entry. Likewise, full cursor key support is available.

Contents:

This area will change dramatically for each CD-ROM. For instance, World Fact Book uses this area to provide information on each continent, whereas The Family Doctor places the Consumer Guide to Prescription Drugs in the area. No matter which CD-ROM you are using, everything should be quite clear as to what to do.

Exiting the CD-ROM:

When finished with the CD-ROM place yourself back at the main menu and select the option Change/Exit. From there choose the Exit option. If you have saved any articles they will be made available to you for downloading at this point.

Summary of Key Commands:

DOORWAY and NON-DOORWAY Commands are listed below:

<u>Option/Command</u>	<u>DOORWAY Keystroke</u>	<u>NON-DOORWAY Keystroke</u>
-----------------------	--------------------------	------------------------------

FIND LAST OCCURANCE	Shft-F10	CTRL-B
FIND NEXT OCCURANCE	F10	CTRL-T
SAVE ARTICLE	F8	CTRL-C
NEXT ARTICLE	F3	CTRL-N
RESTART SEARCH	F2	CTRL-R

<u>Cursor Controls:</u>	<u>DOORWAY Keystroke</u>	<u>NON-DOORWAY Keystroke</u>
-------------------------	--------------------------	------------------------------

Up	Cursor UP	CTRL-E
Left	Cursor Left	CTRL-S
Right	Cursor Right	CTRL-D
Down	Cursor Down	CTRL-X
Insert	INS	CTRL-U
Delete	DEL	CTRL-J
Home	HOME	CTRL-I
End	END	CTRL-K
PageUp	PAGEUP	CTRL-O
PageDown	PAGEDOWN	CTRL-L

Downloading Saved Articles:

If you have saved any articles while using one of the CD-ROM information services, you will be displayed a menu that will list all of the files available for downloading. To select or deselect a file from being transferred, enter the corresponding file number followed by a return. Should you find that you had saved more than nine articles use the cursor keys or their matching NON-DOORWAY counterpart to scroll through the list.

Entering the letter "T" will allow you to change your transfer protocol. The CD-ROM services support three protocols: Xmodem, Ymodem (Batch), and Zmodem (Batch). The door will automatically check which protocol you use when inside the CRS BBS; if it finds that you have a protocol selected that it does not support the door will immediately ask you to choose one that is supported.

Pressing escape with no files selected will cause the service to return you to the CRS BBS. Pressing escape with any file selected will cause the door to begin transferring the file after confirming that you are ready to receive the file.

With any luck the CD-ROMs will have become somewhat easier to use after reading this article. If you find there are questions that still remain unanswered, post a message in conference 39 (INFOSERV). Another subscriber will probably be more than willing to give you the answer.

CRS ONLINE STOCK DOOR

CRS offers you (as part of our information services) an after hours feed of closing stock prices. There are 7 exchanges available as follows:

Toronto	Prefix "T"
New York	Prefix "N"
Composite	Prefix "3"
Nasdaq	Prefix "4"
Montreal	Prefix "M"
Alberta	Prefix "C"
Vancouver	Prefix "V"

Stock symbols used are those used by each exchange. While we have a cross-reference here, it would take hundreds of hours to turn it into computer form for you, but any stock broker should be able to provide you with a Symbol Table. We use the Dow Jones/Telerate service at CRS Online.

Using The Stock Door

Using our Stock Door is easy - Just <J>oin Conference 39, OPEN 61 and you'll be in it. The door can hold approximately 100 symbols for you, and once stored, your portfolio will be held for you so that you don't have to update it daily.

There are very few commands for the door:

\$ - Displays the closing value for your personal stock portfolio. This portfolio is one that you create with the + command, and it will be retained until you change it.

= - Sends the closing value for your personal stock portfolio to a file for later downloading. You cannot download directly from this program, but on returning to the CRS BBS, you'll be able to download your personal file.

+ - Allows you to create or edit a stock portfolio. You have 10 lines to place your information on, and may place as many symbols as will fit on a line (separate each one by a space). The rules for these symbols follow.

You may request any quote just by entering the appropriate symbol. You may enter the full ticker symbol - or a wildcard. Symbols used are those of the exchanges involved, which are not necessarily the same as those published in the newspaper. Consult your stock broker for symbol tables.

Examples:

Single Stocks	Toronto IBM	Symbol TIBM
	New York IBM	Symbol NIBM
	Composite IBM	Symbol 3IBM

Batches of Stocks All TSE starting with A TA*

Our stocks are updated at approximately 7:30pm and 10:30pm. We currently bring in over 11,000 stock symbols, and it does take a while to get it all done.

If you wish a full listing, this is available for downloading. Currently, the file is about 90K zipped, and can be downloaded daily as STOCKS.ZIP. Prior day versions are available in conference 39, file area 10.

CRS FAXMAIL SERVICE

CRS offers its subscribers a complimentary outgoing FAX service to exchanges local to Etobicoke. We're pleased to announce that this gateway will now take uploaded files and include them in your fax.

To Send A Fax

- a. Join Conference 106 - Fax Traffic is sent only from conference 106.
- b. Compose your fax as follows - i.e.
 - i. Address it to FAX GATEWAY in conference 106
 - ii. Make the first line of your message: TO: xxx-xxxx
 - iii. Leave the second line of your message blank (put a few spaces on the line)
 - iv. Use the next 98 lines for your fax text.

To Include A File In Your Fax:

- a. Upload it in the normal manner to conference 106. It will arrive here as a private upload.
- b. Compose your fax as follows - i.e.
 - i. Address it to FAX GATEWAY in conference 106
 - ii. Make the first line of your message: TO: xxx-xxxx
 - iii. Leave the second line of your message blank (put a few spaces on the line)
 - iv. Use the next 98 lines for your fax text.
- c. At the point in your message where you wish to include your file, just say:

"/*INCLUDE: filename"

Your file will then be automatically included in your fax. Your file should be straight ASCII text. The gateway does not have the ability to handle graphics or word processor files.

Faxes may be sent to any exchange that is local to CRS in Etobicoke. Bell Canada is constantly adding new exchanges. If there's one that you know is local to Etobicoke that the FAX GATEWAY cannot reach, just leave a comment to SYSOP and it will be added.

PLEASE NOTE -

- a. Faxes are sent from the Gateway approximately every 10 minutes. You will not receive a confirmation that your fax has been successfully sent.

CRS ONLINE NEW USERS GUIDE

b. Incoming Faxes are not supported by CRS Online.

c. There is no charge for this service.

COMMERCIAL AREAS

We'd like to take a few minutes to highlight some of the new and interesting Commercial Conferences on CRS Online.

These Conferences are open to all CRS subscribers, so feel free to go in and browse around.

TAXATION, MANAGEMENT, AND ACCOUNTING - CONFERENCE 69

Moderated by Mr. Keith Doxsee, C.A., this conference has been set up for both individuals and small businesses to ask for information on important financial items. If you have questions about taxes, small business management, or accounting, feel free to join Conference 69 and pose a question to Keith. Keith is a Chartered Accountant of long standing, and has kindly agreed to address these issues on CRS.

COMPUBOOKSTORE - CONFERENCE 71

Mr. David Chen, owner of CompuFamily Inc. is the proud sponsor of this new endeavour on CRS. His motto of "Any Book, Any Time, Any Place", reflects his goal of making available almost any computer-related book to CRS subscribers. Go into Conference 71 and look around. The Conference Bulletins provide most of the information on how to utilize this new service. He has available for sale many thousands of computer books - and offers the vast majority of them to CRS subscribers at a price lower than that of most regular bookstores. His discounts range up to 27.3%, and convenient pickup or delivery can be arranged! Leave any queries or messages to COMPUBOOK STORE. So, if you're looking for a book on WordPerfect, on a programming language, or on almost any computer-related topic, please give David's new service a try!

INTERNATIONAL CONGRESS OF BUSINESS COUNCILS (ICBC) - CONFERENCE 29

This new conference has been set up for the subscribers of the ICBC, a group that exists to facilitate business networking opportunities between small businesses. It will be used mainly to exchange business leads, and will facilitate communication between the various subscribers of this association. Any CRS subscriber is welcome to go on in and browse (ie - read messages), but only ICBC subscribers may leave business leads in this Conference. Mr. Greg Warren is the Conference Moderator, and will be happy to tell you all about the many other advantages of becoming an ICBC subscriber.

EDUSERVE - CONFERENCE 65

This Conference is proudly moderated by Mr. Paul Shuster. Designed to be a meeting place for all types of educational institutions, this new area is already collecting its following of regular contributors. Calling in regularly from Ottawa, I'm sure Paul will be happy to pass on any information he can about his goals and objectives.

EDPAA/ISSA - CONFERENCE 72

We're very pleased to welcome the subscribers of the Electronic Data Processing Auditors Association (EDPAA) and the Information Systems Security Association (ISSA). Recently having migrated to CRS, this Association Conference is moderated by two individuals - Mr. David Rostoker and Mr. Ed Ing. These organizations exist to spread the word about security, virus, and electronic auditing issues. Join Conference 72, and look at some of the bulletins for more details on these two groups!

PENSION COMMISSION OF ONTARIO - CONFERENCE 149

The Pension Commission of Ontario has made available through its on-line conference, most of its policy materials. Recent news bulletins are also made available. For more information, join conference 149 and enter "menu" to see what is available.

CANBUILD, THE CONSTRUCTION CONFERENCE ON CRS - CONFERENCE 36

Moderated by Mr. Steve Hartwell, an Estimator by trade, the CANBUILD Conference is dedicated to the Construction Industry. If you need information on almost any type of do-it-yourself or construction-related issue, Steve and the regulars in Conference 36 will be happy to help you out.

USENET

Introduction

The birth of USENET happened in 1979 when two grad students at Duke University in North Carolina decided that they needed to be able to exchange information. The original implementation of the USENET Software was written as UNIX shell scripts, which resemble DOS batch files. During 1980, the USENET Software was rewritten in C and debuted at the conference of UNIX professionals. It was at this conference the Network was given the affectionate name of USENET. In twelve years the Network has grown from two computers to a network of approximately 30,000 computers, with a daily readership of over 15 million people worldwide.

Since its creation, the network has allowed people from the areas of research and development, education, commercial business, military, and hobbyists to come together and exchange their views and help each other with problems they may be experiencing within an "infinite" number of topics. At this time USENET contains over 2400 different topics.

Access to information such as commercial product updates, newsbriefs on research projects, the ability to obtain the views of people around the world on just about any topic under the sun, and technical help are available at the touch of a button. But with any connection between two different services (software) there are adjustments.

One of the major differences between USENET and CRS Online is in the software used. CRS uses a package called PCBoard for its callers. It imposes a 99 line limit when entering a message, whereas the UNIX software allows messages up to a size of 64 kilobytes. Another difference is how messages are entered on CRS; unlike the PCBoard based E-Mail networks, messages that are to be sent out via the PCB/USENET Gateway require additional information - an EMail address. An EMail address is similar to the postal address at your place of residence. Your address for EMail via the USENET Gateway is the following:

Firstname.Lastname@canrem.com

For example: If your login on CRS was John Doe, your USENET Email address would be: john.doe@canrem.uucp. What the "@canrem.com" tells the person sending mail to you is that you are a user at the site "canrem" (CRS Online) which belongs as a commercial subscriber to the electronic mail network. There are several other mail networks that are accessible through the USENET Gateway, which include CompuServe, MCI Mail, Bitnet, Internet, FidoNet, and few others. Sending mail to these networks will be described a little further on.

Now before continuing on with how to enter a message to a person on USENET, there is one more difference between USENET and PCBoard that needs to be clarified. That is, the difference between public messages on USENET and CRS. On CRS when a user wants to read public messages, he or she only needs to 'join' the conference of interest; the same is done on a UNIX system except it is called a "newsgroup". The difference between the two only crops up when private mail

enters the picture. A conference on CRS has the ability to contain both private and public messages. USENET newsgroups do not have this ability; they draw a more dramatic line between public and private messages. Public messages are posted to a newsgroup, while private mail is sent to a specific user. Please keep in mind the incongruency between the way private messages are handled on PCBoard mail networks as compared to USENET mail network.

USENET uses a point to point mailing method whereas PCBoard mail networks send a copy of the private message to all systems that talk to each other. What this means is that if two people have the same name on PCBoard mail network both will be able to read the message; this will not happen if sending private mail via USENET. This is why an address is needed before being able to send private mail to a user on USENET.

Sending A Public Message

When reading USENET public messages - which will be referred to as newsgroups for the rest of this article - and you wish to respond to it with everyone being able to read your message you'll need to use the following:

- I) Choose 'E' (for 'Enter' as message) from the PCBoard menu.
- II) When prompted for who the message is TO, enter "ALL".
- III) When asked for a subject, precede it with "UN: ". (The space is necessary)
- IV) When asked if you would like echo the message, enter "Y" (YES). V) Begin entering your message.

NOTE: If your message will not be seen as of interest to everyone reading that newsgroup, please send a private message instead, to the specific user.

The following is an example of a public message posted in a USENET Conference:

Main Board Conference Command? J U-ONTTEST

U-ONTTEST Conference Command? E

TO (enter=ALL)? (ALL)

SUBJECT (enter=ABORT)? (UN: This is a test.)

Echo Message? (Y)

1)This is just a test message.

2) (A,C,D,E,I,Q,S,S,SN,SC) Text entry command? sn

Your message will be sent out by the USENET Gateway within the hour.

Sending A Private Message

Private messages can be entered in the main conference, conference 104 (U-REPLIES), and any USENET Newsgroup. (Writers Note: I recommend using conference 104, so that you can keep track of your private mail easier.) As stated above you'll need to have the receiver's address before you'll be able send private messages. This is not a big problem because every message be it private

CRS ONLINE NEW USERS GUIDE

or public will contain the original sender's EMail address. Once you have the receiver's address you will enter the message using the following format:

- I) Choose 'E' from the PCBoard menu.
- II) When prompted for who the message is TO, enter "USENET GATEWAY".
- III) When prompted for a subject, enter the subject of the message.
- IV) When asked for the message security, enter "R" for receiver only. (This is not needed if you enter the message in conference 104.)

- V) Set the echo flag to "N" for no.
- VI) The first line of your message should have "TO: useraddress"
- VII) Place a blank line between the user address and the first line of your message. Use the space bar to make sure that you have a blank line.

The following is an example of a private message posted in USENET Conference 104:

Main Board Conference Command? J 104

U-REPLIES Conference Command? E

TO (enter=ALL)? (USENET GATEWAY)
SUBJECT (enter=ABORT)? (This is a test to Joe)
Echo Message? (N)

- 1)TO: joe.smith@canrem.uucp
- 2)
- 3)This is just a test message.
- 4)
- 5)Thanks,
- 6)Michael.
- 7)michael.macdonald@canrem.uucp
- 8) (A,C,D,E,I,Q,S,S,SN,SC) Text entry command? sn

Your message will be sent out within the hour.

Site Addresses

Now that we have handled how to enter private messages you probably want to know how to interpret the many different E-Mail addresses. The following is a list of the several addresses and the corresponding network it is used with:

Format Example

1) SITE!USER canrem!michael.macdonald or cunews!carleton.ca!victor.kamutzki
This was the original method used to send private mail on the USENET mail network. It required the sender know every site the message had go through to get to the destination. This method is known as the "bang path method". A bang refers to the exclamation mark used to separate the pieces of data in the address.

2) USER@SITE Michael.MacDonald@canrem.com

This is referred to as the smart mailing method, because of the fact a user does not need to know the entire bang path to the receiver. It was originally used with the Internet Mail network, but it is currently being adopted - if it hasn't been already - by most USENET sites.

3) USER%SITE@VIA-SITE Michael.MacDonald%canrem@telly

This method is primarily used when a direct path to the receiver does not co-

operate. For instance: Lets say LSUC (Law Society of Upper Canada) ran into some difficulty handling your message, it could be sent indirectly via another stop. The example above tells the sites handling your message to send it to the site TELLY first, then direct the message to the site CANREM.

4 a) #####.#####@COMPUSERVE.COM 74534.7234@compuserve.com

Use this method when you want to send private mail to a personal account on CompuServe. The "#####.#####" refers to the account of the receiver on CompuServe with the comma changed to a period.

b) USER@ORGANIZATION.COMPUSERVE.COM Joe@borland.compuserve.com

The method is used when you need to send private mail to a company that has an account on CompuServe.

5) #####@MCIMAIL 2344@MCIMAIL

When sending mail to an account on MCI's EMail service.

6) USER%SITE.BITNET@GATEWAY-SITE VKamutzk%carleton.ca.bitnet@cunews
This method is actually the same as method three except it explicitly mentions the fact that the message is bound for a user on the BITNET EMail network. The GATEWAY-SITE refers to a system that is able to convert messages from a USENET system into a format the BITNET systems can handle.

7) FIDONET USER@P#.F#.N#.Z#.FIDONET.ORG James Dean at the FidoNet Site 1:350/12.2 would become: james.dean@p2.f12.n350.z1.fidonet.com For sending mail to users on the FidoNet mail network.

Common Usenet Terms

With the introduction of CRS Online's connection to the USENET world, subscribers who are interested in using this may find it helpful to know some of the more commonly used terms. What follows is a list of terms often used when referring to the USENET EMail network:

DOMAIN: A method used to break up geographical areas or topical areas. Examples of geographical domains are: ON for Ontario and CA for Canada. Topical areas include: COM for Commercial Organizations, EDU for Educational sites, and ORG for non- profit organizations.

GATEWAY: A program or system setup to handle the mingling of messages between two non compatible EMail Networks.

MAILER-DAEMON: The program responsible for directing messages. Users usually never see anything from this program except when a message turns out to be undeliverable (often referred to as bounced messages).

SITE: Site refers to a system able to handle and process USENET messages or one of the deviations of it. A site can be made up of the following information: SITE = (MACHINE.) SITENAME (. (SUBDOMAINS.) DOMAIN)

CRS ONLINE NEW USERS GUIDE

UUCP: UUCP is actually an acronym for Unix to Unix Copy Program. It is the actual program used for transferring messages between two UNIX sites.

We hope this article has helped in solving some of your questions about USENET. If you find that there are some questions left unanswered by this document, we would like to recommend the following: Download the file USENET.CRS; it contains a list of the newsgroups available on CRS from the USENET Gateway. Download the file USENET2.ZIP; this document was compiled by CRS subscribers (Thanks Jack) and should answer just about any questions you may have. If you find that more information is required leave a message in the USENET Support conference (#8), where we and several knowledgeable subscribers will try to answer your questions.

HOW TO GET HELP

By Modem:

Call our systems and go to conference 9 (technical/help conference). You'll find a series of bulletins and messages covering most common system problems. If you still can't resolve your problem, leave a <C>omment to the Sysops.

By Telephone:

Call our technical line at 213-6001. It's staffed by our tech staff between the hours of 1pm and 7pm Monday to Friday.

In Person:

CRS provides free seminars on a variety of topics including a new users seminar and an advanced seminar. Check the newsletter or the online news or call the office (213-6000) for a current list of upcoming seminars.

CRS Online HOURS

Office/Tech Support Hours

Sales/Administration Line: 9:00 am - 5 pm Monday - Friday

Technical Support Line: 1:00 pm - 7 pm Monday - Friday

Office and Voice Phone lines are closed Saturdays, Sundays and Holidays. The systems operate 24 hours a day, 7 days a week except for scheduled downtimes.

If you have a problem relating to a crashed node, call the technical support line 213-6001.

TELEPHONE NUMBERS

Office & Technical Support

Sales/Administration: (416) 213-6000
1-800-563-2529

Technical Support Line: (416) 213-6001

Fax: (416) 213-6038

CRS PCBoard/Online System Lines:

300/1200/2400/9600/14,400/16,800: MNP2-5/USR HST/V.32/V.32bis 213-6002 or 213-6003

Hayes V9600/V.32 213-6006
Telebit Trailblazer 213-6032
CompuCom Speed 213-6007

Out of Town Lines

Brampton (to serve Georgetown) * 874-3001
Burlington/Milton * 681-4048
Hamilton/Stoney Creek/Dundas * 572-7773
Oshawa (to serve Oshawa/Bowm) * 404-2021
Newmarket * 836-4074
Barrie * (705) 737-4215
Hespeler (Kitchener/Waterloo) * (519) 651-2408
Moonstone (Orillia/Midland) * (705) 835-7015

(*) Supports 300-16.8K baud with USR HST/V.32/V.32bis modems.

iNet 2000 ACCESS CRS
Datapac (for NUI Users) 43700818

CRS UNIX BOX LINES

T2500 - PEP/V.32 213-6004
Trailblazer+ - PEP (call CRS)
2400 Baud (call CRS)

Phone lines are changed from time to time. Check Bulletin 1 ON-LINE for the most current list of phone lines.

PASSWORDS

Passwords are yours and yours alone. While we may assign an initial password (if you haven't indicated a choice), you should change that password with the "W" command as quickly as possible.

We have run into 3 or 4 instances recently of users finding that their passwords have been changed. As best as we can tell, these users used the same password on other systems. We don't recommend that you do so. Keep your CRS password confidential and unique.

We also suggest that you use the "W" command from time to time to change your password..... If you haven't done so for a while, please do so now.

USER REQUESTED UPLOADS

Due to the high volume of users, we cannot deal with individual USER REQUESTED UPLOADS. If a file is not available on-line, it is not likely to exist here at CRS. We simply don't have the human resources to go out and search for individual files for you.

However, PCSIG and PCBLUE disks are ALWAYS available. To access these, you'll need to open door 70 (or 71) to mount our CDROM, and then access the files in the normal way. PCSIG and PCBLUE disks are available only from conference 2.

24 HOUR CLOCK

Your subscription entitles you to a certain amount of time on-line per day, on an as available basis, and in most cases, you'll have no problem in achieving this time on-line each and every day should you so wish.

However, the time calculation in PCBoard isn't perfect, and if you are on the systems at midnight, some strange things will happen.

Here's how it works -

PCBoard maintains 2 pieces of information in your user record, namely your last date on and the time used for that particular day. The time used is cumulative, so if you make multiple calls, PCboard will simply add your session time to the previous counter.

At midnight, your counters will not be zeroed if you are on the system. Effectively, PCBoard will update your last date on to the current day (e.g. the day after midnight) and show your cumulative time for the session along with any time for yesterday's session. The net effect is that you'll lose time for the current day.

The answer is simple - log off before midnight and log back on after midnight. That way, the counters will be properly updated.

CRS time is set daily from the National Research Council Atomic clock in Ottawa, and our time is normally accurate to 2 seconds. Don't second guess us. If you want to ensure you have your full time the next day, log off before midnight.

SHUTDOWNS AND MAINTENANCE

Like any major system, CRS must shut down from time to time for maintenance, backup and upgrading. Here are our scheduled shutdown times:

12:00pm - 12:45 pm - Daily - for backup/system logs/etc
10:00am - 3:00 pm - Tuesdays - for scheduled maintenance

Note that if you log on between 10am and 12pm, your available time is automatically reduced to the amount available before 12pm. You get it all back after the shutdown. Other shutdowns occur as required. They will typically be of relatively short duration and to the extent possible, we will announce them in advance where possible.

Remember, we are running one of Toronto's Largest Novell Networks, and while our uptime is greater than 95%, we cannot guarantee that we'll be up all the time.

INET/DATAPAC USERS

We run our systems into an EDA 8 port pad, giving you access to 4 systems through our iNet/Datapac address. Here are some tricks about iNet -

a. Make sure that you have a program that supports YMODEM protocol. Most of the popular ones do. Telix, Qmodem, Flash, Red Ryder 10.0, Procomm, and MEX all have Ymodem protocol. Ymodem protocol transfers packets of data 1024 bytes at a time, rather than 128 byte blocks. This means that the overhead on iNet/Datapac is much less, and you'll achieve 1000-1100 baud without difficulty. When using YMODEM, select YMODEM protocol as your transfer protocol at our end (using the command to set it), and then choose a similar protocol at your end (this may be called YMODEM, 1K Xmodem, or something of that nature).

If you don't use YMODEM, your effective throughput here will be no better than 400-500 baud.

b. Interactive messaging, due to the echoing back from our end, is very slow. No fix in sight. PCBoard requires full duplex due to screen wrapping, and we can't change to half duplex. The slow interactive messaging is just something you'll have to learn to live with.

c. If you find that you're dropping back to the iNet menu for no apparent reason, change your escape character from / to something unusual (we use a ~). You do this from the main iNet menu (personal parameters). That should solve most of your problem, although iNet will occasionally get confused no matter what. We don't advise using 2400 baud. 2400 baud on iNet can incur a 'bulk transfer charge', which is not mentioned in any of your iNet documentation. This charge can be up to \$70/hour. You'll never encounter it at 1200 baud.

We know that there are problems in iNet. Over the years, we've tried to eliminate most of them, but haven't got them all. Sorry for the inconvenience. You are being charged, by iNet, an amount that's considerably less than what it would cost you for the dial up lines.....I guess the problems we encounter are the price we pay for 'cheaper transmission charges'.

REACH ACROSS CANADA

If you've signed up for our "Reach Across Canada" program, then you've been issued a Datapac Network User ID (NUI) by us. With this NUI, you can reduce your access charges to as low as \$4/hour (depending on time of day, location and bytes transferred).

To access CRS with your NUI:

- a. Call your local Datapac # - it's in your phone book, or you may call our office for the port nearest you.
- b. After establishing carrier with Datapac, enter .. <<cr>>
- c. Datapac will respond with an 8 digit #. The # is not important.
- d. Then type: NUI "yournui" <<cr>>
Leave a space between the l and the first letter of your NUI. You received your NUI from CRS and it's typically a 6 character code.
- e. Datapac responds: XXXXXXXX
- f. Type your Password
- g. Datapac responds: NUI yournui active
- h. Type: 43700818 <<cr>> <<cr>> and you'll be on CRS.

It's simple, but you must be precise. If you have problems, or for more information, call our technical staff at (416) 213-6001.

CRS Conferences

Remember - if you're looking for certain topic, you can use the

J S xxx

command where xxx is the text you're looking for.

This is a full conference listing of the conferences available to you on CRS Online. To join any conference, just type J xxx where xxx is the conference #.

COMPUTER AND FILE SPECIFIC CONFERENCES - All software (files) resides in the computer specific conferences only.

Other conferences are messaging only and will contain no files. These areas contain both messages and files. Use the <F>ile command to check the various file areas within these conferences.

Amiga5 | Adult.....35 | IBM (MS-DOS)2
Apple14 | C-64/C-12813 | Macintosh1
Atari ST6 | CP/M3 | Next.....105
| TPUG74

---> NOTE - for users of the CRS USENET GATEWAY <-----

For a listing of the USENET Conferences available on CRS please download the file USENET.CRS from the Main Board Conference.

NorthAmeriNet

[Last Network Update - 09/15/92]

These conferences originate on CRS and their content and file structure is under the control of CRS. They are echoed to over 500 other systems around North America and provide a wide range of topics.

TECHNICAL SUPPORT CONFERENCES - CRS provides technical support to its members via these conferences. Check these conferences for messages related to CRS specific problems/questions.

Qmail Support24 | Usenet Gateway.....8 | Technical/Help9

GENERAL NANet CONFERENCES

A.I. Discussion.....47 | Business Oppor. Net.3394 | DTP.....15
Access/QMM32 | Business/Finance.....30 | Databases.....20
Amiga Reader Support..78 | Buy & Sell Ads.....34 | Desqview Support.....66
Assembly Programming.330 | C Language.....45 | Diplomacy.....99
Astrology.....126 | CAD.....21 | Disabled.....25
Atari Maximizer.....333 | CD-ROM.....96 | Disaster Recovery....348
Auto42 | CIPS.....3452 | EDPAA/ISSA.....72

Aviation41 | CMSI.....3450 | EZ-Reader.....98
 BBS Ads75 | CRSEasy.....7 | Entertainment.....134
 BBS Future.....343 | Catch 22 (debate).....22 | Environment.....85
 BBS Software.....339 | Chess.....108 | Fax Gateway.....106
 BGFT.....142 | Comedy.....46 | Foxpro.....340
 BWI - Canada.....3398 | Comics/Cards.....341 | Gaming (Doors).....11
 BWI - General.....3396 | Common.....140 | Gatechat.....105
 BWI - International.....3399 | Communications.....23 | Genealogy.....336
 BWI - U.S.3397 | Compubookstore.....71 | General.....19
 Basic Language.....44 | Computer Paper.....27 | Gran Flanders.....141
 Batchfiles.....133 | Construction.....36 | Graphics.....132
 Best Years.....353 | Consultants.....10 | Gripe.....138
 Bible Studies.....131 | DOS 5.0.....80 | HP.....91

Ham Radio.....56 | MacWorldExpo.....3391 | PCRelay.....347
 Hard Disk Storage.....12 | Mainframe.....73 | PCTools.....135
 Hobbies.....84 | Medical Topics.....55 | PKware.....67
 ITIS.....112 | Microsoft Dev.....111 | PMDBM Support.....43
 IndTech.....88 | Midi.....100 | Paradox.....48
 Info..Services.....39 | Missing.....89 | Parents.....77
 Intellicomm Support...37 | Music.....127 | Pascal.....58
 International.....40 | NANET - Comments/Sug..70 | Personal Com Club-Tor.81
 KLM Computers.....3451 | NANET - Moderators ...90 | Philosophy.....136
 Lantastic.....103 | NANET Playpen (prvt).342 | Photography.....137
 Laptop.....93 | Networks.....16 | Politics.....129
 Legal Discussion.....52 | OS/2.....331 | Psychic.....83
 MS-DOS.....116 | On-Line Sales Door...349 | Qmail Support.....24
 MS-Info.....119 | Opinion (debate).....28 | Qmodem Support.....64
 MS-Mac.....115 | Outdoors.....345 | Robocomm.....351
 MS-OS2 Lan Manager...118 | P-System.....95 | SONY.....3395
 MS-Restricted.....121 | PCBoard.....357 | Sailing.....128
 MS-University.....120 | PCBoard Support.....352 | Science Fiction.....107
 MS-Windows.....117 | PCBoard Support.....352 | Sciences.....86
 MSI Menu Support.....346 | PCBoard Tips/Tricks..332 | Semware.....355

Shareware.....82 | Travel.....57
 Soap Operas.....350 | USRobotics HST26
 Southam.....33 | Unix18
 Southam/Star.....3393 | Usenet Private Mail..104
 Space.....63 | Vendor Support4
 Sports.....139 | Ventura.....92
 Spreadsheets.....17 | Videos/Films.....335
 StarTrek.....337 | Virus Discussion.....51
 SysOp's Echo.....54 | Vision 2000.....3392
 System EX-10 Supt.....53 | Wildcat.....338
 TPUG74 | Windows.....97
 Tandy.....79 | Women.....130
 Tax/Accounting.....69 | Word Processing.....94
 Technical Support.....60 | WordPerfect.....68
 Technical/Help9 | Work at Home.....76
 Teens.....87 | Writers.....61
 Telix Support.....59 | Zoo (The).....50
 The Unknown.....334
 Toronto Computes.....31
 Toronto Star.....122

PRIVATE and/or SPONSORED CONFERENCES

CRS offers its members a variety of sponsored conferences. You may wish to check these out:

29 - ICBC - International Congress of Business Councils

36 - CANBUILD - For those involved in or interested in the Canadian Construction Industry

65 - EDUSERVE - For Schools and members of the Education Community

69 - TAX/ACCOUNTING - Online tax and accounting help

71 - COMPUBOOKSTORE - Order books by computer

72 - EDPAA\ISSA Computer Security, Control & Audit
EDP Auditors Association (EDPAA)
Information Systems Security Association (ISSA)

3391 - MACWORLDEXPO - MacWorld Expo is coming. If you're a MAC user, you'll want to check this conference from time to time. MACWORLD EXPO is, without doubt, the largest MAC exposition to happen in Toronto. (Public Conference)

3392 - VISION2000 - VISION 2000 is a consortium of Canada's leading telecommunication companies, academia, research labs, and governments. It is tasked with responsibility of fostering and accelerating the development of new technologies in personal communications and information technology. Our members include IBM, Bell, BNR labs, DOC, MOTOROLA, etc etc (Public Conference)

3450 - CMSI (Complete Micro Solutions Inc.)

Intelc Echo Mail Conference

[Last Network Update - 01/18/93]

4DOS.....205 | C/C++.....210 | Fantasy Sport.....206
 911/EMS.....3312 | CD-ROM.....181 | Firearms.....362
 ANSI_Art.....176 | CDC_Support.....3356 | ForSale New.....287
 Adlib.....262 | Chess.....284 | ForSale.....3311
 Amiga.....3325 | College Life.....285 | GAP.....195
 Animal Rights.....177 | Comm.....3318 | GEOS.....3334
 Aquarium.....208 | Compression.....172 | Games.....3341
 Assembly Language...282 | Computer Security...192 | Gay.....230
 Audio/Video.....283 | Cooking.....364 | Genealogy.....3343
 Automated Comm.....203 | CorelDraw.....173 | Ham Radio.....3322
 Automotive.....3342 | Current.....165 | Hardware.....3335
 BBS-Ads.....150 | Database.....3328 | History.....3344
 BBS-Door.....161 | Deaf/HOH.....3345 | Hobbies.....160
 Batch.....235 | DesktopPublishing...3316 | ISDN V.Fast.....288
 Beatles.....3352 | Disabled.....186 | Issues/Debate.....3340
 Beer&Wine.....281 | Dr Who.....221 | JobMarket.....157
 Bible Studies.....178 | Drama.....279 | Judaica.....167
 Bicycling.....3331 | Ecology.....220 | LAN.....3324
 Boyan.....168 | Entertainment.....182 | LDS_Mormon.....200
 Broadcaster.....164 | Family Humor.....286 | Laptops.....289

Legal.....3326 | Mystery.....292 | ProComm.....239
 Library.....290 | NetChat.....3313 | Programmer.....3332
 Lightning.....3354 | Netadmin (restricted)171 | Protocols.....294
 Literature.....280 | Novell.....191 | Qedit.....251
 MAC.....3327 | OCR Scanners.....293 | Qmodem.....166
 MIDI.....175 | OS2.....245 | Quantum Leap.....3353
 MM-Rnet.....236 | Offline (QWK).....194 | Quarterdeck.....152
 Magick.....154 | Online.....3355 | RPG-Play.....3350
 Martial Arts.....238 | Operating Systems...209 | Recovery.....179
 Medical.....3319 | PCboard.....3314 | Relationships.....295
 Men.....225 | POW.....3357 | Religion.....183
 Mensa.....3330 | Paranormal.....180 | Role Playing Games...196
 Microsoft.....184 | Parents.....198 | Rose.....213
 Military.....3348 | Pascal.....153 | Rosereader.....211
 Moderate.....3323 | Pets and Vet.....159 | Rush Limbaugh.....296
 Modern_Tech.....278 | Photo.....3321 | SCA/Medieval.....189
 Monty Python.....155 | Poetry.....215 | SLMR/OLX.....197
 Motorcycle.....246 | Politics.....185 | Science Fiction.....3337
 MultiMedia.....291 | PowerBasic.....188 | SeaSport.....193
 Music.....3338 | Printers.....151 | Shareware.....163

Silicon Frog.....3346 | USR.....169
 Small Business.....158 | Wildcat.....243
 Smoking.....162 | Windowware.....201
 SnowSki.....190 | Women.....187
 Software.....3320 | Wordproc.....3333
 Sparkware.....277 | Writers.....359
 SpitFire.....3347 | ZDCS.....174
 Spoilers.....3329 | {Commo}.....170
 Sports.....3317
 Startrek.....207
 Structure.....3351
 Survivor.....156

CRS ONLINE NEW USERS GUIDE

Sysops Only.....	3310
Technical.....	3315
Teens.....	3349
TeleMate.....	212
Telix.....	199
TriBBS.....	214
Trivia.....	3339
UFO.....	3336

RIME Echo Mail Conferences

[Last Network Update - 02/26/93]

4DOS.....	502	Astronomy.....	547	Brief.....	1864
ACOA.....	1760	Atari ST.....	564	Broadcast TV Sys.....	406
ANSI Gallery.....	514	Audio.....	1767	Broadcast Tech.....	1768
ARJ.....	656	Aviation.....	475	Broadcasting.....	519
ASM Toolbox.....	650	BBS Ads.....	512	C64-128.....	526
ASP.....	597	BBS Digest.....	1779	CAD.....	555
Abortion.....	1968	BBS Issues.....	572	CD-ROM.....	1939
Adcampaigns.....	1967	BBS Software.....	567	CEE.....	553
Administration.....	439	Backalley.....	1960	CNE.....	1944
AlarmSecuri.....	1947	Batch.....	517	COCO Computer.....	588
Alt. Entnmnt.....	1794	Bbshphar.....	1950	COMMO Software.....	577
American Dream.....	419	Beer.....	451	Canadian.....	408
Amiga.....	594	Bible Study.....	1778	Cancer.....	1787
Animal Rights.....	1785	Bicycling.....	473	Caving.....	1953
Anime.....	1786	Bimodem.....	531	Cellular.....	1862
Apple.....	558	Biology.....	551	Chess.....	563
Aquarium.....	1792	Black Issues.....	400	Chinese.....	1965
Archive.....	1869	Boating.....	509	Clarion.....	1769
Arthur.....	466	BosComSoc.....	1940	Client Server.....	651
Astrology.....	546	Boyan.....	516	Clipper.....	493
Comics.....	453	Diplomacy.....	550	File Search.....	590
Common Net Mail.....	455	Directcomm.....	1964	Finance.....	460
Communication.....	426	Disabled.....	452	Fine Arts.....	1878
Comp. Rel. Writings.....	1857	Disney.....	579	Fire Arms.....	507
CompuComm.....	659	Doors.....	457	Flight Simulator....	1880
Computer Users.....	582	EIS.....	593	Florida.....	658
CoreIDraw.....	417	EZReader.....	490	Florida_2.....	1957
Cousard.....	505	Education Issues....	1765	FootBase.....	432
Cuisine.....	454	Education.....	513	For Sale.....	442
DBase.....	532	EmerComm.....	405	ForestProd.....	1951
DOS.....	407	EmergMgt.....	1941	Forth Language.....	584
DR Who.....	556	Emergency Services...569		Forval Modems.....	1781
DR-DOS.....	665	Engineering.....	508	Fox Network.....	414
DTP.....	436	Entertainment.....	469	Fractals.....	500
Data Protection.....	518	Environment.....	654	French.....	1752
Deadhead.....	506	Fantasy NHL.....	1793	GAP Doors.....	409
Debate.....	427	FastCOMM.....	560	GAP.....	548
Dental.....	1770	FaxMail.....	402	GT BBS Software.....	583
Desert Shield.....	1788	Feds.....	1955	Gadgets.....	497
Desqview.....	450	FemOnly.....	1850	Gamble.....	1865
Game Design.....	524	Host44.....	1751	MIDI.....	541
Games.....	430	Hosts -PRIVATE.....	528	MSI OLX.....	412
GapMain.....	1963	IBM Midrange.....	1795	MSI/QModem.....	440

CRS ONLINE NEW USERS GUIDE

Gardens.....	1761	IBM.....	438	MSIWild.....	1764
Gay Issues.....	504	IDC.....	1771	Magick.....	458
GeoPolRI.....	1790	IOmega.....	1868	Maildoor Vendors.....	492
German.....	1871	Intellicom.....	1774	Main Frames.....	499
Global Uplink.....	595	Ireland.....	1945	Major BBS's.....	575
Graphics.....	1853	Japan.....	591	MarkMail.....	562
HAM.....	429	Job Bank.....	535	Medical.....	425
HDTV.....	1756	Kids.....	580	Medieval.....	1784
HIV/AIDS.....	1872	LAN.....	459	MegaMail.....	534
Handyman.....	498	LE.....	544	Men's Issues.....	461
Hard Drives.....	435	Lantastic.....	589	Mensa.....	1858
History.....	481	Laptops.....	1854	Microsoft Word.....	559
Hobbies.....	542	Laser Printers.....	474	Military.....	537
Home Schooling.....	1777	Legal.....	431	Missing Kids.....	596
HomeHints.....	510	Lotus.....	463	Modem News.....	1870
Homeopathy.....	1780	MAC.....	471	Motivation.....	655
Horror.....	503	MASM.....	566	Motorcycles.....	571
Multitasking.....	539	Outdoors.....	484	Poetry.....	1759
Music.....	472	PC Addicts.....	1766	Police.....	573
Musician.....	1860	PC-Fairs.....	410	Political.....	476
Mystery.....	467	PCB Hints.....	521	Prepress.....	652
NEC Support.....	653	PCBoard Support.....	413	Preteens.....	1755
New User.....	445	PCRelay Support.....	1750	Private.....	1863
NewAge.....	1956	PCTools.....	415	Pro Wrestling.....	403
Nintendo.....	1852	PKWare.....	448	Procomm.....	565
No Smoking.....	585	POW-MIA.....	462	Prodoor.....	441
Norton Products.....	401	Pagan.....	1949	Programming.....	433
Novell Users.....	1782	Paradox.....	666	Psychology.....	1876
NovellUsers.....	1966	Parents.....	470	Pwrbdbssup.....	1942
OOPS.....	522	PcbComm.....	1943	QBasic.....	488
OS/2.....	661	Penpals.....	1879	QEdit.....	523
OSHA.....	1763	Pets.....	443	QMM.....	1775
Offline Mail.....	416	Pharmacy.....	411	QMail Reader.....	482
Old Cars.....	1776	Philosophy.....	545	R.C. Toys.....	557
Omen.....	549	Phobias.....	1762	RBBS.....	489
OmniView.....	495	Phones.....	660	RBBSQWK.....	657
On-Line.....	540	Photography.....	434	RBase.....	520
Racing.....	529	Scuba.....	1851	Sunrisesoft.....	1959
Recovery.....	485	Semetary.....	1954	Sys4Sale.....	404
Relations.....	570	Senior Citizens.....	487	Systems Analysis.....	592
Religion.....	477	Session Manager.....	1753	TP.....	552
Remember.....	1859	Shareware.....	446	TQM.....	1962
Remote Access.....	1758	Shez.....	1773	Taglines.....	663
RimeNews.....	530	SilentPC.....	1958	Tandy.....	561
Robocomm.....	491	Small Business.....	468	Tax&Account.....	1952
Role Playing Games.....	533	Soap Operas.....	1873	Tech.....	423
Roots.....	447	Software Reviews.....	422	Teens.....	449
Running.....	527	Sound Cards.....	525	Telemate.....	501
SCIFI.....	444	Spanish.....	1791	Telix-Host.....	1751
SOI.....	581	Spit Fire.....	576	Telix.....	465
SQL.....	1874	SpitMail.....	1866	Templates.....	1772
SYSOPS.....	420	SpitSysop.....	1861	TradeWars.....	1948
Satellite TV.....	515	Sports.....	424	TrueCrime.....	1946
Saudi.....	1875	Spread Sheet.....	486	USR-HST.....	421
Scanners.....	1754	Srchlight BBS.....	1856	USSR.....	1877
Science.....	456	Star Trek.....	480	UltraBBS.....	479
Scouting.....	574	Strwargame.....	1961	Unix.....	511

CRS ONLINE NEW USERS GUIDE

Uplink.....	428
Users.....	494
Vacation.....	536
Vendors.....	464
Veterans.....	543
VideoExc.....	1867
WP.....	483
Weather.....	578
Weight.....	586
WildCat BBS.....	568
Windows Basic.....	418
Windows.....	538
Wirewrap.....	664
Women.....	478
Word Perfect.....	437
Wordstar.....	1757
Writers.....	496
XYWrite.....	554
Xerox.....	579
ZComm.....	587

EchoNet Mail Network Conferences

[Last Network Update - 09/29/92]

EchoNet is a local mail system, run with 1000BBS as the Hub. Echonet attracts considerable local attention, and is a very popular network. You won't see as much traffic in Echonet as in some of the other conferences, but what you do see will typically relate to local interest.

AlsoLAN.....613 | Crimestoppers.....599 | Leftys.....622
 Arcade.....618 | Cuisine.....623 | Leisure.....602
 Arts and Crafts.....631 | Dungeons & Dragons....600 | Moderators (*).....626
 BBS Ads.....609 | EchoChat.....617 | Role Play Conf.....606
 Books.....627 | EchoFax.....619 | SCUBA.....603
 Buy & Sell, Vendors..624 | EchoNet Admin.....611 | Star Trek.....608
 Buy & Sell.....601 | Environment.....610 | Teen Conference.....605
 Can. S/W Authors....604 | Games.....612 | Virtual Reality.....629
 Canadian Education...625 | Graphics.....614 | Windows 3.....615
 Chatters.....621 | Homebrew.....628 | Women.....630
 Chess Masters.....607 | Intellicom.....632 | World Issues.....616
 Collectibles.....620 | Journalism.....633

ILink Echo Mail Conferences

[Last Network Update - 01/19/93]

Ilink now offers over 200 conferences on a wide variety of topics. You can find discussion on both technical and non-technical interests. Support conferences for Qmail, EZ-Reader, Semware (QEdit), Boyan, Telix, AT&T, Hayes, 4DOS are read routinely by the software authors or company staff. Technical conferences cover topics such as Word Perfect, Hardware, Windows and Hard Disk. ILink has many discussion conferences, covering Writers, Opinion, Politics, Religion, Feminism, History, Chit-Chat, Cuisine, Athletics and other subjects.

!Hit!Hat.....1799 | BookMarks.....1884 | Commo.....1731
 4DOS.....1689 | Boyan.....1629 | Compress.....1716
 AI.....1640 | Buerg_Utills.....1886 | Consulting.....1623
 AIDS.....1589 | Build A PC.....1919 | Country Music.....1890
 ANSI-Art.....1720 | Buy-Sell.....1642 | Cuisine.....1668
 AT&T.....1634 | C-Lang.....1616 | DOS-UseNet.....1918
 AdmMeet1.....1908 | CADD.....1687 | DOSTips.....1702
 Amiga.....1645 | CDROMS.....1749 | DR-DOS.....1594
 Arcade.....1619 | CNEPA.....1920 | DSZ-Omen.....1611
 Assembler.....1706 | Caller Digest.....1577 | DataBase.....1606
 Astronomy.....1651 | Careers.....1725 | DeskTop.....1614
 Asylum.....1605 | Cars.....1700 | Doorway.....1715
 Athletics.....1724 | Caveat.....1708 | Dos-6.0.....1888
 Audio.....1627 | Chess.....1674 | DownUnder.....1887
 Auto Racing.....1658 | ChitChat.....1630 | Dutch.....1590
 Aviation.....1695 | Chocolate.....1704 | E-Mail.....1712
 BBS-Ads.....1603 | Clipper.....1713 | EEC.....1900
 BBSPolicy.....1740 | Coconuts.....1592 | EXSupport.....1897
 Basics.....1615 | Collectors.....1729 | EZReader.....1664
 Beyond.....1699 | Comedy.....1626 | Economics.....1578

 Editors.....1739 | Greek.....1885 | Laptops.....1696

CRS ONLINE NEW USERS GUIDE

Education.....	1718		Guns.....	1721		Legal.....	1607
Electronics.....	1644		HamRadio.....	1636		Lunatic.....	1783
Emergency.....	1571		HandiCrafts.....	1596		MM-Rnet.....	1682
Environment.....	1738		Handicap.....	1676		MS-Word.....	1714
Espanol.....	1891		Hard Drives.....	1662		Macintosh.....	1683
EuroChat.....	1579		Hardware.....	1647		MainFrame Computers.....	1625
EuroLotus.....	1580		Hayes.....	1621		Maritime.....	1633
FWKCS.....	1917		Health.....	1666		Media.....	1646
Fantasy Sci Fi.....	1656		Heritage.....	1701		Medical.....	1628
Faxmail.....	1893		History.....	1726		Memories.....	1694
Feminism.....	1723		Home&Garden.....	1722		MicroHelp.....	1728
FineArts.....	1906		ILink-Info.....	1570		Middle East.....	1892
France.....	1650		ILinkNews.....	1681		Midi.....	1703
Gambling.....	1663		InterLink.(*).	1736		Military.....	1599
Gaming.....	1709		Investor.....	1601		Military.....	1599
Gay Issues.....	1924		JFK Conspiracy.....	1586		MobileStereo.....	1572
Gen-Bull.....	1915		Jazz.....	1688		Mod&User.....	1747
German.....	1923		Kids.....	1679		ModMeet1.....	1907
Graphics.....	1613		Lantastic.....	1573		Moderators (*).	1905
Mozart.....	1641		Personal Finance....	1593		Religion.....	1653
MultiTasking.....	1622		Pets.....	1655		RoboComm.....	1692
NY-Metro.....	1693		Philosophy.....	1665		Rock 'n' Roll.....	1657
Net. Admin.(*).	1734		PhotoSIG.....	1610		RolePlay.....	1748
Networks.....	1600		Police.....	1680		SLMR.....	1883
Newsletter Staff....	1921		Politics.....	1652		Satellite.....	1737
Not-IBM.....	1671		Powerquick.....	1899		Saudi.....	1743
OOPS.....	1686		ProComm.....	1575		Scandinavia.....	1746
OS2.....	1661		Programming.....	1648		Science.....	1690
Off-Line.....	1717		Psychology.....	1710		ShareIssue.....	1797
Opinion.....	1620		QEdit.....	1685		ShareWare.....	1673
Outdoors.....	1691		QModem.....	1609		Shareware Issues....	1925
PCB Support.....	1581		Qmail.....	1608		Simulator.....	1711
PCTools.....	1904		Quality.....	1742		Small Business.....	1659
PCopy.....	1730		RCModel.....	1705		Soap Operas.....	1591
PKWare.....	1684		RayTrace.....	1798		Sound Boards.....	1894
Paradox.....	1707		Rbase.....	1744		Space.....	1643
Parents.....	1677		Real_Estate.....	1672		Speed-Read.....	1916
Pascal.....	1617		Recovery.....	1698		Sports.....	1667
PenguinLust.....	1882		Regional Admin.(*)..	1735		Spreadsheets.....	1654
Star Trek.....	1697		Weight Control.....	1901			
Survivors.....	1595		Wildcat!.....	1588			
Sysops.....	1604		Wiley.....	1898			
Tags-R-Us.....	1719		Win.App.Dev.....	1574			
Tandy.....	1889		Windows.....	1649			
Tech Conference....	1602		Wine & Beer.....	1587			
TeleComm.....	1638		Women.....	1727			
TeleMate.....	1881		WordPerfect.....	1631			
Telecommute.....	1922		Wordplay.....	1745			
Telix.....	1612		Wordstar.....	1903			
The-Den.....	1732		Writers.....	1624			
Thunder.....	1741		X-Joke.....	1584			
Trans Atlantic.....	1660		X-Tech.....	1585			
Travel.....	1637		ZDSC Support.....	1902			
USRModem.....	1618						
Unix.....	1635						
Vegetarian.....	1895						
Veterans.....	1675						

CRS ONLINE NEW USERS GUIDE

Video.....1678
Virus.....1639

QUEBECNET Echo Mail Conferences

[Last Network Update - 01/18/93]

QUEBECNET - A specialized set of conferences originating in Quebec, and brought to our French speaking members. All messaging in these conferences should be in the French Language.

Administration.....1837 | Defis.....1808 | Opinions.....1841
 Adolescents.....1844 | Education.....1809 | Parapsyc.....1835
 Alimentation.....1843 | Environment.....1845 | Portes.....1805
 Amiga.....1849 | Esoterisme.....1800 | Programmation.....1826
 Amitie.....1804 | Gendarmerie.....1810 | Publicites.....1825
 Ancetres.....1847 | Humour.....1838 | Referendum.....1812
 Animateurs.....1805 | Info-Redaction.....1811 | Reseau-Mailer.....1813
 Announces.....1840 | Interactif.....1803 | Ressources.....1814
 Automobile.....1806 | Jeux d'esprit.....1803 | Sciences.....1839
 Bandes dessinees....1802 | Jeux.....1846 | Sexualitie.....1810
 Cinema-Video.....1834 | Litterature.....1836 | Sports.....1831
 Collections.....1827 | Logiciel.....1833 | Sys. Expl.....1801
 Commodore.....1828 | Macintosh.....1829 | Systems d'Exploitat.1801
 Commune.....1830 | Materiel.....1832 | Urgences.....1815
 Communications.....1848 | Musique.....1842
 Consommateurs.....1807 | Nouvelles.....1812

ADANET Echo Mail Conferences

[Last Network Update - 01/18/93]

With the advent of Americans with Disabilities Act of 1992, it has become even more important that the disabled have access to information and thus become independent through the use of high-tech solutions. ADAnet is a network formed to educate, protect and serve the disabled community, helping them gather the information that they need to compete in a technological world.

ABLEnews.....763 | Anxiety.....731 | DataTalk.....714
 ADA Family.....759 | Arthritis.....747 | Diabetes.....718
 ADA Outdoors.....762 | Ask A Nurse.....794 | Dialysis.....765
 ADA Rights.....756 | Athlete.....742 | Disability Law.....701
 ADA Sysop.....741 | Barriers.....764 | Disability.....700
 ADA-Sexuality.....770 | Big Computer Pals....705 | Dwarfism.....743
 ADAchild.....749 | BlindTalk NFB.....753 | EduTel.....720
 ADAtech.....750 | Blindtalk.....754 | Employment.....724
 ADHD.....761 | BlinkTalk.....721 | Enable 2000.....767
 AIDS/HIV.....726 | Bodywork.....774 | Epilepsy.....711
 ASL.....791 | Brain Injury.....739 | Franco Handi.....778
 Able Europe.....766 | Bridges.....723 | GoldenYears.....746
 Abled Art.....760 | Burn.....786 | Handicapped Digest...706
 Abled.....717 | CES.....757 | HandySysOp.....748
 Adaptive Tech.....715 | Cancer.....732 | Holistic.....777
 Al-Anon.....783 | Cardiac.....795 | Home Office.....744
 Allergies.....772 | Care Giver.....771 | Independent Living...702
 Alternative Learn...719 | Cerebral Palsy.....725 | Job Accommodation....708
 Alzheimers.....729 | Chinese Med.....775 | Learn. Disabilities..704
 Amputee.....730 | Chronic Pain.....713 | Medical.....709

CRS ONLINE NEW USERS GUIDE

Medications.....	787		Safe Space.....	737
Mental Illness.....	716		Silent Cry.....	793
Mobility Impaired....	703		SilentTalk.....	722
Multiple Sclerosis...	733		Social Work.....	785
Net Administration...	710		Special Ed.....	779
Nurse.....	745		Spinal Injury.....	712
Occupation.....	780		Stress.....	784
Occupational.....	752		Substance Abuse.....	728
Optometry.....	735		Tech Act.....	792
Personality Dis.....	734		Terminal Illness.....	738
Philosophy.....	707		Vibra Healing.....	776
Post Polio.....	755		WAN-Dbase.....	781
Problem Child.....	773		Welfare.....	758
Psychology.....	768			
Public Psychology...	736			
README.ADA.....	769			
Rare Disease.....	740			
Recovery.....	782			
Respiratory.....	751			
Retardation.....	727			

MidiLink Echo Mail Conferences

12Tone.....	846		Jammer.....	847		ST-ATARI Midi.....	829
APPLE Midi.....	827		Key.....	850		Sampling.....	834
BETA.....	841		Kurzweil.....	845		SoundCard.....	840
COMMODORE Midi.....	828		Mackie.....	852		Sysops.....	836
Collaborate.....	837		Music Quest.....	838		Teach.....	848
CoolShoe.....	843		MusicLaw.....	851		Temporal Acuity Prds.	849
ForSale.....	830		Personnel.....	835		Turtle.....	844
Generics.....	831		Programming.....	833		VidSound.....	839
IBM Midi.....	826		Recording.....	832		Voyetra.....	842

FidoNet Echo Mail Conferences

[Last Network Update - 01/10/93]

F-12_Steps.....901 | F-1992-Net.....1508 | F-4DOS.....902
 F-4_Sale.....1374 | F-60s70sRock.....903 | F-80XXX.....904
 F-AD&D.....909 | F-ADAM.....910 | F-ADHD.....911
 F-ADLIB.....912 | F-ADS_Announc.....914 | F-AI.....915
 F-AIDS-ARC.....917 | F-AIDS-HIV.....916 | F-AREXX.....939
 F-ARJ.....940 | F-ASP.....944 | F-AT&T.....1399
 F-A_CAD.....953 | F-AbleNews.....907 | F-Abled.....905
 F-Abled_Athlt.....906 | F-Abortion.....908 | F-Adoptees.....913
 F-Amiga.....918 | F-AmigaDsktop.....921 | F-AmigaGames.....919
 F-AmigaSale.....920 | F-AmigaTO.....1501 | F-Amiga_Comms.....1395
 F-Amiga_Int.....1473 | F-Amiga_LC.....922 | F-Amiga_Music.....923
 F-Amiga_Net_D.....924 | F-Amiga_OS&EM.....925 | F-Amiga_PDRvw.....926
 F-Amiga_Prog.....927 | F-Amiga_UKNA.....929 | F-Amiga_UKNA.....1493
 F-Amiga_Video.....1396 | F-Amputee.....930 | F-Amy_Point.....931
 F-Amy_Tech.....932 | F-Anews.....1500 | F-Animal_Right.....934
 F-Anime.....935 | F-Animed.....936 | F-Anxiety.....937
 F-Apple.....1397 | F-Aquarium.....938 | F-Asian_Link.....941
 F-Ask_A_Nurse.....1398 | F-AskaCop.....942 | F-AskaCop2.....943
 F-Astronomy.....945 | F-Atari.....946 | F-Atari_ST.....947
 F-Atheist.....954 | F-Audio.....948 | F-Aus_Genealogy.....1169

 F-AutoRace.....950 | F-Automotive.....949 | F-Aviation.....951
 F-Aviculture.....952 | F-BAMA.....955 | F-BBSList.....960
 F-BBS_Ads.....961 | F-BBS_Debate.....1504 | F-BBS_Tech.....1505
 F-BB_Cards.....959 | F-BCS_Net.....1452 | F-BNU.....971
 F-Backroads.....1311 | F-Basic7.....956 | F-BatPower.....957
 F-Battered.....958 | F-Beyond_War.....962 | F-BiModem.....965
 F-Bible.....963 | F-BikeNet.....964 | F-Binkley.....966
 F-Biomed.....967 | F-Bitech.....968 | F-Blinktalk.....969
 F-BlueWave.....970 | F-Boating.....972 | F-Bodywork.....973
 F-Brit_Car.....974 | F-Broadcast.....975 | F-Business.....976
 F-Buy-Sell.....1482 | F-BuyNSel.....1481 | F-C-Events.....1497
 F-C-Telecom.....1498 | F-C-Transit.....1499 | F-CBM-128.....1402
 F-CBM.....983 | F-CDROM.....984 | F-CDROM_Sale.....985
 F-CD_Echo.....986 | F-CFS.....989 | F-CForSale.....988
 F-CNet.....1000 | F-CPMTech.....1013 | F-CPalsy.....1012
 F-CSP_Sysop.....1474 | F-CUSS.....1016 | F-CXL.....1017
 F-C_Advocat.....1018 | F-C_Echo.....1019 | F-Cad_Cam.....1400
 F-CallNY.....977 | F-CanMilitary.....1494 | F-CanaChat.....978
 F-Cap_Nat.....1401 | F-CarAudio.....1496 | F-Carcinoma.....981
 F-Care_Giver.....982 | F-Cellular.....987 | F-Chameleon.....990

 F-Chaos_Lndng.....991 | F-Chatter.....1403 | F-ChekFree.....992
 F-Chess.....993 | F-Child_Abuse.....994 | F-ChronicPain.....995
 F-CivLib.....997 | F-Civil_War.....996 | F-Clarion.....998
 F-Classifieds.....1404 | F-Clipper.....999 | F-Cnsmr_Rpt.....1008
 F-CoCo.....1001 | F-CoOrd.....1011 | F-Coco_Club.....1405
 F-Coffee_Klat.....1002 | F-College.....1003 | F-ComSell.....1480
 F-Comics.....1004 | F-Comm.....1005 | F-Commo.....1394
 F-Communique.....1006 | F-Consulting.....1007 | F-Controv.....1009
 F-Cooking.....1010 | F-Crafting.....1014 | F-Crash.....1015
 F-DBase.....1021 | F-DBridge.....1022 | F-DLG_Info.....1031
 F-DND.....1033 | F-DR_Debug.....1036 | F-Dads.....1020
 F-DatCom.....1503 | F-DataFlex.....1453 | F-Deadhead.....1406

CRS ONLINE NEW USERS GUIDE

F-Debate.....	1023		F-DeconoNet.....	1454		F-DesqView.....	1024
F-Deutsch.....	1407		F-Diabetes.....	1025		F-Dieting.....	1026
F-Digitron.....	1455		F-Dirty_Dozen.....	1027		F-Disasters.....	1028
F-Disney.....	1029		F-Disp.....	1030		F-DmnGates.....	1032
F-Doghouse.....	1034		F-Doorgames.....	1408		F-Doorware.....	1035
F-ECProg.....	1042		F-EC_Dev.....	0979		F-EC_Support.....	0980
F-EMS.....	1045		F-E_Ont_Chat.....	1475		F-E_Ont_Trade.....	1476
F-EchoDor.....	1037		F-Echo_Req.....	1039		F-Echomac.....	1038
F-Ecology.....	1040		F-Econet.....	1041		F-Educator.....	1043
F-Electronics.....	1044		F-Entrepreneur.....	1046		F-Enviro.....	1479
F-Environ.....	1047		F-Equus.....	1048		F-Evolution.....	1485
F-Exotic_Bird.....	1049		F-FCC.....	1052		F-FDEcho.....	1053
F-FE_Help.....	1409		F-FIDO.....	1055		F-FS.....	1069
F-FTSC.....	1411		F-Falcon_CBCS.....	1050		F-Feminism.....	1054
F-FernWOS2.....	1486		F-FidoBill.....	1056		F-FidoCon92.....	1057
F-FidoDoor.....	1456		F-Filk.....	1059		F-Film.....	1060
F-FireNet.....	1062		F-Firearms.....	1061		F-Fishing.....	1410
F-Flame.....	1063		F-Fmail_Help.....	1064		F-Fntsy_Sport.....	1051
F-For_Sale.....	1065		F-Forem.....	1066		F-FoxPro.....	1067
F-Francais.....	1068		F-FranceNet.....	1152		F-Funny.....	1070
F-GEcho_Help.....	1074		F-GMD.....	1082		F-GVP_Echo.....	1087
F-Gaming.....	1071		F-GayLink.....	1072		F-GayNews.....	1073
F-GenSysop.....	1080		F-Gendata.....	1075		F-Gender.....	1076
F-Genealgyeur.....	1078		F-Genealogy.....	1077		F-Gensoft.....	1079
F-GeoWorks.....	1081		F-Glockenspiel.....	1151		F-Golded.....	1083
F-Gourmet.....	1084		F-Grand_Rnds.....	1085		F-Graphics.....	1412
F-Guitar.....	1086		F-HDConf.....	1093		F-HD_Sale.....	1413
F-HP.....	1458		F-HST.....	1416		F-HST_Sale.....	1107
F-HS_Modems.....	1108		F-HZ_Echo.....	1459		F-Ham.....	1088
F-Ham_4_Sale.....	1306		F-Ham_Req.....	1090		F-Ham_Sale.....	1089
F-Ham_Tech.....	1091		F-Handy_Sysop.....	1092		F-Hawaii.....	1058
F-Herbsnsuch.....	1094		F-Hermes_Sys.....	1095		F-High_Ed.....	1096
F-Hints.....	1414		F-Historia.....	1097		F-History.....	1098
F-Hobbies.....	1415		F-Hockey.....	1099		F-Holy_Bible.....	1101
F-Holysmoke.....	1100		F-Home-N-Grdn.....	1102		F-HomePowr.....	1103
F-HomeSchl.....	1104		F-Home_Office.....	1105		F-Home_Repair.....	1106
F-HotRod.....	1457		F-Humor.....	1109		F-ICGAL.....	1110
F-IEEE.....	1111		F-IVS.....	1119		F-lmail_Help.....	1460
F-In_Country.....	1118		F-Indian_Aff.....	1112		F-InfraNet.....	1461
F-Insurance.....	1113		F-InterCook.....	1114		F-InterMail.....	1115
F-InterUser.....	1116		F-Invest.....	1117		F-Jazz.....	1120
F-JewishGen.....	1121		F-Jobs.....	1122		F-Jobs_Now.....	1123
F-Journal.....	1124		F-Jr_Msg.....	1125		F-Judaica.....	1126
F-K9Cops.....	1127		F-Katty_Kornr.....	1128		F-Kids.....	1417
F-Krishna.....	1129		F-LV_Gambler.....	1141		F-Lan.....	1418
F-Lantastic.....	1130		F-Laptop.....	1131		F-LaserPub.....	1132
F-Latino.....	1419		F-Law.....	1133		F-Law_Disordr.....	1134
F-Law_Tech.....	1462		F-Le_Club.....	1135		F-Library.....	1136
F-Linux.....	1137		F-Lotus.....	1140		F-MAC_DTP.....	1143
F-MCSoft.....	1149		F-MDF.....	1150		F-MEBBS.....	1259
F-MLM.....	1166		F-MLT_Scleros.....	1178		F-MM1_Tech.....	1167
F-MS_Excel.....	1174		F-MS_Word.....	1175		F-MTask.....	1176
F-M_P_D.....	1184		F-MacSale.....	1142		F-MacWoof.....	1144
F-Mac_4_Sale.....	1420		F-Mac_Comm.....	1421		F-Mac_Dev.....	1422
F-Mac_Games.....	1145		F-Mac_HW.....	1423		F-Mac_Hype.....	1424
F-Mac_SW.....	1425		F-Mac_Telefnd.....	1146		F-Mainframe.....	1147

CRS ONLINE NEW USERS GUIDE

F-Mansion.....1426 | F-Med_Rays.....1153 | F-Media.....1463
F-Melee.....1154 | F-Memories.....1155 | F-Mens_Issue.....1157
F-Mensa.....1156 | F-Mental_Hlth.....1158 | F-Midi_Net.....1159
F-Midi_Prgmng.....1160 | F-Midrange.....1161 | F-Missing.....1163
F-Missng_Chld.....1164 | F-Mltry_Peopl.....1162 | F-Mod1000.....1168
F-Modula-2.....1170 | F-Monte.....1171 | F-Mormon.....1172
F-Motorcycle.....1173 | F-Msc_Cmp_101.....1182 | F-MsgEd_Echo.....1427
F-Muscn_Srvs.....1180 | F-Music.....1179 | F-MusicSyn.....1181
F-Music_Comp.....1464 | F-Musician.....1429 | F-Mystery.....1183
F-NL_Baseball.....1165 | F-Net_Dev.....1430 | F-Net_IBM.....1217
F-Net_Pol.....1185 | F-Netmail.....900 | F-Neural_Net.....1186
F-NewAge_Echo.....1189 | F-NewOpus.....1187 | F-New_Sysop.....1431

F-NewsChat.....1188 | F-NoPiracy.....1191 | F-Non_Trad_ST.....1190
F-Novell.....1192 | F-Nurses_Ntwk.....1193 | F-Nutrition.....1194
F-OKillers.....1197 | F-OOil.....1200 | F-OS2.....1205
F-OS2BBS.....1206 | F-OS2DOS.....1207 | F-OS2DOSBBS.....1208
F-OS2HW.....1209 | F-OS2Lan.....1210 | F-OS2Prog.....1211
F-OS2_CDrom.....1487 | F-OS2_Comm.....1488 | F-OS2_Games.....1489
F-OS2_Rexx.....1490 | F-OS2_Video.....1491 | F-OS2_WPS.....1492
F-OS9.....1212 | F-OS_Debate.....0928 | F-Oasis.....1195
F-Offline.....1196 | F-Oldcars.....1198 | F-OnLine_Game.....1199
F-Open_Bible.....1201 | F-Optometry.....1202 | F-Opus_Xpress.....1203
F-Ora_DBMS.....1204 | F-OtherNets.....1213 | F-PCBNet.....1223
F-PCTools.....1224 | F-PCUG.....1225 | F-PC_Addict.....1226
F-PC_Consult.....1227 | F-PC_Write.....1432 | F-PDNEcho.....1228
F-PDP_11.....1229 | F-PDReview.....1230 | F-PEP.....1231
F-PPI_Modems.....1483 | F-PS_2.....1249 | F-P_NEWS.....1252
F-Packer.....1214 | F-Packet.....1215 | F-Paradox.....1216
F-Paralegal.....1218 | F-Parents.....1219 | F-Parrots.....1220
F-Pascal.....1221 | F-Pascal_Lesn.....1222 | F-PenPal.....1148
F-Pen_Pals.....1433 | F-Perfct_Mcro.....1233 | F-Perfect.....1232
F-Perot.....1234 | F-Phil.....1235 | F-Phones.....1236

F-Photo.....1237 | F-Physics.....1238 | F-Pitstop.....1434
F-Pkey_Drop.....1138 | F-Please.....1239 | F-Points.....1240
F-Policy_5.....1435 | F-Polish.....1241 | F-Politics.....1242
F-Post_Polio.....1243 | F-Power.....1244 | F-ProWrite.....1246
F-Pro_Audio.....1247 | F-Pro_Video.....1248 | F-Problm_Chld.....1245
F-Proboard.....1436 | F-Public_Keys.....1139 | F-Public_Psyc.....1250
F-Pyro.....1251 | F-QMX_XRS.....1255 | F-QM_Echo.....1438
F-QModem.....1253 | F-QModem_User.....1254 | F-QNX.....1256
F-QTach2.....1257 | F-Qedit.....1437 | F-QuikLone.....1260
F-Quik_Bas.....1439 | F-Quotes_2.....1465 | F-RA_Multi.....1478
F-RA_Support.....1264 | F-RA_Util.....1265 | F-RBBS_PC.....1266
F-RCM.....1308 | F-RC_Model.....1267 | F-RTKBA.....1274
F-RTTY.....1307 | F-RYBBSOP.....1275 | F-RailFans.....1261
F-Rainbow.....1262 | F-Rare_Condtn.....1263 | F-Rbase.....1466
F-Real.....1268 | F-Recfrp.....1269 | F-Records.....1467
F-Recovery.....1270 | F-Reg_12_User.....1440 | F-Reviews.....1468
F-Ribbs.....1271 | F-Rights.....1272 | F-Robo.....1258
F-Robotix.....1273 | F-SAR.....1277 | F-SCSI_One.....1284
F-SE_Genealg.....1288 | F-SF.....1289 | F-SFFan.....1290
F-SIP_AA.....1295 | F-SIP_ACA.....1296 | F-SIP_Incest.....1297

F-SIP_MPD.....1298 | F-SIP_NA.....1299 | F-SIP_SAA.....1300
F-SMLWare.....1304 | F-SPCBS_Quest.....1441 | F-SPCBS_SATTK.....1309
F-SPCBS_Solar.....1310 | F-SR_Games.....1443 | F-STDSN.....1319
F-STTNG.....1322 | F-ST_Prog.....1324 | F-S_King.....1331

CRS ONLINE NEW USERS GUIDE

F-Sailing.....1276 | F-ScanRadio.....1278 | F-Sci&Tech.....1279
F-Science.....1280 | F-Scifor.....1281 | F-Scouter.....1282
F-Scouting.....1283 | F-Scuba.....1285 | F-SeaDog.....1286
F-SearchLight.....1287 | F-ShareWare.....1344 | F-Shareware.....1291
F-Shortwave.....1292 | F-Sierran.....1293 | F-SilentTalk.....1294
F-Sirius.....1301 | F-Skeptic.....1302 | F-SkyDive.....1303
F-SoundNet.....1177 | F-Space.....1305 | F-Spanish_Gen.....1313
F-Speedmodem.....1314 | F-Spinal_Injr.....1315 | F-Spiritual.....1469
F-SpitFire.....1316 | F-Sports.....1442 | F-StarTrek.....1317
F-StarWars.....1318 | F-Star_Gaze.....1444 | F-Stock_Markt.....1320
F-Stress_Mgmt.....1321 | F-Studio_101.....1323 | F-SuperBBS.....1325
F-SupraFax.....1329 | F-Survival.....1470 | F-Survivor.....1326
F-Sust_Ag.....1327 | F-Sys4Sale.....1328 | F-System7.....1330
F-TBBS.....1336 | F-THI_CVA.....1340 | F-TI_Echo.....1341
F-TMPLT_Lang.....1339 | F-TO_Prog.....1506 | F-TO_Trek.....1495
F-TPBoard.....1345 | F-TPW_Tech.....1346 | F-TRS_Mid134.....1351

F-TV.....1353 | F-TVRO.....1354 | F-TV_Shows.....1502
F-Tabby.....1484 | F-Tag.....1332 | F-TagLines.....1333
F-TagMulti.....1334 | F-Tag_Doors.....1445 | F-Tand2000.....1335
F-Tech.....1446 | F-Teen.....1337 | F-Teen_TO.....1507
F-Telemate.....1447 | F-Telix.....1338 | F-Toons.....1342
F-Tott.....1343 | F-Trade_Wars.....1347 | F-Trains.....1348
F-TransAmiga.....1312 | F-TrapDoor.....1349 | F-Travel.....1471
F-Trek.....1350 | F-UFGate.....1355 | F-UFO.....1356
F-USASA.....1358 | F-USA_EurLink.....1359 | F-USS_Liberty.....1360
F-Unix.....1357 | F-Vax.....1361 | F-Ventura.....1472
F-Vfalsac.....1362 | F-Vid_Game.....1364 | F-Video.....1363
F-VietNam_Vet.....1365 | F-Vin_Maison.....1366 | F-Virus.....1448
F-Virus_Info.....1367 | F-VisualBasic.....1368 | F-WC_Tech.....1369
F-WGW.....1372 | F-WOC_Aids.....1378 | F-WP_Craft.....1381
F-WP_Tools.....1382 | F-Warnings.....1449 | F-Welfare.....1370
F-Welmat.....1371 | F-Who.....1373 | F-Wildrnss.....1375
F-Win32.....1450 | F-Windows.....1376 | F-Windows_Prg.....1377
F-Winnet_User.....1477 | F-Words_Words.....1379 | F-WorldTik.....1380
F-Wrestling.....1451 | F-Writing.....1383 | F-Wunderment.....1384
F-X00_User.....1385 | F-Xpress_Sys.....1386 | F-Young_Adult.....1387

F-Z1_Election.....1388 | F-ZMail.....1390 | F-ZModem.....1391
F-Zec.....1389 | F-Zymurgy.....1392 | F-Zyxel.....1393

Vervan's RPG Net

[Last Network Update - 01/18/93]

V-AD&D_CHAT.....1522 | V-BATTLE_TECH.....1523 | V-BLOODSTONE.....1524
V-CAR_WARS.....1525 | V-CYBERPUNK.....1526 | V-HARNLINE.....1527
V-IMPÉRIUM.....1528 | V-PAINT BALL.....1529 | V-PARANOIA.....1530
V-SEATTLE_SPRAWL.....1531 | V-SF-BATTLES.....1532 | V-SHADOWRUN.....1533
V-TRAVELLER.....1534 | V-TRIAD.....1535 | V-TWIL_2000.....1536
V-LIBRARY.....1537 | V-TREK.....1538 | V-1889.....1539
V-ADWOTL.....1540 | V-BOARD.....1541 | V-CHESS.....1542
V-COMPGAME.....1543 | V-CRYPT.....1544 | V-DAWN.....1545
V-GAMECOCK.....1546 | V-GAMER.....1547 | V-GM.....1548
V-GURPS.....1549 | V-HERO.....1550 | V-INVASION.....1551
V-NETBIZ.....1552 | V-NEWGAME.....1553 | V-REALMS.....1554
V-RPG.....1555 | V-STORY.....1556 | V-THEGAME.....1557
V-TORG.....1558 | V-TORG_SD.....1559 | V-VAMPIRE.....1560

Adult Conferences

[Last Network Update - 01/18/93]

Administration.....388 | Grafitti Wall.....872 | Pornography.....390
Adult Ansi.....377 | Green Dragon.....873 | Preachnix.....875
Adult Parlor.....881 | Guvmint.....877 | Python.....2311
Adult Photo.....3379 | Homosexuality.....1238 | Roman Bath.....888
Adult_Singles.....3376 | Humor Conference.....392 | Rush.....356
Ask_RN_Judi.....3380 | Insanity.....876 | Sadism/Masochism.....393
Audioactive.....870 | Issues Conference....401 | Secrets Bed.....891
Basement.....885 | Junk Meet.....378 | Sex Help.....382
Bookactive.....871 | Kitchen Fun.....889 | Sex Stories.....394
Dial Tone.....884 | Lesbian Life.....376 | Sex Talk.....397
Dr. Pixie.....887 | Maybe.....879 | Sex Toys.....391
Dr. Rude.....3377 | Mens Issues.....225 | Sex.....1252
Druginit.....880 | Mens Issues.....461 | Sex.Bestiality.....1253
Exotic Music 1.....1217 | Nat. Adult Conf.....381 | Sex.Bondage.....1254
Exotic Music 2.....1218 | Open Forum.....868 | Swingers.....386
Fantasy.....389 | Pagans Anonymous.....878 | Sysops (*).....892
Gay & Lesbians.....398 | Paracity.....882 | Throb-Moderator.....3378
Gay Discussions.....230 | Play.....874 | Throb-Sysops.....3375
Gay Discussions.....504 | Playroom.....890 | TransV.....344
General Discussion...400 | Pleasure.....886 | Videoactive.....869

Violet's Bar/Grill...395 | Womens Issues.....478 | Ye Olde Shoppe.....379
Wacko.....883 | Writings.....399

Additional Information on Mail Networks is available as follows:
Files may be downloaded from any conference.

USENET.CRS A listing of the Usenet Conferences on CRS
CRSCONF.LST Current List of CRS conferences (all nets)
CRSALL.LST Current List of CRS conferences (alphabetical)
IL-APP.ZIP Interlink Application Form
ILCONF09.ZIP Interlink Conferences
ILNK0912.ZIP Participating Interlink Systems
INTCONFS.ZIP Intelec conference list and descriptions
RLYCONF.ZIP RelayNet conference list and description
NANETAPP.ZIP NorthAmeriNet Application Information
NANET.SYS NorthAmeriNet Participating Systems
RELAY.FRM Application Form for Relaynet
RLYMAN1.ZIP Relaynet rules/regulations
THROBNET.ZIP Application for Throbbnet Network

USENET CONFERENCES

Current Conferences as of February 14, 1993

Please note the following rules for posting message to Usenet:

Procedures for entering PUBLIC messages.

- a) Enter the message to ALL or anyone else you desire
- b) Mark the message as PUBLIC
- c) Make the first 3 letters of the subject UN: to signify that you want this message to be sent WORLD WIDE on Usenet.

NOTE - PUBLIC MESSAGES should be of interest to the USENET Community. As your public messages are sent to thousands of different sites, please make sure that they will be appropriate both as to topic and to content.

Procedures for entering PRIVATE messages.

- a) Enter the message to USENET GATEWAY
- b) Mark the message as RECEIVER ONLY
- c) Make the first line of the message "to: user@site" (important - you must leave a space after "to: ")
- d) Leave a blank line (important) and then continue entering your message on the next line.

All Incoming Private Messages from our Usenet Gateway are posted in Conference 104. Outgoing mail may be left in conference 0, 104 or any of the Usenet specific conferences

104 U-REPLIES *Conference for incoming private mail.

COMPLETE LIST OF AVAILABLE USENET/INTERNET CONFERENCES

CN#	Short Name	USENET/Internet Name	Group
3964	U-AABSURELI	a.bsu.religion	a
3965	U-AABSUTALK	a.bsu.talk	a
3958	U-AABUPPROG	a.bsu.programming	a
4598	U-AACTIVSM	alt.activism	alt
4599	U-AAQUARIA	alt.aquaria	alt
4600	U-AATHEISM	alt.atheism	alt
4691	U-ABBS	alt.bbs	alt
3968	U-ABGENERAL	ab.general	ab
3456	U-ABINPICFINE	alt.binaries.pictures.fine-art.digi	
4601	U-ABIRTH	alt.birthright	alt
3969	U-ABJOBS	ab.jobs	ab
4327	U-ABORTION	talk.abortion	talk
4602	U-ACALIFOR	alt.california	alt
4603	U-ACALLA	alt.callahans	alt
4607	U-ACNSPRCY	alt.conspiracy	alt
4605	U-ACOBOL	alt.cobol	alt
4606	U-ACONFIG	alt.config	alt
4604	U-ACOOPS	alt.co-ops	alt
4608	U-ACOSUARD	alt.cosuard	alt
3944	U-ACSMAGNUS	acs.magnus	acs
3945	U-ACSOSUMENTR	acs.osu-mentor	acs
4609	U-ACULTMOV	alt.cult-movies	alt
4613	U-ACYBPKTC	alt.cyberpunk.tech	alt
4612	U-ACYBPNKM	alt.cyberpunk.movement	alt
4611	U-ACYBPUNK	alt.cyberpunk	alt
4614	U-ACYBSPC	alt.cyberspace	alt
4610	U-ACYBSYS	alt.cyb-sys	alt
4393	U-ADA	comp.lang.ada	comp
4616	U-ADRUGS	alt.drugs	alt
4619	U-ADVBARRY	alt.fan.dave_barry	alt
4192	U-ADVTPROG	rec.games.programmer	rec
4617	U-AEMUSIC1	alt.emusic	alt
4618	U-AEMUSIC2	alt.exotic-music	alt
4256	U-AERO	sci.aeronautics	sci
2144	U-AEROAIRLINE	sci.aeronautics.airliners	
4701	U-AFANCONS	alt.fandom.cons	alt
3842	U-AFANFURRY	alt.fan.furry	alt
4673	U-AFANLIMBAUG	alt.fan.rush-limbaugh	alt
4700	U-AFANMIKE	alt.fan.mike-jittlov	alt
4702	U-AFANMISC	alt.fandom.misc	alt
4695	U-AFANPETERSO	alt.fan.tom_peterson	alt
3991	U-AFATKVMS	sfnet.atk.vms	sfnet
4621	U-AFISHING	alt.fishing	alt
4704	U-AFLKURBN	alt.folklore.urban	alt
4624	U-AFOLKCOM	alt.folklore.computers	alt
4705	U-AFORGERY	alt.forgery	alt
3948	U-AFRACPIC	alt.fractals.pictures	alt
4292	U-AFRICAN	soc.culture.african	soc
4626	U-AGOURMND	alt.gourmand	
4627	U-AGRTLAKES	alt.great-lakes	alt
4628	U-AHACKERS	alt.hackers	
4707	U-AHORROR	alt.horror	alt
4630	U-AHYPTXT	alt.hypertext	alt
4351	U-AI	comp.ai	comp
4354	U-AI.NNETS	comp.ai.neural-nets	comp
4353	U-AIEDU	comp.ai.edu	comp
4631	U-AINDIVID	alt.individualism	alt
4696	U-AINDUSTRIAL	alt.industrial	alt
4355	U-AINLANG	comp.ai.nlang-know-rep	
4865	U-AIPHILSPHY	comp.ai.philosophy	comp
4356	U-AISHELLS	comp.ai.shells	comp
4357	U-AIVISION	comp.ai.vision	
4632	U-AKIDSTLK	alt.kids-talk	alt
3457	U-ALBUMMULTIL	alt.business.multi-level	alt
3461	U-ALDTCOMCATV	alt.dcom.catv	alt

CRS ONLINE NEW USERS GUIDE

3458	U-ALGCOLORGUA	alt.colorguard	alt
4747	U-ALLIANT	comp.sys.alliant	comp
4962	U-ALT-ALIEN-V	alt.alien.visitors	alt
4963	U-ALT-ANGST	alt.angst	alt
4964	U-ALT-ARTCOM	alt.artcom	alt
4965	U-ALT-BBSADS	alt.bbs.ads	alt
4966	U-ALT-BBSINTR	alt.bbs.internet	alt
4969	U-ALT-BOOKS-T	alt.books.technical	alt
4970	U-ALT-BOOMER	alt.boomerang	alt
4971	U-ALT-CENSOR	alt.censorship	alt
4972	U-ALT-CHILDSP	alt.child-support	alt
4974	U-ALT-DREAMS	alt.dreams	alt
4976	U-ALT-EVIL	alt.evil	alt
4979	U-ALT-GAME-GB	alt.games.gb	alt
4983	U-ALT-IRC	alt.irc	alt
4984	U-ALT-L-CFUTR	alt.lang.cfutures	alt
4985	U-ALT-L-INTRC	alt.lang.intercal	alt
4986	U-ALT-MODELS	alt.models	alt
4987	U-ALT-NATIVE	alt.native	alt
4988	U-ALT-PARANOR	alt.paranormal	alt
4989	U-ALT-PARTY	alt.party	alt
4990	U-ALT-PERSONL	alt.personals	alt
4993	U-ALT-SKATE	alt.skate	alt
4994	U-ALT-SOURCSD	alt.sources.d	alt
4995	U-ALT-SPT-BUN	alt.sport.bungee	alt
4996	U-ALT-SPT-PNT	alt.sport.paintball	alt
4997	U-ALT-SUPPORT	alt.support	alt
4998	U-ALT-SURFING	alt.surfing	alt
4343	U-ALT-THRASH	alt.thrash	alt
4344	U-ALT-TLKITXV	alt.toolkits.xview	alt
4345	U-ALT-TV-SIMP	alt.tv.simpsons	alt
4346	U-ALT-TV-TINY	alt.tv.tiny-toon	alt
3966	U-ALT3D	alt.3d	alt
3967	U-ALTABRTINEQ	alt.abortion.inequity	alt
3826	U-ALTACTION-D	alt.activism.d	alt
3051	U-ALTAEFFLE	alt.aeffle.und.pferdle	alt
3886	U-ALTAMUUCP	alt.sys.amiga.uucp	alt
3971	U-ALTAPPALACH	alt.appalachian	alt
3052	U-ALTARCHERY	alt.archery	alt
2501	U-ALTASTRLOGY	alt.astrology	alt
4967	U-ALTATHEMODE	alt.atheism.moderated	
3053	U-ALTBACCHUS	alt.bacchus	alt
3828	U-ALTBACKRUB	alt.backrubs	alt
3830	U-ALTBBSLISTS	alt.bbs.lists	alt
3829	U-ALTBBSLST-D	alt.bbs.lists.d	alt
3951	U-ALTBBSYSOP	alt.bbs.allsysop	alt
3977	U-ALTBBSUNIXB	alt.bbs.unixbbs	alt
3956	U-ALTBEER	alt.beer	alt
3054	U-ALTBINERBLO	alt.binaries.pictures.erotica.blond	alt
4347	U-ALTBINMULTI	alt.binaries.multimedia	alt
3973	U-ALTBINPICER	alt.binaries.pictures.erotica.male	alt
3974	U-ALTBINPICFR	alt.binaries.pictures.fractals	alt
3972	U-ALTBINPICPR	alt.binaries.pictures.erotica.femal	alt
4078	U-ALTBINPICTD	alt.binaries.pictures.d	alt
3978	U-ALTBINPIFAR	alt.binaries.pictures.fine-art.grap	
3979	U-ALTBINPIUTI	alt.binaries.pictures.utilities	alt
4071	U-ALTBINPIX	alt.binaries.pictures	alt
2503	U-ALTBPICEROD	alt.binaries.pictures.erotica.d	alt
2502	U-ALTBPICEROT	alt.binaries.pictures.erotica	alt
2504	U-ALTBPICMISC	alt.binaries.pictures.misc	alt
2508	U-ALTBROTHER	alt.brother-jed	alt
2507	U-ALTB SOUNDMI	alt.binaries.sounds.misc	alt
2506	U-ALTB SOUNDS D	alt.binaries.sounds.d	alt
2505	U-ALTB TASTE L	alt.binaries.pictures.tasteless	alt
4397	U-ALTCACFNEWS	alt.comp.acad-freedom.news	
4591	U-ALTCACFTALK	alt.comp.acad-freedom.talk	alt
3933	U-ALTCAD	alt.cad	alt
3988	U-ALTCADAUTO C	alt.cad.autocad	alt
3989	U-ALTCASCADE	alt.cascade	alt
3060	U-ALTCCFSERVI	arc.ccf.services	arc
4685	U-ALTCCFSUPER	arc.ccf.super	arc
4084	U-ALTC DROM	alt.cd-rom	alt
4629	U-ALTCEVINT92	alt.current-events.inet92	alt
3981	U-ALTCHINTEST	alt.chinese.text	alt

CRS ONLINE NEW USERS GUIDE

3982	U-ALTCOEVOLUT	alt.co-evolution	alt
3990	U-ALTCOMEDYBR	alt.comedy.british	alt
3992	U-ALTCOMICSBU	alt.comics.buffalo-roam	alt
3986	U-ALTCONSCIOU	alt.consciousness	alt
3994	U-ALTCONSPIRC	alt.conspiracy.jfk	alt
3980	U-ALTCTVREREG	alt.cable-tv.re-regulate	alt
3459	U-ALTCULKERAL	alt.culture.kerala	alt
3055	U-ALTCULTTUVA	alt.culture.tuva	alt
3995	U-ALTCULTUREL	alt.culture.electric-midget	alt
3838	U-ALTCULTUSAI	alt.culture.us.asian-indian	alt
3996	U-ALTCULTUSNT	alt.culture.usenet	alt
4349	U-ALTCYBCHTSB	alt.cyberpunk.chatsubo	alt
3460	U-ALTDADSRIGH	alt.dads-rights	alt
4083	U-ALTDCOMTELC	alt.dcom.telecom	alt
4623	U-ALTDESKURDS	alt.desert-thekurds	alt
4086	U-ALTDESSTFAC	alt.desert-storm.facts	alt
4480	U-ALTDESSTRM	alt.desert-storm	alt
4633	U-ALTDESTROY	alt.destroy.the.earth	alt
4662	U-ALTDISCRIM	alt.discrimination	alt
3997	U-ALTDIVINATI	alt.divination	alt
4002	U-ALTDNUMCORP	alt.drumcorps	alt
2516	U-ALTEDDSTNCE	alt.education.distance	alt
3462	U-ALTEDUDISAB	alt.education.disabled	alt
2517	U-ALTEXPLODKB	alt.exploding.kibo	alt
4648	U-ALTFAN-JP	alt.rmggroup	alt
4978	U-ALTFAN-MNTY	alt.fan.monty-python	alt
4654	U-ALTFAN-PE	alt.sex.bestiality	alt
4008	U-ALTFANALOK	alt.fan.alok.vijayvargia	alt
4973	U-ALTFANASPRI	alt.fan.asprin	alt
3998	U-ALTFANDALEB	alt.fan.dale-bass	alt
3463	U-ALTFANDICEM	alt.fan.dice-man	alt
4694	U-ALTFANEDDIN	alt.fan.eddings	alt
3999	U-ALTFANENYA	alt.fan.enya	alt
4067	U-ALTFANGRNSL	alt.fan.wal-greenslade	alt
4698	U-ALTFANITCHY	alt.fan.itchy-n-scratchy	alt
3464	U-ALTFANJPALM	alt.fan.john-palmer	alt
4003	U-ALTFANKEVIN	alt.fan.kevin-darcy	alt
4699	U-ALTFANMONTA	alt.fan.kent-montana	alt
4703	U-ALTFANNBRAZ	alt.fan.nathan.brazil	alt
4004	U-ALTFANPIERS	alt.fan.piers-anthony	alt
4693	U-ALTFANPRATC	alt.fan.pratchett	alt
4708	U-ALTFANQ	alt.fan.q	alt
4758	U-ALTFANREN	alt.fan.ren-and-stimpy	alt
4925	U-ALTFANROBBI	alt.fan.tom-robbins	alt
4915	U-ALTFANSHOST	alt.fan.shostakovich	alt
3843	U-ALTFANWRLD	alt.fan.warlord	alt
4005	U-ALTFASHION	alt.fashion	alt
2520	U-ALTFDADAMS	alt.fan.douglas-adams	alt
2518	U-ALTFDQUAYLE	alt.fan.dan-quayle	alt
2521	U-ALTFZAPPA	alt.fan.frank-zappa	alt
4361	U-ALTFKLRSCI	alt.folklore.science	alt
3465	U-ALTFLAME	alt.flame	alt
3466	U-ALTFLAMGIGA	alt.flame.gigantic.sigs	alt
4360	U-ALTFOLKLRCL	alt.folklore.college	alt
2524	U-ALTFPERN	alt.fan.pern	alt
3056	U-ALTGALAGUID	alt.galactic-guide	alt
4006	U-ALTGAMELYNX	alt.games.lynx	alt
4010	U-ALTGAMEMORN	alt.games.mornington.crescent	alt
4580	U-ALTGAMESSF2	alt.games.sf2	alt
2526	U-ALTGMTORG	alt.games.torg	alt
2527	U-ALTGMXTREK	alt.games.xtrek	alt
2528	U-ALTGODNEWS	alt.good.news	alt
4581	U-ALTGOPHER	alt.gopher	alt
3467	U-ALTGORETS	alt.gorets	alt
2529	U-ALTGOTHIC	alt.gothic	alt
3942	U-ALTGPIXUTL	alt.graphics.pixutils	alt
4615	U-ALTGUITAR	alt.guitar	alt
4012	U-ALTGUITARBA	alt.guitar.bass	alt
4013	U-ALTGUITARTA	alt.guitar.tab	alt
4636	U-ALTHERALDRY	alt.heraldry.sca	alt
4977	U-ALTHOMOSEX	alt.homosexual	alt
4015	U-ALTINTACCWT	alt.internet.access.wanted	alt
4057	U-ALTINTSERVI	alt.internet.services	alt
4680	U-ALTIRCRCVTR	alt.irc.recovery	alt

CRS ONLINE NEW USERS GUIDE

3857	U-ALTLANGASM	alt.lang.asm	alt
3061	U-ALTLANGBASI	alt.lang.basic	alt
3858	U-ALTLANGML	alt.lang.ml	alt
2523	U-ALTLANGTECO	alt.lang.teco	alt
4689	U-ALTLOCKSMIT	alt.locksmithing	alt
4059	U-ALTLUCIDEMA	alt.lucid-emacs.bug	alt
2525	U-ALTLUCIDEMH	alt.lucid-emacs.help	alt
3954	U-ALTMAGIC	alt.magic	alt
3062	U-ALTMANGA	alt.manga	alt
4744	U-ALTMCDONALD	alt.mcdonalds	alt
4922	U-ALTMEDITRAN	alt.meditation.transcendental	alt
2533	U-ALTMGERMAN	alt.mud.german	alt
2531	U-ALTMISSING	alt.missing-kids	alt
2522	U-ALTMSCENYA	alt.music.enya	alt
4968	U-ALTMUSICALT	alt.music.alternative	alt
2538	U-ALTMUSICFLK	alt.music.filk	alt
4802	U-ALTMUSPROG	alt.music.progressive	alt
2133	U-ALTMUSRUSH	alt.music.rush	alt
3064	U-ALTMYTHOLOG	alt.mythology	alt
2535	U-ALTNENQUIRE	alt.national.enquirer	alt
2556	U-ALTNWSMEDIA	alt.news-media	alt
2562	U-ALTOVRLORDS	alt.overlords	alt
3065	U-ALTPARENTTE	alt.parents-teens	alt
4085	U-ALTPCNEWS	alt.pcnews	alt
4620	U-ALTPERSONAD	alt.personals.ads	alt
4088	U-ALTPLANURBA	alt.planning.urban	alt
2537	U-ALTPLTCCOR	alt.politics.correct	alt
2565	U-ALTPLTCSELC	alt.politics.elections	alt
4102	U-ALTPOLYAMOR	alt.polyamory	alt
3863	U-ALTPRIVACY	alt.privacy	alt
2536	U-ALTPRSNMISC	alt.personals.misc	alt
2657	U-ALTPUBDRAGO	alt.pub.dragons-inn	alt
3066	U-ALTPULP	alt.pulp	alt
2570	U-ALTRADIOPRT	alt.radio.pirate	alt
2571	U-ALTRADIOSCN	alt.radio.scanner	alt
3864	U-ALTRAP	alt.rap	alt
3865	U-ALTRAPGDEAD	alt.rap-gdead	alt
2572	U-ALTRAWE	alt.rave	alt
2582	U-ALTRDNYKING	alt.rodney-king	alt
3067	U-ALTRCLKIBO	alt.religion.kibology	alt
2972	U-ALTREVISION	alt.revisionism	alt
2574	U-ALTRLGNALLW	alt.religion.all-worlds	alt
4622	U-ALTRNRMETPR	alt.rock-n-roll.metal.progressive	alt
2973	U-ALTROCKHARD	alt.rock-n-roll.hard	alt
2577	U-ALTROCKNROL	alt.rock-n-roll.acdc	alt
3866	U-ALTRROMANCH	alt.romance.chat	alt
4992	U-ALTRRM-MTLC	alt.rock-n-roll.metal.metallica	alt
3867	U-ALTRUSHLIM	alt.rush-limbaugh	alt
3068	U-ALTSATANISM	alt.satanism	alt
4806	U-ALTSAVEEART	alt.save.the.earth	alt
2592	U-ALTSBPROGRM	alt.sb.programmer	alt
2596	U-ALTSASTFG	alt.sci.astro.figaro	alt
2595	U-ALTSASTRO	alt.sci.astro.aips	alt
2597	U-ALTSAPHYAC	alt.sci.physics.acoustics	alt
3069	U-ALTSAPHYNE	alt.sci.physics.new-theories	alt
2546	U-ALTSCVLBRTY	alt.society.civil-liberty	alt
2545	U-ALTSCVLLIBS	alt.society.civil-liberties	alt
2974	U-ALTSECINDEX	alt.security.index	alt
3468	U-ALTSEXBOND	alt.sex.bondage	alt
3874	U-ALTSEXMOTSS	alt.sex.motss	alt
2542	U-ALTSEXMOVIE	alt.sex.movies	alt
3875	U-ALTSEXPIC	alt.sex.pictures	alt
3876	U-ALTSEXPICD	alt.sex.pictures.d	alt
2976	U-ALTSEXPXF	alt.sex.pictures.female	alt
2977	U-ALTSEXPXM	alt.sex.pictures.male	alt
4313	U-ALTSEXSTORD	alt.sex.stories.d	alt
2978	U-ALTSEXSTORY	alt.sex.stories	alt
2980	U-ALTSEXWANT	alt.sex.wanted	alt
2602	U-ALTSEXWIZ	alt.sex.wizards	alt
2981	U-ALTSIGMA2	alt.sigma2.height	alt
4830	U-ALTSKATEBD	alt.skate-board	alt
2548	U-ALTSLASERTG	alt.sport.lasertag	alt
2539	U-ALTSLFIMPRV	alt.self-improve	alt
3851	U-ALTSOCCIVIL	alt.society.civil-disob	alt

CRS ONLINE NEW USERS GUIDE

2605	U-ALTSOCFOIA	alt.society.foia	alt
4362	U-ALTSOCREVOL	alt.society.revolution	alt
2982	U-ALTSOCSEVER	alt.society.sovereign	alt
4363	U-ALTSOFSYTOO	alt.soft-sys.tooltalk	alt
2628	U-ALTSPRTBOWL	alt.sport.bowling	alt
2629	U-ALTSPRTDART	alt.sport.darts	alt
3882	U-ALTSTCREAT	alt.startrek.creative	alt
4665	U-ALTSTERN	alt.fan.howard-stern	alt
2630	U-ALTSTGCRAFT	alt.stagecraft	alt
4809	U-ALTSTUPBBS	alt.sex.sounds	alt
3963	U-ALTSUICIDE	alt.suicide.holiday	alt
4364	U-ALTSUITATTB	alt.suit.att-bsdi	alt
4365	U-ALTSUPERMOD	alt.supermodels	alt
4473	U-ALTSUPPBIGF	alt.support.big-folks	alt
2634	U-ALTSUPTCNCR	alt.support.cancer	alt
2635	U-ALTSUPTDIET	alt.support.diet	alt
3885	U-ALTSYSAMDEM	alt.sys.amiga.demos	alt
3887	U-ALTSYSAMUP	alt.sys.amiga.uucp.patches	alt
3888	U-ALTSYSINTER	alt.sys.intergraph	alt
2983	U-ALTTASTPIX	alt.tasteless.pictures	alt
3469	U-ALTTEST	alt.test	alt
3953	U-ALTTEXTDWB	alt.text.dwb	alt
2636	U-ALTTLA	alt.tla	alt
2637	U-ALTTTOONPICS	alt.toon-pics	alt
3070	U-ALTTRUECRIM	alt.true-crime	alt
2638	U-ALTTRUECRIM	eunet.misc	eunet
3893	U-ALTTVANTAG	alt.tv.antagonists	alt
2639	U-ALTTVDINOSR	alt.tv.dinosaurs	alt
2640	U-ALTTVLALAW	alt.tv.la-law	alt
4562	U-ALTTVMELPLA	alt.tv.melrose-place	alt
2641	U-ALTTVMST3K	alt.tv.mst3k	alt
2984	U-ALTTVREDDRW	alt.tv.red-dwarf	alt
2642	U-ALTTVRENSTM	alt.tv.ren-n-stimpy	alt
4692	U-ALTTVSEINFE	alt.tv.seinfeld	alt
2643	U-ALTTVSMPTIC	alt.tv.simpsons.itchy-scratchy	alt
3470	U-ALTUSENETRE	alt.usenet.recovery	alt
4625	U-ALTUUANNOUN	alt.uu.announce	alt
3057	U-ALTUUCOMPI	alt.uu.comp.misc	alt
3058	U-ALTUUFUTURE	alt.uu.future	alt
4980	U-ALTUULANGES	alt.uu.lang.esperanto.misc	alt
4981	U-ALTUULANGMI	alt.uu.lang.misc	alt
4585	U-ALTUUMATHMI	alt.uu.math.misc	alt
4975	U-ALTUUMISCM	alt.uu.misc.misc	alt
3059	U-ALTUUTOOLS	alt.uu.tools	alt
4982	U-ALTUUVIRWOR	alt.uu.virtual-worlds.misc	alt
4647	U-ALTVISAUS	alt.visa.us	alt
2553	U-ALTWAIS	alt.wais	alt
3073	U-ALTWAR	alt.war	alt
3471	U-ALTWARCIVUS	alt.war.civil.usa	alt
3074	U-ALTWHINE	alt.whine	alt
4683	U-ALTWOLRDTAE	alt.world.taeis	alt
4677	U-ALTWOLVES	alt.wolves	alt
4711	U-AMAGICK	alt.magick	alt
4715	U-AMESSIANIC	alt.messianic	alt
4888	U-AMIGAGAMES	comp.sys.amiga.games	comp
4509	U-AMIGAHW	comp.sys.amiga.hardware	comp
4490	U-AMIGASRC	comp.sources.amiga	
4634	U-AMSDOSPR	alt.msos.programmer	alt
4635	U-AMUD	alt.mud	alt
4717	U-AMUDLP	alt.mud.lp	alt
4488	U-ANDRWSYS	comp.soft-sys.andrew	comp
4671	U-ANOTASTE	alt.tasteless	alt
4442	U-AOS	comp.os.aos	comp
4637	U-APAGAN	alt.pagan	alt
4638	U-APEEVES	alt.peeves	alt
4742	U-APERSONBOND	alt.personals.bondage	alt
4394	U-APL	comp.lang.apl	comp
4639	U-APOLHOMO	alt.politics.homosexuality	alt
4511	U-APOLLO	comp.sys.apollo	comp
4640	U-APOSTMOD	alt.postmodern	alt
4459	U-APPLETLK	comp.protocols.appletalk	comp
4641	U-APROSE	alt.prose	alt
4642	U-APROSE-D	alt.prose.d	alt
4762	U-APSYCHOACTI	alt.psychoactives	alt

CRS ONLINE NEW USERS GUIDE

4293	U-ARABIC	soc.culture.arabic	soc
2530	U-ARCCCFUNIX	arc.ccf.unix	arc
4358	U-ARCH	comp.arch	comp
4359	U-ARCHIVES	comp.archives	
4643	U-ARECOVER	alt.recovery	alt
4644	U-ARELCOMP	alt.religion.computers	alt
4791	U-ARELIGEMACS	alt.religion.emacs	alt
4797	U-ARELIGSCIEN	alt.religion.scientology	alt
4645	U-AREST	alt.restaurants	alt
4646	U-ARHDISLE	alt.rhode_island	alt
4649	U-AROCK	alt.rock-n-roll	alt
4650	U-AROCKMTL	alt.rock-n-roll.metal	alt
4651	U-AROMANCE	alt.romance	alt
4798	U-ARRMETALHEV	alt.rock-n-roll.metal.heavy	alt
4150	U-ARTANIM	rec.arts.anime	rec
4151	U-ARTBOOKS	rec.arts.books	rec
4153	U-ARTDRWHO	rec.arts.drwho	rec
4154	U-ARTINFIC	rec.arts.int-fiction	rec
4155	U-ARTMISC	rec.arts.misc	rec
4156	U-ARTMOVIE	rec.arts.movies	rec
4157	U-ARTMOVRE	rec.arts.movies.reviews	
4158	U-ARTPOEM	rec.arts.poems	rec
4163	U-ARTSOAPS	rec.arts.tv.soaps	rec
4161	U-ARTSTINF	rec.arts.startrek.info	
4162	U-ARTTV	rec.arts.tv	rec
4164	U-ARTTVUK	rec.arts.tv.uk	rec
4165	U-ARTWOBE	rec.arts.wobegon	rec
3947	U-ASATI	alt.society.ati	
4807	U-ASCIASTROFI	alt.sci.astro.fits	alt
4294	U-ASEAN	soc.culture.asean	soc
4709	U-ASECURTY	alt.security	alt
4710	U-ASEWING	alt.sewing	alt
4653	U-ASEX	alt.sex	alt
4825	U-ASEXABUSERE	alt.sexual.abuse.recovery	alt
4659	U-ASEXMAST	alt.sex.masturbation	alt
4295	U-ASIANAME	soc.culture.asian.american	soc
4660	U-ASKINHDS	alt.skinheads	alt
4661	U-ASLACK	alt.slack	alt
4395	U-ASM370	comp.lang.asm370	comp
4842	U-ASNOWMOBILE	alt.snowmobiles	alt
4844	U-ASOCIEFUTUR	alt.society.futures	alt
4663	U-ASRCS	alt.sources	alt
4664	U-ASRCSAMG	alt.sources.amiga	alt
4666	U-ASRCSNDX	alt.sources.index	
4667	U-ASRCSPAT	alt.sources.patches	alt
4668	U-ASRCSWNT	alt.sources.wanted	alt
4258	U-ASTRO	sci.astro	sci
4669	U-ASTUPID	alt.stupidity	alt
4670	U-ASYSSUN	alt.sys.sun	alt
4513	U-ATARI8B	comp.sys.atari.8bit	comp
4514	U-ATARIST	comp.sys.atari.st	comp
2557	U-ATHENA4SALE	athena.forsale	athena
2986	U-ATHENAANNOU	athena.announcements	athena
2988	U-ATHENAMISC	athena.misc	athena
2989	U-ATHENATEST	athena.test	athena
2654	U-ATHGAMIT	athena.gamit	athena
2558	U-ATHHOUSING	athena.housing	athena
2561	U-ATLGENERAL	atl.general	atl
2990	U-ATLJOBS	atl.jobs	atl
2991	U-ATLOLYMPIC	atl.olympics	atl
2992	U-ATLRESUME	atl.resumes	atl
2994	U-ATLTEST	atl.test	atl
4515	U-ATT	comp.sys.att	comp
4712	U-ATVMUPPT	alt.tv.muppets	alt
4713	U-ATVPRIS	alt.tv.prisoner	alt
4714	U-ATVTWIN	alt.tv.twin-peaks	alt
4167	U-AUDHIGH	rec.audio.high-end	
4166	U-AUDIO	rec.audio	rec
4687	U-AUSAARNET	aus.aarnet	aus
4688	U-AUSACS	aus.acs	aus
4769	U-AUSACSNET	aus.acsnet	aus
4867	U-AUSAGEENGLI	alt.usage.english	alt
4780	U-AUSAI	aus.ai	aus
4805	U-AUSARCHIVES	aus.archives	aus

CRS ONLINE NEW USERS GUIDE

4824	U-AUSAUUG	aus.auug	aus	
4847	U-AUSAVIATION	aus.aviation	aus	
4862	U-AUSBICYCLE	aus.bicycle	aus	
4863	U-AUSBOOKS	aus.books	aus	
4916	U-AUSCOMMS	aus.comms	aus	
4939	U-AUSCOMPAMIG	aus.computers.amiga		aus
2233	U-AUSCOMPIBM	aus.computers.ibm-pc		aus
4920	U-AUSCOMPUTER	aus.computers	aus	
2532	U-AUSCONSERVE	aus.conserve	aus	
2534	U-AUSCULTCHIN	aus.culture.china	aus	
2540	U-AUSCULTULTI	aus.culture.ultimo	aus	
2543	U-AUSEDUCATIO	aus.education	aus	
2544	U-AUSFILMS	aus.films	aus	
2551	U-AUSFLAME	aus.flame	aus	
2550	U-AUSFOLLOWUP	aus.followup	aus	
2552	U-AUSFOOTY	aus.footy	aus	
2554	U-AUSFORSALE	aus.forsale	aus	
3063	U-AUSFPS	aus.fps	aus	
2555	U-AUSGAMES	aus.games	aus	
2559	U-AUSGAMESROL	aus.games.roleplay		aus
2560	U-AUSGENERAL	aus.general	aus	
2563	U-AUSGENSTAT	aus.genstat	aus	
2564	U-AUSHIFI	aus.hi-fi	aus	
2566	U-AUSJOBS	aus.jobs	aus	
2584	U-AUSJOKES	aus.jokes	aus	
4652	U-AUSJOKESD	aus.jokes.d	aus	
4656	U-AUSKERMIT	aus.kermit	aus	
2599	U-AUSLP	aus.lp	aus	
4658	U-AUSMAC	aus.mac	aus	
2601	U-AUSMAIL	aus.mail	aus	
2541	U-AUSMAP	aus.map		
3879	U-AUSMBIO	aus.mbio	aus	
2604	U-AUSMOTORCYC	aus.motorcycles		aus
3472	U-AUSMUSIC	aus.music	aus	
2627	U-AUSNETDIREC	aus.net.directory		aus
2632	U-AUSNETDIROS	aus.net.directory.osi-ds		aus
2633	U-AUSNETDIRQU	aus.net.directory.quipu		aus
3890	U-AUSNETSTATU	aus.netstatus	aus	
4672	U-AUSNEWS	aus.news	aus	
3072	U-AUSPARALLEL	aus.parallel	aus	
2645	U-AUSPHOTO	aus.photo	aus	
3473	U-AUSPOLITICS	aus.politics	aus	
3474	U-AUSPYRAMID	aus.pyramid	aus	
3475	U-AUSRADIO	aus.radio	aus	
2650	U-AUSRADIOAMS	aus.radio.amsat		aus
2651	U-AUSRADIOPAC	aus.radio.packet		aus
2652	U-AUSRELIGION	aus.religion	aus	
2653	U-AUSSCHEME	aus.scheme	aus	
2655	U-AUSSF	aus.sf	aus	
3894	U-AUSSNOW	aus.snow	aus	
4050	U-AUSSOURCES	aus.sources	aus	
4054	U-AUSSPEARNET	aus.spearnet	aus	
4055	U-AUSSPORT	aus.sport	aus	
4056	U-AUSSTATSS	aus.stats.s	aus	
4065	U-AUSSTUDENTO	aus.students.overseas		aus
4064	U-AUSSTUDENTS	aus.students	aus	
4066	U-AUSSUNWORKS	aus.sun-works	aus	
3907	U-AUSWANTED	aus.wanted	aus	
2241	U-AUTOANTIQUE	rec.autos.antique		rec
4168	U-AUTOS	rec.autos	rec	
3905	U-AUXTEX	aus.tex	aus	
2243	U-AVIATANSWER	rec.aviation.answers		rec
2250	U-AVIATHOMEBU	rec.aviation.homebuilt		rec
4172	U-AVIATION	rec.aviation	rec	
2242	U-AVIATIONANN	rec.aviation.announce		rec
2255	U-AVIATIONIFR	rec.aviation.ifr	rec	
2257	U-AVIATMILITA	rec.aviation.military	rec	
2261	U-AVIATMISC	rec.aviation.misc	rec	
2547	U-AVIATOWNING	rec.aviation.owning		rec
2610	U-AVIATPILOT	rec.aviation.piloting	rec	
2618	U-AVIATPRODUC	rec.aviation.products		rec
2661	U-AVIATSIMULA	rec.aviation.simulators		rec
2727	U-AVIATSOARIN	rec.aviation.soaring		rec
2734	U-AVIATSTORIE	rec.aviation.stories	rec	

CRS ONLINE NEW USERS GUIDE

3909	U-BAANNOUNCE	ba.announce				
4774	U-BABROADCAST	ba.broadcast	ba			
4173	U-BACKCTRY	rec.backcountry	rec			
3476	U-BADANCE	ba.dance	ba			
3477	U-BAFOOD	ba.food	ba			
4781	U-BAGENERAL	ba.general	ba			
2023	U-BAINTERNET	ba.internet	ba			
2024	U-BAJOBSMISC	ba.jobs.misc	ba			
2032	U-BAJOBSSOFFER	ba.jobs.offered	ba			
3478	U-BAMARKETCOM	ba.market.computers		ba		
2049	U-BAMARKETHOU	ba.market.housing		ba		
4812	U-BAMARKETMIS	ba.market.misc		ba		
4818	U-BAMARKETVEH	ba.market.vehicles		ba		
4823	U-BAMOTSS	ba.motss	ba			
2058	U-BAMOUNTAINF	ba.mountain-folk		ba		
4827	U-BAMUSIC	ba.music	ba			
4829	U-BANEWS	ba.news	ba			
2063	U-BANEWSCONFI	ba.news.config		ba		
3078	U-BANEWSGROUP	ba.news.group		ba		
2067	U-BANEWSSTATS	ba.news.stats		ba		
2071	U-BAPOLITICS	ba.politics	ba			
4235	U-BASEBALL	rec.sport.baseball		rec		
4854	U-BASEMINARS	ba.seminars		ba		
2080	U-BASINGLES	ba.singles		ba		
3479	U-BASPORTS	ba.sports		ba		
4856	U-BATEST	ba.test	ba			
2679	U-BATRANSPORT	ba.transportation		ba		
4858	U-BAWEATHER	ba.weather		ba		
2086	U-BAWINDOW-X	ba.windows.x		ba		
2656	U-BCBCNET	bc.bcnet		bc		
2658	U-BCGENERAL	bc.general		bc		
2995	U-BCNEWSSTATS	bc.news.stats		bc		
2996	U-BCUNIX	bc.unix	bc			
2659	U-BCWEATHER	bc.weather		bc		
4213	U-BEATLES	rec.music.beatles		rec		
4866	U-BENCHMARK	comp.benchmarks		comp		
4942	U-BIGENCHRO22	bionet.genome.chrom22		bionet		
4259	U-BIO	sci.bio	sci			
4045	U-BIOAGE	bionet.molbio.ageing		bionet		
4041	U-BIOAGROF	bionet.agroforestry		bionet		
3896	U-BIOBIOCOMP	bionet.biology.computational				
2662	U-BIOBIOLGYTR	bionet.biology.tropical		bionet		
4047	U-BIOEMBL	bionet.molbio.embl databank		bionet		
4048	U-BIOEVOLU	bionet.molbio.evolution		bionet		
3897	U-BIOGENARA	bionet.genome.arabidopsis		bionet		
4042	U-BIOGENER	bionet.general		bionet		
4052	U-BIOGENOME	bionet.molbio.genome-program		bionet		
4697	U-BIOGENUP	bionet.molbio.genbank.updates				
4049	U-BIOGNBNK	bionet.molbio.genbank		bionet	3853	U-BIOIMMUNOL bionet.immunology bionet
3075	U-BIOINFOTHEO	bionet.info-theory		bionet		
4043	U-BIOJOBS	bionet.jobs		bionet		
4044	U-BIOJOUR	bionet.journals.contents		bionet		
4046	U-BIOMATRX	bionet.molbio.bio-matrix		bionet		
2663	U-BIOMOLBIOHV	bionet.molbio.hiv		bionet		
4374	U-BIOMOLGDB	bionet.molbio.gdb		bionet		
3898	U-BIOMOLGENE	bionet.molbio.gene-linkage		bionet		
2660	U-BIONETANNCE	bionet.announce				
3899	U-BIONEURO	bionet.neuroscience		bionet		
4376	U-BIOPLANTS	bionet.plants		bionet		
4061	U-BIOPOPUL	bionet.population-bio		bionet		
4058	U-BIOPROTEIN	bionet.molbio.proteins		bionet		
4053	U-BIOREAGENT	bionet.molbio.methds-reagnts		bionet		
4062	U-BIOSCI-R	bionet.sci-resources		bionet		
2567	U-BIOSFTWRSRC	bionet.software.sources				
4063	U-BIOSOFTW	bionet.software		bionet		
4260	U-BIOTECH	sci.bio.technology		sci		
4864	U-BIOUSERSADD	bionet.users.addresses		bionet		
2997	U-BIOXTALLOGR	bionet.xtallography		bionet		
4174	U-BIRDS	rec.birds	rec			
3900	U-BITADMIN	bit.admin		bit		
4960	U-BITADVANC1	bit.listserv.advanc-l		bit		
4961	U-BITCDROMLAN	bit.listserv.cdromlan		bit		
3000	U-BITETHOLOGY	bit.listserv.ethology		bit		
3839	U-BITFNORD-1	bit.listserv.fnord-l		bit		

CRS ONLINE NEW USERS GUIDE

2998	U-BITGENERAL	bit.general	bit
4567	U-BITGRAPH	comp.terminals.bitgraph	comp
2568	U-BITLBANYAN	bit.listserv.banyan-l	bit
2569	U-BITLCWIG	bit.listserv.cwis-l	bit
3841	U-BITLINKFAIL	bit.listserv.linkfail	bit
2573	U-BITLINNOPAC	bit.listserv.innopac	bit
3076	U-BITLISDASIG	bit.listserv.dasig	bit
2586	U-BITLIST3COM	bit.listserv.3com-l	bit
3086	U-BITLISTAUTI	bit.listserv.autism	bit
4388	U-BITLISTBUSL	bit.listserv.buslib-l	bit
4390	U-BITLISTDECT	bit.listserv.dectei-l	bit
2091	U-BITLISTDIPL	bit.listserv.dipl-l	bit
2703	U-BITLISTEUEA	bit.listserv.euearn-l	bit
3088	U-BITLISTLIBR	bit.listserv.libref-l	bit
4402	U-BITLISTLIBS	bit.listserv.libres	
4876	U-BITLISTMIDE	bit.listserv.mideur-l	bit
4441	U-BITLISTNOTA	bit.listserv.notabene	bit
4445	U-BITLISTSLOV	bit.listserv.slovak-l	bit
4449	U-BITLISTVPIE	bit.listserv.vpiej-l	bit
3079	U-BITLISTWPWI	bit.listserv.wpwin-l	bit
2575	U-BITLPSYCGRD	bit.listserv.psygrad	bit
2576	U-BITLQUALRS	bit.listserv.qualrs-l	bit
3906	U-BITLSADVISE	bit.listserv.advise-l	bit
3908	U-BITLSALLMUS	bit.listserv.allmusic	bit
2664	U-BITLSAPPCL	bit.listserv.appc-l	bit
3910	U-BITLSAPPLIC	bit.listserv.applicat	bit
2666	U-BITLSASHEL	bit.listserv.ashe-l	bit
3911	U-BITLSBIGLAN	bit.listserv.big-lan	
3919	U-BITLSC18-1	bit.listserv.c18-l	bit
2000	U-BITLSC370-1	bit.listserv.c370-l	bit
2002	U-BITLSCINEMA	bit.listserv.cinema-l	bit
2005	U-BITLSCOMMED	bit.listserv.commed	bit
2668	U-BITLSCSG-L	bit.listserv.csg-l	bit
2008	U-BITLSDB2-1	bit.listserv.db2-l	bit
2671	U-BITLSDEAF-L	bit.listserv.deaf-l	bit
2673	U-BITLSDECNWS	bit.listserv.decnews	bit
2009	U-BITLSDISARM	bit.listserv.disarm-l	bit
2675	U-BITLSEDSTAT	bit.listserv.edstat-l	bit
3902	U-BITLSETHICS	bit.listserv.ethics-l	bit
2021	U-BITLSGAYNET	bit.listserv.gaynet	bit
2022	U-BITLSGEODES	bit.listserv.geodesic	bit
2025	U-BITLSGOVDOC	bit.listserv.govdoc-l	bit
2026	U-BITLSHISTOR	bit.listserv.history	bit
3904	U-BITLSIBMHEC	bit.listserv.ibm-hesc	bit
2034	U-BITLSINFONE	bit.listserv.infonets	bit
2035	U-BITLSINGRAF	bit.listserv.ingrafx	bit
2037	U-BITLSL-HCAP	bit.listserv.l-hcap	
2039	U-BITLSL-VMCT	bit.listserv.l-vmctr	bit
2578	U-BITLSLART	bit.listserv.slart-l	bit
2041	U-BITLSLAWSHC	bit.listserv.lawsch-l	bit
2043	U-BITLSMBA1	bit.listserv.mba-l	bit
2045	U-BITLSMEDLIB	bit.listserv.medlib-l	bit
2046	U-BITLSMEDNEW	bit.listserv.mednews	
2050	U-BITLSPAGEMK	bit.listserv.pagemakr	bit
2053	U-BITLSPOLITI	bit.listserv.politics	bit
2054	U-BITLSPOWER	bit.listserv.power-l	bit
2059	U-BITLSRHETOR	bit.listserv.rhetoric	bit
2061	U-BITLSSCOMPU	bit.listserv.s-comput	bit
2677	U-BITLSSEASIA	bit.listserv.seasia-l	bit
2678	U-BITLSSFS-L	bit.listserv.sfs-l	bit
2065	U-BITLSSPSSX1	bit.listserv.spssx-l	bit
2068	U-BITLSTRANS	bit.listserv.trans-l	bit
2076	U-BITLSVMSLSV	bit.listserv.vmslsv-l	bit
2073	U-BITLSVMUTIL	bit.listserv.vm-util	bit
2078	U-BITLSVNEWS	bit.listserv.vnews-l	bit
2670	U-BITLSWEMAIL	bit.listserv.cw-email	bit
2079	U-BITLSWIN3	bit.listserv.win3-l	bit
2083	U-BITLSWORDPC	bit.mailserv.word-pc	bit
2680	U-BITLSWPCRPL	bit.listserv.wpcorp-l	bit
2081	U-BITLSXEDIT1	bit.listserv.xedit-l	bit
2682	U-BITLSXTROPY	bit.listserv.xtropy-l	bit
2579	U-BITLTEST	bit.listserv.test	bit
2580	U-BITLVMESA	bit.listserv.vmesa-l	bit
2581	U-BITLWORDS	bit.listserv.words-l	bit

CRS ONLINE NEW USERS GUIDE

2687	U-BITMSWRDMAC	bit.mailserv.word-mac	bit
3004	U-BITRSCS-1	bit.listserv.rscs-l	bit
3845	U-BITSGANET	bit.listserv.sganet	bit
3846	U-BITUIGIS-1	bit.listserv.uigis-l	bit
3852	U-BIXSCOOPEN	biz.sco.opendesktop	biz
2688	U-BIZAMERICST	biz.americast	biz
2690	U-BIZAMRCSTSM	biz.americast.samples	
4328	U-BIZARRE	talk.bizarre	talk
3005	U-BIZCOMTBNBL	biz.comp.telebit.netblazer	biz
3487	U-BIZCONTROL	biz.control	biz
2691	U-BIZDECDNWS	biz.dec.decnews	
3009	U-BIZDECIP	biz.dec.ip	biz
3485	U-BIZMISC	biz.misc	biz
3849	U-BIZSCOANNOU	biz.sco.announce	
4470	U-BIZSCOBINAR	biz.sco.binaries	
3850	U-BIZSCOGEN	biz.sco.general	biz
4487	U-BIZSCOSOURC	biz.sco.sources	
3486	U-BIZSTOLEN	biz.stolen	biz
4508	U-BIZTADSPARC	biz.tadpole.sparcbook	biz
4510	U-BIZZEOUSANN	biz.zeos.announce	
4512	U-BIZZEOUSGEN	biz.zeos.general	biz
3483	U-BLISTACULTL	bit.listserv.xcult-l	bit
3836	U-BLISTCICS	bit.listserv.cics-l	bit
3837	U-BLISTCIRCPL	bit.listserv.circplus	bit
2047	U-BLISTEDUTECH	bit.listserv.edtech	
2048	U-BLISTEMUSIC	bit.listserv.emusic-l	bit
3482	U-BLISTFRAC-L	bit.listserv.frac-l	bit
2030	U-BLISTIBMTCP	bit.listserv.ibmtcp-l	bit
2044	U-BLISTMBU	bit.listserv.mbu-l	bit
4518	U-BLNGENERAL	bln.general	bln
3481	U-BLSEREDPOLY	bit.listserv.edpolyan	bit
3480	U-BLSTEDI-L	bit.listserv.edi-l	bit
4214	U-BLUENOTE	rec.music.bluenote	rec
4103	U-BNEWS	news.software.b	news
4175	U-BOATS	rec.boats	rec
2344	U-BOULDFGENERA	boulder.general	boulder
4182	U-BRDGAMES	rec.games.board	rec
4183	U-BRIDGE	rec.games.bridge	rec
4296	U-BRITISH	soc.culture.british	soc
4368	U-BUG4BSDU	comp.bugs.4bsd.ucb-fixes	
4366	U-BUGS2BSD	comp.bugs.2bsd	comp
4367	U-BUGS4BSD	comp.bugs.4bsd	comp
4369	U-BUGSMISC	comp.bugs.misc	comp
4492	U-BUGSRC	comp.sources.bugs	comp
4370	U-BUGSSYS5	comp.bugs.sys5	comp
2098	U-BYUNNEWS	byu.news	byu
4674	U-BZCLNET	biz.clarinet	biz
4675	U-BZCLNSA	biz.clarinet.sample	biz
4676	U-BZCOMHDW	biz.comp.hardware	biz
4678	U-BZCOMSER	biz.comp.services	biz
4679	U-BZCOMSFW	biz.comp.software	biz
4681	U-BZCOMTEL	biz.comp.telebit	biz
4682	U-BZCONFIG	biz.config	biz
4684	U-BZDEC	biz.dec	biz
4686	U-BZDECWKS	biz.dec.workstations	biz
4716	U-BZJOB OFF	biz.jobs.offered	biz
4690	U-BZTEST	biz.test	biz
4396	U-C	comp.lang.c	comp
3938	U-C20	c20.0056	c20
4108	U-CANAI	can.ai	can
3935	U-CANCANETD	can.canet.d	
4525	U-CANCANETSTA	can.canet.stats	can
2099	U-CANDOM	can.domain	can
3854	U-CANENGLISH	can.english	can
4109	U-CANFRANC	can.francais	can
4110	U-CANGEN	can.general	can
4111	U-CANJOBS	can.jobs	can
3016	U-CANNEWPROD	can.newprod	can
4112	U-CANPOL	can.politics	can
4113	U-CANSUN	can.sun-stroke	can
3020	U-CANTEST	can.test	can
4114	U-CANUSRGP	can.usrgroup	can
4115	U-CANUUCP	can.uucp	can
3957	U-CANUUCPMAPS	can.uucp.maps	

CRS ONLINE NEW USERS GUIDE

2583	U-CANVLSI	can.vlsi	can	
3081	U-CARCHINESE	carleton.chinese-news	carleton	
4516	U-CBM	comp.sys.cbm	comp	
4891	U-CCGENERAL	cc.general	cc	
4517	U-CDC	comp.sys.cdc	comp	
3143	U-CDCOMCELLRE	comp.dcom.cell-relay	comp	
3144	U-CDCOMISDN	comp.dcom.isdn	comp	
3145	U-CDCOMSERVER	comp.dcom.servers	comp	
4215	U-CDS	rec.music.cd	rec	
4572	U-CELLAUTO	comp.theory.cell-automata	comp	
4297	U-CELTIC	soc.culture.celtic	soc	
4756	U-CHCHUUG	ch.chuug	ch	
4261	U-CHEM	sci.chem	sci	
4184	U-CHESS	rec.games.chess	rec	
4530	U-CHGENERAL	ch.general	ch	
4298	U-CHINA	soc.culture.china	soc	
4537	U-CHNETWORK	ch.network	ch	
2357	U-CHPHILOAGE	ch.philo.agenda	ch	
4542	U-CHSICHOOSE	ch.si.choose	ch	
4546	U-CHSIGENERAL	ch.si.general	ch	
4554	U-CHSISGAICO	ch.si.sgaico	ch	
4728	U-CINEMA	rec.arts.cinema		
4560	U-CISGENERAL	cis.general	cis	
4576	U-CISGRADS	cis.grads	cis	
3443	U-CISUNDERGRA	cis.undergrads	cis	
4871	U-CLANGCLOS	comp.lang.clos	comp	
4872	U-CLANGIDL	comp.lang.idl-pvwave	comp	
4873	U-CLANGOBJC	comp.lang.objective-c	comp	
4216	U-CLASSIC	rec.music.classical	rec	
2018	U-CLONE32BIT	comp.unix.pc-clone.32bit	comp	
4398	U-CLU	comp.lang.clu	comp	
4248	U-CLVHDL	comp.lang.vhdl	comp	
4588	U-CMHFORSALE	cmh.forsale	cmh	
4905	U-CMHGENERAL	cmh.general	cmh	
2750	U-CMHJOBS	cmh.jobs	cmh	
2784	U-CMHNETWORK	cmh.network	cmh	
2785	U-CMHOPINION	cmh.opinion	cmh	
2598	U-CMHTEST	cmh.test	cmh	
2585	U-CMPDATINFMX	comp.databases.informix	comp	
4943	U-CMPDCOMFAX	comp.dcom.fax	comp	
2587	U-CMPGRAPHICS	comp.graphics.avs	comp	
2588	U-CMPLANGHRMS	comp.lang.hermes	comp	
2589	U-CMPORGISSN	comp.org.issnnet	comp	
2590	U-CMPPATENTS	comp.patents		
2591	U-CMPPTLPPP	comp.protocols.ppp	comp	
4945	U-CMPSYSACORN	comp.sys.acorn	comp	
4946	U-CMPSYSNOVLL	comp.sys.novell	comp	
2593	U-CMPSYSPRIME	comp.sys.prime	comp	
2594	U-CMPTXTFRAME	comp.text.frame	comp	
4433	U-CMUSIC	comp.music	comp	
4874	U-COEFFTALK	comp.org.eff.talk	comp	
2600	U-COGENERAL	co.general	co	
4371	U-COGENG	comp.cog-eng	comp	
2871	U-COLLECTCARD	rec.collecting.cards	rec	
4290	U-COLLEGE	soc.college	soc	
4778	U-COMACAPP3	comp.sys.mac.oop.macapp3	comp	
4706	U-COMADVOCACY	comp.sys.mac.advocacy	comp	
3772	U-COMAIGENET	comp.ai.genetic	comp	
4051	U-COMANNOUNCE	comp.os.linux.announce	comp	
2003	U-COMANNOUNCE	comp.sys.sgi.announce		
3881	U-COMARCBUS	comp.arch.bus.vmebus	comp	
3983	U-COMARCDOSD	comp.archives.msdos.d	comp	
4007	U-COMCLISERVE	comp.client-server	comp	
4566	U-COMCONVEX	comp.sys.convex	comp	
4028	U-COMDATABASE	comp.databases.sybase	comp	
3970	U-COMDOSANN	comp.archives.msdos.announce		
2014	U-COMDOSUNIX	comp.unix.dos-under.unix	comp	
2603	U-COMEGIARMN	co.media.rmn	co	
3635	U-COMFUZZY	comp.ai.fuzzy	comp	
2007	U-COMGRAPHICS	comp.sys.sgi.graphics	comp	
4031	U-COMGRAPHLOT	comp.graphics.gnuplot	comp	
4033	U-COMGRAOPEN	comp.graphics.openg1	comp	
4032	U-COMLANGC++	comp.lang.c++	comp	
4035	U-COMLANGPOP	pubnet.wanted	pubnet	

CRS ONLINE NEW USERS GUIDE

4944	U-COMMACMISC	comp.sys.mac.oop.misc	comp
4038	U-COMMAILMINE	comp.mail.mime	comp
2015	U-COMMISCUNIX	comp.unix.osf.misc	comp
4898	U-COMNEXANNOU	comp.sys.next.announce	
3855	U-COMPADPOLIC	comp.admin.policy	comp
3792	U-COMPANSWERS	comp.answers	
2693	U-COMPAPSSPRD	comp.apps.spreadsheets	comp
3856	U-COMPARCADMI	comp.archives.admin	comp
2694	U-COMPARCSTOR	comp.arch.storage	comp
2608	U-COMPBBSMISC	comp.bbs.misc	comp
2695	U-COMPBBSWAFL	comp.bbs.waffle	comp
2609	U-COMPBINACOR	comp.binaries.acorn	
3134	U-COMPBINAMIG	comp.binaries.amiga	
3135	U-COMPBINAPP2	comp.binaries.apple2	comp
3136	U-COMPBINATST	comp.binaries.atari.st	
3138	U-COMPBINIBMA	comp.binaries.ibm.pc.archives	comp
3139	U-COMPBINIBMD	comp.binaries.ibm.pc.d	comp
3137	U-COMPBINIBMP	comp.binaries.ibm.pc	
3140	U-COMPBINIBMW	comp.binaries.ibm.pc.wanted	comp
3141	U-COMPBINMAC	comp.binaries.mac	
3142	U-COMPBINOS2	comp.binaries.os2	
2644	U-COMPCADCADE	comp.cad.cadence	comp
2090	U-COMPCOMP	comp.compression	comp
2816	U-COMPCOMPRES	comp.compression.research	comp
3082	U-COMPDATAORA	comp.databases.oracle	comp
3084	U-COMPDECLANFI	comp.dcom.lans.fddi	comp
3085	U-COMPDECLANMI	comp.dcom.lans.misc	comp
2701	U-COMPDCOMETH	comp.dcom.lans.ethernet	comp
3880	U-COMPDESQVIE	comp.os.msdos.desqview	comp
2697	U-COMPDTABSIN	comp.databases.ingres	comp
2700	U-COMPDTBTHER	comp.databases.theory	comp
4910	U-COMPGRAPEXP	comp.graphics.explorer	comp
3862	U-COMPGRAPRES	comp.graphics.research	
3873	U-COMPGRAVS	comp.lsi.testing	comp
3868	U-COMPHUMANFA	comp.human-factors	comp
4372	U-COMPILRS	comp.compilers	
4072	U-COMPINFOGIS	comp.infosystems.gis	comp
4076	U-COMPINFOGOP	comp.infosystems.gopher	comp
2704	U-COMPINFWAIS	comp.infosystems.wais	comp
3087	U-COMPINLIBRA	comp.internet.library	
3872	U-COMPLALISP	comp.lang.lisp.mcl	comp
3871	U-COMPLANFORT	comp.lang.fortran	comp
3870	U-COMPLANGC++	comp.lang.c.!	comp
4034	U-COMPLANGDX	comp.lang.dylan	comp
3146	U-COMPLANGLIS	comp.lang.lisp	comp
2368	U-COMPLANGLOG	comp.lang.logo	comp
3089	U-COMPLANGTCL	comp.lang.tcl	comp
3090	U-COMPLANGVER	comp.lang.verilog	comp
3955	U-COMPLANMOD3	comp.lang.modula3	comp
4432	U-COMPMISC	comp.misc	comp
4081	U-COMPMULTIME	comp.multimedia	comp
2746	U-COMPNEXTSFT	comp.sys.next.software	comp
2744	U-COMPNXTHDWR	comp.sys.next.hardware	comp
3877	U-COMPORGACM	comp.org.acm	comp
2706	U-COMPORGEFF	comp.org.eff.news	
2092	U-COMPOSCOHER	comp.os.coherent	comp
2707	U-COMPOSLINUX	comp.os.linux	comp
3156	U-COMPOSVXWOR	comp.os.vxworks	comp
4991	U-COMPPALMTOP	comp.sys.palmtops	comp
3884	U-COMPPROSNMP	comp.protocols.snmp	comp
4090	U-COMPROGRAM	comp.programming	comp
4924	U-COMPROGRAM	comp.sys.next.programmer	comp
4596	U-COMPSECMISC	comp.security.misc	comp
2739	U-COMPSFTSYSK	comp.soft-sys.khoros	comp
3889	U-COMPSOCDEVE	comp.society.development	comp
4107	U-COMPSOCDIG	comp.society.cu-digest	
2093	U-COMPSOCFOLK	comp.society.folklore	
3157	U-COMPSOCPRIV	comp.society.privacy	
2094	U-COMPSOU3B1	comp.sources.3b1	
2038	U-COMPSOUHP48	comp.sources.hp48	
3158	U-COMPSOURREV	comp.sources.reviewed	
2087	U-COMPSPECIFZ	comp.specification.z	comp
2740	U-COMP SRCACRN	comp.sources.acorn	
3484	U-COMPSTDANNO	comp.std.announce	

CRS ONLINE NEW USERS GUIDE

4352	U-COMPSTDC++	comp.std.c++	comp
2012	U-COMPSTRATUS	comp.sys.stratus	comp
3161	U-COMPSYIPSC3	comp.sys.intel.ipsc310	comp
2019	U-COMPSYS3	comp.unix.sys3	comp
2020	U-COMPSYS5	comp.unix.sys5.misc	comp
2027	U-COMPSYS5R	comp.unix.sys5.r3	comp
2028	U-COMPSYS5R4	comp.unix.sys5.r4	comp
2681	U-COMPSYSACAD	comp.sys.acorn.advocacy	comp
2683	U-COMPSYSACAN	comp.sys.acorn.announce	
3444	U-COMPSYSACTE	comp.windows.x.pex	comp
3159	U-COMPSYSAPP2	comp.sys.apple2	comp
2097	U-COMPSYSHP48	comp.sys.hp48	comp
3445	U-COMPSYSIBSC	comp.sys.ibm.pc.soundcard	comp
3093	U-COMPSYSMACD	comp.sys.mac.databases	comp
2741	U-COMPSYSMNTR	comp.sys.mentor	comp
3162	U-COMPSYSNEXM	comp.sys.next.marketplace	comp
2743	U-COMPSYSNEXT	comp.sys.next.advocacy	comp
3094	U-COMPSYSPEN	comp.sys.pen	comp
3099	U-COMPSYSSUMI	comp.sys.sun.misc	comp
3095	U-COMPSYSSUNA	comp.sys.sun.admin	comp
3098	U-COMPSYSSUNH	comp.sys.sun.hardware	comp
3096	U-COMPSYSSUNN	comp.sys.sun.announce	
3097	U-COMPSYSSUNP	comp.sys.sun.apps	comp
3440	U-COMPSYSSUNW	comp.sys.sun.wanted	comp
3441	U-COMPSYSUNIS	comp.sys.unisys	comp
3163	U-COMPSYSZENI	comp.sys.zenith.z100	comp
3442	U-COMPTEXTINT	comp.text.interleaf	comp
3164	U-COMPUNIXBSD	comp.unix.bsd	comp
3449	U-COMPWINPTOO	comp.os.ms-windows.programmer.tools	comp
3453	U-COMPWINXAPP	comp.windows.x.apps	comp
3454	U-COMPWINXINT	comp.windows.x.intrinsics	comp
2001	U-COMSGIADMIN	comp.sys.sgi.admin	comp
2004	U-COMSGIAPPS	comp.sys.sgi.apps	comp
2006	U-COMSGIBUGS	comp.sys.sgi.bugs	comp
4152	U-COMSOFLICEN	comp.software.licensing	comp
4186	U-COMSOFMATLA	comp.soft-sys.matlab	comp
4244	U-COMSORCTEST	comp.sources.testers	comp
4348	U-COMSPEECH	comp.speech	comp
4955	U-COMSYSADMIN	comp.sys.next.sysadmin	comp
4565	U-COMSYSAPPLE	comp.sys.apple2.gno	comp
4901	U-COMSYSBUGS	comp.sys.next.bugs	comp
4902	U-COMSYSMISC	comp.sys.next.misc	comp
4529	U-COMSYSTECH	comp.sys.acorn.tech	comp
2016	U-COMUNIXOSF1	comp.unix.osf.osf1	comp
4029	U-COMWELFLEET	comp.dcom.sys.wellfleet	comp
2031	U-COMWIN386	comp.windows.x.i386unix	comp
4060	U-COMWINDOWS	comp.os.ms-windows.programmer.win32	comp
4519	U-CONCURR	comp.sys.concurrent	
4040	U-CONISOCINT	comp.org.isoc.interest	comp
4129	U-CONSUMER	misc.consumers	misc
4909	U-CONTROLGRP	control	control
2606	U-COPOLITICS	co.politics	co
3147	U-COSMSWINADV	comp.os.ms-windows.advocacy	comp
3148	U-COSMSWINANN	comp.os.ms-windows.announce	
3149	U-COSMSWINAPP	comp.os.ms-windows.apps	comp
3150	U-COSMSWINMIS	comp.os.ms-windows.misc	comp
3154	U-COSMSWINPCG	comp.os.ms-dos.pcgeos	comp
3151	U-COSMSWINPRM	comp.os.ms-windows.programmer.misc	comp
3153	U-COSMSWINSET	comp.os.ms-windows.setup	comp
3155	U-COSOS2ADVOC	comp.os.os2.advocacy	comp
2748	U-COSOS2NETWO	comp.os.os2.networking	comp
4875	U-COSUG	comp.org.sug	comp
2607	U-COTEST	co.test	co
4291	U-COUPLES	soc.couples	soc
3941	U-CPERSCSI	comp.periphs.scsi	comp
4443	U-CPM	comp.os.cpm	comp
4444	U-CPMAMETH	comp.os.cpm.amethyst	comp
3952	U-CRESJAPAN	comp.research.japan	
4733	U-CRICKET	rec.sport.cricket	rec
3200	U-CRUZIOGENER	cruzio.general	cruzio
4135	U-CRUZIONETWO	cruzio.network	cruzio
4262	U-CRYPTION	sci.crypt	sci
4477	U-CSAMADVOCAC	comp.sys.amiga.advocacy	comp
4250	U-CSAMANNOUNC	comp.sys.amiga.announce	

CRS ONLINE NEW USERS GUIDE

4476	U-CSAMAPPLICA	comp.sys.amiga.applications	comp
4254	U-CSAMAUDIO	comp.sys.amiga.audio	comp
4479	U-CSAMDATACOM	comp.sys.amiga.datacomm	comp
4478	U-CSAMEMULATI	comp.sys.amiga.emulations	comp
4255	U-CSAMGRAPHIC	comp.sys.amiga.graphics	comp
4253	U-CSAMINTROD	comp.sys.amiga.introduction	comp
4350	U-CSAMMARKET	comp.sys.amiga.marketplace	comp
4247	U-CSAMMISC	comp.sys.amiga.misc	comp
4475	U-CSAMMULTIME	comp.sys.amiga.multimedia	comp
4249	U-CSAMPROG	comp.sys.amiga.programmer	comp
4252	U-CSAMREVIEWS	comp.sys.amiga.reviews	
4019	U-CSATARITECH	comp.sys.atari.st.tech	comp
3204	U-CSCUKNEWS	cscuk.news	cscuk
4144	U-CSDAFLB	csd.afib	csd
2169	U-CSDBOARD	csd.bboard	csd
2171	U-CSDBUILDING	csd.building	csd
2806	U-CSDLOGIC	csd.logic	csd
4159	U-CSDMACHINHP	csd.machines.hp	csd
2175	U-CSDNEWPHD	csd.new-phd	csd
4160	U-CSDSPORTS	csd.sports	csd
4194	U-CSSTUGENER	csstu.general	csstu
4502	U-CSTD	comp.std.c	comp
3934	U-CSYS3B1	comp.sys.3b1	comp
3211	U-CSYSIBMGAME	comp.sys.ibm.pc.games	comp
2776	U-CTDLATARI8	ctdl.sys.atari8	ctdl
2775	U-CTDLATARIST	ctdl.sys.atari.st	ctdl
2772	U-CTDLLANGC	ctdl.lang.c	ctdl
2774	U-CTDLLANGCPL	ctdl.lang.c!!	ctdl
4200	U-CTDLLANPAS	ctdl.lang.pascal	ctdl
3166	U-CTDLSYSMAC	ctdl.sys.mac	ctdl
4201	U-CUAPPLMATH	cu.applmath	cu
2781	U-CUCSCLIM	cu.cs.clim	cu
2782	U-CUCSGRADS	cu.cs.grads	cu
2783	U-CUCSMACLINF	cu.cs.macl.info	cu
2367	U-CUCSSYSTAT	cu.cs.systat	cu
4208	U-CUCSUGRADES	cu.cs.ugrads	cu
2787	U-CUDECSTNMNG	cu.decstation.managers	cu
2780	U-CUDENGEN	cu-den.general	cu-den
2789	U-CUGARNET	cu.garnet	cu
2821	U-CUGENERAL	cu.general	cu
3217	U-CUICS	cu.ics	cu
2193	U-CULTBOSNA	soc.culture.bosna.herzgvna	soc
2192	U-CULTCROATIA	soc.culture.croatia	soc
2190	U-CULTINDTELU	soc.culture.indian.telugu	soc
4307	U-CULTMISC	soc.culture.misc	soc
2792	U-CUMOTIFTLK	cu.motif-talk	cu
2205	U-CUNETSTAT	cu.netstat	cu
4020	U-CUNIXAMIGA	comp.unix.amiga	comp
2766	U-CUPHYSICGRA	cu.physics.ugrads	cu
2793	U-CUSLUG	cu.slug	cu
3222	U-CUTEST	cu.test	cu
4236	U-CUVLSI	cu.vlsi	cu
4237	U-CWOX11INTRI	cwo.x11.intrinsics	cwo
2366	U-CWOX11MLTAL	cwo.x11.mltalk	cwo
2365	U-DALGENERAL	dal.general	dal
4729	U-DANCE	rec.arts.dance	rec
4373	U-DB	comp.databases	comp
4745	U-DCM-CISC	comp.dcom.sys.cisco	comp
4375	U-DCOMHYP	comp.dcom.lans.hyperchannel	comp
4377	U-DCOMMODM	comp.dcom.modems	comp
4378	U-DCOMTELE	comp.dcom.telecom	
4021	U-DDNMGTBL	ddn.mgt-bulletin	
4022	U-DDNNEWS	ddn.newsletter	
4520	U-DEC	comp.sys.dec	comp
4521	U-DECMICRO	comp.sys.dec.micro	comp
4436	U-DECUS	comp.org.decus	comp
4217	U-DEMENTIA	rec.music.dementia	rec
2198	U-DENTISTRY	sci.med.dentistry	sci
4570	U-DESKTOP	comp.text.desktop	comp
2364	U-DNSUPERS	dn.supers	dn
3227	U-DNSUPERSDIS	dn.supers.disc	dn
4379	U-DOC	comp.doc	
4380	U-DOC-TECH	comp.doc.techreports	
3228	U-DSMNETWORK	dsm.network	dsm

CRS ONLINE NEW USERS GUIDE

4381	U-DSP	comp.dsp	comp
4218	U-DYLAN	rec.music.dylan	rec
4573	U-DYNAMIC	comp.theory.dynamic-sys	comp
4263	U-ECONOMIC	sci.econ	sci
3229	U-EDGENERAL	ed.general	ed
4382	U-EDITORS	comp.editors	comp
3230	U-EDMGGENERAL	edm.general	edm
3231	U-EDMNEWSSTAT	edm.news.stats	edm
3243	U-EDMUSRGRP	edm.usrgrp	edm
4383	U-EDU	comp.edu	comp
4384	U-EDUCOMP	comp.edu.composition	comp
4399	U-EIFFEL	comp.lang.eiffel	comp
4265	U-ELCTRNCS	sci.electronics	sci
4423	U-ELM	comp.mail.elm	comp
4385	U-EMACS	comp.emacs	comp
4131	U-EMERG	misc.emerg-services	misc
4185	U-EMPIRE	rec.games.empire	rec
4522	U-ENCORE	comp.sys.encore	comp
4266	U-ENERGY	sci.energy	sci
2146	U-ENGRCONTROL	sci. engr.control	sci
4341	U-ENVIRO	talk.environment	talk
4176	U-EQUESTR	rec.equestrian	rec
4730	U-EROTICA	rec.arts.erotica	
4321	U-ESMOTIF	es.motif	es
4299	U-ESPERANT	soc.culture.esperanto	soc
4325	U-ESSUGCOPT	essug.copt	essug
3001	U-ESSUGTELCO	essug.telco	essug
2646	U-EUBUGS4BSD	eunet.bugs.4bsd	eunet
2647	U-EUBUGSUUCP	eunet.bugs.uucp	eunet
2616	U-EUNESPRITEU	eunet.esprit.eurochip	eunet
3002	U-EUNETAVIAT	eunet.aviation	eunet
2648	U-EUNETCHECKG	eunet.checkgroups	
2649	U-EUNETESPRIT	eunet.esprit	eunet
2620	U-EUNETNEWPRD	eunet.newprod	eunet
2617	U-EUNEUROOPEN	eunet.europen	eunet
2621	U-EUNNEWS	eunet.news	eunet
2622	U-EUNNEWSGRP	eunet.news.group	eunet
2623	U-EUNPOLITICS	eunet.politics	eunet
2624	U-EUNSOURCES	eunet.sources	eunet
2625	U-EUNTEST	eunet.test	eunet
2626	U-EUNWORKS	eunet.works	eunet
4179	U-FDDRINK	rec.food.drink	rec
4312	U-FEMINISM	soc.feminism	
4437	U-FIDONETD	comp.org.fidonet	
2788	U-FJAI	fj.ai	fj
3003	U-FJANNOUNCE	fj.announce	
2790	U-FJBIN-MAC	fj.binaries.mac	fj
2791	U-FJBIN-MISC	fj.binaries.misc	fj
2796	U-FJBIN68000	fj.binaries.x68000	
3006	U-FJBINMSDOS	fj.binaries.msdos	
3007	U-FJBINMSDOSD	fj.binaries.msdos.d	fj
2794	U-FJBOOKS	fj.books	fj
3008	U-FJCOMPARCH	fj.comp.arch	fj
3168	U-FJCOMPCOMM	fj.comp.comm	fj
3044	U-FJCOMPCOMM	fj.lang.awk	fj
3045	U-FJCOMPIMAG	fj.lang.fortran	fj
3169	U-FJCOMPIMAGE	fj.comp.image	fj
2798	U-FJCOMP MISC	fj.comp.misc	fj
2799	U-FJCOMP MUSIC	fj.comp.music	fj
2800	U-FJCOMPOOPS	fj.comp.oops	fj
3046	U-FJCOMPPARA	fj.lang.mod2	fj
3170	U-FJCOMPPARRA	fj.comp.parallel	fj
2802	U-FJCOMPPRINT	fj.comp.printers	fj
3047	U-FJCOMPSPEE	fj.lang.perl	fj
3171	U-FJCOMPSPEEC	fj.comp.speech	fj
2803	U-FJCOMPTEXHA	fj.comp.texhax	fj
3017	U-FJCOMPTEXT	fj.comp.text	fj
2805	U-FJEDIT-EMAC	fj.editor.emacs	fj
3018	U-FJEDITORMI	fj.editor.misc	fj
3038	U-FJEDITORSE	fj.editor.sse	fj
2808	U-FJFOLLOWUP	fj.followup	fj
2809	U-FJFORSALE	fj.forsale	fj
3021	U-FJGENERAL	fj.general	fj
3024	U-FJGUIADMIN	fj.guide.admin	

CRS ONLINE NEW USERS GUIDE

3026	U-FJGUIGENER	fj.guide.general	
3029	U-FJINFOTERM	fj.info-terms	fj
3028	U-FJGGUINEWUS	fj.guide.newusers	
3172	U-FJJOKES	fj.jokes	fj
3032	U-FJJUS	fj.jus	fj
3034	U-FJKANAKMIS	fj.kanakan.misc	fj
3036	U-FJKANAKWNN	fj.kanakan.wnn	fj
3041	U-FJKANJI	fj.kanji	fj
3042	U-FJKERMIT	fj.kermit	fj
2822	U-FJLAN	fj.lan	fj
3043	U-FJLANGADA	fj.lang.ada	fj
2824	U-FJLANGC	fj.lang.c	fj
2825	U-FJLANGFORTH	fj.lang.forth	fj
2826	U-FJLANGLISP	fj.lang.lisp	fj
2829	U-FJLANGPOST	fj.lang.postscript	fj
3048	U-FJLANGPROL	fj.lang.prolog	fj
2831	U-FJLANGST80	fj.lang.st80	fj
3049	U-FJLECTURES	fj.lectures	fj
2833	U-FJLIVING	fj.living	fj
2834	U-FJMAIL	fj.mail	fj
3173	U-FJMAILLISTJ	fj.mail-lists.info-japan	
3248	U-FJMAILSTTP	fj.mail-lists.types	
3174	U-FJMEETINGS	fj.meetings	fj
4329	U-FJMISC	fj.misc	fj
3175	U-FJMISCHANDI	fj.misc.handicap	fj
2835	U-FJMLAPOLLO	fj.mail-lists.apollo	
3050	U-FJMLCOMMLI	fj.mail-lists.common-lisp	
2837	U-FJMLCONNECT	fj.mail-lists.connectionist	
2839	U-FJMLNIHONGO	fj.mail-lists.nihongo	
2840	U-FJMLPARALLE	fj.mail-lists.parallel	
2841	U-FJMLREDUCE	fj.mail-lists.reduce	
2843	U-FJMLXWINDOW	fj.mail-lists.x-window	fj
3176	U-FJNETPEOPLE	fj.net-people	fj
3177	U-FJNEWSADM	fj.news.adm	fj
3178	U-FJNEWSB	fj.news.b	fj
2850	U-FJNEWSCONFI	fj.news.config	fj
2851	U-FJNEWSGROUP	fj.news.group	fj
2852	U-FJNEWSLISTS	fj.news.lists	fj
3251	U-FJNEWSMAP	fj.news.map	fj
2854	U-FJNEWSMISC	fj.news.misc	fj
2855	U-FJNEWSNEWSI	fj.news.newsite	fj
4036	U-FJNEWSPOLI	fj.news.policy	fj
4037	U-FJNEWSSA	fj.news.sa	fj
2857	U-FJOSMINIX	fj.os.minix	fj
2858	U-FJOSMISC	fj.os.misc	fj
2859	U-FJOSMSDOS	fj.os.msdos	fj
3179	U-FJOSOS9	fj.os.os9	fj
4039	U-FJPAPERS	fj.papers	fj
2862	U-FJPTTMAID	fj.ptt	fj
2864	U-FJQUESTMISC	fj.questions.misc	fj
2865	U-FJQUESTUNIX	fj.questions.unix	fj
2866	U-FJRECAEROSP	fj.rec.aerospace	fj
2867	U-FJRECANIMAT	fj.rec.animation	fj
2868	U-FJRECAUTOS	fj.rec.autos	fj
2869	U-FJRECAV	fj.rec.av	fj
2870	U-FJRECBASEBA	fj.rec.baseball	fj
2872	U-FJRECCOMICS	fj.rec.comics	fj
3180	U-FJRECFINEAR	fj.rec.fine-arts	fj
2873	U-FJRECFOOD	fj.rec.food	fj
2874	U-FJRECGAMES	fj.rec.games	fj
2183	U-FJRECGAMSC	fj.rec.games.scores	fj
2876	U-FJRECHAM	fj.rec.ham	fj
2878	U-FJRECMARINE	fj.rec.marine	fj
2879	U-FJRECMISC	fj.rec.misc	fj
2184	U-FJRECMODEL	fj.rec.models	fj
2880	U-FJRECMOVIES	fj.rec.movies	fj
2883	U-FJRECMUCPRO	fj.rec.music.progressive	fj
2882	U-FJRECMUSCLA	fj.rec.music.classical	fj
2881	U-FJRECMUSIC	fj.rec.music	fj
2884	U-FJRECMYSTER	fj.rec.mystery	fj
2885	U-FJRECPHOTO	fj.rec.photo	fj
2797	U-FJRECPLAY	fj.rec.play	fj
2886	U-FJRECRAIL	fj.rec.rail	fj
2887	U-FJRECSF	fj.rec.sf	fj

CRS ONLINE NEW USERS GUIDE

2186	U-FJRECSPBASK	fj.rec.sports.basketball	fj
2889	U-FJRECSPFOOT	fj.rec.sports.football	fj
2890	U-FJRECSPGOLF	fj.rec.sports.golf	fj
2891	U-FJRECSPKEIB	fj.rec.sports.keiba	fj
2888	U-FJRECSPORTS	fj.rec.sports	fj
2893	U-FJRECSPSKI	fj.rec.sports.ski	fj
2892	U-FJRECSPWRES	fj.rec.sports.prowrestling	fj
2188	U-FJRECTRAAIR	fj.rec.travel.air	
2894	U-FJRECTRAVEL	fj.rec.travel	fj
2189	U-FJRECTRAVJA	fj.rec.travel.japan	
2281	U-FJRECTRAVWO	fj.rec.travel.world	
2895	U-FJRECTV	fj.rec.tv	fj
2877	U-FJREMIDOL	fj.rec.idol	fj
2896	U-FJSCIASTRO	fj.sci.astro	fj
2897	U-FJSCIBIO	fj.sci.bio	fj
2898	U-FJSCICHEM	fj.sci.chem	fj
2282	U-FJSCIGEO	fj.sci.geo	fj
2899	U-FJSCILANG	fj.sci.lang	fj
2900	U-FJSCIMATH	fj.sci.math	fj
2901	U-FJSCIMISC	fj.sci.misc	fj
2902	U-FJSCIPHYSIC	fj.sci.physics	fj
2283	U-FJSCIPSYCHO	fj.sci.psychology	fj
2285	U-FJSOCCULTUR	fj.soc.culture	fj
2286	U-FJSOCCENVIRO	fj.soc.environment	fj
2904	U-FJSOCLAW	fj.soc.law	fj
2905	U-FJSOCMENWOM	fj.soc.men-women	fj
2906	U-FJSOCMISC	fj.soc.misc	fj
2907	U-FJSOCTECHU	fj.soc.tech	fj
2908	U-FJSOCTRAFFI	fj.soc.traffic	fj
2909	U-FJSOURCES	fj.sources	fj
3181	U-FJSOURCESD	fj.sources.d	fj
2287	U-FJSOURCESMA	fj.sources.mac	fj
2288	U-FJSTD	fj.std	fj
2954	U-FJSYSEWS480	fj.sys.ews4800	fj
3182	U-FJSYSFAMICO	fj.sys.famicom	fj
2801	U-FJSYSHP	fj.sys.hp	fj
2289	U-FJSYSIBMPC	fj.sys.ibmipc	fj
3183	U-FJSYSJ3100	fj.sys.j3100	fj
2200	U-FJSYSLUNA	fj.sys.luna	fj
3184	U-FJSYSMAC	fj.sys.mac	fj
2917	U-FJSYSNEWS	fj.sys.news	fj
2918	U-FJSYSNEXT	fj.sys.next	fj
3185	U-FJSYSPC98	fj.sys.pc98	fj
3186	U-FJSYSRS6000	fj.sys.rs6000	fj
2202	U-FJSYSSGI	fj.sys.sgi	fj
2921	U-FJSYSX68000	fj.sys.x68000	fj
2922	U-FJTEST	fj.test	fj
2923	U-FJUNIX	fj.unix	fj
3937	U-FJUNIXWIZAR	fj.unix.wizards	fj
3936	U-FJWANTED	fj.wanted	fj
2203	U-FJWINDOWGMW	fj.windows.gmw	fj
4719	U-FJWINDOWMIS	fj.windows.misc	fj
2928	U-FJWINDOWSX	fj.windows.x	fj
2827	U-FLANGMISC	fj.lang.misc	fj
2260	U-FLANNOUNCE	fl.announce	fl
2270	U-FLATTRACTIO	fl.attractions	fl
2262	U-FLCOMP	fl.comp	fl
2263	U-FLCOMPREP	fl.comp.rep	fl
2265	U-FLFORSALE	fl.forsale	fl
2266	U-FLGENERAL	fl.general	fl
2268	U-FLJOBS	fl.jobs	fl
2970	U-FLMAIL	fl.mail	fl
3500	U-FLNEWS	fl.news	fl
3501	U-FLSOURCES	fl.sources	fl
3502	U-FLTRAVEL	fl.travel	fl
3448	U-FLUUG	fl.uug	fl
3503	U-FLYUMYUM	fl.yummyum	fl
3504	U-FNETAFUU	fnet.afuu	fnet
3505	U-FNETC3	fnet.c3	fnet
3506	U-FNETCOMBIN	fnet.combinatoire	fnet
3507	U-FNETCOMMON	fnet.common-lp	fnet
3508	U-FNETCULTUR	fnet.culture	fnet
3509	U-FNETFOLLOW	fnet.followup	fnet
3510	U-FNETGENERA	fnet.general	fnet

CRS ONLINE NEW USERS GUIDE

3511	U-FNETGRECOP	fnet.greco-prog	fnet
3512	U-FNETHYPERC	fnet.hypercubes	fnet
3513	U-FNETIA	fnet.ia	fnet
3514	U-FNETLANG	fnet.lang	fnet
3515	U-FNETLELISP	fnet.lelisp	fnet
3516	U-FNETLMASAT	fnet.lmastat	fnet
3517	U-FNETSEMINA	fnet.seminaires	fnet
3518	U-FNETSM90	fnet.sm90	fnet
3519	U-FNETSPS9	fnet.sps9	fnet
3520	U-FNETTEST	fnet.test	fnet
4177	U-FOLKDANC	rec.folk-dancing	rec
4219	U-FOLKMUSI	rec.music.folk	rec
4386	U-FONTS	comp.fonts	comp
4178	U-FOODCOOK	rec.food.cooking	rec
4132	U-FORSALE	misc.forsale	misc
4913	U-FORSALECOMP	misc.forsale.computers	misc
2156	U-FORSALEMAC	misc.forsale.computers.mac	misc
2157	U-FORSALOTHER	misc.forsale.computers.other	misc
4400	U-FORTH	comp.lang.forth	comp
4401	U-FORTHMAC	comp.lang.forth.mac	comp
4736	U-FRENCH	soc.culture.french	soc
3521	U-FRMUGGENER	frmug.general	frmug
2158	U-FRSALECLONE	misc.forsale.computers.other	misc
3522	U-FUBGENERAL	fub.general	fub
2920	U-FYSYSUN	fj.sys.sun	fj
4220	U-GAFFA	rec.music.gaffa	
3523	U-GAFORSALE	ga.forsale	ga
3524	U-GAGENERAL	ga.general	ga
4181	U-GAMBLING	rec.gambling	rec
3152	U-GAMEABSTRAC	rec.games.abstract	rec
3165	U-GAMEDIPLOMA	rec.games.diplomacy	rec
3189	U-GAMEINTFICT	rec.games.int-fiction	rec
3190	U-GAMEMECHA	rec.games.mecha	rec
4189	U-GAMEMISC	rec.games.misc	rec
4494	U-GAMESSRC	comp.sources.games	
4198	U-GARDENS	rec.gardens	rec
3525	U-GATEST	ga.test	ga
4245	U-GDEAD	rec.music.gdead	rec
4737	U-GERMAN	soc.culture.german	soc
3526	U-GITCCGENER	git.cc.general	git
3527	U-GITCCHelp	git.cc.help	git
4495	U-GMBUGSRC	comp.sources.games.bugs	comp
4068	U-GNUANNOUNC	gnu.announce	
4069	U-GNUBASH	gnu.bash.bug	
4070	U-GNUCHESS	gnu.chess	gnu
3528	U-GNUEMACANN	gnu.emacs.announce	
4073	U-GNUEMACSB	gnu.emacs.bug	
4075	U-GNUEMACSG	gnu.emacs.gnus	gnu
4074	U-GNUEMACSN	gnu.emacs.gnews	gnu
4077	U-GNUEMACSV	gnu.emacs.vms	gnu
3187	U-GNUG++ANNOU	gnu.g!!.announce	
3188	U-GNUG++HELP	gnu.g!!.help	gnu
4592	U-GNUGCCBG	gnu.gcc.bug	
4593	U-GNUGDBG	gnu.gdb.bug	
4594	U-GNUGHOST	gnu.ghostscript.bug	
4595	U-GNUMISC	gnu.misc.discuss	gnu
4597	U-GNUUTILS	gnu.utils.bug	
4187	U-GO	rec.games.go	rec
4870	U-GPHCVISUAL	comp.graphics.visualization	comp
4387	U-GRAPHICS	comp.graphics	comp
4300	U-GREEK	soc.culture.greek	soc
4389	U-GRPWARE	comp.groupware	comp
4199	U-GUNS	rec.guns	
4188	U-HACK	rec.games.hack	rec
3529	U-HACKERSTAT	hackercorp.statistics	hackercorp
4523	U-HANDHELD	comp.sys.handhelds	comp
4133	U-HANDICAP	misc.handicap	
3530	U-HARTEST	harvard.test	harvard
4424	U-HEADERS	comp.mail.headers	comp
4134	U-HEADLINE	misc.headlines	misc
2167	U-HEALTHALTRN	misc.health.alternative	misc
3191	U-HERALDDRY	rec.heraldry	rec
3531	U-HFXGENERAL	hfx.general	hfx
4238	U-HOCKEY	rec.sport.hockey	rec

CRS ONLINE NEW USERS GUIDE

4342	U-HOMOSEXU	soc.motss	soc
4301	U-HONGKONG	soc.culture.hongkong	soc
4130	U-HOUSE	misc.consumers.house	misc
4524	U-HP	comp.sys.hp	comp
3533	U-HSVFLAME	hsv.flame	hsv
3534	U-HSVFORSALE	hsv.forsale	hsv
3535	U-HSVGGENERAL	hsv.general	hsv
3536	U-HSVJOBS	hsv.jobs	hsv
3537	U-HSVPOLITIC	hsv.politics	hsv
3538	U-HSVRELIGIO	hsv.religion	hsv
3539	U-HSVTECH	hsv.tech	hsv
4204	U-HUMFUNNY	rec.humor.funny	
4203	U-HUMOR	rec.humor	rec
4205	U-HUMORDIG	rec.humor.d	rec
4322	U-HUMRGHTS	soc.rights.human	soc
3192	U-HUNTING	rec.hunting	rec
3540	U-HWGENERAL	hw.general	hw
4526	U-IBMPCDIG	comp.sys.ibm.pc.digest	
4889	U-IBMPCHARDWR	comp.sys.ibm.pc.hardware	comp
4890	U-IBMPCMISC	comp.sys.ibm.pc.misc	comp
4527	U-IBMPCRT	comp.sys.ibm.pc.rt	comp
4460	U-IBMPROTO	comp.protocols.ibm	comp
4892	U-IBMPS2HRDWR	comp.sys.ibm.ps2.hardware	comp
4403	U-ICON	comp.lang.icon	comp
4404	U-IDL	comp.lang.idl	comp
4438	U-IEEE	comp.org.ieee	comp
2665	U-IEEEANNOUNC	ieee.announce	ieee
3541	U-IEEECONFIG	ieee.config	ieee
2667	U-IEEEGENERAL	ieee.general	ieee
3542	U-IEEEPCNFS	ieee.pcnfs	ieee
2669	U-IEEERABANCE	ieee.rab.announce	ieee
3543	U-IEEERABGEN	ieee.rab.general	ieee
3544	U-IEEEREGIO1	ieee.region1	ieee
2672	U-IEEETABANCE	ieee.tab.announce	ieee
3545	U-IEEETABGEN	ieee.tab.general	ieee
3546	U-IEEETCOS	ieee.tcos	
2674	U-IEEEUSABANC	ieee.usab.announce	ieee
3547	U-IEEEUSABGE	ieee.usab.general	ieee
3548	U-INBIZARRE	in.bizarre	in
2676	U-INFOACDMCFR	info.academic-freedom	
3556	U-INFOADMIN	info.admin	
3557	U-INFOBIND	info.bind	
3558	U-INFOBRLCAD	info.br-l-cad	
3559	U-INFOBYTECO	info.bytecounters	
3560	U-INFOCONVEX	info.convex	
2684	U-INFOFRARMS	info.firearms	
2685	U-INFOFRARMSP	info.firearms.politics	
2686	U-INFOGATED	info.gated	
2689	U-INFOIETF	info.ietf	
3561	U-INFOIETFHO	info.ietf.hosts	
3562	U-INFOIETFIS	info.ietf.isoc	
3563	U-INFOIETFNJ	info.ietf.njm	
2692	U-INFOIETFSMTP	info.ietf.smtp	
3564	U-INFOISODE	info.isode	
3565	U-INFOJETHRO	info.jethro-tull	
3566	U-INFOLABMGR	info.labmgr	
3567	U-INFOMACH	info.mach	
2696	U-INFOMHWRKRS	info.mh.workers	
2698	U-INFONETS	info.nets	
2699	U-INFONSFGRNT	info.nsf.grants	
3568	U-INFONSFNETC	info.nsfnet.cert	
3569	U-INFONSFNETS	info.nsfnet.status	
2702	U-INFONYSERSN	info.nysersnmp	
3570	U-INFOOSF	info.osf	
3571	U-INFOPEMDEV	info.pem-dev	
2705	U-INFOPH	info.ph	
4574	U-INFORETR	comp.theory.info-retrieval	
3572	U-INFORFC	info.rfc	
2708	U-INFOSLUG	info.slug	
2709	U-INFOSNMP	info.snmp	
2745	U-INFOSUNMGRS	info.sun-managers	
3573	U-INFOSUNNET	info.sun-nets	
4391	U-INFOSYST	comp.infosystems	comp
2747	U-INFOTHEORYN	info.theorynt	

CRS ONLINE NEW USERS GUIDE

3574	U-INFOUNIXSW	info.unix-sw		
3549	U-INGENERAL	in.general	in	
3550	U-INHAMRADIO	in.ham-radio	in	
3551	U-INJOBS	in.jobs	in	
3552	U-INMISC	in.misc	in	
3553	U-INPCMAC	in.pc.mac	in	
4503	U-INTERSTD	comp.std.internat		comp
3554	U-INTEST	in.test	in	
3555	U-INUNIX	in.unix	in	
4136	U-INVEST	misc.invest		misc
4738	U-IRANIAN	soc.culture.iranian		soc
4531	U-ISIS	comp.sys.isis		comp
4461	U-ISO	comp.protocols.iso		comp
4462	U-ISODEVEL	comp.protocols.iso.dev-environ		comp
4463	U-ISOX400	comp.protocols.iso.x400		comp
4464	U-ISOX400G	comp.protocols.iso.x400.gateway		comp
4392	U-IVIDEO	comp.ivideodisc		comp
4303	U-JAPAN	soc.culture.japan		soc
4304	U-JEWISH	soc.culture.jewish		soc
4914	U-JOBCONTRACT	misc.jobs.contract		misc
4139	U-JOBRESUM	misc.jobs.resumes		misc
4137	U-JOBSMISC	misc.jobs.misc		misc
2716	U-JUNK	junk	junk	
2258	U-K12CHATELEM	k12.chat.elementary		k12
2259	U-K12CHATJUNI	k12.chat.junior		k12
2717	U-K12CHATTEAC	k12.chat.teacher		k12
2718	U-K12EDART	k12.ed.art	k12	
2720	U-K12EDBUSINE	k12.ed.business		k12
2721	U-K12EDCOMPLI	k12.ed.comp.literacy		k12
2722	U-K12EDHEALTH	k12.ed.health-pe		k12
2723	U-K12EDLIFESK	k12.ed.life-skills		k12
2724	U-K12EDMATH	k12.ed.math		k12
2725	U-K12EDMUSIC	k12.ed.music		k12
2726	U-K12EDSCIENC	k12.ed.science		k12
2728	U-K12EDSPECIA	k12.ed.special		k12
2729	U-K12EDTAG	k12.ed.tag	k12	
2730	U-K12EDTECH	k12.ed.tech		k12
2731	U-K12LANGART	k12.lang.art		k12
2732	U-K12LANGDEUT	k12.lang.deutsch-eng		k12
2733	U-K12LANGESPE	k12.lang.esp-eng		k12
2735	U-K12LANGRUSS	k12.lang.russian		k12
2738	U-K12SYSCHA10	k12.sys.channel10		k12
2924	U-K12SYSCHA11	k12.sys.channel11		k12
2925	U-K12SYSCHA12	k12.sys.channel12		k12
2736	U-K12SYSCHAN0	k12.sys.channel0		k12
2737	U-K12SYSCHAN1	k12.sys.channel1		k12
2926	U-K12SYSCHAN2	k12.sys.channel2		k12
2927	U-K12SYSCHAN3	k12.sys.channel3		k12
2930	U-K12SYSCHAN4	k12.sys.channel4		k12
2931	U-K12SYSCHAN5	k12.sys.channel5		k12
2933	U-K12SYSCHAN6	k12.sys.channel6		k12
2937	U-K12SYSCHAN7	k12.sys.channel7		k12
2949	U-K12SYSCHAN8	k12.sys.channel8		k12
2966	U-K12SYSCHAN9	k12.sys.channel9		k12
4465	U-KERBEROS	comp.protocols.kerberos		comp
4466	U-KERMIT	comp.protocols.kermit		comp
3575	U-KIDLINKTES	kidlink.test		
4140	U-KIDS	misc.kids	misc	
4305	U-KOREAN	soc.culture.korean		soc
3576	U-KSADMIN	ks.admin	ks	
3577	U-KSMISC	ks.misc	ks	
3578	U-KWBBSALE	kw.bb.sale		kw
3579	U-KWBIRTHDAY	kw.birthdays		kw
3580	U-KWCPSR	kw.cpsr		kw
3581	U-KWEATS	kw.eats		kw
3582	U-KWFUN	kw.fun		kw
2742	U-KWHOUSING	kw.housing		kw
3583	U-KWJOBS	kw.jobs	kw	
3584	U-KWMICRO	kw.micro		kw
3585	U-KWMICROVAX	kw.microvax		kw
3586	U-KWMOVIES	kw.movies		kw
3587	U-KWNEWS	kw.news		kw
3588	U-KWNEWSSTAT	kw.news.stats		kw
3589	U-KWSTATS	kw.stats	kw	

CRS ONLINE NEW USERS GUIDE

3590	U-KWTHEATRE	kw.theatre	kw
3591	U-KWUUCP	kw.uucp	kw
4759	U-L9370	bit.listserv.9370-l	bit
4760	U-LAIX	bit.listserv.aix-l	bit
4268	U-LANGJAP	sci.lang.japan	sci
4408	U-LANGMISC	comp.lang.misc	comp
4267	U-LANGUAGE	sci.lang	sci
4761	U-LAPPLE2	bit.listserv.apple2-l	bit
4532	U-LAPTOPS	comp.sys.laptops	comp
4420	U-LASERPRT	comp.laser-printers	
4763	U-LASM370	bit.listserv.asm370	bit
4306	U-LATINAME	soc.culture.latin-america	soc
4764	U-LBILLING	bit.listserv.billing	bit
4765	U-LBITNEWS	bit.listserv.bitnews	bit
4766	U-LCANDLE	bit.listserv.candle-l	bit
4767	U-LCHRIST	bit.listserv.christia	
4768	U-LCMSPIP	bit.listserv.cmspip-l	bit
4770	U-LCUMREC	bit.listserv.cumrec-l	bit
4771	U-LCYBER	bit.listserv.cyber-l	bit
4772	U-LDBASE	bit.listserv.dbase-l	bit
4773	U-LDOMAIN	bit.listserv.domain-l	bit
4775	U-LEARNTCH	bit.listserv.earntech	bit
4141	U-LEGAL	misc.legal	misc
4776	U-LENVBEH	bit.listserv.envbeh-l	bit
4777	U-LERL	bit.listserv.erl-l	bit
4779	U-LFILM	bit.listserv.film-l	bit
4782	U-LGAMES	bit.listserv.games-l	bit
4783	U-LGDDM	bit.listserv.gddm-l	bit
4784	U-LGGUIDE	bit.listserv.gguide	bit
4785	U-LGUTNBER	bit.listserv.gutnberg	bit
4786	U-LHELLAS	bit.listserv.hellas	
4787	U-LIAMIGA	bit.listserv.i-amiga	bit
4790	U-LIBM7171	bit.listserv.ibm7171	bit
4788	U-LIBMMAIN	bit.listserv.ibm-main	bit
4789	U-LIBMNETS	bit.listserv.ibm-nets	bit
4792	U-LINFOGCG	bit.listserv.info-gcg	bit
4793	U-LIOOB	bit.listserv.ioob-l	bit
4794	U-LISN	bit.listserv.isn	bit
4405	U-LISP	comp.lang.lisp.franz	comp
4795	U-LJES2	bit.listserv.jes2-l	bit
4796	U-LJNET	bit.listserv.jnet-l	bit
4799	U-LLIAISON	bit.listserv.liaison	bit
4800	U-LLICENSE	bit.listserv.license	bit
4801	U-LLITERAR	bit.listserv.literary	bit
4803	U-LMAIL	bit.listserv.mail-l	bit
4804	U-LMAILBOO	bit.listserv.mailbook	bit
4810	U-LNETNEWS	bit.listserv.netnws-l	bit
4811	U-LNEWLIST	bit.listserv.new-list	
4813	U-LNEXT	bit.listserv.next-l	bit
4746	U-LNG-FUNC	comp.lang.functional	comp
4814	U-LNODMGT	bit.listserv.nodmgt-l	bit
4815	U-LNOTIS	bit.listserv.notis-l	bit
4816	U-LNOVELL	bit.listserv.novell	bit
4269	U-LOGIC	sci.logic	sci
4817	U-LOMRSCAN	bit.listserv.omrscan	bit
3592	U-LOUGENERAL	lou.general	lou
3593	U-LOUSUN	lou.sun	lou
4819	U-LOZONE	bit.listserv.ozone	bit
4820	U-LPACS	bit.listserv.pacs-l	
4821	U-LPAGE	bit.listserv.page-l	bit
4822	U-LPMDF	bit.listserv.pmdf-l	bit
4826	U-LRELUSR	bit.listserv.relusr-l	bit
4828	U-LRSCSMOD	bit.listserv.rscsmods	bit
3594	U-LSAMNESTY	ls.amnesty	ls
4831	U-LSAS	bit.listserv.sas-l	bit
4832	U-LSCRIPT	bit.listserv.script-l	bit
4833	U-LSCUBA	bit.listserv.scuba-l	bit
4834	U-LSERVERS	bit.listserv.lstsvr-l	bit
4421	U-LSI	comp.lsi	comp
4422	U-LSI.CAD	comp.lsi.cad	comp
4835	U-LSIMULA	bit.listserv.simula	bit
4836	U-LSNAMGT	bit.listserv.snamgt-l	bit
3595	U-LSOLNEWS	ls.olnews	ls
4837	U-LSOSDATA	bit.listserv.sos-data	bit

CRS ONLINE NEW USERS GUIDE

4838	U-LSPIRES	bit.listserv.spire-l	bit	
4839	U-LSPRTPSY	bit.listserv.sportpsy	bit	
4840	U-LSQLINFO	bit.listserv.sqlinfo	bit	
4841	U-LSTAT	bit.listserv.stat-l	bit	
3596	U-LSUSSR	ls.ussr	ls	
4843	U-LTECH	bit.listserv.tech-l	bit	
4845	U-LTEX	bit.listserv.tex-l	bit	
4846	U-LTN3270	bit.listserv.tn3270-l	bit	
4861	U-LTRAVEL	bit.listserv.travel-l	bit	
4848	U-LUJCP	bit.listserv.ucp-l	bit	
4849	U-LUG	bit.listserv.ug-l	bit	
4850	U-LUREP	bit.listserv.urep-l	bit	
4851	U-LUSRDIR	bit.listserv.usrdir-l	bit	
4852	U-LVALERT	bit.listserv.valert-l		
4853	U-LVFORT	bit.listserv.vfort-l	bit	
4855	U-LVMXA	bit.listserv.vmx-l	bit	
4857	U-LX400	bit.listserv.x400-l	bit	
4533	U-M6809	comp.sys.m6809	comp	
4534	U-M68K	comp.sys.m68k	comp	
4535	U-M68KPC	comp.sys.m68k.pc		
4536	U-M88K	comp.sys.m88k	comp	
4749	U-MACANNO	comp.sys.mac.announce		
4751	U-MACAPPS	comp.sys.mac.apps	comp	
4750	U-MACCOMM	comp.sys.mac.comm	comp	
4538	U-MACDIGST	comp.sys.mac.digest		
4752	U-MACGAMES	comp.sys.mac.games	comp	
4446	U-MACH	comp.os.mach	comp	
4539	U-MACHHW	comp.sys.mac.hardware	comp	
4540	U-MACHYPR	comp.sys.mac.hypercard	comp	
4753	U-MACMISC	comp.sys.mac.misc	comp	
4541	U-MACPROG	comp.sys.mac.programmer	comp	
4496	U-MACSRC	comp.sources.mac		
4754	U-MACSYSTEM	comp.sys.mac.system	comp	
4755	U-MACWANT	comp.sys.mac.wanted	comp	
4206	U-MAGSUM	rec.mag.fsfnet		
4427	U-MAILMISC	comp.mail.misc	comp	
4425	U-MAPS	comp.mail.maps		
2237	U-MARCHDRUMCO	rec.arts.marching.drumcorps		rec
2240	U-MARCHMISC	rec.arts.marching.misc		rec
4270	U-MATH	sci.math	sci	
4275	U-MEDAIDS	sci.med.aids		
4274	U-MEDICINE	sci.med	sci	
4276	U-MEDPHYS	sci.med.physics	sci	
3597	U-MERCGENERAL	mercury.general	mercury	
2999	U-METALWORKIN	rec.crafts.metalworking		rec
4426	U-MH	comp.mail.mh	comp	
4911	U-MIEDUCATION	misc.education		misc
4912	U-MIFITNESS	misc.fitness	misc	
4277	U-MILITARY	sci.military		
3598	U-MIMAP	mi.map		
3599	U-MIMISC	mi.misc	mi	
3600	U-MINEWS	mi.news	mi	
4447	U-MINIX	comp.os.minix	comp	
4543	U-MIPS	comp.sys.mips	comp	
4142	U-MISC	misc.misc	misc	
4657	U-MISCACTIVPR	misc.activism.progressive		
2154	U-MISCANSWERS	misc.answers		
4868	U-MISCBOOKTEC	misc.books.technical		misc
2155	U-MISCCOMPUTE	misc.forsale.computers.d		misc
2161	U-MISCENTREPR	misc.entrepreneurs		misc
3202	U-MISCINTPROP	misc.int-property		misc
3604	U-MISCINVRE	misc.invest.real-estate		misc
3605	U-MISCJOB OFFE	misc.jobs.offered.entry		misc
2804	U-MISCJOB SOFR	misc.jobs.offered		misc
3203	U-MISCLEGALCO	misc.legal.computing		misc
4222	U-MISCMUSI	rec.music.misc		rec
4467	U-MISCPROT	comp.protocols.misc		comp
4209	U-MISCREC	rec.misc		rec
4239	U-MISCSPT	rec.sport.misc		rec
4497	U-MISCSRC	comp.sources.misc		
4504	U-MISCSTD	comp.std.misc		comp
2168	U-MISCWRITING	misc.writing		misc
3601	U-MISOURCES	mi.sources		mi
3602	U-MISUN	mi.sun	mi	

CRS ONLINE NEW USERS GUIDE

3606	U-MITBBOARD	mit.bboard	mit
3608	U-MITLCSMISC	mit.lcs.misc	mit
3609	U-MITLCSSEMIN	mit.lcs.seminar	mit
3607	U-MITLSCANNOU	mit.lcs.announce	mit
3610	U-MITTEST	mit.test	mit
3603	U-MIWANTED	mi.wanted	mi
3611	U-MNARCHIVE	mn.archive	mn
3612	U-MNGENERAL	mn.general	mn
3613	U-MNMAP	mn.map	
3614	U-MNNET	mn.net	mn
3615	U-MNSOURCES	mn.sources	mn
3616	U-MNTEST	mn.test	mn
3617	U-MNTRAFFIC	mn.traffic	mn
4271	U-MNUMANAL	sci.math.num-analysis	sci
3618	U-MNUUM	mn.uum	mn
4409	U-MODULA2	comp.lang.modula2	comp
4190	U-MORIA	rec.games.moria	rec
4212	U-MOTORCYC	rec.motorcycles	rec
3195	U-MOTORHARLEY	rec.motorcycles.harley	rec
4211	U-MROCKETS	rec.models.rockets	rec
3619	U-MSCSGENERAL	mscs.general	mscs
4272	U-MSTATS	sci.math.stat	sci
3620	U-MSUGENERAL	msu.general	msu
4273	U-MSYMBOL	sci.math.symbolic	sci
4146	U-MTEST	misc.test	misc
2749	U-MTLGENERAL	mtl.general	mtl
3621	U-MTLTEST	mtl.test	mtl
3623	U-MUCSDGENERA	mucsd.general	mucsd
3622	U-MUGENERAL	mu.general	mu
4428	U-MULTIMED	comp.mail.multi-media	comp
4505	U-MUMPSSTD	comp.std.mumps	
4429	U-MUSH	comp.mail.mush	comp
3197	U-MUSICGUITAR	rec.music.classical.guitar	rec
3199	U-MUSICGUITAR	rec.music.makers.guitar	rec
3196	U-MUSICLATIN	rec.music.afro.latin	rec
3198	U-MUSICMAKBAS	rec.music.makers.bass	rec
4221	U-MUSICMKR	rec.music.makers	rec
3532	U-MUSICPERCUS	rec.music.makers.percussion	rec
2212	U-MUSICREGGAE	rec.music.reggae	rec
3634	U-MUSICSYNTH	net159.chat159	net159
2213	U-MUSICSYNTH	rec.music.makers.synth	rec
3455	U-MUSICTABLAT	rec.music.makers.guitar.tablature	rec
2211	U-MUSICVIDEO	rec.music.video	rec
4279	U-NANOTECH	sci.nanotech	
3627	U-NASHVILGEN	nashville.general	nashville
3624	U-NASMSG	nas.msgs	nas
3625	U-NASNETS	nas.nets	nas
3626	U-NASWKS	nas.wks	nas
3628	U-NBGGENERAL	nbg.general	nbg
3629	U-NCARWEATHER	ncar.weather	ncar
4545	U-NCR	comp.sys.ncr	comp
3630	U-NCSCCHEMIST	ncsc.chemistry	ncsc
3631	U-NCSCGENERAL	ncsc.general	ncsc
3632	U-NCSCSYSTEMS	ncsc.systems	ncsc
3633	U-NCSCTRAININ	ncsc.training	ncsc
3636	U-NETCOMGENER	netcom.general	netcom
4223	U-NEWAGE	rec.music.newage	rec
3637	U-NEWORLGENER	neworleans.general	neworleans
4434	U-NEWPROD	comp.newprod	
4091	U-NEWSADM	news.announce.conferences	
3638	U-NEWSADMMISC	news.admin.misc	news
3639	U-NEWSADMPOLI	news.admin.policy	news
3640	U-NEWSADMTECH	news.admin.technical	
4094	U-NEWSAGRP	news.announce.newgroups	
4092	U-NEWSANNC	news.announce.important	
3205	U-NEWSANSWERS	news.answers	
4096	U-NEWSCFG	news.config	news
3206	U-NEWSFUTURE	news.future	news
4097	U-NEWSGRP	news.groups	news
4100	U-NEWSITES	news.newsites	news
4098	U-NEWSLIST	news.lists.ps-maps	
3939	U-NEWSLISTS	news.lists	
4099	U-NEWSMISC	news.misc	news
2172	U-NEWSOFTREAD	news.software.readers	news

CRS ONLINE NEW USERS GUIDE

4095	U-NEWUSER	news.announce.newusers		
4468	U-NFS	comp.protocols.nfs	comp	
3641	U-NILGENERAL	nil.general	nil	
3642	U-NILMAPS	nil.maps	nil	
3643	U-NLNETAIO	nlnet.aio	nlnet	
3644	U-NLNETFOLLOW	nlnet.followup	nlnet	
3645	U-NLNETGENERA	nlnet.general	nlnet	
3646	U-NLNETMISC	nlnet.misc	nlnet	
3647	U-NLNETPICO	nlnet.pico	nlnet	
3648	U-NLNETTEST	nlnet.test	nlnet	
4104	U-NNREADER	news.software.nn	news	
4105	U-NNTP	news.software.nntp	news	
4308	U-NORDIC	soc.culture.nordic	soc	
4547	U-NRTHSTAR	comp.sys.northstar	comp	
4548	U-NSC32K	comp.sys.nsc.32k	comp	
3940	U-NSOFTANUNEW	news.software.anu-news		news
4225	U-NUDE	rec.nude	rec	
2170	U-NWSEASTEURO	misc.news.east-europe.rfer1		
2173	U-NWSSOUTHASI	misc.news.southasia		
4101	U-NWUSRQ&A	news.newusers.questions		news
3649	U-OAUNEWS	oau.news	oau	
4435	U-OBJECT	comp.object	comp	
3650	U-OCACM	oc.acm	oc	
3651	U-OCFORSALE	oc.forsale	oc	
3652	U-OCGENERAL	oc.general	oc	
3653	U-OCSLUG	oc.slug	oc	
3654	U-OCSTEST	oc.test	oc	
3655	U-OCWANTED	oc.wanted	oc	
3656	U-OGIGENERAL	ogi.general	ogi	
3657	U-OKGENERAL	ok.general	ok	
4116	U-ONTARCHV	ont.archives	ont	
4118	U-ONTEVENT	ont.events	ont	
3658	U-ONTFOLLOW	ont.followup	ont	
2174	U-ONTFORSALE	ont.forsale	ont	
4119	U-ONTGENER	ont.general	ont	
4120	U-ONTJOBS	ont.jobs	ont	
4121	U-ONTMICRO	ont.micro	ont	
4117	U-ONTROAD	ont.conditions	ont	
4122	U-ONTSCIFI	ont.sf-lovers	ont	
4123	U-ONTSNGLE	ont.singles	ont	
4124	U-ONTTEST	ont.test	ont	
4125	U-ONTUUCP	ont.uucp	ont	
3659	U-OPINIONSC	opinions.supreme-court		
2210	U-ORGFLAME	rec.org.mensa.flame.flame.flame		rec
2085	U-ORGTECH	relcom.commerce.orgtech		relcom
4330	U-ORIGINS	talk.origins	talk	
4450	U-OS9	comp.os.os9	comp	
4448	U-OSMISC	comp.os.misc	comp	
4877	U-OSMSDOSAPPS	comp.os.msdos.apps		comp
4878	U-OSMSDOSMISC	comp.os.msdos.misc		comp
4879	U-OSMSDOSPROG	comp.os.msdos.programmer		comp
4880	U-OSOS2APPS	comp.os.os2.apps	comp	
4881	U-OSOS2MISC	comp.os.os2.misc	comp	
4882	U-OSOS2PROG	comp.os.os2.programmer		comp
4451	U-OSRSRCH	comp.os.research		
3660	U-OTTEVENTS	ott.events	ott	
3661	U-OTTGENERAL	ott.general	ott	
4739	U-PAKISTAN	soc.culture.pakistan	soc	
4456	U-PARALLEL	comp.parallel		
4410	U-PASCAL	comp.lang.pascal	comp	
3662	U-PBINFOAMIG	pbinfo.amiga	pbinfo	
4191	U-PBM	rec.games.pbm	rec	
4469	U-PCNET	comp.protocols.pcnet	comp	
4457	U-PERIPHS	comp.periphs	comp	
4411	U-PERL	comp.lang.perl	comp	
4227	U-PETS	rec.pets	rec	
4280	U-PHLMETA	sci.philosophy.meta	sci	
4331	U-PHLOMISC	talk.philosophy.misc	talk	
4281	U-PHLTECH	sci.philosophy.tech	sci	
4228	U-PHOTO	rec.photo	rec	
3663	U-PHRIGENERA	phri.general	phri	
4283	U-PHYFUS	sci.physics.fusion	sci	
4282	U-PHYSICS	sci.physics	sci	
4332	U-POLGUNS	talk.politics.guns	talk	

CRS ONLINE NEW USERS GUIDE

4740	U-POLISH	soc.culture.polish	soc
2033	U-POLITANIM	talk.politics.animals	talk
2036	U-POLITIMEDIC	talk.politics.medicine	talk
4333	U-POLMID	talk.politics.mideast	talk
4334	U-POLMISC	talk.politics.misc	talk
4335	U-POLSOVIE	talk.politics.soviet	talk
4336	U-POLTHEOR	talk.politics.theory	talk
3664	U-PRGJOBS	prg.jobs	prg
3665	U-PRINCGENER	princeton.general	princeton
3666	U-PRINCGRAD	princeton.grad	princeton
4458	U-PRINTERS	comp.peripherals.printers	comp
4413	U-PROLOG	comp.lang.prolog	comp
4549	U-PROTEON	comp.sys.proteon	comp
4883	U-PROTTIMENTP	comp.protocols.time.ntp	comp
3667	U-PSIGENERAL	psi.general	psi
3668	U-PSINRG	psi.nrg	psi
3669	U-PSINWG	psi.nwg	psi
3207	U-PSIPSINET	psi.psinet	psi
3670	U-PSISTATS	psi.stats	psi
3671	U-PSITICKET	psi.tickets	psi
4412	U-PSTSCRPT	comp.lang.postscript	comp
4284	U-PSYCHOLO	sci.psychology	sci
4735	U-PSYDIGST	sci.psychology.digest	
3672	U-PURDUEFORS	purdue.forsale	purdue
3673	U-PURDUEGENR	purdue.general	purdue
4229	U-PUZZLE	rec.puzzles	rec
4550	U-PYRAMID	comp.sys.pyramid	comp
3674	U-QTPBULLTN	qtp.bulletin	qtp
3675	U-QTPGENERAL	qtp.general	qtp
4917	U-RAANIMATION	rec.arts.animation	rec
2201	U-RADIOCB	rec.radio.cb	rec
2199	U-RADIOINFO	rec.radio.info	
2197	U-RADIOSWAP	rec.radio.swap	rec
4918	U-RADISNEY	rec.arts.disney	rec
4231	U-RAILROAD	rec.railroad	rec
3677	U-RAINSOURCD	rain.sources.d	rain
3676	U-RAINSOURCE	rain.sources	rain
4337	U-RAPE	talk.rape	talk
4149	U-RAQUARIA	rec.aquaria	rec
4169	U-RATDRIV	rec.autos.driving	rec
4919	U-RATHEATRE	rec.arts.theatre	rec
4171	U-RATTECH	rec.autos.tech	rec
4921	U-RBOATS-PAD	rec.boats.paddle	rec
4947	U-RCARTFINE	rec.arts.fine	rec
4948	U-RCAUDIOCAR	rec.audio.car	rec
4949	U-RCAUTO-VW	rec.autos.vw	rec
3950	U-RCBICYSOC	rec.bicycles.soc	rec
4210	U-RCONTROL	rec.models.rc	rec
4927	U-RCOUNTRYWST	rec.music.country.western	rec
4481	U-REALTIME	comp.realtime	comp
2751	U-RECACMCMKT	rec.arts.comics.marketplace	rec
2753	U-RECAFANDOM	rec.arts.sf.fandom	rec
4999	U-RECAMRADSWP	rec.radio.amateur.swap	rec
2234	U-RECANSWSERS	rec.answers	
2844	U-RECARFSTAR	rec.arts.sf.starwars	rec
3077	U-RECARSTTECH	rec.arts.startrek.tech	rec
3678	U-RECARTANTI	rec.antiques	rec
2807	U-RECARTCMCST	rec.arts.comics.strips	rec
3679	U-RECARTCOMI	rec.arts.comics.info	
3680	U-RECARTCOMM	rec.arts.comics.misc	rec
3681	U-RECARTCOMX	rec.arts.comics.xbooks	rec
3682	U-RECARTMANG	rec.arts.manga	rec
3208	U-RECARTSTCUR	rec.arts.startrek.current	rec
3209	U-RECARTSTFAN	rec.arts.startrek.fandom	rec
3244	U-RECARTSTMIS	rec.arts.startrek.misc	rec
2752	U-RECAFANCMN	rec.arts.sf.announce	
2755	U-RECAFMISC	rec.arts.sf.misc	rec
2754	U-RECAFMTPL	rec.arts.sf.marketplace	rec
2756	U-RECAFMOVIE	rec.arts.sf.movies	rec
2757	U-RECAFREVW	rec.arts.sf.reviews	
2758	U-RECAFSCNCE	rec.arts.sf.science	rec
2759	U-RECAFSTV	rec.arts.sf.tv	rec
2760	U-RECAFWRITN	rec.arts.sf.written	rec
2846	U-RECAUDIOPRO	rec.audio.pro	rec

CRS ONLINE NEW USERS GUIDE

4016	U-RECBICMARKE	rec.bicycles.marketplace	rec
4018	U-RECBICRIDES	rec.bicycles.rides	rec
4017	U-RECBICTECH	rec.bicycles.tech	rec
2236	U-RECBODYART	rec.arts.bodyart	rec
3915	U-RECBYCMISC	rec.bicycles.misc	rec
3914	U-RECBYCRACIN	rec.bicycles.racing	rec
2795	U-RECCLIMBING	rec.climbing	rec
4655	U-RECCOLLECT	rec.collecting	rec
2761	U-RECCRFTBREW	rec.crafts.brewing	rec
2176	U-RECCRMUSIC	rec.crafts.misc	rec
2177	U-RECCRTEXTIL	rec.crafts.textiles	rec
3683	U-RECFOODHIS	rec.food.historic	rec
3684	U-RECFOODSOU	rec.food.sourdough	rec
4950	U-RECGAM-PINB	rec.games.pinball	rec
2185	U-RECGAMEARCA	rec.games.video.arcade	rec
2178	U-RECGAMEBACK	rec.games.backgammon	rec
2179	U-RECGAMEBOAR	rec.games.board.ce	rec
2762	U-RECGAMECRWR	rec.games.corewar	rec
2180	U-RECGAMEDESI	rec.games.design	rec
3201	U-RECGAMEFRPA	rec.games.frp.advocacy	rec
2763	U-RECGAMEMUDL	rec.games.mud.lp	rec
3080	U-RECGAMESCYB	rec.games.cyber	rec
2847	U-RECGAMESNET	rec.games.netrek	rec
2848	U-RECGAMESXTP	rec.games.xtank.play	rec
3685	U-RECGAMFRPA	rec.games.frp.archives	rec
3250	U-RECGAMFRPAN	rec.games.frp.announce	rec
3686	U-RECGAMFRPD	rec.games.frp.dnd	rec
3688	U-RECGAMFRPI	rec.games.frp.misc	rec
3687	U-RECGAMFRPM	rec.games.frp.marketplace	rec
3689	U-RECGAMMDAD	rec.games.mud.admin	rec
3690	U-RECGAMMDAN	rec.games.mud.announce	rec
3691	U-RECGAMMDDI	rec.games.mud.diku	rec
3692	U-RECGAMMDMI	rec.games.mud.misc	rec
3693	U-RECGAMMDTI	rec.games.mud.tiny	rec
2817	U-RECGMXTANKP	rec.games.xtank.programmer	rec
4202	U-RECHUMOR	rec.humor	rec
3424	U-RECHUMORACD	rec.humor.oracle.d	rec
2818	U-RECHUMRORCL	rec.humor.oracle	rec
4731	U-RECIPIES	rec.food.recipes	rec
2764	U-REJUGGLING	rec.juggling	rec
3247	U-RECKITES	rec.kites	rec
3193	U-RECMAG	rec.mag	rec
2820	U-RECMODELSRR	rec.models.railroad	rec
3249	U-RECMOTORDIR	rec.motorcycles.dirt	rec
3216	U-RECMOTORRAC	rec.motorcycles.racing	rec
2828	U-RECMSCPHISH	rec.music.phish	rec
2204	U-RECMUSCHRIS	rec.music.christian	rec
2208	U-RECMUSEARLY	rec.music.early	rec
2209	U-RECMUSFUNKY	rec.music.funky	rec
3694	U-RECMUSICCO	rec.music.compose	rec
3695	U-RECMUSICIN	rec.music.info	rec
2244	U-RECMUSICIND	rec.music.industrial	rec
2823	U-RECMUSICMKT	rec.music.marketplace	rec
2245	U-RECMUSICREV	rec.music.reviews	rec
3218	U-RECMUSINCL	rec.music.indian.classical	rec
3437	U-RECMUSINDMU	rec.music.indian.misc	rec
2830	U-RECORMENSA	rec.org.mensa	rec
3696	U-RECOUTFISH	rec.outdoors.fishing	rec
3220	U-RECPETBIRDS	rec.pets.birds	rec
2765	U-RECPETHERP	rec.pets.herp	rec
2246	U-RECPETSCATS	rec.pets.cats	rec
2832	U-RECPUZCROSS	rec.puzzles.crosswords	rec
4727	U-RECRADAMMIS	rec.radio.amateur.misc	rec
4732	U-RECRADAMPAC	rec.radio.amateur.packet	rec
4748	U-RECRADAMPOL	rec.radio.amateur.policy	rec
2836	U-RECRADIOBRD	rec.radio.broadcasting	rec
3438	U-RECROLLERCO	rec.roller-coaster	rec
2838	U-RECSOUTING	rec.scouting	rec
3221	U-RECSKATE	rec.skate	rec
3697	U-RECSPBASEF	rec.sport.baseball.fantasy	rec
2216	U-RECSPBASKMI	rec.sport.basketball.misc	rec
2217	U-RECSPBASKPR	rec.sport.basketball.pro	rec
3223	U-RECSPCRISCO	rec.sport.cricket.scores	rec
3224	U-RECSPHOCFIE	rec.sport.hockey.field	rec

CRS ONLINE NEW USERS GUIDE

2845	U-RECSPFBAUS	rec.sport.football.australian	rec
3698	U-RECSPOLYMP	rec.sport.olympics	rec
2218	U-RECSPORTDIS	rec.sport.disc	rec
2238	U-RECSPORTGLF	rec.sport.golf	rec
2220	U-RECSPORTTEN	rec.sport.tennis	rec
2221	U-RECSPORTVOL	rec.sport.volleyball	rec
2842	U-RECSPTBSBL	rec.sport.baseball.college	rec
2249	U-RECSPTBSKCO	rec.sport.basketball.college	rec
2849	U-RECSPTPAINT	rec.sport.paintball	rec
2767	U-RECSPTRIATH	rec.sport.triathlon	rec
2853	U-RECSPTSWIM	rec.sport.swimming	rec
2856	U-RECTRAVLAIR	rec.travel.air	rec
2768	U-RECVIDEOCAB	rec.video.cable-tv	rec
2860	U-RECVIDEOPRD	rec.video.production	rec
2769	U-RECVIDEORLS	rec.video.releases	rec
4082	U-RECVIDEOSAT	rec.video.satellite	rec
2042	U-RELADSCOMP	relcom.ads.comp	
2052	U-RELARCHIVED	relcom.archives.d	relcom
2056	U-RELAUDVID	relcom.commerce.audio-video	relcom
4319	U-RELCHRIS	soc.religion.christian	
2040	U-RELCOMADS	relcom.ads	
2051	U-RELCOMARC	relcom.archive	relcom
2055	U-RELCOMBBS	relcom.bbs	relcom
2057	U-RELCOMCHEM	relcom.commerce.chemical	relcom
2060	U-RELCOMCOMPU	relcom.commerce.computers	relcom
2062	U-RELCOMCONST	relcom.commerce.construction	relcom
2064	U-RELCOMCONSU	relcom.commerce.consume	relcom
2121	U-RELCOMLAN	relcom.lan	relcom
2070	U-RELCOMMFOOD	relcom.commerce.food	relcom
2072	U-RELCOMMHOUS	relcom.commerce.household	relcom
2139	U-RELCOMTALK	relcom.talk	relcom
2142	U-RELCOMWTC	relcom.wtc	relcom
2102	U-RELDemos	relcom.demos.commerce	relcom
4743	U-RELEAST	soc.religion.eastern	
2123	U-RELECONOMIC	relcom.economics	relcom
2066	U-RELENERGY	relcom.commerce.energy	relcom
2069	U-RELESTATE	relcom.commerce.estate	relcom
2103	U-RELEXNET	relcom.exnet	relcom
2124	U-RELFXDIGES	relcom.mn.faxdigest	relcom
2111	U-RELFIDOC++	relcom.fido.su.c-c++	relcom
2105	U-RELFLIRT	relcom.fido.flirt	relcom
2112	U-RELGENERAL	relcom.fido.su.general	relcom
2106	U-RELHACKER	relcom.fido.ru.hacker	relcom
2113	U-RELHARDWARE	relcom.fido.su.hardw	relcom
2116	U-RELHUMOR	relcom.humor	relcom
2143	U-RELIGIONQUA	soc.culture.quaker	soc
2117	U-RELINFOQUOT	relcom.infomarket.quote	
2074	U-RELINFOSERV	relcom.commerce.infoserv	relcom
2118	U-RELINFOTALK	relcom.infomarket.talk	
4320	U-RELISLAM	soc.religion.islam	
2119	U-RELJUSINF	relcom.jusinf	
2120	U-RELKIDS	relcom.kids	relcom
2075	U-RELMACHINE	relcom.commerce.machinery	relcom
2122	U-RELMAP	relcom.maps	relcom
2077	U-RELMEDICINE	relcom.commerce.medicine	relcom
2082	U-RELMETALS	relcom.commerce.metals	relcom
4338	U-RELMISC	talk.religion.misc	talk
2125	U-RELMNLAWS	relcom.mn.laws	relcom
2107	U-RELMODEM	relcom.fido.ru.modem	relcom
2084	U-RELMONEY	relcom.commerce.money	relcom
2127	U-RELMSDOS	relcom.msos	relcom
2128	U-RELMUSIC	relcom.music	relcom
2130	U-RELNETBIG	relcom.netnews.big	relcom
2129	U-RELNETNEWS	relcom.netnews	relcom
2108	U-RELNETWORKS	relcom.fido.ru.networks	relcom
4339	U-RELNEWAG	talk.religion.newage	talk
2126	U-RELNEWSPAPER	relcom.mn.newspaper	relcom
2136	U-RELNEWS	relcom.renews	relcom
2088	U-RELOTHER	relcom.commerce.other	relcom
2131	U-RELPENPALS	relcom.penpals	relcom.
2132	U-RELPOLITICS	relcom.politics	relcom
2135	U-RELPOSTMASD	relcom.postmasters.d	relcom
2134	U-RELPOSTMAST	relcom.postmasters	relcom
2104	U-RELQUOTE	relcom.exnet.quote	relcom

CRS ONLINE NEW USERS GUIDE

2089	U-RELSOFTWARE	relcom.commerce.software	relcom
2137	U-RELSOURCE	relcom.sources	relcom
2138	U-RELSPBNEWS	relcom.spbnews	relcom
2095	U-RELSTOCKS	relcom.commerce.stocks	relcom
2110	U-RELSUBBOOKS	relcom.fido.su.books	relcom
2115	U-RELSUVIRUS	relcom.fido.su.virus	relcom
2096	U-RELTALK	relcom.commerce.talk	relcom
2140	U-RELTERMS	relcom.terms	relcom
2141	U-RELTESTS	relcom.test	relcom
2100	U-RELTOBACCO	relcom.commerce.tobacco	relcom
2114	U-RELTOLKIEN	relcom.fido.su.tolkien	relcom
2101	U-RELTRANSPOR	relcom.commerce.transport	relcom
2109	U-RELUNIX	relcom.fido.ru.unix	relcom
104	U-REPLIES	local.private	
4414	U-REXX	comp.lang.rexx	comp
4551	U-RIDGE	comp.sys.ridge	comp
4482	U-RISKS	comp.risks	
4926	U-RMARTIAL	rec.martial-arts	rec
4884	U-ROBOTICS	comp.robotics	comp
4193	U-ROGUE	rec.games.rogue	rec
4440	U-ROOMSHAR	comp.org.usenix.roomshare	comp
4928	U-RPETS-DOGS	rec.pets.dogs	rec
4929	U-RPYROTECH	rec.pyrotechnics	rec
4951	U-RRDNONCOMM	rec.radio.noncomm	rec
4923	U-RRESTAURANT	rec.food.restaurants	rec
4930	U-RRUNNING	rec.running	rec
4952	U-RSPFOOTCOLL	rec.sport.football.college	rec
4953	U-RSPFOOTMISC	rec.sport.football.misc	rec
4954	U-RSPFOOTPRO	rec.sport.football.pro	rec
4452	U-RSTS	comp.os.rsts	comp
3699	U-RUGENERAL	ru.general	ru
4340	U-RUMORS	talk.rumors	talk
4143	U-RURAL	misc.rural	misc
3700	U-SACGENERAL	sac.general	sac
3701	U-SACSWAP	sac.swap	sac
3702	U-SACTEST	sac.test	sac
2159	U-SALEWORKSTA	misc.forsale.computers.workstation	misc
3703	U-SANETADVER	sanet.adverts	sanet
3704	U-SANETANNOU	sanet.announce	
3705	U-SANETCONFI	sanet.config	sanet
3706	U-SANETFLAME	sanet.flame	sanet
3707	U-SANETFUN	sanet.fun	sanet
3708	U-SANETIBMPC	sanet.ibmpc	sanet
3709	U-SANETLANGC	sanet.lang.c	sanet
3710	U-SANETMAPS	sanet.maps	
3711	U-SANETMODEM	sanet.modems	sanet
3712	U-SANETMONPY	sanet.monty-python	sanet
3714	U-SANETNEWSD	sanet.newsletters.d	sanet
3713	U-SANETNEWSL	sanet.newsletters	
3715	U-SANETRADPK	sanet.radio.packet	sanet
3716	U-SANETSOUCD	sanet.sources.d	sanet
3717	U-SANETTALPO	sanet.talk.politics	sanet
3718	U-SANETTAREL	sanet.talk.religion	sanet
3719	U-SANETTEST	sanet.test	sanet
3720	U-SANETUNIFO	sanet.uniforum	sanet
3721	U-SANETUNQUE	sanet.unix.questions	sanet
3722	U-SANETUNSOU	sanet.unix.sources	
3723	U-SANETUNTAL	sanet.unix.talk	sanet
4257	U-SAQUARIA	sci.aquaria	sci
4226	U-SCA	rec.org.sca	rec
3194	U-SCALEMODEL	rec.models.scale	rec
4933	U-SCCLAAMERI	soc.culture.african.american	soc
4934	U-SCCLAUSTRAL	soc.culture.australian	soc
4935	U-SCCLBANGLA	soc.culture.bangladesh	soc
4936	U-SCCLNEPAL	soc.culture.nepal	soc
4415	U-SCHEME	comp.lang.scheme	comp
4416	U-SCHEME.C	comp.lang.scheme.c	comp
4937	U-SCHISTORY	soc.history	soc
3724	U-SCIANTHROP	sci.anthropology	sci
2222	U-SCIARCHAEOL	sci.archaeology	sci
2861	U-SCIASTROFIT	sci.astro.fits	sci
3225	U-SCIASTROHUB	sci.astro.hubble	
3725	U-SCICLASSIC	sci.classics	sci
3726	U-SCICOGNITI	sci.cognitive	sci

CRS ONLINE NEW USERS GUIDE

3727	U-SCICOMPAID	sci.comp-aided	sci
3728	U-SCICRYONIC	sci.cryonics	sci
4264	U-SCIEDU	sci.edu	sci
4931	U-SCIENGR	sci.engr	sci
2863	U-SCIENGRBIOM	sci.engr.biomed	sci
4956	U-SCIENGRCHEM	sci.engr.chem	sci
2875	U-SCIENGRCIVL	sci.engr.civil	sci
3729	U-SCIENGRMEC	sci.engr.mech	sci
4957	U-SCIENVIRON	sci.environment	sci
2147	U-SCIFRACTALS	sci.fractals	sci
4932	U-SCIGEOFLUID	sci.geo.fluids	sci
2148	U-SCIGEOLOGY	sci.geo.geology	sci
2223	U-SCIGEOMETEO	sci.geo.meteorology	sci
3730	U-SCIIMAGEPR	sci.image.processing	sci
3929	U-SCIMARE	sci.math.research	
2903	U-SCIMATERIAL	sci.materials	sci
4278	U-SCIMISC	sci.misc	sci
4087	U-SCIOPTICS	sci.optics	sci
2145	U-SCIORGANOME	sci.chem.organomet	sci
3731	U-SCIRESACAR	sci.research.careers	sci
4285	U-SCIRSRCH	sci.research	sci
3226	U-SCISPACENEW	sci.space.news	
3732	U-SCOFORSALE	sco.forsale	sco
2160	U-SCOOPENDKTP	sco.opendesktop	sco
3733	U-SCOTGENERA	scot.general	scot
4232	U-SCUBA	rec.scuba	rec
3734	U-SDNETCERFN	sdnet.cerfn	sdnet
3735	U-SDNETEATS	sdnet.eats	sdnet
3739	U-SDNETEMOVIE	sdnet.movies	sdnet
3736	U-SDNETFORSA	sdnet.forsale	sdnet
3737	U-SDNETGENER	sdnet.general	sdnet
3738	U-SDNETJOBS	sdnet.jobs	sdnet
3740	U-SDNETNEXT	sdnet.next	sdnet
3741	U-SDNETTALKS	sdnet.talks	sdnet
3742	U-SDNETTEST	sdnet.test	sdnet
3743	U-SDNETWANTE	sdnet.wanted	sdnet
4483	U-SECURITY	comp.security.announce	
3744	U-SEISMICGEN	seismic.general	seismic
4575	U-SELFORG	comp.theory.self-org-sys	comp
4430	U-SENDMAIL	comp.mail.sendmail	comp
4552	U-SEQUENT	comp.sys.sequent	comp
3975	U-SFALLOITTEL	sfnet.aloittelihoille	sfnet
3976	U-SFATK	sfnet.atk	sfnet
2946	U-SFATKGRAFII	sfnet.atk.grafiikka	sfnet
3985	U-SFATKMAC	sfnet.atk.mac	sfnet
3987	U-SFATKMSDOS	sfnet.atk.ms-dos	sfnet
4000	U-SFHARAUTOT	sfnet.harrastus.autot	sfnet
3232	U-SFHARBILJAR	sfnet.harrastus.biljardi	sfnet
4001	U-SFHARDXKUUN	sfnet.harrastus.dx-kuuntelu	sfnet
3233	U-SFHARILMAIL	sfnet.harrastus.kulttuuri.sf	sfnet
3234	U-SFHARKULTT	sfnet.harrastus.kulttuuri.sf	sfnet
4009	U-SFHARTANSSI	sfnet.harrastus.tanssi	sfnet
4011	U-SFHARVISAIL	sfnet.harrastus.visailu	sfnet
2929	U-SFKESFILE	sfnet.keskustelu.filosofia	sfnet
3237	U-SFKESKLAPSE	sfnet.keskustelu.lapset	sfnet
2941	U-SFKESKUIHMI	sfnet.keskustelu.ihmissuhteet	sfnet
2940	U-SFKESKUSHUU	sfnet.keskustelu.huumeet	sfnet
2942	U-SFKESKUSLKI	sfnet.keskustelu.laki	sfnet
2943	U-SFKESKUSMAN	sfnet.keskustelu.maanpuolustus	sfnet
3235	U-SFKESKUST	sfnet.keskustelu.ey	sfnet
4014	U-SFKESKUSTEL	sfnet.keskustelu	sfnet
2935	U-SFKESKVITSI	sfnet.keskustelu.vitsit	sfnet
2932	U-SFKESUSKONT	sfnet.keskustelu.uskonto	sfnet
2934	U-SFKESVARAV	sfnet.keskustelu.varaventtiili	sfnet
2936	U-SFKESYHTEIS	sfnet.keskustelu.yhteiskunta	sfnet
2938	U-SFMATKUSTA	sfnet.matkustaminen	sfnet
2939	U-SFNETHUUHAA	sfnet.huuhaa	sfnet
3984	U-SFNETLAI	sfnet.atk.laitteet	sfnet
2948	U-SFTEST	sfnet.test	sfnet
2950	U-SFTIEDEARK	sfnet.tiede.arkeologia	sfnet
2968	U-SFTIEDEKIRJ	sfnet.tiede.kirjastot	sfnet
2971	U-SFTIEDEMATE	sfnet.tiede.matematiikka	sfnet
2979	U-SFTIEDEYTIN	sfnet.tiede.yt.info	sfnet
2987	U-SFTIETKATKO	sfnet.tietoliikenne.katko	sfnet

CRS ONLINE NEW USERS GUIDE

2985	U-SFTIETOKIIK	sfnet.tietoliikenne	sfnet
3238	U-SFTIETTILA	sfnet.tietoliikenne.tilastot	sfnet
2975	U-SFTIOEDETOH	sfnet.tiede.tietotekniikka.tohtorix	sfnet
2993	U-SFTORI	sfnet.tori	sfnet
4553	U-SGI	comp.sys.sgi	comp
3745	U-SGIGENERAL	sgi.general	sgi
2010	U-COMSGIHARDW	comp.sys.sgi.hardware	comp
4230	U-SHORTWAV	rec.radio.shortwave	rec
4417	U-SIGPLAN	comp.lang.sigplan	
4484	U-SIMULAT	comp.simulation	
4286	U-SKEPTIC	sci.skeptic	sci
4233	U-SKIING	rec.skiing	rec
4234	U-SKYDIVE	rec.skydiving	rec
4418	U-SMLLTALK	comp.lang.smalltalk	comp
4318	U-SOCARMSD	soc.politics.arms-d	
2770	U-SOCBI	soc.bi	soc
4241	U-SOCCER	rec.sport.soccer	rec
2225	U-SOCCOLGRAD	soc.college.grad	soc
2162	U-SOCCOLGRAD	soc.college.gradinfo	soc
4958	U-SOCCUL-FILI	soc.culture.filipino	soc
4959	U-SOCCUL-LEB	soc.culture.lebanon	soc
3239	U-SOCCULAFGHA	soc.culture.afghanistan	soc
3240	U-SOCCULBRAZI	soc.culture.brazil	soc
3241	U-SOCCULBULAR	soc.culture.bulgaria	soc
2163	U-SOCCULCANAD	soc.culture.canada	soc
3242	U-SOCCULCARIB	soc.culture.caribbean	soc
3746	U-SOCCULCZECH	soc.culture.czecho-slovak	soc
2226	U-SOCCULEUROP	soc.culture.europe	soc
2227	U-SOCCULITALI	soc.culture.italian	soc
2164	U-SOCCULMAGYA	soc.culture.magyar	soc
3930	U-SOCCULMEX	soc.culture.mexican	soc
2771	U-SOCCULMEXCN	soc.culture.mexican	soc
3245	U-SOCCULNETHE	soc.culture.netherlands	soc
2228	U-SOCCULNEWZE	soc.culture.new-zealand	soc
3931	U-SOCCULPORT	soc.culture.portuguese	soc
2165	U-SOCCULSOVIE	soc.culture.soviet	soc
2229	U-SOCCULSPAIN	soc.culture.spain	soc
3747	U-SOCCULTAMIL	soc.culture.tamil	soc
2230	U-SOCCULTHAI	soc.culture.thai	soc
3246	U-SOCCULTUROM	soc.culture.romanian	soc
2773	U-SOCCULUSA	soc.culture.usa	soc
2166	U-SOCCULYUGOS	soc.culture.yugoslavia	soc
4486	U-SOCFUTUR	comp.society.futures	comp
4485	U-SOCIETY	comp.society	
2944	U-SOCLIBRARTL	soc.libraries.talk	soc
4314	U-SOCMEN	soc.men	soc
4315	U-SOCMISC	soc.misc	soc
4316	U-SOCNET	soc.net-people	soc
3748	U-SOCPENPALS	soc.penpals	soc
4317	U-SOCPOLIT	soc.politics	
2945	U-SOCTRLGNBAHA	soc.religion.bahai	
4323	U-SOCROOTS	soc.roots	soc
4324	U-SOCSINGL	soc.singles	soc
2231	U-SOCVETERANS	soc.veterans	soc
4326	U-SOCWOMEN	soc.women	soc
4489	U-SOFT-ENG	comp.software-eng	comp
4287	U-SPACE	sci.space	sci
4288	U-SPCSHUTT	sci.space.shuttle	sci
4886	U-SPECIFICATN	comp.specification	comp
4170	U-SPORTDRV	rec.autos.sport	rec
2196	U-SPORTFENCE	rec.sport.fencing	rec
2195	U-SPORTRUGBY	rec.sport.rugby	rec
3749	U-SQNTPUFORSA	sqnt-public.forsale	sqnt-publi
4885	U-SRC-APPLE2	comp.sources.apple2	
4493	U-SRCDISCU	comp.sources.d	comp
4309	U-SRILANKA	soc.culture.sri-lanka	soc
3750	U-SRIMARKET	sri.market	sri
4887	U-STDC++	comp.std.c!!	comp
3751	U-STGTGENERAL	stgt.general	stgt
3752	U-STLGENERAL	stl.general	stl
3753	U-STLJOBS	stl.jobs	stl
3754	U-STLNEWS	stl.news	stl
3755	U-STLREC	stl.rec	stl
3756	U-STLTEST	stl.test	stl

CRS ONLINE NEW USERS GUIDE

4491	U-STSRC	comp.sources.atari.st	
4498	U-SUNSRC	comp.sources.sun	
4555	U-SUPER	comp.sys.super	comp
3757	U-SURAAANNOUN	sura.announce	
3758	U-SURACONFIG	sura.config	sura
3759	U-SURANOCSTA	sura.noc.status	
3760	U-SURASECURI	sura.security	
3761	U-SURATECHS	sura.techs	sura
4507	U-SWCMPNTS	comp.sw.components	comp
4106	U-SWNOTES	news.software.notes	news
4224	U-SYNTH	rec.music.synth	rec
4544	U-SYSMISC	comp.sys.misc	comp
2011	U-SYSSGIMISC	comp.sys.sgi.misc	comp
2194	U-TABLETENNIS	rec.sport.table-tennis	rec
4556	U-TAHOE	comp.sys.tahoe	comp
4310	U-TAIWAN	soc.culture.taiwan	soc
3762	U-TALKPOLCHI	talk.politics.china	talk
4938	U-TALKPOLDRUG	talk.politics.drugs	talk
2232	U-TALKPOLSPACE	talk.politics.space	talk
4557	U-TANDY	comp.sys.tandy	comp
3763	U-TARONGAMIS	taronga.misc	taronga
3764	U-TARONGAWOR	taronga.worldview	taronga
4145	U-TAXES	misc.taxes	misc
4471	U-TCP-IP	comp.protocols.tcp-ip	comp
4472	U-TCP-IPDO	comp.protocols.tcp-ip.domains	comp
4474	U-TCP-IPPC	comp.protocols.tcp-ip.ibmpc	comp
2013	U-TERMINALS	comp.terminals	comp
4569	U-TEXT	comp.text	comp
4757	U-TEXT.TEX	comp.text.tex	comp
4893	U-TEXTSGML	comp.text.sgml	comp
4571	U-THEORY	comp.theory	comp
4558	U-TI	comp.sys.ti	comp
4559	U-TIEXPLR	comp.sys.ti.explorer	comp
3765	U-TNFLAME	tn.flame	tn
3766	U-TNGENERAL	tn.general	tn
3767	U-TNMSDOS	tn.msdos	tn
3768	U-TNTALK	tn.talk	tn
3769	U-TNTEST	tn.test	tn
3770	U-TNUNIX	tn.unix	tn
3771	U-TO	to	to
4126	U-TORGENER	tor.general	tor
4148	U-TORNEWS	tor.news	tor
4127	U-TORNEWST	tor.news.stats	tor
4128	U-TORTEST	tor.test	tor
3773	U-TORUUCP	tor.uucp	tor
4561	U-TRANSPUT	comp.sys.transputer	comp
4242	U-TRAVEL	rec.travel	rec
4030	U-TRAVMARKET	rec.travel.marketplace	rec
2777	U-TRIALRECMTW	trial.rec.metalworking	trial
2778	U-TRIALSCULCZ	trial.soc.culture.czechoslovak	trial
2779	U-TRIALSCULIT	trial.soc.culture.italian	trial
4195	U-TRIVIA	rec.games.trivia	rec
4568	U-TTY5620	comp.terminals.tty5620	comp
3774	U-TUBGENERAL	tub.general	tub
3775	U-TUBWANTED	tub.wanted	tub
4311	U-TURKISH	soc.culture.turkish	soc
4023	U-U3BCFG	u3b.config	u3b
4024	U-U3BMISC	u3b.misc	u3b
2235	U-U3BSOURCES	u3b.sources	u3b
4025	U-U3BSRCS	u3b.tech	u3b
4027	U-U3BTEST	u3b.test	u3b
3776	U-UALBGENERAL	ualberta.general	ualberta
3777	U-UALBPHYGENE	ualberta.phys.general	ualberta
3778	U-UBERLINGENE	uberlin.general	uberlin
3779	U-UCGENERAL	uc.general	uc
3783	U-UCHGENERAL	uch.general	uch
3780	U-UCMOTOSS	uc.motss	uc
3781	U-UCNEWS	uc.news	uc
3782	U-UCTEST	uc.test	uc
3784	U-UGGENERAL	ug.general	ug
2947	U-UMGENERAL	um.general	um
2951	U-UMHOUSING	um.housing	um
3789	U-UMIAMICSAN	umiami.cs.announce	umiami
3790	U-UMIAMIGENER	umiami.general	umiami

CRS ONLINE NEW USERS GUIDE

3785	U-UMMUSIC	um.music	um	
3791	U-UMNCONFIG	umn.config	umn	
3786	U-UMNETWORK	um.network	um	
3787	U-UMTEST	um.test	um	
3788	U-UMTEX	um.tex	um	
2952	U-UMWAM	um.wam	um	
2953	U-UMWAMBMGT	um.wam.bmgt301		um
4894	U-UNIXADMIN	comp.unix.admin	comp	
4577	U-UNIXAIX	comp.unix.aix	comp	
4578	U-UNIXAUX	comp.unix.aux	comp	
2017	U-UNIXCLONE	comp.unix.pc-clone.16bit		comp
4579	U-UNIXCRAY	comp.unix.cray	comp	
4895	U-UNIXINTERNL	comp.unix.internals	comp	
4896	U-UNIXLARGE	comp.unix.large	comp	
4897	U-UNIXMISC	comp.unix.misc	comp	
4899	U-UNIXPROGRMR	comp.unix.programmer		comp
4582	U-UNIXQUEST	comp.unix.questions	comp	
4900	U-UNIXSHELL	comp.unix.shell	comp	
4499	U-UNIXSRC	comp.sources.unix		
4506	U-UNIXSTD	comp.std.unix		
4583	U-UNIXULTR	comp.unix.ultrix	comp	
4584	U-UNIXWIZ	comp.unix.wizards	comp	
4903	U-UNXXENIXMSC	comp.unix.xenix.misc		comp
4904	U-UNXXENIXSCO	comp.unix.xenix.sco		comp
4940	U-UOFT-GENERL	ut.general	ut	
4941	U-UOFW-GENERL	uw.general	uw	
3932	U-USA	soc.culture.usa	soc	
4528	U-USENET	comp.sys.intel	comp	
4439	U-USENIX	comp.org.usenix	comp	
3355	U-USPAMI	uw.pami	uw	
2181	U-UTAI	ut.ai	ut	
3793	U-UTBIZARRE	ut.bizarre	ut	
2182	U-UTCHINESE	ut.chinese	ut	
2955	U-UTCSGENERAL	utcs.general		utcs
2956	U-UTCSGRAD	utcs.grad		utcs
3798	U-UTCSGRAPHIC	utcs.graphics		utcs
3799	U-UTCSJOBS	utcs.jobs	utcs	
3800	U-UTCSLISPM	utcs.lispm	utcs	
3801	U-UTCSPROJECT	utcs.projects		utcs
3802	U-UTCSTALKS	utcs.talks	utcs	
2957	U-UTCSTECHRPT	utcs.techreports		utcs
3803	U-UTCSUNDER	utcs.under		utcs
3804	U-UTCSUPE	utcs.upe	utcs	
2187	U-UTDCSGRADNE	ut.dcs.gradnews		ut
2958	U-UTECEGENERAL	utece.general		utece
3794	U-UTFOLLOWUP	ut.followup		ut
3795	U-UTJOBS	ut.jobs	ut	
3949	U-UTNETREPTS	ut.nets.reports		ut
3796	U-UTSTATDATE	ut.stardate		ut
3962	U-UTTEST	ut.test	ut	
3797	U-UTTEXT	ut.text	ut	
4431	U-UUCPMAIL	comp.mail.uucp		comp
3805	U-UUNETALTER	uunet.alternet		
3806	U-UUNETANNOU	uunet.announce		
3807	U-UUNETFORUM	uunet.forum		uunet
3808	U-UUNETPRODU	uunet.products		
3809	U-UUNETSTATU	uunet.status		
3810	U-UUNETTECH	uunet.tech		
3811	U-UWACOSYSTE	uw.aco.system		uw
3812	U-UWAHSGENER	uw.ahs.general		uw
3813	U-UWAHSSYSTE	uw.ahs.system		uw
3814	U-UWAILEARN	uw.ai.learning		uw
3815	U-UWASPLOS	uw.asplos		uw
3816	U-UWASSIGNM	uw.assignments		uw
3817	U-UWCAMPUSNEW	uw.campus-news		uw
3818	U-UWCCNGGENER	uw.ccng.general		uw
3819	U-UWCCNGSYSTE	uw.ccng.system		uw
2206	U-UWCGL	uw.cgl	uw	
2207	U-UWCGLSOFT	uw.cgl.software		uw
3820	U-UWCGLSYSTEM	uw.cgl.system		uw
3821	U-UWCHINESE	uw.chinese	uw	
3822	U-UWCOMPSUPST	uw.computing.support.staff		uw
3823	U-UWCRAV	uw.cray	uw	
2248	U-UWCSC	uw.csc	uw	

CRS ONLINE NEW USERS GUIDE

3824	U-UWCSCS788	uw.cs.cs788	uw
3825	U-UWCSDPT	uw.cs.dept	uw
3301	U-UWCSEEE	uw.cs.eee	uw
3302	U-UWCSFACULT	uw.cs.faculty	uw
3304	U-UWCSGRAD	uw.cs.grad	uw
3305	U-UWCSGRADTOP	uw.cs.grad.topics	uw
3306	U-UWCSGRADTOP	uw.cs.ugrad	uw
3307	U-UWDCSCHANG	uw.dcs.changes	uw
3309	U-UWDCSCOURSE	uw.dcs.courses	uw
3310	U-UWDCSNEWS	uw.dcs.news	uw
3311	U-UWDCSSUGG	uw.dcs.suggestions	uw
3312	U-UWDCSSYSTEM	uw.dcs.system	uw
3313	U-UWDCSWATSE1	uw.dcs.watserv1	uw
3314	U-UWDCSWATSHI	uw.dcs.watshine	uw
3315	U-UWDSGROUP	uw.dsgroup	uw
3316	U-UWDSGROUPMI	uw.dsgroup.misc	uw
3317	U-UWEEGRAD	uw.ee.grad	uw
3318	U-UWEEOPT	uw.ee.opt	uw
3319	U-UWFASS	uw.fass	uw
3943	U-UWFORSALE	uw.forsale	uw
3320	U-UWGLOW	uw.glow	uw
3321	U-UWGNU	uw.gnu	uw
3322	U-UWHARMONY	uw.harmony	uw
3323	U-UWICR	uw.icr	uw
3324	U-UWICRFORUM	uw.icr.forum	uw
2224	U-UWICRHARDWR	uw.icr.hardware	uw
3325	U-UWIMAGEPROC	uw.image-proc	uw
3326	U-UWIMPRINT	uw.imprint	uw
3387	U-UWISCGENER	uwisc.general	uwisc
3388	U-UWISCNSFDOC	uwisc.nsfdoc	uwisc
3389	U-UWISCISOCHA	uwisc.software-changes	uwisc
3327	U-UWJSAW	uw.jsaw	uw
3328	U-UWKIN	uw.kin	uw
3329	U-UWLANG	uw.lang	uw
3330	U-UWLAUREL	uw.laurel	uw
3331	U-UWLIBRARY	uw.library	uw
3332	U-UWLOGIC	uw.logic	uw
3333	U-UWLPAIG	uw.lpaig	uw
3334	U-UWLPAIGCH	uw.lpaig.changes	uw
3335	U-UWLPAIGSYS	uw.lpaig.system	uw
3336	U-UWMAPLE	uw.maple	uw
3337	U-UWMATHFACU	uw.math.faculty	uw
3338	U-UWMATHGRAD	uw.math.grad	uw
3339	U-UWMECHSYST	uw.mech.system	uw
3340	U-UWMFCFBUGS	uw.mfcf.bugs	uw
3341	U-UWMFCFGRIP	uw.mfcf.gripe	uw
3342	U-UWMFCFHARD	uw.mfcf.hardware	uw
3343	U-UWMFCFPEOP	uw.mfcf.people	uw
3344	U-UWMFCFSOFT	uw.mfcf.software	uw
3345	U-UWMFCFSUGG	uw.mfcf.suggestions	uw
3346	U-UWMFCFSYST	uw.mfcf.system	uw
3347	U-UWMFCFTODO	uw.mfcf.todo	uw
3348	U-UWMFCFUPDA	uw.mfcf.updates	uw
3390	U-UWMGENERAL	uwm.general	uwm
3349	U-UWMINOS	uw.minos	uw
3350	U-UWMSG	uw.msg	uw
3946	U-UWNETWORK	uw.network	uw
3351	U-UWNEURALNE	uw.neural-nets	uw
3352	U-UWNEWSGROU	uw.newsgroups	uw
3353	U-UWOPINION	uw.opinion	uw
3354	U-UWOSRESEAR	uw.os.research	uw
3356	U-UWPAMIBSD	uw.pami.bsd	uw
3357	U-UWPAMIGRIPE	uw.pami.gripe	uw
3358	U-UWPAMISYSTE	uw.pami.system	uw
3359	U-UWRECYCLING	uw.recycling	uw
3303	U-UWSCGENERA	uw.cs.general	uw
3360	U-UWSCICOM	uw.scicom	uw
3361	U-UWSDGRAD	uw.sd.grad	uw
3362	U-UWSHOSHIN	uw.shoshin	uw
3363	U-UWSHOSHINCH	uw.shoshin.changes	uw
3364	U-UWSHOSHINSY	uw.shoshin.system	uw
3385	U-UWSICFORSA	uwisc.forsale	uwisc
3386	U-UWSICFORUM	uwisc.forum	uwisc
3365	U-UWSTATS	uw.stats	uw

CRS ONLINE NEW USERS GUIDE

3366	U-UWSTATSS	uw.stats.s	uw	
3367	U-UWSUNOWNERS	uw.sun-owners		uw
3368	U-UWSYLVAN	uw.sylvan	uw	
3369	U-UWSYLVANOS	uw.sylvan.os	uw	
3370	U-UWSYSAMIGA	uw.sys.amiga	uw	
3371	U-UWSYSAPOLLO	uw.sys.apollo	uw	
3372	U-UWSYSATARI	uw.sys.atari	uw	
3373	U-UWSYSTEK	uw.sytek	uw	
3959	U-UWTALKS	uw.talks	uw	
3960	U-UWTEST	uw.test	uw	
3374	U-UWTEX	uw.tex	uw	
3375	U-UWUCCFORTR	uw.ucc.fortrade		uw
3376	U-UWUGRADCS	uw.ugrad.cs		uw
3961	U-UWUNIX	uw.unix	uw	
2247	U-UWUNIXSYSAD	uw.unix.sysadmin		uw
3377	U-UWUSYSTEM	uw.usystem		uw
3378	U-UWVLSI	uw.vlsi	uw	
3379	U-UWVLSISOFT	uw.vlsi.software		uw
3380	U-UWVLSISYST	uw.vlsi.system		uw
3381	U-UWVMS	uw.vms	uw	
3382	U-UWWATSTAR	uw.watstar		uw
3383	U-UWXHINTS	uw.x-hints	uw	
3384	U-UWXWINDOWS	uw.x-windows		uw
4453	U-V	comp.os.v	comp	
3400	U-VAGENERAL	va.general		va
2786	U-VAIATSTUDEN	rec.aviation.student		rec
3402	U-VANGENERAL	van.general		van
3401	U-VATEST	va.test	va	
4196	U-VECTREX	rec.games.vectrex		rec
4180	U-VEGFOOD	rec.food.veg		rec
4246	U-VIDEO	rec.video	rec	
4197	U-VIDEOGAM	rec.games.video		rec
4741	U-VIETNAM	soc.culture.vietnamese		soc
4289	U-VIRTWRLD	sci.virtual-worlds		
4586	U-VIRUS	comp.virus		
4419	U-VISUAL	comp.lang.visual		comp
4454	U-VMS	comp.os.vms		comp
4718	U-VMSANNOU	vmsnet.announce		
4720	U-VMSMISC	vmsnet.misc		vmsnet
2253	U-VMSNETANNOU	vmsnet.announce.newusers		
3403	U-VMSNETDECLU	vmsnet.decus.lugs		vmsnet
3405	U-VMSNETDESKM	vmsnet.networks.desktop.misc		vmsnet
2252	U-VMSNETEADMI	vmsnet.admin		vmsnet
2254	U-VMSNETMAIL	vmsnet.mail.pmdf		vmsnet
3404	U-VMSNETMAILM	vmsnet.mail.misc		vmsnet
3406	U-VMSNETMANAD	vmsnet.networks.management.decmcc		vmsnet
3407	U-VMSNETMANAM	vmsnet.networks.management.misc		vmsnet
3408	U-VMSNETNETMI	vmsnet.networks.misc		vmsnet
3409	U-VMSNETTCIPM	vmsnet.networks.tcp-ip.misc		vmsnet
3410	U-VMSNETTCIPU	vmsnet.networks.tcp-ip.ucx		vmsnet
2967	U-VMSNETTPU	vmsnet.tpu		vmsnet
3411	U-VMSNETVMSPO	vmsnet.vms-posix		vmsnet
2959	U-VMSNTEMPLOY	vmsnet.employment		vmsnet
2960	U-VMSNTINTRNL	vmsnet.internals		vmsnet
2961	U-VMSNTMAILMX	vmsnet.mail.mx		vmsnet
2964	U-VMSNTNTMLTN	vmsnet.networks.tcp-ip.multinet		vmsnet
2965	U-VMSNTNTWINT	vmsnet.networks.tcp-ip.wintcp		vmsnet
2962	U-VMSNTNTWRK	vmsnet.networks.desktop.pathworks		vmsnet
2963	U-VMSNTNTWTCP	vmsnet.networks.tcp-ip.cmu-tek		vmsnet
4723	U-VMSSRCGA	vmsnet.sources.games		vmsnet
4721	U-VMSSRCS	vmsnet.sources		
4722	U-VMSSRCS	vmsnet.sources.d		vmsnet
4724	U-VMSSYSMG	vmsnet.sysmgmt		vmsnet
4725	U-VMSTEST	vmsnet.test		vmsnet
4726	U-VMSUUCP	vmsnet.uucp		vmsnet
3412	U-VUWGENERAL	vuw.general		vuw
4147	U-WANTED	misc.wanted		misc
4500	U-WANTSRC	comp.sources.wanted		comp
3413	U-WELLGENERAL	well.general		well
3414	U-WGTNCHAT	wgtn.chat		wgtn
3415	U-WIFORSALE	wi.forsale		wi
3416	U-WIGENERAL	wi.general		wi
2029	U-WINDINTERVI	comp.windows.interviews		comp
4907	U-WINDOWSXANN	comp.windows.x.announce		

CRS ONLINE NEW USERS GUIDE

4908	U-WINDOWSXMTF	comp.windows.x.motif	comp
4734	U-WINDSURF	rec.windsurfing	rec
3417	U-WIZMOTORACE	wiz.motorace	wiz
3418	U-WIZNREN	wiz.nren	wiz
3419	U-WIZROADSTER	wiz.roadsters	wiz
4587	U-WNDWMISC	comp.windows.misc	comp
4589	U-WNDWNEWS	comp.windows.news	comp
4906	U-WNDWSOPN-LK	comp.windows.open-look	comp
4590	U-WNDWX	comp.windows.x	comp
4243	U-WOODWORK	rec.woodworking	rec
4240	U-WRESTLIN	rec.sport.pro-wrestling	rec
3420	U-WTBYANNOUNC	wtby.announce	wtby
3421	U-WUCSGENERAL	wu.cs.general	wu
4859	U-XEROX	bit.listserv.xerox-l	bit
4563	U-XEROX	comp.sys.xerox	comp
4455	U-XINU	comp.os.xinu	comp
4407	U-XLISP	comp.lang.lisp.x	comp
4860	U-XMAILER	bit.listserv.xmailer	bit
4501	U-XSRC	comp.sources.x	
2256	U-YORKANNOUNC	york.announce	york
3422	U-YORKARIEL	york.ariel	york
3423	U-YORKCALUMET	york.calumet	york
3425	U-YORKDOC	york.doc	york
2969	U-YORKEMAIL	york.email	york
4564	U-ZENITH	comp.sys.zenith	comp

SOFTWARE: FILE AREAS

MACINTOSH FILE AREAS Conference 1

7. The Best for Mac -- Files Everyone Should Have

USER GROUP DISKS

10. Educorp Disks 2000 - 3999
11. Educorp Disks 4000 - 5999
12. Educorp Disks 6000 and up
13. Public Domain Exchange Disks
14. Los Angeles Mac Group
15. Berkley User Group
16. Washington Apple PI
17. Boston Computer Society
18. Club Mac Disks (U.S.)
19. Mac Tutor Journal's Source Codes

COMMUNICATIONS

20. Anti-Viral Utilities/Information
21. Archive Utilities (for .sit .cpt .zip .arc etc.)
22. BBS Lists (world wide)
23. BBS Software
24. Communications Software
25. Networking / Mac IBM Utilities

PRODUCTIVITY and EDUCATION

30. Business and Financial
31. Database - Programs, Utilities, Templates
32. Spreadsheet - Programs, Utilities, Templates
33. Programming Utilities and Languages
34. Programming Source Codes
35. Word Processing / Text Editors / DTP
36. Science, Math, Health and Medicine
37. Other Productivity

GRAPHICS and SOUND

40. Graphics Programs, Editors and Viewers
41. Still Graphic Files (clip art)
42. Nudes / Adult Files -- See Adult Conference
43. Moving Graphics
44. Digitized Sounds
45. Music
46. Sound Utilities / Applications

SYSTEM RELATED SOFTWARE AND UTILITIES

- 50. System, Finder and Multifinder Utilities
- 51. Hardware Utilities (eg. SCSI related, clock speed test)
- 52. Printer Utilities
- 53. Disk and File Utilities (incl. resource editors)
- 54. Icons and Icon Utilities
- 55. Screen Utilities (screen savers, copiers etc)
- 56. Fonts and Font Utilities
- 57. Utilities for Hypercard
- 58. Misc. Utilities
- 59. Apple Licensed Software - Not to be redistributed except by license from Apple.

GAMES

- 60. Adventure and Fantasy Games
- 61. Arcade Games
- 62. Board, Dice and Card Games
- 63. Puzzles and Word Games
- 64. Simulations (eg. car racing, etc.)
- 65. Sports Games
- 66. Misc. Games

OTHER FILES

- 70. Mac II Specific Software (works only on Mac II family)
- 71. Reference / Text Files / Misc. Information files
- 72. Software not Classified or Unknown

RECENT UPLOADS

- 97. Uploads by CRS - Automated File Collection
- 98. User Uploads - Two Months Ago
- 99. Current User Uploads

— IBM/DOS FILE AREAS —

Conference 2

Last updated July 20, 1992

A. GENERAL INFORMATION - All Computer Types

Information on CRS.....1	Catalogs and Lists.....2
Byte Listings.....3	PC/MacTutor Magazine Listings.....4
Computer Language/AI Listings.....5	Unclassified.....6

B. USER GROUP DISKS - User Group Software is more nicely cataloged than Topical Software, but may not be as complete or as current.

PCSIG is on CD-ROM, PCBlue (NYACC) is on CD-ROM,
 Type OPEN 70 to download.....351 Type OPEN 71 to download.....352

C. TOPICAL SOFTWARE - Software in the following areas is arranged by topic. You may find considerable duplication and older versions, so exercise some caution when looking in these areas. New software always resides in areas 394 to 399.

ARTIFICIAL INTELLIGENCE	BULLETIN BOARD SYSTEM SOFTWARE
LISP programs.....17	BBS News.....27
Updates/Text files.....19	BBS Listings/Information.....26
AI files.....18	Front End Mail Handlers.....33
	Multi-BBS Doors.....25
BUSINESS	Opus/Maximus/FIDO (inc doors).....30
Finance.....39	PCBoard related (inc doors).....28
Forms.....48	QBBS/RA/Etc (inc doors).....31
Inventory.....40	RBBS related (inc doors).....29
Loan Amortization.....41	Other BBS types.....32
Mailing list programs.....42	Misc. BBS Utilities, Convertors....34
Metastock/TAS.....46	
Productivity/Management.....44	COMPUTER AIDED DESIGN (CAD)
Real Estate/Rent.....47	AutoCAD Graphics Files.....198
Statistics.....45	AutoCAD Utils/AutoLISP Routines...199
Misc. Business.....43	AutoCAD Misc.....200
	AutoDesk Animator related files...201
	AutoSketch related files.....202
	Misc. CAD Files.....203
	Misc. CAD Graphic files.....204
	Misc. CAD programs.....205
	Misc. Drawing programs.....206
COMMUNICATIONS	DATABASE
Area Code Information.....219	CLIPPER, and related software.....222
External protocols.....210	DBASE, and related software.....223
Fax Related.....156	FOXPRO/Foxbase, and related.....227
Modem Utilities/Settings.....217	PARADOX, and related software.....225
Off-Line mail readers, and utils...211	RBase, related files.....226
PROCOMM related files.....213	Misc. Database.....224
QMODEM related files.....214	
Remote Operation.....215	EDUCATIONAL

CRS ONLINE NEW USERS GUIDE

TELIX and related files.....	216	Computer related.....	52
Other Terminal Programs/Dialers....	218	English.....	54
Misc. Communication related.....	212	Educational Games.....	53
		Geography/Maps.....	61
		History.....	60
		Instructor tools.....	55
		Language tutors.....	56
		Mathematics.....	57
		Science, Space.....	59
		Misc. Educational.....	58

GAMES

Adventure Games.....	74	Animation, Simulations.....	235
AD&D/Roleplaying Games/Files.....	78	ANSI Enhancements, Pictures.....	236
Arcade Games.....	67	Editors, Drawing Programs.....	237
Board Games.....	68	GIF's and Viewers.....	238
Card Games.....	77	Grasp Art and Viewers.....	239
Cheat Files/Hints/Tips.....	70	Misc. Graphics Files/Programs.....	240
Games of Chance.....	69		
Flight Simulators and related.....	65		
MahJongg.....	62		
Mean 18/JNicklaus Golf Courses.....	71		
Puzzles/Tetris Clones.....	79		
Real Life Games/Simulations.....	76		
Sports Games.....	66		
Strategy Games.....	75		
War Games, Modern/Historic.....	63		
War Games, Futuristic.....	64		
Word Games.....	73		
Misc. Games.....	72		

GRAPHICS

MULTI-TASKING

Desqview.....	80
Double Dos.....	81
O/S 2.....	84
Windows - Drivers/Typefaces.....	87
Windows - Games.....	85
Windows - Graphics (BMP/ICONS).....	86
Windows - Utilities.....	83
Windows - Misc. Windows files.....	88
Misc. Multi-Tasking.....	82

HOME/PERSONAL

Astronomy.....	248	AD-LIB/Soundblaster Files.....	94
Automotive.....	259	Files for Other soundcards.....	93
Cooking/Kitchen Aids.....	249	Midi/Cakewalk.....	90
Finance/Personal.....	256	Music and Sound Players.....	92
Genealogy.....	250	ROL Files.....	95
Ham/Packet Radio.....	244	Misc. Music and Sound.....	91
Health/Medicine.....	251		
Lottery Programs.....	252		
Organizing (Database/etc).....	258		
Religion.....	257		
Speech Synthesis.....	246		
Sports/Hobbies.....	254		
Tax/Legal/Laws.....	245		
Weather.....	255		
Misc. Home/Personal.....	253		

MUSIC and SOUND

NETWORKING

Lantastic.....	99
Novell.....	100
Serial Networks.....	101
Other Networking Files.....	102

PRODUCTIVITY

Calculators.....	260	Commercial Game Demos.....	109
Calendars.....	261	Commercial Software Demos.....	110
Desktop Managers.....	262	Entertainment.....	107
Geoworks/Framework.....	264	General Interest Text Files.....	111
Misc. Productivity.....	263	Jokes/Humour.....	108
		Magazines/Publications.....	115

REFERENCE/DEMOS

Mysteries/The Unexplained.....	106
PC Magazine Related.....	117
Real Life Applications.....	112
StarTrek.....	116

PROGRAMMING

Assemblers (ML) and aids.....	269		
Assembly Lang. Programs.....	270		
Asembly Lang. Tutorials.....	271		

CRS ONLINE NEW USERS GUIDE

BASIC Related files.....	272	Tech - Hardware Related.....	113
BASIC Tutorials.....	273	Tech - Software Related.....	114
"C" Compilers and aids.....	274		
"C" Libraries.....	275	SPREADSHEETS	
"C" Tutorials.....	276	Excel related software.....	124
"C" Source Code.....	280	Lotus related software.....	123
Pascal and Related Files.....	278	Quattro Pro related software.....	125
Programming Utilities.....	282	Misc. Files.....	126
Source Code for Other Languages....	281		
Misc. Programming Languages.....	277		
Misc. Programming.....	279		

UTILITIES

4DOS and related files.....	307	Mouse.....	302
Archiving/Packing/Zippping.....	285	Printer - Banner programs.....	303
Backup.....	286	Printer - Non-laser Fonts.....	304
Batch Files.....	287	Printer - Graphics.....	305
Cache.....	288	Printer - Label makers.....	306
Clock.....	289	Printer - Laser general.....	308
Directory.....	290	Printer - Spoolers.....	311
Diskette.....	291	Printer - System setup.....	310
Display.....	292	Printer - Misc.....	309
DOS fixes/Addons.....	293	Ram Disks.....	312
Emulators/Convertors.....	318	Screen Control/Speedup/Misc.....	313
File.....	295	Security (locks).....	314
Hard Drive.....	297	System Setup.....	301
Keyboard.....	298	System Diagnostics.....	317
Memory.....	299	Unprotects (for backup).....	315
Menu.....	300	Virus Scanning.....	316
		Misc. and General Utilites.....	296

WORD PROCESSING

DTP - Corel & Harvard Graphics.....	134	PFS First Pub. Files/Graphics.....	140
DTP - Misc Clip Art.....	155	Qedit and Related.....	147
DTP - Page Maker & Misc.....	133	Text File Related (Not Editors)...	138
Editors (Text/Hex).....	294	Text Readers.....	152
Foreign Language Editors.....	157	Ventura, related files.....	141
H.P. Fonts.....	151	WordPerfect Graphics.....	142
H.P. Miscellaneous.....	150	WordPerfect Utilities.....	143
Hypertext.....	154	WordPerfect Printer Disks.....	144
Microsoft Word Related.....	136	Wordstar Graphics.....	145
Optical Character Recog. (OCR).....	158	Wordstar Utilities.....	146
Postscript Related.....	137	Writing Aids/Dictionary/Etc.....	153
Printmaster Graphics.....	139	Misc. Word Processing Related.....	148

NEW FILES

Uploads - RoseMail/RoseReader Files.....	391
Uploads - Graphics Files from Usenet.....	392
Uploads - Uploads via FidoNet Filebone...	394
Uploads - Over 90 Days, Not classified...	395
Uploads - Over 90 Days, Not classified...	395
Uploads - 60-90 days old.....	396
Uploads - 30-60 days old.....	397
Uploads - BY CRS 0-30 days old.....	398
Uploads - BY CRS via Fido Network.....	394
Uploads - BY MEMBERS.....	399

Files marked (CRS) have been sourced by CRS and have been virus scanned.
Files marked (ASP) have been received directly from the authors or via

—== AMIGA FILE AREAS ==—

Conference 5

- | | |
|----------------------------------|---------------------------------|
| 7. Group Disks (FISH etc) | 20. Financial Applications |
| 8. Uploads by CRS | 21. Games, Additions, Tips |
| 9. (Reserved) | 22. Graphics, Pictures, Display |
| 10. (Reserved) (Group Disks) | 23. Home Applications |
| 11. Artificial Intelligence (AI) | 24. Programming, OS's |
| 12. Bulletin Board S/W, Support | 25. Music, Songs, Sounds |
| 13. Business Applications | 26. Nudes (Use Judgement!) |
| 14. Communications, Terminal S/W | 27. Reference, Demos, Text |
| 15. C Language Programming | 28. Spreadsheet, Calculators |
| 16. Database,Cataloguers | 29. Word(Text),Drivers,Fonts |
| 17. Desktop, Icons, Mngrs, CLI | 30. UTILITIES |
| 18. Education, Learning, RRR | 31. Misc. Not Classified |
| 19. Entertainment, Just for Fun | |
| 32. Current Subscriber Uploads | |

—== ATARI ST FILE AREAS ==—

Conference 6

COMMUNICATIONS

- | | |
|------------------------------------|------------------------------|
| 7. Archive Utilities (ARC/LZH/ZIP) | 10. Communications Utilities |
| 8. BBS and Support Programs | 11. Virus Remedies |
| 9. Terminal Programs | |

PROGRAMMING

- | | |
|---------------------|---------------------------|
| 15. Languages | 18. Other Source Code |
| 16. GFA Source Code | 19. Programming Utilities |
| 17. C Source Code | |

PRODUCTIVITY

- | | |
|------------------|------------------------|
| 25. Databases | 27. Business Utilities |
| 26. Spreadsheets | |

WORDS AND PRINT

- | | |
|-----------------------------|----------------------|
| 30. Wordprocessors | 34. GDOS/Other Fonts |
| 31. Text Readers/Processors | 35. Clip Art |
| 32. Desktop Publishing | 36. Print Utilities |
| 33. Calumus Fonts | |

TEXT FILES

- | | |
|-------------------------|----------------------|
| 40. Online Magazine | 42. Other Text Files |
| 41. Computer References | |

GAMES AND ENTERTAINMENT

- | | |
|---------------------------|------------------------------|
| 50. Arcade Style Games | 53. Misc. Games |
| 51. Adventure Games | 54. Educational Games |
| 52. Board Dice Card Games | 55. About Games/Help/Reviews |

MUSIC

- 60. MIDI Programs and Patches
- 61. MIDI Music/Sound Files
- 62. Other Music Programs

- 63. Other Songs
- 64. Music/MIDI/Sound Utilities

SYSTEM AND DESKTOP

- 70. Alternate Desktops
- 71. Alternate Operating Systems

- 72. TOS/GEM Fixes/Utilities

GRAPHICS

- 75. Drawing Programs
- 76. Pictures

- 77. Animation
- 78. Graphics Utilities

OTHER UTILITIES

- 85. Disk Utilities
- 86. Misc. Utilities

- 87. Emulators et al

PORTFOLIO

- 90. Portfolio Programs

- 91. Portfolio Information

NEW UPLOADS

- 98. Unclassified/Previous Months
- 99. Current Month

COMMODORE 64/128 FILE AREAS

Conference 13

- 7. C64 - Utilities
- 8. C64 - Communications
- 9. C64 - Games
- 10. C64 - Graphics Utilities
- 11. C64 - Graphics
- 12. C64 - Music Utilities
- 13. SIDPLAYER Music
- 14. CPower C
- 15. GEOS - Utilities
- 16. GEOS - Graphics
- 17. GEOS - Documents
- 29. CMD Support
- 31. Commodore Education

- 18. C128 - Utilities
- 19. C128 - Communications
- 20. C128 - Games
- 21. C128 - Graphics Utilities
- 22. C128 - Graphics
- 23. C128 - Music Utilities
- 24. C64/128 Music
- 25. C64/128 Misc
- 26. GEOS - Games
- 27. GEOS - Fonts
- 28. GEOS - Drivers
- 30. CP/M
- 32. Current User Uploads

APPLE II+, //e, //c, //gs FILE AREAS

Conference 14

7. The Best for Apple -- Files Everyone Should Have

PDE SOFTWARE

10. Public Domain Exchange Disks ApII - 1988-89
11. Public Domain Exchange Disks ApII - 1990 and up
12. Public Domain Exchange Disks IIgs - 1988-89
13. Public Domain Exchange Disks IIgs - 1990 and up
14. New from other sources (by CRS)

COMMUNICATIONS

20. Anti-Viral Utilities/Information
21. Archive Utilities (for .BXY .BQY .BLU .QQ etc)
22. BBS Lists (from Toronto Computes!)
23. BBS Software
24. Communications Software
25. Networking

PRODUCTIVITY and EDUCATION

28. HyperCard - Utilities and Stacks
29. HyperStudio - Utilities and Stacks
30. Business and Financial
31. Database - Programs, Utilities, Templates
32. Spreadsheet - Programs, Utilities, Templates
33. Programming Utilities and Languages
34. Programming Source Codes
35. Word Processing / Text Editors / DTP
36. Science, Math, Health and Medicine
37. Misc. Files and Utilities
38. Educational templates / files / games, etc.

GRAPHICS and SOUND

40. Graphics Programs, Editors and Viewers
41. Still Graphic Files (clip art)
42. Nudes / Adult - Also, see Adult Conference 35
43. Animated Graphics
44. Digitized Sounds
45. Music
46. Sound Utilities / Applications
47. MIDI
48. Print Shop Graphics
49. GIF

SYSTEM RELATED SOFTWARE AND UTILITIES

- 53. System and Finder Utilities
(CDA's; NDA's; CDevs; Inits)
- 54. Hardware Utilities (eg. SCSI tester)
- 55. Printer Utilities
- 56. Disk and File Utilities
- 57. Icons and Icon Utilities
- 58. Screen Utilities (screen savers, copiers etc)
- 59. Fonts and Font Utilities

GAMES

- 64. Eamon
- 65. Adventure and Fantasy Games
- 66. Arcade Games
- 67. Board, Dice and Card Games
- 68. Puzzles and Word Games
- 69. Simulations (eg. car racing, etc.)
- 70. Sports Games
- 71. Misc. Games

OTHER FILES

- 75. Tech Notes
- 76. Ilgs Specific Software (works only on a Ilgs)
- 77. Reference / Text Files / Misc. Information files
- 78. Software not Classified or Unknown

RECENT UPLOADS

- 99. Current 2 Months - User Uploads

ECHOMAIL NETWORKS

CRS supports the concept of Echo Mail and participates in a number of international networks.

Echoing into and out of CRS are the following networks -

a. NorthAmeriNet - over 500 worldwide systems, now set up on a regional basis, NorthAmeriNet (NANET) is one of the most active nets in Canada. It's been expanded to the U.S. under the name NorthAmeriNet, and regionals are now in place in a dozen or so locations in the US. We expect to see NorthAmeriNet grow dramatically over the next few months as more and more systems start to tie into the regionals. Canada Conference Mail/NorthAmeriNet conferences are the usual CRS conferences from 1-106 and from 300-350.

b. Usenet - Over 30,000 primarily Unix based systems, around the world. With 2800+ conferences, Usenet is one of the oldest and most active systems in the world. Offering true point to point mail capabilities as well as international echo capabilities, the Usenet conferences may be accessed through all conferences starting with U-.

c. Inteltec - A relatively small system, Inteltec offers some 100 conferences. Inteltec conferences all start with I-.

d. RIME - Through arrangements with RIME, CRS subscribers have access to the entire RIME network and conferences. PCBrelay is a network of some 650+ systems and over 150+ conferences, including some very important vendor support conferences. RIME conferences all start with R-.

e. Echonet - A very local network of some 12 conferences and 35+ systems, Echonet offers many things of local interest. Echoed only into systems in the Toronto area, the entire echonet set of conferences is available. Echonet conferences all start with E-.

f. ILINK - A professional network of some 150+ conferences. ILINK is a very tightly moderated net, and you'll find that messages in ILINK conferences are almost always on topic and of a high quality nature. ILINK is not noted for idle chitchat, but you'll find some very interesting conferences. ILINK conferences all start with L-.

g. Throbnets - An adult network, accessible only to those that have the adult add-on. Throbnets conferences all start with T-.

It's very simple to send message in network conferences. Simply join the conference of your choice and leave your message in the normal manner. Networks have their own rules and regulations, and if you plan on participating in the many mail networks, please review the appropriate documentation found in file area 1.

POPULAR TECHNICAL QUESTIONS

Q1 - How do I join the Adult Conference?

A1 - Go to the main conference and complete script #3 by hitting "S" followed by a carriage return and then "3". Please note that this script must be filled out entirely and all information must match. We're very concerned about the material in this conference. We ask you for some personal information (which is not recorded in our database, but which is used to verify your age), and without it, we simply will not allow you into the Adult Conference. This conference is an add-on to your basic subscription, and you will be asked to provide credit card information.

Q2 - How do I get the latest version of Qmail Deluxe? I can't find the door or the door doesn't recognize me.

A2 - OPEN (Door) 67 for the latest version of Qmail Deluxe. The door must find your serial # in our user file. If you get a message that your serial # is not found, just leave a comment to SYSOP in any of the machine specific or main conferences. We'll update the database, typically within 24 hours, so you can get the latest version.

Q3 - I tell CRS to download and then it gives me a time out error. I don't get any files. How come?

A3 - After telling us to send a file to you with the "D" command, you must tell your end to receive the file. This is often (but not always) done by hitting the PageDown key. Unfortunately, each software package may be different, so you'll have to look in your manual for exact downloading instructions. Downloading is a two step process - tell us to send, and then tell your end to receive.

Q4 - How do I unarchive a file ending in ZIP?

A4 - Get PKZ204G.EXE from our system, and use it. ZIP files are a different type of compression, and require PKZIP. Latest version is PKZ204G, and it can be downloaded from Conference 2. (Note that this version # changes from time to time. The latest version may always be found in file area 285, conference 2).

Q5 - Can I download the directory listings?

A5 - In most cases, yes. Directory listings for MAC, IBM, CP/M, Amiga and ST are all downloadable using the format xDIRyy where x is the first letter of the conference, and yy is the number of the directory in question. To download IBM Spreadsheet info (directory 34) for example, you would download IDIR34. The New File Upload directories are the only listings that cannot be downloaded in this manner, as they are constantly being updated on our net. To capture a new file listing, use the screen capture feature of your communications program.

Q6- I tried to open a door and the system hung. Why?

A6 - Doors are add-on programs, and have to load themselves. Some are quite large. Thus, depending on the speed of the workstation/node that you are on,

CRS ONLINE NEW USERS GUIDE

the network activity, and where you are in the extended user file, it may take 2 to 4 minutes to open a door.

Q7 - What is the fastest protocol for file transfer?

A7 - Fast is a relative term. In purely theoretical terms, any Non- Error correcting protocol designed to be used with Error correcting modems will be the fastest. In practice, line noise may play a significant role in the speed of your transfer. Xmodem-1K-G will be the fastest. However, we use (and recommend) Zmodem. Although it will be a bit slower, it's a more robust protocol and you are less likely to have an aborted file transfer.

Our choices (in descending order of preference are)

ZMODEM
XMODEM-1K-G (for error correcting modems)
XMODEM-1K
XMODEM-CRC

Note that with slower modems, the choice of protocol makes little difference in file transfer speed.

Q8 - How do I use .SIT or .PIT files from the Mac area?

A8 - Download STUFFIT 1.51 from the Mac conference. Click on Stuffit and then use Stuffit to open your .SIT or .PIT file.

Q9 - How does CRS keep track of our time on-line? I signed on at 11pm and off at 1am, and the system won't let me on today.

A9 - PCBoard keeps two variables in the user files - The date last on and the amount of time used on that date. This works fine unless you are on the systems over midnight. If you are on over midnight, PCBoard will charge the current day with the entire time on-line for that session. Thus, if you log on at 11pm and off at 1am, PCBoard will record todays date and 120 minutes, and not allow you back on until tomorrow.

To get around this, simply log off a minute or two before midnight and then log back on.

Q10- I haven't called the system for a number of months, and it doesn't recognize my name. I know my subscription is still paid up.

A10- Something's wrong. It is possible that something in your user record has been changed (this will be a problem at CRS). Try calling our main Etobicoke #'s (213-6002 or 213-6003). If your name still isn't recognized, call the CRS office at 213-6000 and we'll sort out the problem for you.

Q11 - I can't ever get on at noon between 12:00pm and 12:45pm.

A11 - Our systems shutdown automatically for maintenance between 12:00pm and 12:45pm (eastern time). During that time, our tape backups are completed, new users added, and other system maintenance is done. Call back after 12:45 and you'll get on.

The systems also are scheduled down between 10am and 3pm on Tuesdays.

Q12- How do I use LHZ extensions?

A12 - LHZ is simply another method of packing/squeezing files. It's very efficient, and some boards are moving towards it. We don't plan to do so here at CRS, but some files are coming in in the LHZ format. To extract, you need LHARC.EXE, available in conference 2, area 36.

Q13 - What steps do you take to ensure virus free software?

A13 - CRS cannot guarantee that you'll never get a virus from CRS. No professional software company can make this claim. However, as all our software comes from known and reputable sources, your chances of contacting a virus at CRS is quite remote. In 10 years of running a BBS, we've only seen two trojan horses. All programs that show (CRS) at the front of their description have been virus scanned.

CRS runs virus scanning software on all new IBM software that we acquire over the phone lines, but in the final analysis, it's your responsibility to take appropriate precautions. Since the most common threat of viruses is from disks passed from user to user, you should be constantly checking for viruses on all software that you bring onto your computer. You can get the latest virus protection software from McAfee from CRS in the IBM file areas.

Q14 - Can I send private mail through NorthAmeriNet Systems?

A14 - Yes, you can. Mail left privately here at CRS will travel to any NANET system that accepts private mail, and replies will, in turn, travel back to CRS. However, the remote system must be willing to accept private messages.

Q15 - Are my messages on CRS private?

A15 - Yes and no. Messages left on CRS can only be viewed by someone with System Operator status. That includes only full time staff of CRS, and generally is limited to the three individuals involved in running the board. As a matter of policy, we do not comment on or involve ourselves in private messages unless there is clearly something illegal going on. We do not delete messages except in very rare instances and then, a message will be left by "Sysop" advising why a message has been deleted.

Conference Chairmen may also review and respond to private messages IN THEIR CONFERENCE only. Again, they typically will not involve themselves in private messages.

Other employees of CRS, Canada conference sysops, and subscribers of CRS cannot view private messages, as long as you do not mark them for ECHO. If marked ECHO, then your private messages echo throughout our network, and can be read by other network sysops.

Q16 - What protocols do you support for high speed transfer?

A16 - Our phone list has a breakdown for the different modem protocols CRS supports.

Q17 - How do I view GIF files?

A17 - GIF files are in a Graphics Interchange Format, a protocol developed by CompuServe for display of graphics files. In order to read them, you need a GIF reader. GIF readers vary in their capabilities, but will be found in file area 29 of conference 2. Most popular is a GIF reader called CSHOW, but you'll need to check the listings for your particular combination of hardware/software.

GIF readers are available for some other machines, in the graphics areas of the machine specific conference.

Q18 - Why is your tech line so busy? Why isn't it toll free?

A18 - Our tech line is busy for two reasons - First, the tech staff will attempt to assist you with virtually any of your questions, and are a valuable resource for you to call on. Second, it's free, and you can't get a better price than that. It's most busy between 1pm and 2pm - just after it opens daily and between 6pm and 7pm. Call between 2pm and 6pm and you'll often get right through. If it is busy, please keep trying. Don't call on the sales lines. The sales staff aren't equipped to answer technical questions and thus cannot help you.

The tech service is free, but we cannot pay for your long distance calls. If you can't make the long distance call, feel free to write us or leave a message on the system. Letters and messages get responded to but not quite as quickly as telephone calls.

We know the tech line is busy, but the alternative is to add more staff and charge for access to it. We think you'd rather have it free. **TECH ASSISTANCE 213-6001**

GETTING YOUR PERSONAL OFF-LINE READER

CRS Online offers free on-line updates of the Qmail Deluxe. You may obtain your original copy of QMAIL Deluxe for \$30 by calling the office.

Many of you asked how to go about getting the Qmail reader or the latest upgrade of same. Believe it or not, it is quite simple!

QMail Deluxe

Qmail Deluxe is available for downloading to the public as Deluxe2.ZIP at the time of this writing. Note that this name may change with future revisions. The file you download is a demo version only which requires a QMAIL.KEY file to make it fully functional. You can always download the latest version of the reader (the demo) regardless if you have purchased the software or not. If you have a .KEY file you are all set. Should the .KEY file have changed or if you have just purchased the reader you will need to download the .KEY file from us. You can do this quickly via the QMail system. At our main system prompt simply enter "QMAIL4 KEY" (without the quotes!) and you'll be on the way!

If you acquired Deluxe from CRS Online simply select the download option. Note that the transfer is automatically set for XModem - not your default protocol! This is a very small file and it makes sense to use XModem.

If you acquired Deluxe at Sparkware or some other place you must have a .KEY file in order to get a new one from us. Simply select the upload option, transmit your current .KEY file and you will receive the latest copy automatically via return transfer. If you have no .KEY file or if your Deluxe serial number contains the letter "s" (sysop copies) you must call Sparkware for the upgrade. If you have the original disk from us, you can simply leave a comment to SYSOP along with your serial # and we'll provide further instructions on obtaining the latest version.

Once you have the latest version of the .KEY file place it in your Deluxe directory and you are all set!

This is all there is to it. Give it a try you'll find it simple and quick! Should you have further questions we'll be happy to answer them.

QMAIL

The Qwikmail System is a combination of a door accessible by users from PCBoard, and a reader program available on this board. The Qwikmail door allows you, the user, to download a copy of all the public messages (and any private messages addressed to you) available since your last call. You are not deducted or credited for downloads or uploads during message transfer. The door will package up the messages in a format usable by the QMail reader program. Before using the door, you should download the reader program for a few reasons. First, the door is useless to you without it. Second, it contains a more detailed explanation of the door, the configuration process and usage. The

program is available for downloading as "QMAILnnn.ARC" where 'nnn' is the current release version number. At the time of this writing, it is QMAI01.ARC, however check for new releases by using the Locate command (at the Command prompt enter "L QMAIL *.ARC A", without the quotes). The reader program, Qmail, which runs on the IBM PC family and compatibles, allows MS-DOS or PC-DOS users to read the messages offline in an environment very similar to that of PCBoard and, best of all, reply to messages while reading. The replies are then uploaded to the Qwikmail door on a second call and placed in all the appropriate conference and main message bases.

Qmail also gives you the ability to:

- * scan the messages for your personal database of keywords.
- * scan for messages only from a list of users you choose.
- * read only the messages you haven't yet seen.
- * thread through conversations by subject.
- * import text into messages.
- * send public or private messages
- * send carbon copies of private messages to several users

To download messages through the QMail door, you must use either the XModem CRC, 1K-Xmodem (also called YModem), 1K-XModem-G (used to be called YModem-G) or Z-Modem protocols. YModem-G will not be available unless you have an MNP connection here. To use the Qmail reader, you must have the PKXARC and PKARC (or PKZIP) utilities available in your DOS PATH.

There is one other caveat - the MOST IMPORTANT ONE. You must follow this procedure carefully to avoid serious problems (and to save your Sysop some grief). If you are familiar with the PCBoard conference system, be aware that your Qmail packet will contain ALL the public messages in ALL the public conferences on the board. That means, that if you have never entered a PCBoard conference with the Join option, your message pointer (the highest message number you have read) is ZERO. When you open the Qmail door, ALL THE MESSAGES WITH NUMBERS GREATER THAN THIS MESSAGE POINTER WIL BE SENT. If they are extremely active conferences, this could be several megabytes of text files.

Since CRS Online has several megabytes of free space, you'll get a big file (you'd better have a hard drive and be ready for it!).

Follow this simple procedure the FIRST TIME you pick up Qmail.

1. Open the Qmail door.
2. Select the transmission protocol you desire.
3. Select and deselect conference to indicate just which topics you wish to receive.
4. For conferences you selected, check and if needed reset the message pointer somewhere near the highest message shown.
5. Choose D (to begin the packing and download procedure). WAIT for the board to tell you when to begin your download. With ZModem, the board supplies the filename for you.
6. Once the download is complete, choose Q (Quit) to return to the Executive Network or G (Good bye) to hang up On your computer, make sure the CRS.QWK file that contains your messages is in the same directory as QMAIL.EXE. Type Qmail at the DOS prompt and begin the program. From here, please rely on the documentation that comes with Qmail. To upload replies, simply call the board

back, open the Qwikmail door and choose the U (upload) option from the Qwikmail prompt. WAIT for the board to prompt you when to begin your upload. If your upload is successful, it will notify you of that fact. You can immediately read the messages you have just posted in conferences and on the main board.

If you have bug reports or suggestions on the program, please leave all messages in the QMail support conference.

The bottom line is simply a very large savings in your connect time, which translates to savings of \$\$\$. In addition, you gain immediate access to several other conference areas with specialized topics of interest. You will find QMail to be a significant addition to BBS-ing for sure.

Configuring the Qmail Door

Before you can use The Qmail Door you really need to spend some time on it and configure it for your needs and usage. This bulletin will introduce the latest features available and describes how best to use them.

"A" - The AUTOSTART sequence

AutoStart sequences are Qmail Door commands that are stored inside your private configuration area. Every time you open The Qmail Door and there is an AutoStart sequence defined the door will count down ten seconds before it executes the command(s). You can abort the AutoStart sequence by pressing the [ESC] or [CTRL-K] keys TWICE during the countdown.

The AutoStart sequence is designed to get around the problem of "line noise" that can plague SCRIPTED sessions. Sometimes during a SCRIPTED session line noise (usually seen as random characters) can be introduced on the telephone line. This can cause incorrect commands to be transmitted to The Qmail Door and cause a scripted session to fail. The AutoStart sequence is a stack of Qmail Door commands (up to ten characters long) separated by semicolons that are sent to the door when it is first opened. This means that your script no longer needs to transmit commands to the door - the script can wait for certain prompts to take appropriate actions. Since no characters are ever accepted from the script by the door line noise can no longer affect the door's performance.

There can be many different AutoStart commands - you can define any sequence of valid characters you wish. The AutoStart sequence below offers the best performance by The Qmail Door (when certain options are combined with it):

D;Y;U;G

This sequence performs the following tasks:

"D" Downloads waiting messages.

"Y" "Download this packet (Y or N)? " is answered with a "Y". OPTION #2 must be set to OFF if this sequence is used. See OPTIONS for more information.

"U" Uploads any replies the you have ready to send. The script should check to see if you have a reply packet waiting for The Qmail Door. If a packet is found it should be uploaded to the door. If one is not found then the script should

transmit CTRL-X's to abort the upload process.

You might want to turn OPTION #3 ON when using this sequence. This lets you upload your replies and then logoff the system BEFORE messages are integrated into the message bases.

"G" Goodbye - and disconnect from The Qmail Door You can erase an AutoStart sequence by entering SPACES instead of a command.

@BULLET = "ARC" - Selecting an archiver

The Qmail Door has the ability to work with up to five different archiving systems. The door will not let you upload or download messages without selecting an archive system first.

Currently we support only the .ZIP and .ARC formats, both through the use of the PK series programs.

The "ARC" command will give you a list of the archivers supported by The Qmail Door. You can then select from the list and the door will use this archiver to pack their messages.

! The Qmail Door does not use this archiver selection to unpack .REP files. The door scans the .REP file and matches it to the correct archiving system used. This lets you change to a different archiver and still upload a .REP file used by their old selection.

"F" - Packet formats

The Qmail Door has the ability to send your messages in three different formats. You can choose which format you wish to use.

DeLuxe 1.xx and shareware readers.

This selection will send you packets that are compatible with the shareware Qmail Reader and the Qmail DeLuxe 1.xx readers. If you have been using the older Qmail Door 2.33 you should select this choice.

DeLuxe 2.00.

The DeLuxe 2.00 format has yet to be defined inside The Qmail Door so for the time being this selection will default to the DeLuxe 1.xx format.

Text format.

The Qmail Door will send you a text file that contains messages scanned by the door. The file also includes the WELCOME, NEWS, bulletins and new files lists, if any.

@BULLET = "K" - Keywords

The Qmail Door lets you enter and store up to five keywords in your setup. These keywords are stored inside a file on our system for you.

You can enter the keywords one keyword per line. You will then be asked if you wish to search for all messages that contain these keywords or messages that DO NOT contain these keywords.

If you set KEYWORDS to search for all messages that contain these keywords, then Qmail Door will only include messages that contain any one of the keywords.

If you set KEYWORDS to search for all messages that do not contain these keywords, Qmail Door will reject any messages that contain any one of the keywords.

A keyword can be erased by typing SPACES instead of a keyword.

"L" - Limit packet sizes

If you will be using the Qmail readers on floppy disk system, you might not like receiving a mail packet that unpacks to over 500k - the packet wouldn't fit on a 360k diskette.

You can limit the size of your packets by using the "L" command. All you need to do is to enter the largest packet size you wish to receive (in Kbytes) and the door will stop scanning when the packet size reaches this limit.

! You cannot exceed the total amount of workspace allocated by the sysop. This figure is displayed by The Qmail Door at the beginning of each download.

"P" - Protocols

You must select a protocol before you can upload or download messages. When you enter The Qmail Door for the first time the door will attempt to use your PCBoard protocol (if it is defined).

A list of protocols will be displayed and you can enter the LETTER associated with the protocol's name. For example, "Z" always refers to the ZMODEM protocol.

"OPT" - Options

Options are "configuration switches" that you can turn on or off inside The Qmail Door.

Some options may be disabled by the sysop - or they may have passwords attached to them. If one of these options is NOT displayed inside the door then the sysop has disabled it.

#1 - Download your own replies

This option, if ON, will send you any message replies you have uploaded since your last download scan. Some folks like to see their own replies; others like to write a reply and never see it gain. Now they can decide how to do this for themselves.

#2 - Download packets without messages

If this option is ON The Qmail Door will not ask the question "Download this packet (Y or N)?" if the scan does not find any messages.

CRS ONLINE NEW USERS GUIDE

Some scans may find new files or bulletins but no messages. This option will simply bypass the question and return you to the "Command?" prompt.

If a stacked command line is being used in the door (either from AutoStart or from you directly) then The Qmail Door will "bleed off" the next keystroke in the buffer when this option is turned ON and when no messages were found. This prevents the door from trying to interpret the "Y" response as a valid Qmail Door command.

#3 - Logoff after uploading replies

This option, when ON, will let you log off The Qmail Door before message replies (.REP packets) are inserted into PCBoard. The door will give you a ten second countdown before being logged off - you can abort the logoff by pressing the [ESC] key twice (but inserting messages continues).

This option is great for long distance callers who don't want to stay connected to the system while their messages are being inserted into PCBoard.

#4 - Send the WELCOME screen

This option will insert the Executive Network's WELCOME screen in your .QWK message packet.

#5 - Send the NEWS screen

This option will insert the NEWS file in your .QWK message packet.

#6 - Scan for new BULLETINS

This option will insert any new bulletins found during the message scan into your .QWK message packet.

#7 - Scan for new FILES

This option will scan the main upload directory and any conference upload directories you have access to into your .QWK packet.

#8 - Send the LOGOFF screen

This option will insert our logoff file into your .QWK packet.

#9 - Send the Qmail DeLuxe menu

This option will insert the Qmail DeLuxe menu screen into your .QWK packet.

#10 - Download only network mail

This option will ignore any mail entered locally on this system and will only scan mail that was received over InterLink.

#11 - Show "dots" while scanning

Sometimes you may think that The Qmail Door is "hung" when it's really scanning large bases. If this option is ON then the door will transmit "."s to you - one for every five messages scanned.

CRS ONLINE NEW USERS GUIDE

If you are capturing the message scan to a file in your SCRIPT this option should be left OFF. Otherwise, the display captured might look a bit strange (due to the backspacing over the dots).

#12 - Display extended prompts

This option, if ON, will send "extended" prompts to you so your SCRIPT might easily "pick up" on them and perform actions on your end.

Some of you have wondered why use these extended prompts in the door? Here are a few reasons:

A script cannot rely on the fact that a prompt in Qmail Door will not change ("Command?" for example). The Qmail Door fully supports international languages and this would force script authors to support multiple versions of one script. The extended prompts are HARDCODED into the door itself and will always be presented in English.

Some telecommunications programs seem to have problems picking up some prompts. Extended prompts can help fix this problem (see option 13 for more information).

Using extended prompts along with an AutoStart sequence gives scripted users as close a chance as possible to a 100% successful mail transfer every time. All scripts should use the extended prompts option.

These prompts are supported by The Qmail Door:

AUTOSTART

If you have defined an AutoStart sequence this prompt is sent by the door. The SCRIPT can send [ESC] or CTRL-K twice in ten seconds to disable the AutoStart command from executing.

~ COMMAND

This prompt is sent whenever The Qmail Door is at the "Command?" prompt. Scripts should delay sending commands to the door for one second after receiving this prompt.

UP

The door is about to send you a message packet that was scanned by the system during a maintenance schedule. No message scanning has been done and the SCRIPT should be ready to accept a .QWK packet.

TRANSFER

This prompt is sent whenever option #2 is ON and no messages were found in the message scan.

This can also be sent after a message packet has been archived but there is insufficient time left for the you to download the packet.

The door is ready to begin sending the .QWK message packet to you. The script should be ready to accept the download.

<L> SUCCESS

The Qmail Door has checked the transfer log and found that the message packet was transmitted successfully.

<L> ERROR

The QmailDoor has checked the transfer log and found that the message packet was NOT transmitted successfully.

AD

The Qmail Door is ready to accept a message reply packet from the script. The script should check to see if a .REP packet is waiting to be sent. If one is found then it should be uploaded now. If a packet was not found the script should transmit CTRL-X's to abort the upload function.

SUCCESS

The Qmail Door has checked the transfer log and found that the reply packet was transmitted successfully.

! This does not mean that the messages were inserted into PCBoard correctly. This prompt is sent when the file transmitted was successfully uploaded.

ERROR

The Qmail Door has checked the transfer log and found that the reply packet was NOT transmitted successfully.

MESSAGES INSERTED

The Qmail Door has completed inserting messages. The script can now take whatever action it wants to with the .REP reply packet on your system (usually the script should delete the .REP packet at this time).

This prompt should be used to delete .REP packets by the script instead of SUCCESS because the script may upload the wrong .REP packet. In this case, the door would reject the packet - but the script, keying only on the success of the upload, would DELETE it.

MESSAGES NOT INSERTED

Qmail Door could not identify the archiving system used to pack the reply packet or the replies uploaded were not intended for this system. The replies were not inserted so the script should not delete the .REP file.

HANGUP

The Qmail Door has hung up on you. The script should disconnect at this time.

#13 - Delay extended prompts one second.

If option #12 is ON this option, when ON, will delay sending the extended prompts by ONE second.

Setting this option ON is a good idea for those using a script. Some telecommunications programs have problems picking up prompts because their input buffers may get behind incoming text from the door. This option will force a one second pause before transmitting the extended prompts - giving these programs a second to "catch their breaths".

#14 - Clear the keyboard buffer.

If this option is ON then The Qmail Door will clear any input received before the prompt was transmitted to the you. This helps cutdown on any "line noise" effecting script commands.

#15 - Configuring Qmail Door offline.

More to come on this option later. Stay tuned!

"S" - Select conferences

When you open The Qmail Door for the first time you are assigned conferences that have been defined as "default conferences".

If you wish to remove or add conferences, this is where you need to go.

If you are in GRAPHICS mode or are using a telecommunications program that uses ANSI then the Qmail Door will send you what might be called the "fancy" configuration screen. Otherwise, you get a conference selection screen that scrolls down the display.

Files On-line - Why the .ZIP extension?

* System note: if you have trouble with a ZIP'd file - download PKZ204G.EXE *

Most all of the files on our system have a .ZIP extension on them, for example, in directory #1 there is a file called CRSNOV91.ZIP (Our November/91 Newsletter)

What is the significance of .ZIP and why is it used here?

A program called PKZIP, created by Phil Katz, has been used to create the files you see on this system with the .ZIP extension. Each of those files may contain within themselves one or more files in a compressed format.

The reasons for ZIPing a file are:

- 1) creates a smaller file which saves disk space
- 2) the same file, being smaller, takes less time to download
- 3) because the file can contain entire groups of files (even directories) inside of a single file it is easier to download one file and get all of the necessary components of a program or system at one time. For example, in the file mentioned above, CRSNOV91.ZIP contains within itself 33 separate DOC files. These separate DOC files adds up to 179240 bytes - which could take nearly 30 minutes to download at 1200 baud.

By compressing all 33 files into one file you are able to download all 33 files at once and the size of the download is now only 80,723 bytes (a savings of nearly 15 minutes of download time at 1200 baud).

What do I do with a ZIP file after I've downloaded it?

To extract the files from a ZIP file you use the companion program to PKZIP called PKUNZIP. An example might be: PKUNZIP CRSNOV92 which will extract all 33 files into the current directory.

What if I get the message "warning don't know how to handle this file"?

That means that the file you are trying to UNZIP was created with a later release of PKZIP. For example, you might be using version 1.10 of PKZIP and PKUNZIP and if you try to extract files from a ZIP file created by version 2.04G of PKZIP then you will get that message. To correct this - you need to download a newer copy of PKZIP and PKUNZIP.

Where do I get PKZIP and PKUNZIP?

The file is available from CRS and is called PKZ204G.EXE. This is a self-extracting file - which means that you download only one file but when you run this file it will extract a number of files from itself (including the PKZIP.EXE and PKUNZIP.EXE files mentioned above).

Introduction to Using Other BBSs

Observing how people use an Electronic Bulletin Board has led me to conclude that many of you spend a fair amount of time floundering around before you get comfortable with its use. Therefore, I'd like to offer some suggestions on how to optimize your time and minimize your phone bill.

BBS COMMANDS

Learn the basic command set. Most BBSs have similar commands (R for Read, B for Bulletins, etc.). Usually you'll find either on-line help (for PCBoard systems, type H and the letter of the command on which you need help - "H R" for help on the Read command), or a user's guide. If you 'capture' this info the first time you use an unfamiliar system, and keep it handy for reference, you'll save considerable time.

BBSs FOR IBM PC AND COMPATIBLES

If you're using an IBM PC, you should probably take the time to get comfortable with the three major BBS systems - RBBS, FIDO, and PCBoard. There are others, but these three make up the majority of IBM PC based boards and are quite similar.

You will find it much more economical to familiarize yourself with these different systems using local boards, than trying to learn them while on a long distance connection. You should not have much difficulty finding these in most cities.

SCREEN GRAPHICS CHARACTERS AND ANSI.SYS

IBM PC screen graphics characters can be used in board menu and other info screens to make the screens more interesting. These characters do not require that ANSI.SYS be installed at your end, but the screen files may use ANSI.SYS commands that will not produce the desired effect at your end unless you have ANSI.SYS installed. If you haven't bothered with ANSI.SYS yet, you may want to soon because its commands are being used more and more commonly.

ANSI.SYS is used by having it loaded when you boot your system. That is done by having the file ANSI.SYS (from your PC/MS-DOS program disk) in your bootup drive's root directory and the line "device=ansi.sys" in your CONFIG.SYS file.

CALLER STYLE

Develop a style for maneuvering about a new board. Most experienced callers will do the following when dialing into a new board:

1. Note any particular requirements in the initial logon message - this is not usually repeated. Some boards require that you leave a comment to the Sysop (SYStem OPerator) with particular information. Most boards require that you answer a questionnaire.

2. Review the bulletins - particularly if you are having problems. There's usually a fair amount of information there that the Sysop thinks you ought to know. Usually he or she spent a good deal of time putting these

3. Read or scan the primary message file - I'll generally read the first few and last few messages (if it's a large message base), and do a Quickscan of the entire message base, noting any message numbers of particular interest. Doing this will give you a sense of the board's "style" and users. If you're on a PCBoard system, try the "Thread" command if you find a particularly interesting topic - this allows you to go through an entire mini- conference, staying on a single topic, hopefully.

4. Capture (don't print) the download directories. On your first visit, you may not be able to download files, but you will usually be allowed to review what's available.

5. If you decide that a board will be of use to you and plan to dial back in, make sure you've supplied all of the requested information, and leave a comment or message to the Sysop noting your interest/appreciation.

SAVING TIME

To optimize your time (and minimize your long-distance charges) switch to expert mode (type X on PCBoard and RBBS systems). If you get stuck later, simply type X again, and you'll be switched back to novice mode.

Note that many systems (e.g. RBBS, PCBoard) permit you to "stack" commands. For example, at logon, when you are asked to enter your first name, you can often enter your first name, last name, and password, all separated by semicolons or spaces:

ENTER YOUR FIRST NAME: JOHN;DOE;NHOJ

Also, you can often stack requests for downloads, bulletins, etc.

If you're using a 300 or 1200 bps (bits per second) modem, unless you're only calling local boards, a 2400 bps modem (about \$75 these days) will quickly pay for itself in reduced long distance charges. Also, a number of boards no longer permit 300 bps access.

LINE NOISE

If you're suffering through lots of line noise - garbled text, numerous errors during uploads and downloads - it'll probably be better to hang up, and dial back in, hoping for a cleaner telephone line. Some of the alternate long distance services have difficulty handling 2400 bps transmission. It may be worthwhile to dial back in at 1200 bps. Also, check with your long distance service; some of them have special dialing sequences for data calls.

DOWNLOADING FILES

When you first logon to most systems you will be asked to specify a download "protocol" (some systems will make you specify this each time you do a download). Your choices are generally one of the following:

1. ASCII - files will be sent as normal text files. Note that this will not allow re-transmission in case of errors, or allow you to receive any "binary" files (executable modules or compressed files).
2. XMODEM - files are sent as blocks of 128 bytes, with a block sequence number and a checksum. If there is an error in either the block number or checksum, the block will be retransmitted.
3. CRC-XMODEM - this is the same as XMODEM, except that a cyclic redundancy check (CRC) character is used instead of the checksum. This provides greater reliability.
4. YMODEM - this is like CRC-XMODEM, but with longer blocks (up to 1024 bytes) being transmitted. If you have a good telephone connection this will greatly speed up your file transfer. On the other hand, if you have lots of line noise, this will be slower than XMODEM.
5. KERMIT - this is a machine-independent protocol, sometimes used for accessing mainframe computers.
6. ZMODEM - Files are sent in a streaming manner, with longer blocks. ZMODEM is generally the protocol of choice if your software supports it. It's a little slower than -G protocols when used with error correcting modems, but much more robust.
7. NONE - this will cause you to be prompted for the transmission protocol each time you request a download.

You should check the documentation for your communications package to see which of these are supported.

It's considered bad manners to do nothing but download - try to download only a couple of files at a time. Use your remaining time to upload something in return or else to participate in the messages. Remember, you can always dial in the next day and download additional files. Many Sysops recommend that you try to maintain a ratio of at least one upload for every ten downloads.

UPLOADING FILES

Avoid uploading files currently on the board or ones that are not of interest to a particular board. If you've just installed a new printer, why not write up a review of it. If you've had good or bad dealings with a particular mail-order house, a lot of people are interested in reading about it.

TALKING TO THE SYSOP

Most BBSs allow you to page the Sysop (on RBBS and PCBoard, use O for Operator). If the Sysop has authorized paging and is around, he or she will generally be happy to help you with problems, answer questions, etc.

Larger boards may not have the time to monitor your session or to answer your CHAT call. CRS sysops monitor over 180 phone lines, and they cannot respond

to CHAT calls. Try leaving a message to ALL if you are in need of urgent help.

Occasionally, the Sysop may notice that you're having difficulty and enter "chat" mode to offer help. (The Sysop's monitor displays your session, just like your own).

On chat mode - in the first place, remember that there's a real human behind the computer you've dialed in to. One time, I noted a visitor leaving a somewhat hostile comment, and broke into chat mode to discuss it with him. He was immediately apologetic and somewhat flustered at dealing with a person instead of a disembodied keyboard/monitor.

Secondly, spelling and grammar don't really count in chat mode (unless a typo changes the meaning of a sentence). I think it's rather a waste of time to backspace a few words to insert a comma in the right place or fix up a misspelling.

CONFERENCING

Many Sysops have established separate conferences as sub-boards of their main board. These may be either public or private. These conferences are intended to provide a special area for messages and files of a particular nature. For example, you may run across conferences dedicated to a particular software package (Turbo Pascal, Framework, Lotus, etc.), or to a topic dear to the Sysop's heart (religion, running a BBS, AI, and so on). Usually, the Sysop will allow you to join these conferences simply by leaving a request.

SHOULD I PAY FOR USING A BBS?

Sometimes a Sysop will request (or require) you to donate money to help fund or expand a particular board. If you are a regular user of the BBS, it may be worthwhile for you to help keep it operational. Most boards are funded out of the Sysop's pocket, and while the original equipment may already be paid for, there are a number of ongoing expenses (telephone service, supplies, repairs, etc.). Additionally, it may be to your advantage to support a board's expansion for higher speed modems, additional disk storage, and the like. Sysops will often try a number of incentives to obtain funding (additional time allotments, access to special files, etc.) - you'll need to evaluate its services against your needs and pocketbook.

Boards like CRS are large commercial services, and subscription is required for access. The larger services may have their own quirks (for example, you are not required to upload files at CRS), but the basics will remain the same.

High Speed Modems

(REPRINTED from Salt Air BBS - The Home of PCBOARD) - This is a somewhat dated article, as the HST now is a 16.8K modem and the V.32 has been extended to V.32bis (14.4), but it does give a good summary of differences in modems.

We have received numerous messages asking about high speed modems, their capabilities and compatibility between modems from different manufacturers. The following text basically discusses the US Robotics HST 9600 bps modems and the Hayes V-Series 9600 bps modems. It also covers the subject of v.32 modems.

1) The old USR HST had a top transmission speed of 9600 bps. This is before taking into account any kind of MNP compression. Typical throughputs with the old HST ranged from 1150 cps on a compressed file with the modem-compression-DISABLED to 1900 cps on a regular text file with modem-compression-ENABLED.

The HST will only transmit at 9600 bps when connected to another HST but will connect at 300/1200/2400 baud to other standard modems.

2) The new USR HST (termed the 144) is able to transmit data at 14400 bps (again, this is before taking into account MNP compression, etc). Typical throughputs with the new HST will range from about 1500-1700 cps on a compressed file with modem-compression-DISABLED to about 2300-2400 cps on a text file with modem-compression-ENABLED -- this is assuming that you've opened your comm port at 38400 bps.

The HST will only transmit at 14400 bps when connected to another HST but will connect at 300/1200/2400 baud to other standard modems.

3) The Hayes V-Series 9600 modems are similar to the old USR HST described in #1 above. You will typically see throughputs as high as 1900 cps on text files but only about 960 cps on compressed files.

The Hayes V-Series 9600 will only transmit at 9600 bps when connected to another Hayes V-Series 9600 modem but will connect at 300/1200/2400 baud to other standard modems.

4) Hayes has recently begun shipping its V-Series modems with new ROM chips in them giving them v.42 compatibility. This means that the V-Series 9600 modems can now provide an error-corrected session when connected to any regular MNP modems at 2400 bps. This is because v.42 implements MNP levels 1 through 4 (which excludes MNP compression). You will typically see throughputs of about 260-280 cps on a 2400 bps line due to MNP's stripping of the start and stop bits.

5) The v.32 modems (such as those made by US Robotics and GVC) run at 9600 bps and will give you similar throughputs to those described in #1 above (i.e. v.32 will give you slower transmission speeds than will the new HST's running at 14400 described in #2). However, the advantages of v.32 are that it provides you with better "interactive response times" (such as when typing) and that because v.32 is a CCITT "standard" they will connect at 9600 bps to modems made by OTHER manufacturers. By "other" I mean that you can connect US

Robotics v.32's to MultiTech v.32's to any other v.32's. The v.32 standard appears to be one that remain for some time to come .. so purchasing a v.32 modem may be a better investment if you are concerned about future compatibility.

6) The USR Dual Standard is BOTH a v.32 and an HST modem. When it is in the "HST mode" everything said in #2 above (about the new 144 HST's) is true. When it is in "v.32 mode" then every thing said in #5 (about v.32 modems) is true. In other words in v.32 mode you will not get the full speed advantage of the Dual Standard for file transfers. However, one BIG advantage to the Dual Standard is that it is compatible not only with the v.32 standard but with all of the existing HST modems as well. This may or may not be an advantage for you depending on which modems you frequently dial into or which modems dial into you.

Why are my file transfers slow?

From Salt Air BBS - The Home of PCBOARD

The above question is one that just doesn't seem to want to go away. It is most often asked by users who have just recently purchased a high speed modem but even the veterans with high speed modems sometimes ask the same question. Let's look at a few possible reasons:

Line Noise at Connect Time

If line noise occurs during the connection process where your modem and the host modem perform their handshaking sequence looking for common ground then it is very likely that the two modems will agree to a SLOWER speed to avoid having problems during the remainder of the connection.

For instance, we very commonly have users with US Robotics HST or HST Dual Standard modems complain that their modems are capable of 1700 cps but they are seeing only 1400 cps or maybe 1150 cps or even lower and they ask why.

Let me explain: the HST modem has real BPS rates of 14400, 12000 and 9600. With the effects of MNP or v.42 (no compression here) you can figure about a 20% speed increase making the CPS rates 1700, 1400 and 1150 respectively.

That makes it very obvious then that during the connection phase the modems agreed to only 12000 or 9600 bps instead of the full rated speed of 14400 bps. In fact, if line noise occurs during the call the modems may very well decide to shift down at that time as well. If 9600 bps is noisy your modem may shift down even further to 7200 or 4800 bps.

For the USR HST user you can, immediately after logging off, type AT16 and your modem will tell you what your connect speed was which may help you determine if the slow down was the speed of the connection.

Other modems have similar drop down capabilities.

Line Noise During the File Transfer

For years people used to state that 2400 bps was as fast as DIAL UP phone lines could handle and that we would never go beyond that rate due to the low bandwidth and high noise levels of telephone lines. Then along comes people like US Robotics and Hayes and many others who make high speed modems practical even on dial up lines.

Well, line noise is NOT a thing of the past, lost and forgotten. It is still with us. These new modems are not magic either. They manage to HIDE the line noise and in some cases are able to filter it out or even through special encoding cancel some of the line noise. But it is still there.

When line noise occurs during a file transfer between two modems which have established an error correction session the only TANGIBLE EVIDENCE of this line noise may very well be SLOW FILE TRANSFERS and nothing else.

The USR HST modem has a light on the front panel labelled ARQ. Depending on which modem may have to recover from the line noise by re-sending its data you may see the ARQ light flash perhaps randomly, sometimes very quickly to indicate that it is having to retransmit the data. Most modems give no indication at all that extra work is being required of the modem. Some modems eventually give up and just drop the carrier completely.

Like the first example above the HST's ATI6 report (after hanging up) can give you information as to how many times packets of data had to be retransmitted which may give you some clue as to how noisy the line may have been.

Inability to Compress ZIP Files

If you find that downloading ASCII files produces OUTSTANDING file transfers but that downloading ZIP files cuts file transfer CPS rates 25% or more off of your expected throughput then very likely you have turned on what is called "data compression". If you've ever tried to use PKZIP to zip a .ZIP file you usually find that PKZIP will decide to just "store" the file rather than "shrink" or "implode" the file. Why? Because in its attempt to shrink the file it actually causes the file to GROW in size! Quite the opposite of the desired effect.

The same exact thing happens when you try to use your modem's built-in data compression capability on a file that is already compressed. The modem's compression algorithm actually causes the data to GROW (i.e. it sends more bytes out over the phone line than are coming into the modem) which slows the file transfer.

PCBoard's modem configuration program, called PCBModem, is generally set up to turn data compression ON by default! Why? You ask... because it is generally believed that it should be up to the CALLER to decide if he wants to take advantage of the data compression capabilities of his modem. If PCBModem were to turn data compression OFF then *nobody* calling your system would get data compression. Leaving it enabled allows the caller to make the choice.

However, many sysops like to use the same high speed modem that they set up for use with PCBoard to dial out to other systems. What they are forgetting is that PCBModem has turned data compression ON and they go right ahead and try to download a ZIP file.

Our recommendation is this: Leave data compression turned on when the BBS is up and running but turn data compression off when dialing out (assuming you are planning to download ZIP files).

One "high tech" solution to the problem is to upgrade your modem to the v.42bis standard. In theory, like PKZIP, v.42bis data compression will detect when it is making the data grow and turn itself off so that the data is sent out uncompressed (similar to PKZIP's simple "storing" of zip files). Again, in theory, that means that you can leave data compression turned on all the time and never have to worry about slow transfers of pre-compressed files.

Flow Control Problems

For high speed file transfers to work you generally want to open your port speed (the speed that your PC talks to your Modem) at a rate that is faster than the line speed (the speed that your Modem talks to the other Modem).

This is somewhat akin to squeezing a bottle to make the liquid come out faster than if you just poured it out directly. If the data is sent to the modem at 9600 bps then the fastest over-the-phone-line rate will be 9600 bps. By sending data to the modem faster than the over-the-line rate you give the modem time to work on packetizing the data (this is where the 20% increase in speed comes from) and possibly even compressing the data (if compression is turned on and the data is not already compressed).

The only trouble is, if you are sending data to the modem FASTER than it can send it across the line then there are times when the PC simply must stop sending and wait for the modem to catch up. That is when a traffic light called CTS and RTS, must enter the picture to control the flow of the data. To indicate when the modem's buffer is sufficiently empty to receive data and to indicate when it is full and the data flow must be stopped.

If your modem is not configured correctly for flow control, or if your software is not configured correctly to use flow control, or if your asynch board does not support flow control, or if your modem's cable does not have the CTS and RTS lines wired properly ... all of these possibilities can result in flow control errors which will cause data to be lost.

When data is lost due to flow control problems there is only one solution and that is to send the data again! This results in slowing down your file transfer. Zmodem will give a ZRPOS error (which means resend the last block of data) while other protocols will simply indicate an error and expect a retransmission of the data. Full flow protocols such as Ymodem/G and 1K-Xmodem/G have no built-in facility to request that data be re-sent and therefore must CANCEL the entire file transfer if such a loss of data occurs.

Similar to the modem's buffer and its traffic light to control the flow of data, your PC, and the SOFTWARE it is using, will set up its own local buffer to receive data from the modem. If you are multitasking on your PC you may be asking the PC to perform other tasks besides attending to the data coming in from the modem. If the modem's buffer (or even the buffer on your asynch card) gets too full and is not emptied quickly enough the data can be lost. Your software should be configured to use flow control to tell the modem when to stop sending data to it. Another course of action is to utilize the National Semiconductor NS16550AFN uart chip in your asynch port which has a 16-byte buffer on it (that may sound small but it is 16 TIMES the size of the buffer used by all uart chips before it).

All things must come together to work in harmony, your modem, your software, your asynch card and cable. And this is only on one side of the connection. The same requirements are necessary on the other side of the telephone line to ensure fast and reliable transmission of data.

File Transfer Protocols

One more area that people need to learn about is choosing the right protocol for the file transfer. Too often you'll find people using Xmodem to download files when their modems have established a high speed connection.

What's wrong with Xmodem, you ask? Xmodem sends packets of 128 bytes of data and after each and every packet is sent it waits for the receiver to tell if it

CRS ONLINE NEW USERS GUIDE

the packet was good or bad. This is fine at slower speeds because if it takes 1/10th of a second to receive this acknowledgement at 1200 bps then at most you've lost the ability to send 12 characters out the port. At 2400 bps that same 1/10th second delay means a slow down of 24 characters. And at 9600 cps the delay means 96 characters. And a 1/10th of a second delay is being OPTIMISTIC here because if you are dialing long distance or going over a satellite or using a packet-switch network the delays might actually be measured in full seconds.

Ymodem sends packets of 1024 bytes. This means that the same delay that Xmodem experiences occurs only 1/8th as often because it sends 8 times as much data before waiting for an acknowledgement. Okay, that means that Ymodem will give you faster file transfers than Xmodem. But it still is not perfect.

Zmodem, on the other hand, does not wait for an acknowledgement but instead continually sends data until the receiving end tells it to back up to a previous location (ZRPOS) in the data stream and resend that information. Since there are no built-in delays every X-bytes of data you'll find Zmodem gives you excellent file transfer rates.

Ymodem/G, having less over-head than Zmodem because it ASSUMES that your modem is configured correctly and that there will be no data loss, is able to send the data even faster than Zmodem. The one caveat: if an error *does* occur then the file transfer will be aborted.

In summary

With the above arsenal of information, about line noise, about data compression, about flow control and about file transfer protocols you should have enough information to guide you to the real cause of the slow down in file transfers. There is no "one set answer" to the question. But taken together the above should help you determine which answer, or answers, may apply to your specific situation.

One final point: Make sure the software you use is top-notch. PCBoard for the host connection has been tested to give very fast and very reliable transfers all the way up to 115K bps. On the caller's side programs such as Qmodem, Telix and Procomm are all worthy of evaluation.

(note: the US Robotics HST was mentioned in the above, not to pick on HST for line noise, but simply because a very large majority of PCBoard sysops use HST's and can identify with the examples given)

HIGH SPEED MODEM SETTINGS

We get many requests for proper settings for high speed modems - The new modems are complex, and most often, the factory settings are not proper for optimal communications.

Here's what we use - Those running PCBoard systems can use these settings directly. Those running other BBS systems may have to modify these settings (Sorry, we do not support other BBS systems).

Those communicating with BBS systems should set these up once, write them to the modems NRAM with an AT&W command and use ATH0 as an initialization string in their communications program.

Modem Selected: USRobotics HST (9600 model)

Set Switches - 1 2 3 4 5 6 7 8 9 0

Rear - U U D D D U U D D U

NRAM Settings

ATC1F1M0Q0V1X4S2=255&B1

AT&A1&G0&H1&I0&M4&N0

AT&P0&R2&S1&Y1S7=60&W

Modem Selected: Hayes V-Series with V.42

Comments: None

NRAM Settings:

AT&L0&G0&J0&P0Y0N1E0&K3&Q5

ATM0L2Q0V1X4W1&C1&D2&S0&X0

ATS2=255S0=0S36=5S37=0S38=2&W

Modem Selected: USRobotics HST (14400 model)

Set Switches - 1 2 3 4 5 6 7 8 9 0

Rear - U U D D D U U D D U

NRAM Settings:

ATC1F1M0Q0V1X4S2=255S15=8&B1

AT&A1&G0&H1&I0&M4&N0&P0

AT&R2&S1&Y1S7=60S0=0&W

Modem Selected: USRobotics Dual Standard HST

Set Switches - 1 2 3 4 5 6 7 8 9 0

Rear - U U D D D U U D D U

NRAM Settings:

ATC1F1M0Q0V1X4S2=255B0S13=1&B1

AT&A1&G0&H1&I0&M4&N0&P0&C1

AT&R2&S1&Y1S7=60S0=0&D2&W

Modem Selected: ATI2400ETC Modem

NRAM Settings:

ATM0N1Q0V1W1Y0&C1&D2&G0&I0&J0&B0

AT&K3&L0&P0&Q5&R0&S1&T4&X0&Y1

ATS2=255S0=0&E1X4

Modem Selected: Telebit Trailblazer Plus

NRAM Settings:

ATE0F1M0Q0V1X1

S2=255

S52=0S53=3S54=1S58=2S59=4S66=1S68=2S95=2S110=0

Modem Selected: Practical Peripherals PM2400

NRAM Settings:

ATB0E1L2M0Q0V1X4Y0/C1/D2/G0/J0/L0P0/Q0/R0/S1/X0

In all cases, if a register is not shown, the default is assumed. Setting up high speed modems is not difficult, but the settings are sometimes tricky. These settings have worked here at CRS.

PCBOARD - REFERENCE

(A)bandon Conference

Subcommands NONE

Description: Places you back in the main section of the board. If you are not in a conference, the main menu is re-displayed along with the main command prompt. You may also use the (J 0) command and get the same effect.

(B)ulletin Listings

Subcommands (#) (A) (D) (N) (R) (S) (NS)

(#) Bulletin number to view.

(A) Displays all of the bulletins.

(D) Immediately goes into download mode to send the bulletin(s). See examples below.

(N) Displays a bulletin only if it has been updated since you were last on.

(R) Re-displays the Bulletin Menu. (S) Scans the bulletins for text. (NS) Displays file in non-stop mode.

Description: Allows viewing Bulletins available.

Selecting Bulletins Numbers can be stacked such as (1 2 3) or (1;2;3).

Typing (A) will select all of the bulletins for display.

Combining (A) with (N) would display all new bulletins while combining (A) with (S) would search all bulletins and display only those bulletins containing the search text entered.

Reading Bulletins Typing (NS) selects Non-stop mode which avoid page breaks in the display.

Typing (D) puts the system immediately into download mode to send the file using the default protocol. (D) option must be specified as the last variable of command. Imagine using the proper commands for viewing and then stack a (D) at the end.

Examples:

1 2 3 D Displays bulletins 1, 2 and 3

2 N D Displays bulletin 2 if, and only if, it is new.

B A N D Displays all new bulletins.

B A N D D Using a batch protocol sends all new bulletins.

1 2 D - Download Bulletins 1 and 2.

(C)omment to Sysop/System Operator

Subcommands NONE

Description: Allows leaving a private message or comment to the system operator.

See (E)nter a Message for information on how to actually enter and save your comment text.

(CHAT) or (NODE) Node CHAT

Subcommands (#) (G) (A) (U)

- (#) Any other active Node Number.
- (G) Places you in Group CHAT with others.
- (A) Flags your Node as being available for CHAT (default).
- (U) Flags your Node as being Unavailable for CHAT.

Description: Allows interactive keyboard conversation with one or more other system nodes. To CHAT with only one other node, enter that node's number. To CHAT with a group of nodes, enter (G). If a Node is unavailable for CHAT, you will be advised of such. If the Node requested is available, they will be informed of your request. When entering (G)roup CHAT, only other Nodes which are already in Group CHAT will be advised that you have joined them.

When in Node CHAT, the following subcommands are available:

(Q), (E), (U), (H)

- (Q) Quits Node CHAT.
- (E) Also quits Node CHAT.
- (U) Displays the status of the other Nodes.
- (H) Gives a quick display of these subcommands.

When conversing in Node CHAT, there can be, and usually will be, delays between when you enter your text to the other person, and the time it takes them to respond. Since text is only sent to the other Node when an (Enter) key or word-wrap occurs, there can be time periods of several seconds between text coming back to your screen. Please WAIT until it is your turn to type! End your text with a (/ga) or (/o) to indicate it is the other person's turn to type D and then WAIT!

(D)ownload a File

Subcommands (filename 1) (filename 2) (etc) (protocol) (gb or bye)

(filename) any valid DOS filename may be used and more than one filename may be entered if you choose to use a BATCH protocol for the file transfer

(protocol) is a letter from A-Z or 1-9 of the protocol desired based on the protocols available. For a listing of protocols, see the (T) command.

(gb) Either (gb) or (bye) may be entered on the (bye) command line to indicate that you want the system to hang up after it finishes the file transfer. You will have ten seconds to press CTRL-K to abort before the board hangs up.

Description: Allows transferring a file from the system being called to your machine.

There can be up to 26 different types of protocols available. If you have not previously set a default protocol for the system you are calling, you will be asked for the protocol type each time you request a download.

Ascii protocol transfers are only available on non-binary text files. Filenames which have extensions of .EXE, .ARC, .COM, .WKS, etc. can not be downloaded using Ascii protocol.

Selecting Files; Filenames do not need to be typed in completely in order for the system to locate the desired file. A default filename extension is usually provided by the Sysop such as (.ZIP) so that if you request a file called TEST it will first search to see if a file called TEST.ZIP can be located and if not it will search for TEST and send which ever file it finds.

In some cases this default extension can make it difficult to download a desired file. For instance, if both TEST and TEST.ZIP exist on the system then typing (D TEST) will always result in downloading TEST.ZIP. To download the file called TEST in this instance you would need to type TEST followed by a period with no extension like this:

(D TEST.)

You may also locate files for download by using the * and ? wildcard characters - the same as those used by DOS to specify files. See the examples below.

Batch Downloads Some protocols allow you to download more than one file at a time. Examples of this are the Ymodem and Ymodem/G protocols. Downloading more than one file at a time requires that you select a batch protocol on both your end and the host end of the connection. The system will continue to ask for filenames until it reaches it's batch limit, or you press enter at the filespec prompt.

Examples D TEST - Downloads TEST using default protocol. D TEST X - Downloads

CRS ONLINE NEW USERS GUIDE

TEST using Xmodem protocol. D TEST1 TEST2 Y - Downloads TEST1 & TEST2 using Ymodem. D TEST? G - Downloads TEST1 & TEST2 using Ymodem/G. D TEST*.* - Downloads any file starting with TEST.

(E)nter a Message

Subcommands NONE

Description: Allows leaving a message to another person(s) for them to read at a later date.

Full Screen Editor: After selecting (E), you will be asked if you want to use the Full Screen Editor. To use the Full Screen Editor your software must be capable of interpreting ANSI cursor position commands. The default answer to the question will be NO if the system did not detect ANSI on your end or if you are in novice mode.

Addressing the Message: You will be prompted to enter the name of the person the message is being addressed to. If the system operator has enabled message name verification on his system, the name entered will be checked against all names in the user's file to insure a proper match. If the user's name is not found, or the user is not registered in the same conference or board area where the message is being left, you will be advised of such to avoid leaving a message to a non-existent individual. However, a SOUNDEx search to locate a name that sounds like what you entered can be performed or you can override the verification and answer (C) to continue and use the name that you have entered which might be done to facilitate leaving a message to a group of people. By not entering a username at the "To:" prompt, it will automatically address the message to (ALL).

Brackets will be displayed either above the line or surrounding the area on the screen in which you are allowed to enter text.

Entering a Subject: Next, up to a 25 character subject must be entered. If no subject is entered you will be returned to the main menu and command line prompt.

Message Security: A security prompt will next appear looking something like this:

Security: (G)roup, (R)eceiver, (S)ender, (H)elp, (N)one

(N)one means that the message will be open for all to read.

(G)roup allows assigning a password to the message which only other callers who know the common password will be allowed to read the message.

(R)eceiver makes the message private to all except you and the person to whom it is addressed.

(S)ender allows you to assign a password to the message so that only you can kill it later. This prevents the other person to whom the message is addressed from killing it.

Note that you can NOT assign (R)eceiver protection to a message which has been addressed to ALL.

All Messages Private? A message base can be set up such that all messages are initially flagged as private. In this case the above security prompt is skipped and the message will be saved using (R)eceiver security so that only you and the person to whom the message is addressed can read it.

Entering a Message: After completing the above steps, you can enter your text. Each line you enter will be preceded by it's line number. Up to 72 characters per line is allowed. Typing beyond the 72 character limit will cause your text to automatically "word-wrap" down to the next line.

Exiting the Editor: There are two modes in which text can be entered which you will have already chosen by the time you get to the editor. One of them is the Line Editor mode where only one line at a time can be entered or edited and the other is Full Screen Editor mode in which the entire screen is used as the workspace for message entry.

To exit the Line Editor, press (Enter) alone on a blank line. To exit the Full Screen Editor, press (ESC). After you exit the Line Editor or the Full Screen Editor you will be prompted for message completion subcommands as described below:

Message Completion Subcommands

- (A)abort Abandons/cancels your message entry.
- (C)ontinue Continue using the Line Editor.
- (D)elete Delete a line of text from the message.
- (E)dit Allows you to edit a line of text.
- (F)ull Continue using the Full Screen Editor.
- (H)elp Displays Help file.
- (I)nsert Insert a line of text above another.
- (L)ist Relist your text entry so far.
- (Q)uote Quote a portion of the replied-to message.
- (S)ave Writes the message to disk.
- (U)pload Upload ASCII text into message w/o echo.
- (SC) Save the same message to another individual.
- (SK) Save message, kill replied-to message.
- (SN) Save message, skip redisplay of replied-to message.

Note, The format to (E)dit a line of text is:

(old text;new text)

where the (old text) is the text you wish to replace, followed by a (;) followed by the (new text). The old text search is case sensitive - so capital letters must match exactly. If your new text causes that line to exceed 72 characters, the characters beyond 72 will be truncated from the line.

When uploading Ascii text to the message base, insure your text lines are 72 characters or less in length.

Note, while in the full screen editor you can press CTRL-Z to get help on the editing keys available in the full screen editor.

(F)ile Directories

Subcommands (#) (D) (L) (N) (R) (U) (V) (Z) (NS)

(#) Directory number to view.

- (D) Download a file.
- (L) Locate Files by Name (wildcarding OK).
- (N) Locate Files by Date Scan.
- (R) Re-lists the directory menu.
- (U) Display Upload Directory.
- (V) View contents of a compressed file.
- (Z) Zippy DIR Scan by Text Search.
- (NS) Displays request in non-stop mode.

Description: This command allows you to view a listing of the files available. After selecting (F), a listing of the file directories available will be shown - usually grouped by category. To view one or more of the directory listing files, enter the number to view. Multiple listings can be viewed at the same time by entering several numbers at the same time.

e.g. (F) (1) (2) (10)

By adding the (NS) non-stop parameter at the end of your request, the entire listing will be displayed without screen pauses every 23 lines.

You can use the (V)iew subcommand to view the files included in a compressed file listed in one of the directories. If you elect to (D)ownload the file just (V)iewed, the filename of the Viewed file will automatically be carried forward as the download filename request unless over-ridden by you.

Additionally, you can request a download of a specific file from the (F)ile Subcommand prompt to avoid having to return to the main menu.

Also, you can request a Download, Upload, or the Viewing of any file at all "More?" prompts while scanning a file directory.

(FLAG) Files for Download

Subcommands (filename 1) (filename 2) (filename 3) (etc)

(filename) is the name of the file to be downloaded. Multiple names can be stacked on the same line and wildcards may be used in the name.

Description: The FLAG command is used to flag files or groups of files for later download. For instance, you may be busy looking at a list of download files and find some that you want to download but don't wish to download them at that very moment. Rather than having to write down the name or try to remember it later you can simply tell the system to flag the file and remember it for you.

To download the files that are flagged you would then issue a (D)ownload command at which point the system will ask you if you want to download the files that were flagged. Answering NO will cause the system to forget the files that were flagged.

Examples * FLAG test1

Functioning the same as the download command, this command will first check to see if TEST1. exists where is the default extension for the system you are on.

CRS ONLINE NEW USERS GUIDE

For example, it will see if TEST.ZIP exists and if not it will attempt to flag TEST instead.

* FLAG file1 file2 file3

Flags all three files for download.

* FLAG file*.txt

Flags any files matching file*.txt for later download.

(G)oodbye

Subcommands NONE

Description: Disconnects you from the host system. This command should always be used to log off of the system to insure proper updating of all message pointers, etc. NEVER just drop carrier by issuing an (Alt-H) (or equivalent) command to your communication's software without first entering the (G) command!

Some systems also ask that you complete a (S)cript Questionnaire at the time of logoff.

(H)elp

Subcommands (A-Z) (CHAT) (DOOR)

(A-Z) is any letter of the alphabet.
(CHAT) or (NODE) displays Node CHAT help file.
(DOOR) or (OPEN) displays DOOR help file.

Description: Displays the appropriate help file which corresponds with the command you need help with. The software usually indicates that help is available by displaying a (H) option at the command line you are at. Additionally, the code will also recognize a (?) in place of the letter (H) when requesting help. If no help is available it will simply redisplay the command line prompt.

(I)nitial Welcome

Subcommands NONE

Description: Redisplays the initial welcome screen, along with the version number of PCBoard which the system is running.

(J)oin a Conference

Subcommands (#) or (Name)

(#) Valid conference number from 0 to the highest conference number on the system. (Name) Name of any existing conference.

Description: Allows joining an active conference on the system. The conference name or number to be joined can be included with the (J) command on the same line if desired. If you are not registered in the conference requested, you will be advised of such and returned to the main command line prompt.

The entering of a "J 0" will act as if you did an (A)bandon command and return you to the main board message base area.

Examples J 1 - to join conference #1 J SYSOPS - to join the Sysops conference

(K)ill a Message

Subcommands (#)

(#) Valid active message number

Description: Allows marking a message as inactive or killed so that others can no longer read it. Additionally, when the system operator packs the message base, the message will be purged from the system.

Entry of an invalid message number returns you to the main command line.

(L)ocate Files by Name

Subcommands (filename/wildcard) (A) (D) (N) (U) (NS)

(filename/wildcard) Filename to search for.

(A) Scans all available file directories.

(D) Download all files found.

(N) Combine the search with a date scan.

(S) With (N) indicates new files since the last date you scanned.

(U) Scans only the available upload file directory.

(NS) Displays listing in non-stop mode.

Description: Allows you to search the file directory listings for filenames which match those you are looking for. You can also use valid DOS wildcards in your filename request if you are unsure of the exact filename you are looking for.

Examples:

L TEST A - Search all directories for a file called TEST.

L TEST*.* A - Search all directories for any file beginning with TEST.

L TEST A D - Find TEST or TEST.(ext) and download it.

L TEST*.* U - Find TEST*.* in the UPLOAD directory.

L TEST*.* N A - Find only new files matching TEST*.*.

Other examples of wildcards: TEST? TEST?.ZIP ??TEST.*

Note, If the filename is less than 8 characters long and no wildcards have been used it automatically appends "*.*" to the name (i.e. searching for TEST turns into TEST*.*).

If an invalid file is requested it will automatically switch to a (Z)ippy search command

(LANG) Language Change

Subcommands (#)

(#) Language number to change to.

Description: Allows you to change from the current default language to a new language of your choice. If the system you are calling does not support language changes, you are returned to the main command line prompt.

(M)ode

Subcommands NONE

Description: Switches your screen display mode between ANSI graphics and non-graphics mode. If you toggle ANSI Graphics on, you must be using a communication's program which supports standard ANSI (Esc) code graphics. If you select graphics and get a lot of symbols such as "[01;49m" on your screen mixed in with the normal text display, your software does not support ANSI graphics and you should toggle Graphics off by re-entering the (M) command.

Note, The system will automatically detect if you have ANSI capability and your system supports the CURSOR POSITION REPORT sequence. However, you still must select whether or not you want the color graphics sent to you.

(N)ew Files by Date

Subcommands (date) (A) (D) (S) (U) (NS)

- (date) Valid date in mmddyy format (no spaces!).
- (A) Scans all file directory listings.
- (D) Download all new files found.
- (S) Scan for new files since your last directory scan.
- (U) Scans only upload file directory listings.
- (NS) Displays output in non-stop mode.

Description: Displays file listings based on a date scan of when the file was placed on the system. Matching files are those found which have a date equal to or later than that requested.

Entering an (S) indicates that the last DATE scan or the DATE of the most recent files found on your last scan should be used as the scan date.

Entering a (D) on the command line will cause all files found to be queued up for download on your next (D)ownload command.

Examples

- N A S - Scan for all new files since last scan.
- N U S - Scan for new files in the upload directory.
- N U I D S - Scan for and download new files in directory 1.

(NEWS) File - Redisplay

Subcommands None

Description: Redisplays the NEWS file for the message base you are in.

(O)perator Page (NOT AVAILABLE ON CRS)

Subcommands NONE

Description: Allows paging of the system operator to come to the host keyboard and enter an inter-active typing mode with you. If the system operator is not available, a message will be displayed and you will be returned to the main menu. You can abort the page in advance of the 30 second timeout period if desired by pressing (Ctrl-K).

(OPEN) a (DOOR)

Subcommands (#) or (Name)

(#) Number of the DOOR to open
(Name) Name of the DOOR to open

Description: A DOOR is an extension to the system. A part of the system which is not built directly into the PCBoard Bulletin Board Software.

(P)age Length

Subcommands (#)

(#) Valid number between 0 and 50.

Description: Allows setting the number of display lines you want sent to you before the displaying a "(H)elp, More?" prompt. If you select 0 as your page length, you will never pause during any screen display. The default value for this command is 23 lines per page.

(Q)uick Message Scan

Subcommands (#) (F) (Y) (S) (NS) (+) (-) (TS)

(#) Any number from 1 to 9999999.
(F) Scans for message headers from you.
(Y) Scans for message headers to you.
(S) Scans for headers above those you have already read.
(NS) Displays text in non-stop mode.
(+) or (-) appended to the end of a numbers forces the display to be shown in forward or reverse order respectively. (TS) Search message headers for

specific text.

(USER) Selects only those message to or from a specified user.

Description: Allows viewing a quick description of the message header information available. The display includes the message number, the message reference number (if any), who the message is to, who the message is from, and the subject matter of the message.

Due to screen width constraints, some fields are shortened for display purposes. Messages which are protected from reading will not be displayed to you.

(R)ead Messages

Subcommands

- (#) Message number between 1 and 9999999.
- (F) Selects only messages from you. (Y) Selects only messages for you.
- (YA) Selects only messages for you or addressed to "ALL".
- (S) Selects messages above the last one you have read.
- (A) Read messages in all (SELECT)ed conferences.
- (ALL) Read messages in all conferences in which you are registered.
- (L) Read in backwards order from the last message to the first.
- (C) Capture the messages to a file for download. (D) Implies a (C)apture and immediately downloads.
- (Z) Implies a (D)ownload but compresses the file before.
- (G) Goodbye - Logoff. (J) Join another conference.
- (Q) Display only message headers (see (Q)uick message scan function).
- (NS) Displays text in non-stop mode.
- (RM) Re-read previously "memorized" message.
- (RM+) Re-read "memorized" message plus forward read.
- (RM-) Re-read "memorized" message plus backwards read.
- (+) Alone reads messages forward from present position or when appended to a number causes forward reading from that message number.
- (-) Alone reads messages backwards from present position or when appended to a number causes backward reading from that message number.
- (TS) Searches messages for the specified search criteria.
- (SET) Sets the number of the last message read.
- (EDIT) Puts the current message into the editor for re-editing.
- (NEXT) Reads next higher message number available.
- (PREV) Reads next lower message number available.
- (JUMP) Skips to the next conference on a (R)ead (A)ll command.
- (SKIP) Sets the last message read pointer, skips to next conference.
- (USER) Selects only those message to or from the specified user.
- (SELECT) Selects the current conference for future scans.
- (DESELECT) Deselects the current conference for future scans.

Description: Allows reading messages left on the system. All public messages will be displayed, along with private messages left either by you or for you. If a message has more display lines than what your (P)age Length is set for, a "(H)elp, More?" prompt will appear asking for your input. Multiple message numbers to read can be entered on the same command line if desired. Additionally, combinations of the above commands can be entered on the same

CRS ONLINE NEW USERS GUIDE
command line if desired.

Examples:

* R S

The above command will read all mail that is new since you last read mail in this message base.

* R Y S

The above command will read all mail that is addressed to you that is new since you last read mail in this message base.

* R 1+

The above command will read all messages from #1 to the end.

* R 1 5 10 20

The above command will read messages 1, 5, 10 and 20 and then stop.

* R L

The above command will read all mail in reverse order from beginning to end.

* TS A 1+

PCBoard & LANtastic

The above commands will search through every available message in ALL conference areas you are set to scan for any message that has both the word "PCBoard" AND the word "LANtastic" in it.

* TS A 1+

PCBoard & (LANtastic | DESQview)

The above commands will search through every available message in ALL conferences areas you are set to scan for any message that has both the word "PCBoard" AND either the word "LANtastic" OR the word "DESQview" in it.

The parenthesis tell PCBoard how you want to group your criteria if you have a complex search request such as the one above. It will allow for nearly any number of parens and any combination of AND's (using the "&" character) and OR's (ing the "|" character).

* TS A 1+ USER JOHN DOE

PCBoard & Help

The above command (similar to examples above) adds the keyword USER to the command line specifying that only messages that are either TO or FROM John Doe should be displayed if they are found to have both the words PCBoard and Help in them.

* R A Z

The above command will capture all messages in all conferences since the last message read, compress the capture file and then begin the download procedure.

* R SET 100

Sets the last message read for that conference to 100.

End of Message Command

Commands Available to All

- (Enter) Continues on with message read function.
- (N) Stop reading messages.
- (NS) Continue reading messages in non-stop format.
- (T) Thread read (forward) (or T+).
- (T-) Thread read (backwards).
- (#) A specific message number between 1 and 9999999.
- (+) Alone reads messages forward from present position or when appended to a number causes forward reading from that message number.
- (-) Alone reads messages backwards from present position or when appended to a number causes backward reading from that message number.
- (F) Selects only messages left by you.
- (Y) Selects only messages for you.
- (YA) Selects only messages for you or addressed to "ALL".
- (S) Selects messages above the last one you have read.
- (A) Read messages in all (SELECT)ed conferences.
- (ALL) Read messages in all conferences in which you are registered.
- (L) Read in backwards order from the last message to the first.
- (C) Capture the messages to a file for download.
- (D) Implies a (C)apture and immediately downloads.
- (Z) Implies a (D)ownload but compresses the file before.
- (G) Goodbye. (J) Join another conference.
- (Q) Display only message headers (quick scan mode).
- (/) Redisplays the current message.
- (RE) Enter a reply to the message just read.
- (RR) Read the referenced message.
- (M) Memorize that message number for later return.
- (RM) Return to a previously (M)emorized message number.
- (TS) Searches messages for specified search criteria.
- (SET) Sets the number of the last message read.
- (NEXT) Reads next higher message number available.
- (PREV) Reads next lower message number available.
- (USER) Search for messages to/from a specific user.

Additional Commands Available if Message is To/From You

- (K) Kill the message.
- (E) Edit the "To:" and "Subj:" of the message header and 'Echo' flag if applicable.

(REPLY) To Messages

Subcommands (#)

(#) A message number between 1 and 9999999.

Description: Allows replying directly to another message from the main command line. Message numbers can be stacked together if desired.

(RM) Read Marked Message

Subcommands None

While there are no subcommands the RM function can take any of three separate forms:

RM Read the marked message and stop.

RM+ Read the marked message then continue going forward.

RM- Read the marked message then continue going backward.

Description: When reading messages you can use the (M)ark Message command to tell the system to remember that number for you so that you can easily go back to it. To return to that Marked Message you simply issue one of the above three RM commands.

Tips: To redisplay and possibly capture the message you are currently reading you could issue a command such as this:

```
M RM NS
```

It first marks the message you are reading, then it re-reads that message in NON-STOP mode. Another form of the same thing if you wanted to re-read that message and then keep going would be:

```
M RM+
```

Note, You must be in the conference where you marked the message in order for the system to properly locate it.

(S)cript Questionnaire - Function Help

Subcommands NONE

Description: A script questionnaire is a set of questions that the system operator has set up where the answers that you provide will be recorded in a file for later analysis or processing.

If no questionnaires have been defined, you will be told such and returned to the main command line. If scripts are present, you will be displayed a menu of them, including a number of the choices available. To complete a script, enter the number indicated.

After selecting a valid number, you will be displayed a brief description of the

what the questionnaire is for and asked whether or not you wish to continue. If you indicate (Y)es, the script will begin execution. During execution, you will be displayed a prompt of one or more lines which will ask you a question, followed by an input field in which you can enter your response. You are limited to a one line response for each question asked. Responses can not be longer than the brackets shown above the input line. Attempting to exceed the input length will cause the host to send you a BEEP and will pause awaiting either the shortening of your response or the pressing of your (Enter) key.

(SELECT) Conferences to Scan

Subcommands (S) (D) (#) (#-#)

- (S) Selects ALL conferences.
- (D) Deselects ALL conferences.
- (#) Toggles a specific conference on or off.
- (#-#) Toggles a range of conferences on or off.

Description: The SELECT function is used to tell the system which conferences you are interested in (or not interested in). It affects the scanning of conferences when reading or searching for mail.

The command can also be used to reset the Last Message Read pointers in each of the conferences selected.

Examples:

* SELECT S

The above command would select ALL conferences to be scanned or read. (Not recommended for CRS. This can take up to an hour to execute).

* SELECT 1

If conference #1 was already selected then it is turned off. If it was not already selected then it will be turned on and you will be prompted for a new Last Message Read number for that conference.

* SELECT D 1-3 6

The above command starts out by deselecting all conferences after which it reselects conferences 1 through 3 followed by 6. It will then prompt the caller for any last message read changes in each of the newly selected conferences.

(T)ransfer Protocol - Function Help

Subcommands (A-Z)

(A-Z) is a valid protocol defined to that system

Description: Allows setting of a default transfer protocol. The choices of protocols

available will vary from system to system based on the protocols which the system operator has enabled. A default of (N)one can also be entered, in which case you will be asked to specify the protocol type each time you begin either an upload or download from the system. If you specify a value here, it will be used as the default each time you request a file transfer. However, this default can be over-ridden at the time of a file transfer request by including the protocol desired as a separate entry on the same line as the filename is entered. (i.e. (filename) (F) would over-ride any default here as specifying 1K-Xmodem Full-Flow protocol.)

(TEST) Files

Subcommands (filename)

(filename) Name of the file you want to test. Like the download function it will append the default extension to the filename if one is not specified.

Description: Allows you to test a file's integrity prior to downloading the file. The system operator must specify the kinds of tests that will be performed if this option is available. It could, for example, perform a CRC check on the file as well as scan for a virus and then inform you prior to downloading if the file passes the tests that were executed on it.

(TS) Message Text Search

Subcommands :

- (F) Selects only messages left by you.
- (Y) Selects only messages left for you.
- (S) Selects messages above the last one you have read.
- (A) Scan messages in all (SELECT)ed conferences.
- (ALL) Scan messages in all conferences in which you are registered.
- (L) Read in backwards order from the last message to the first.
- (C) Capture the messages found to a file for download
- (D) Implies a (C)apture and immediately downloads
- (Z) Implies a (D)ownload but compresses the file before
- (NS) Displays text in non-stop mode
- (RM+) Re-read "memorized" message plus forward read.
- (RM-) Re-read "memorized" message plus backwards read.
- (##+) Scan messages from a selected number forward.
- (##-) Scan messages from a selected number backward.
- (USER) Selects only those message to or from the specified user.

Description: Allows searching the messages on the system to find messages that match the search criteria that you provide.

Examples:

* TS A 1+
PCBoard & LANtastic

The above commands will search through every available message in ALL conferences areas you are set to scan for any message that has both the word

"PCBoard" AND the word "LANtastic" in it.

* TS A 1+

PCBoard & (LANtastic | DESQview)

The above commands will search through every available message in ALL conferences areas you are set to scan for any message that has both the word "PCBoard" AND either the word "LANtastic" OR the word "DESQview" in it.

The parenthesis tell PCBoard how you want to group your criteria if you have a complex search request such as the one above. It will allow for nearly any number of parens and any combination of AND's (using the "&" character) and OR's (using the "|" character).

* TS A 1+ USER JOHN DOE

PCBoard & Help

The above command (similar to examples above) adds the keyword USER to the command line specifying that only messages that are either TO or FROM John Doe should be displayed if they are found to have both the words PCBoard and Help in them.

(U)pload a File - Function Help

Subcommands (filename 1) (filename 2) (etc) (protocol) (gb or bye)

(filename) Any valid DOS filename may be used and more than one filename may be entered if you choose to use a BATCH protocol for the file transfer.

(protocol) Letter from A-Z of the protocol desired based on the protocols available.

(gb) Either (gb) or (bye) may be entered on the (bye) command line to indicate that you want the system to hang up after it finishes the file transfer.

Description: Allows transferring a file from your machine to the host system.

There can be up to 26 different types of protocols available. If you have not previously set a default protocol, you will be asked for the protocol type each time you request a download.

Ascii protocol transfers are only available on non-binary text files. Filenames which have extensions of .EXE, .ARC, .COM, .WKS, etc. can not be downloaded using Ascii protocol.

Selecting Files: Unlike downloading a filename must be specified exactly as you intend to send it. In other words, if you type the word "TEST" then the name of the file when posted will be called "TEST" with no other extension added to it.

After giving the system one or more filenames to be uploaded it will ask you for a description of each file. If you wish to make a particular file PRIVATE so that it is not posted in the public upload directory you simply place a "/" at the beginning of the first line of text in your description.

Batch Uploads When uploading a batch of files you must enter at least ONE filename even if it is a dummy filename. Then on your end you simply tell your software to send all of the desired files. Any files that are received which you did not specify originally will then be brought up on the screen with the system asking you to describe each of them.

Examples U TEST - uploads TEST using the default protocol U TEST X - uploads TEST using the Xmodem protocol U TEST1 TEST2 Y - uploads both TEST1 & TEST2 using Ymodem/BATCH

(USERS) Display Users (NOT AVAILABLE ON CRS)

Subcommands (search text)

(search text) Any text that you want to search for. You could for example, search for a name or a part of a name or a city or state.

Description: Displays the user name, location and last date on for all users that have access to the current conference.

Alternatively, you can enter search criteria to limit your search to only those users or locations that match the criteria.

Examples:

* USERS

Display all users that are registered in the current conference.

* USERS David

Display all users that have the name "David" in their record.

* USERS Utah

Display all users that have "Utah" in their record.

* USERS David & Utah

Display all users that have the name "David" who are in "Utah".

(V)iew User Settings

Subcommands NONE

Description: Allows viewing your current user settings. Included in the listing are:

- The number of system caller you are.
- Your Default Page Length.
- Your System Expiration Date (or NONE).
- Your Security Level.
- Your Last Date On.
- The last message number you read.
- The current high message number.
- Number of Active Messages.
- Available download bytes available for that day.
- Default Transfer Protocol Selected.

(W)rite User Data Base Information

Subcommands NONE

Description: Allows changing some of your data base information stored on that system, including:

Password desired.

Location you are calling from.

Your Business/Data Phone Number.

Your Home/Voice Phone Number.

A Comment Field of 30 characters.

Choice of having the screen cleared before reading a message.

The Message base areas you want to scan with the "Y A" command.

If the system operator has restricted you to only password changes instead of all of the above, you will only be allowed to change it and not the other items listed.

(WHO) is Online

Subcommands None

Description: On multinode systems this command displays the name and location of users that are currently online on all of the nodes in the system.

(X) Expert/Novice Mode Toggle

Subcommands NONE

Description: The (X) command lets you toggle between Expert and Novice mode. When the Expert mode is active, the main menu is never displayed, and most command line prompts are considerably abbreviated.

In Novice mode, all menus are displayed and all command line prompts give a more descriptive definition of the commands available.

(Y)our Mail Check

Subcommands (A) (S) (NS) (+) (-) (C)

- (A) Scans all message bases.
- (S) Scans only for mail left since the last message read.
- (C) Limits scan to current message base only.
- (+) or (-) forces the direction of the scan.
- (Q) Display in Quick Scan format.
- (L) Display in Long Scan format.
- (NS) Displays text output in non-stop mode.

Description: Allows checking for mail left to you or from you in a message base. The above commands can be entered in combination on the same line to limit the scan function as desired. The default for the (Y) command is to scan the current message base only, in reverse direction, checking for mail left by you as well as for mail addressed to you and to scan the complete message base, from the end of the file to the beginning.

You can select which areas you want to be scanned when using the (A) subcommand by typing (SELECT) or by using the (W)rite User Info command.

(Z)ippy Directory Listing Scan

Subcommands (text) (#) (A) (D) (N) (U) (NS)

- (text) Text you wish to search for.
- (#) Valid directory number.
- (A) Scans all directory listings for the text input.
- (D) Download all files found.
- (N) Combines the search with a date scan.
- (S) With (N) indicates new files since last date scanned.
- (U) Scans only the upload directory(s) for the text.
- (NS) Displays screen output in non-stop mode.

Description: Allows you to search the download directories for words or phrases either in the filename itself or in the description of the files. See examples below. (D) will cause all files found to be flagged for later download the next time you issue a (D)ownload command.

(N) combines a new files search with the text search.

Examples:

* Z A PCBoard

The above command will search all of the file directories for the word "PCBoard" (anywhere - the filename, the description or even the extended description lines).

* Z A

PCBoard & DESQview

The above commands will search all of the file directories for any file that has both the word "PCBoard" and the word "DESQview" in the description.

* Z PCBoard A N

120189

The above command combines a text search for the word PCBoard with a date search of 12/01/89 or later in search all of the download directories.

* Z DESQview A S D

The above command combines the Zippy Search of the file directories with a "new files since" search and then flags all files found for later downloading.

Examples of using boolean (and / or) searching

There are numerous places where PCBoard will ask you for some kind of search criteria for the text you want to scan. In those areas you can simply type in a word or phrase or you may create much more complex searches by using boolean logic symbols in your request.

The symbols "&" and "|" can be used to mean AND and OR respectively. In addition you can combine criteria using parentheses to denote the grouping of the search.

The rules below apply at any prompt given where PCBoard wants you to tell it what to scan for and the following rules can be used whether you are scanning through the message base, the download directories, the users file or the caller logs.

Multiple words making up a sentence or phrase

PCBoard version 14.5

Searches for the words "PCBoard version 14.5" all together in a line.

Multiple words searching for each word separately

PCBoard | Qmodem | Procomm

Searches for any text having either PCBoard OR Qmodem OR Procomm anywhere in the text.

Multiple words searching for each word separately requiring ALL to match

PCBoard & Qmodem & Procomm

Searches for any text having ALL THREE words but not necessarily in any order or even next to each other.

Using parentheses for grouping

DESQview & (PCBoard | Qmodem)

Searches for any text having DESQview in it AND having either PCBoard OR Qmodem also in the same text in any order and not necessarily together.