

Sheet1

*---A macro to turn a 3-D OR 2-D range of DATE LABELS into DATE VALUES.
This macro creates format 4 dates (mm/dd/yy), to change to other
formats change to /RFD<Format Mo.> in the second line of labels1a402 .
*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)
*---Hold the <ALT> key and press <Z> to activate the macro
*---In release 3 and up the date label can be any of the 5 dates formats
THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

\Z

DATELABEL

cont402

!

!

!

!

counter1402

counter1a402

labels1402

!

here402

!

labels1a402

!

!

!

ret402

!

counterb402

hereabs402

!

rel402

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs402,@cellpointer("address")}~{LET counter1402,0}  
{FOR counter1402,0,@cols(Which range ?)-1,1,labels1402}  
{let rel402,@INFO("RELEASE")}~{IF @LEFT(REL402,1)<>"@"}{goto}{hereabs402}~{let counterb402,counterb402+1}~{if cou  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here402,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a402,0,@ROWS(WHICH RANGE ?)-1,1,labels
```

\$F\$1

```
{if @CELLPOINTER("TYPE")="I"}{EDIT}{HOME}{DEL}  
{if @CELLPOINTER("TYPE")="I"}@DATEVALUE("{END}")~/RFD4~/RV~~  
{DOWN}
```

\$A\$1

