

Sheet1

*---A macro to MODIFY all values in a 3-D or 2-D range. For example:
multiply values by 5 or add 9 to all values in the range. Blanks or
labels will not be altered.

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)

*---Hold the <ALT> key and press Z to activate the macro
THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2.0 AND UP

```
!  
\Z  
MODIFRNG  
cont411  
!  
!  
!  
COUNTER1411  
COUNTER1A411  
LABELS1411  
!  
HERE1411  
!  
LABELS1A411  
VALUE411  
!  
TYPE411  
!  
!  
counterb411  
hereabs411  
!  
rel411
```

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{panelon}{windowson}Which range ?~{bs}{bs}{?}~{WINDO  
{let hereabs411,@cellpointer("address")}~{LET counter1411,0}  
{FOR COUNTER1411,0,@cols(Which range ?)-1,1,LABELS1411}  
{let rel411,@INFO("RELEASE")}~{IF @LEFT(REL411,1)<>"@"}{goto}{hereabs411}~{let counterb411,counterb411+1}~{if cou  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET HERE1411,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR COUNTER1A411,0,@ROWS(WHICH RANGE ?)-1,
```

\$E\$1

```
{EDIT}{HOME}{END}  
/10
```

```
{IF @CELLPOINTER("type")<>"v"}{down}{return}  
{labels1a411}{DOWN}
```

\$A\$1

