

Sheet1

*---A macro to DELETE all range names in a specified 3-D or 2-D range
*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)
*---Hold the <ALT> key and press <Z> to activate the macro

!
 THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
 IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

!

\Z

UNNAME

cont166

!

!

!

!

counter1166

counter1a166

labels1166

!

here166

!

labels1a166

!

!

unname1166

lop166

!

!

!

delete166

rangname166

!

!

here1166

!

numcheck166

!

counterb166

hereabs166

!

rel166

```
{BREAKON}  
{windowsoff}{paneloff}/rncNames range ?~/rndNames range ?~/RNC{windowson}{panelon}Names range ?~{bs}{bs}{?}~{WIF  
{let hereabs166,@cellpointer("address")}~{LET counter1166,0}  
{FOR counter1166,0,@cols(Names range ?)-1,1,labels1166}  
{let rel166,@INFO("RELEASE")}~{IF @LEFT(REL166,1)<>"@"}{goto}{hereabs166}~{let counterb166,counterb166+1}~{if cou  
{goto}Names range ?~/rndNames range ?~
```

```
{RIGHT}{LET here166,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a166,0,@ROWS(names RANGE ?)-1,1,labels
```

\$F\$1

```
{unname1166}  
{DOWN}
```

```
{WINDOWSOFF}{LET here1166,@CELLPOINTER("ADDRESS")}~  
{LET rangname166,@CELLPOINTER("CONTENTS")}~  
{let numcheck166,@@(rangname166)}~  
{IF #NOT#@ISERR(numcheck166)}{BRANCH delete166}
```

```
/RND  
ppp  
~{branch lop166}
```

\$A\$4

\$A\$1

