

Sheet1

- \*---A macro to turn all formulas and/or numbers in a 3-D or 2-D range into labels, labels and blank cells will not be changed.
- \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- \*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

\Z

DO\_LABEL

cont407

!

!

!

!

counter407

countera407

labels407

!

here407

!

labelsa407

!

!

counterb407

hereabs407

!

rel407

!

ret407

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs407,@cellpointer("address")}~{LET counter407,0}  
{FOR counter407,0,@cols(Which range ?)-1,1,labels407}  
{let rel407,@INFO("RELEASE")}~{IF @LEFT(REL407,1)="3"}{goto}{hereabs407}~{let counterb407,counterb407+1}~{if counte  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here407,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR countera407,0,@ROWS(WHICH RANGE ?)-1,1,labels407}
```

\$AM\$1

```
{if @CELLPOINTER("prefix")="\">#OR#@CELLPOINTER("type")="I">#OR#@CELLPOINTER("type")="b"}{down}{branch ret407}  
{if @CELLPOINTER("type")="v"}{edit}{home}'{DOWN}
```

\$AF\$1

@INFO("RELEASE")

