

Sheet1

- *---A macro to PAD a cell content with trailing periods [.] to improve appearance and adjust descriptive cells to column width
- *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- *---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

!

\Z

PADDING

cont533

!

!

!

!

counter1533

counter1a533

labels1533

!

labels1a533

!

!

!

counterb533

hereabs533

!

rel533

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs533,@cellpointer("address")}~{LET counter1533,0}  
{FOR counter1533,0,@cols(Which range ?)-1,1,labels1533}  
{let rel533,@INFO("RELEASE")}~{IF @LEFT(REL533,1)="3"}{goto}{hereabs533}~{let counterb533,counterb533+1}~{if counte  
{goto}which range ?~/rndWhich range ?~
```

```
{FOR counter1a533,0,@ROWS(WHICH RANGE ?)-1,1,labels1a533}~{RIGHT}{UP @ROWS(WHICH RANGE ?)}{LET counte  
{if @CELLPOINTER("type")="I"#AND#@CELLPOINTER("prefix")<>"\ "#AND#@CELLPOINTER("width")>@LENGTH(@CELL  
{DOWN}
```

\$X\$1

@INFO("RELEASE")

