

Sheet1

- \*--A MACRO MANAGER to activate any macro without first combining it to the worksheet. The macro manager combines the macro, defines the range names and activates the macro. When the macro is done the MACRO MANAGER deletes the range names and erases the macro.
  - \*--Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Y name)
  - \*--Place the cell pointer at upper left cell of the range to be processed
  - \*--Hold the <ALT> key and press <Y> to activate the macro
- THIS MANAGER WORKS WITH LOTUS 2/2.01/2.2/2.3/2.4

\Y  
!  
TRASH@247  
!  
ERRA@247  
!  
ERRB@247  
!  
REMOVE@247  
!  
!  
RNGNAM1@247  
!  
!  
!  
!  
SMALLMGR  
!  
BACK#247  
BACK#1247  
!  
!  
NAMEDEL#1247  
LOP#1247  
!  
!  
!  
RANGNAME@247  
!  
!  
EXECUTE@247  
EXECUTE1@247  
!  
!  
EXECUTE4@247  
!  
EXECUTE2@247  
!  
RANGERASE@247

!  
!  
MENU#1247  
!  
!  
!  
!  
ERR#1247  
!  
WARNING@247  
!  
FILENAME@247  
!  
DESCRIB@247  
!  
RUNKEY#1247  
!  
!  
!  
HHH#1247  
!  
ROUTIN#1247  
!  
KEYW@247  
!  
VIEW1@247  
!  
!  
!  
!  
EXECUTE3@247  
!

```
{RESTART}{BRANCH SMALLMGR}
```

```
{onerror ERRB@247}
```

```
{beep}INVALID MACRO NAME! PRESS ANY KEY TO CONTINUE ...{GET KEYW@247}{ESC}{BACK#247}{BRANCH \Y}}
```

```
{IF @CELLPOINTER("TYPE")="b"}{GOTO}Y~{left}{UP 10}/RND\Y~/RNDTRASH@247~/RNDERRA@247~/RNDERRB@247
```

```
{windowson}{IF @CELLPOINTER("CONTENTS")="!"}{DOWN}{branch REMOVE@247}
```

```
{LET RNGNAM1@247,@CELLPOINTER("CONTENTS")}~/rnd
```

```
EXECUTE3@247
```

```
~{DOWN}
```

```
{IF @CELLPOINTER("TYPE")="b"}{GOTO}Y~{left}{UP 10}/RND\Y~/RNDTRASH@247~/RNDERRA@247~/RNDERRB@247
```

```
{branch REMOVE@247}
```

```
{WINDOWSOFF}{PANELOFF}{LET BACK#1247,@CELLPOINTER("ADDRESS")}~{RANGERASE@247}{MENUBRANCH M
```

```
{GOTO}
```

```
$A$1
```

```
~
```

```
{WINDOWSOFF}{GOTO}EXECUTE3@247~{LEFT}{DOWN 10}
```

```
{DOWN}{IF @CELLPOINTER("TYPE")="b"}{GOTO}EXECUTE3@247~{RANGERASE@247}{BACK#247}{WINDOWSON}{BF
```

```
{IF @CELLPOINTER("CONTENTS")="!"}{BRANCH LOP#1247}
```

```
{IF @CELLPOINTER("TYPE")="b"}{GOTO}EXECUTE3@247~{RANGERASE@247}{BACK#247}{WINDOWSON}{BRANCH \
```

```
{LET RANGNAME@247,@CELLPOINTER("CONTENTS")}~/RND
```

```
REL210
```

```
~{branch LOP#1247}
```

```
{ERR#1247}{WINDOWSOFF}{GOTO}EXECUTE3@247~{LEFT}{DOWN 2}/FCCe
```

```
\Z
```

```
~{BRANCH EXECUTE2@247}
```

```
{ERR#1247}{WINDOWSOFF}{PANELOFF}{GOTO}EXECUTE3@247~{LEFT}{DOWN 2}/FCCe{panelon}{WINDOWSON}{NAN
```

```
{WINDOWSOFF}{PANELOFF}{DOWN 9}/RNLR{END}{DOWN}~/RNC!~/RND!~/BACK#247}{EXECUTE3@247}{NAMEDEL#
```

```
{WINDOWSOFF}{PANELOFF}{GOTO}EXECUTE3@247~{LEFT}{DOWN 2}{IF @CELLPOINTER("TYPE")<>"B"}{WINDOWSON}
```





## Sheet1

### Macro\_run

Short cut to run a macro. Make sure the macros are in the default directory

```
{windowsoff}{paneloff}{let BACK#1247,@cellpointer("address")}{let EXECUTE1@247,"Z"}{branch EXECUTE4@247}
```

Sheet1

Runkey

Execute any routine in the current worksheet (Point and Shoot)

{RUNKEY#1247}

{menubranh MENU#1247}

Sheet1

View

View the macro and operating instruction

{goto}EXECUTE3@247~{left}{down 2}/fcce{windowson}{panelon}{name}{?}~{windowsoff}{pgdn}{up 20}{windowson}{VIEW1@



## Sheet1

List

Display names of all files in current directory to verify macro existence

```
/FLO{WINDOWSON}{PANELON}{NAME}{NAME}{?}{ESC 8}~
```

```
{menubranh MENU#1247}
```

Sheet1

Erase\_mgr

Remove the macro manager from the spreadsheet  
{goto}smallmgr~{left}{branch REMOVE@247}

Quit

Quit the macro manager  
{Quit}