

Libraries

COLLABORATORS

	<i>TITLE :</i> Libraries		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 14, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Libraries	1
1.1	Amiga® RKM Libraries: Index	1
1.2	Misc Index	2
1.3	680x0 Index	2
1.4	A Index	3
1.5	Active Window Index	5
1.6	Alert Index	5
1.7	Amiga Index	6
1.8	Animation Index	6
1.9	ASL Index	7
1.10	attributes Index	8
1.11	B Index	8
1.12	Backdrop Index	9
1.13	BitMap Index	9
1.14	BitMap Structure Index	10
1.15	BitPlane Index	10
1.16	Blitter Index	10
1.17	Boopsi Index	10
1.18	Border Index	13
1.19	Border structure Index	13
1.20	Borderless Index	13
1.21	C Index	14
1.22	Caveats Index	17
1.23	Checkmark Index	17
1.24	Chip Memory Index	17
1.25	Clipping Index	18
1.26	Clipping Rectangles Index	18
1.27	Color Index	18
1.28	Commodities Index	18
1.29	Compatibility Index	20

1.30	Copper Index	20
1.31	Copper list Index	20
1.32	D Index	20
1.33	Dates Index	22
1.34	Deadlock Index	23
1.35	Depth Gadget Index	23
1.36	Device Index	23
1.37	DrawInfo structure Index	23
1.38	Drawing Index	24
1.39	DrawMode Index	24
1.40	Dual playfield Index	24
1.41	E Index	24
1.42	EasyStruct structure Index	26
1.43	Error Index	26
1.44	Examples Index	26
1.45	Exceptions Index	28
1.46	Exec Index	29
1.47	Expansion Index	29
1.48	F Index	30
1.49	FgPen Index	32
1.50	Flags Index	32
1.51	Font Index	32
1.52	G Index	33
1.53	Gadget Index	36
1.54	Gadget structure Index	38
1.55	GadTools Index	38
1.56	GimmeZeroZero Index	41
1.57	Graphics Index	41
1.58	H Index	42
1.59	Hooks Index	42
1.60	I Index	43
1.61	IDCMP Index	45
1.62	IFF Index	46
1.63	IFFParse Index	46
1.64	Image structure Index	46
1.65	International strings Index	47
1.66	Interrupt Structure Index	47
1.67	Interrupts Index	47
1.68	IntuiMessage structure Index	47

1.69 IntuiText structure Index	48
1.70 Intuition Index	48
1.71 J Index	49
1.72 K Index	49
1.73 Keyboard Index	50
1.74 Keymap Index	50
1.75 L Index	51
1.76 Layer Structure Index	52
1.77 Layers Index	52
1.78 Left Amiga Key Index	53
1.79 Libraries Index	53
1.80 Library Index	53
1.81 Library (Exec) Index	53
1.82 Lines Index	53
1.83 Lists Index	54
1.84 LoadView() Index	54
1.85 Lock Index	54
1.86 M Index	54
1.87 MakeVPort() Index	56
1.88 Memory Index	57
1.89 Menu Index	57
1.90 Menu Number Index	58
1.91 Menu structure Index	58
1.92 MenuItem structure Index	59
1.93 Message Port Index	59
1.94 Messages Index	59
1.95 Mouse Index	60
1.96 MrgCop() Index	60
1.97 N Index	60
1.98 NewWindow structure Index	61
1.99 Nodes Index	62
1.100O Index	62
1.101OM_SET Index	63
1.102Output Index	63
1.103Overscan Index	64
1.104P Index	64
1.105Pens Index	65
1.106Pointer Index	66
1.107Position Index	66

1.108	Preferences Index	66
1.109	Public Screen Index	67
1.110	PubScreenNode Structure Index	68
1.111	Q Index	68
1.112	Qualifier Index	69
1.113	Queue Limit Index	69
1.114	R Index	69
1.115	Raster Index	71
1.116	Refresh Index	71
1.117	Regions Index	71
1.118	Requester Index	72
1.119	Requester Structure Index	72
1.120	Right Mouse Button Index	73
1.121	RxOffset Index	73
1.122	RyOffset Index	73
1.123	S Index	73
1.124	Screen Structure Index	77
1.125	Screens Index	77
1.126	Scrolling Index	78
1.127	Signals Index	78
1.128	Simple Sprite Index	78
1.129	Size Index	79
1.130	SprColors pointer Index	79
1.131	Sprite Index	79
1.132	Stack Index	79
1.133	Structures Index	80
1.134	SuperBitMap Refresh Index	81
1.135	T Index	81
1.136	Tag lists Index	82
1.137	Tags Index	83
1.138	Tasks Index	83
1.139	Text Index	83
1.140	Title Index	85
1.141	Title Bar Index	85
1.142	ToolTypes Index	85
1.143	TRAP Index	85
1.144	U Index	86
1.145	Utility Index	86
1.146	V Index	86

1.147VideoControl() Index	87
1.148ViewPort Index	87
1.149VSprite Index	88
1.150W,X,Y,Z Index	88
1.151Window Index	90
1.152Window structure Index	91
1.153Workbench Index	91
1.154Zoom Index	92

Chapter 1

Libraries

1.1 Amiga® RKM Libraries: Index

Note: Numbers will refer to page numbers in
the 'Amiga® ROM Kernal Reference Manual: Libraries'
3rd edition, ISBN 0-201-56774-1

Misc.

H

P

A

I

Q

B

J

R

C

K

S

D

L

T

E

M

U
F
N
V
G
O
W X Y Z

1.2 Misc Index

1.3 - compatibility, 18
2.0 - compatibility, 923, differences, 923
32-bit math, 878 - example, 879, function reference, 883, functions, 878
3D Look - window title bar, 107, windows, 79
4703, 517
68000 - crash, 916
68020, 917
68030, 917
68040 - crash, 916
680x0,
-->
68881, 845, 853
68882, 853

1.3 680x0 Index

680x0
68040, 479
Cache, 479
caches, 477
CopyBack mode, 479
development guidelines, 15
Exceptions, 473
Floating Point Unit, 477
FPU, 477
GetCC(), 478
Interrupt stack, 477
ISP, 477
Master stack, 477
MSP, 477
Paged Memory Management Unit, 477
PMMU, 477
programming guidelines, 17
Register usage conventions, 6

self-modifying code, 478
SetSR(), 478
SSP, 477
Stack, 477
Supervisor Mode, 477
Supervisor stack, 477
User stack, 477
USP, 477

1.4 A Index

AbortIO(), 451
Accessing a Device, 446
Activate - window on open, 110
ActivateCxObj(), 731
ActivateGadget(), 150, 166, 321
ActivateWindow(), 91, 115
active gadget, 323
Active Window,
-->
AddAnimOb(), 659, 668
AddBob(), 641, 668
AddBootNode(), 759, 776
AddClass(), 312, 330
AddDosNode(), 759, 776
AddGadget(), 166
AddGList(), 122, 129, 166
ADDHEAD, 498
AddHead(), 492, 498, 520
AddIEvents(), 749
AddIntServer(), 525
AddLibrary(), 443
AddPort(), 501, 511
AddPublicSemaphore(), 511
Address error, 474
AddSemaphore(), 511, 515
ADDTAIL, 498
AddTail(), 492, 498, 520
AddTask(), 466, 480
AddTOF(), 888
AddVSprite(), 627, 668
Adjust - window size, 111
AFF_DISK, 689
AFF_MEMORY, 689
AFF_SCALED, 689
AFF_TAGGED, 689
afp(), 888
Agnus, 11
Alert,
-->
Alert(), 520
AllocAslRequest(), 416
AllocAslRequestTags(), 421
Allocate(), 462
Allocating memory, 455

AllocEntry(), 459, 461, 462
AllocIFF(), 344, 810
AllocLocalItem(), 790, 810
AllocMem(), 274, 284, 288, 430, 455, 457, 466
AllocRaster(), 98, 552, 610, allocating memory, 560
AllocRemember(), 283, 284, 284, 285, 288, 289
AllocSignal(), 254, 476, 482, 485
AllocTrap(), 476, 480
AllocVec(), 430
Alt Key, 282 - with right Amiga key, 176
Alternate - Alt key, 282, window size zoom, 108
Amiga
 -->
 Amiga Key Glyph - menus, 184
Amiga keys - as command keys, 282, Workbench shortcuts, 281
Amiga.lib, 438, 885, stub, 438
AndRectRegion(), 722
AndRegionRegion(), 722
ANFRACSIZE, 661
Animate(), 660, 668
Animation,
 -->
 AnimComp structure, 652
ANIMHALF, 661
AnimOb structure, 652
ANSI Codes, 90
AOPen - in filling, 584, in RastPort, 584
Area pattern, 585
AreaCircle(), 590, 611
AreaDraw(), 611 - adding a vertex, 589, in area fill, 582
AreaEllipse(), 590, 611
AreaEnd(), 611 - drawing and filling shapes, 590, in area fill, 582
AreaInfo pointer, 582
AreaMove(), 611 - beginning a polygon, 589, in area fill, 582
ARexx, 21, 888
ArgArrayDone(), 735, 888
ArgArrayInit(), 735, 888
ArgInt(), 735, 888
ArgString(), 735, 888
arnd(), 888
AskKeyMapDefault(), 812
AskSoftStyle(), 675
ASL,
 -->
 ASL Library, 20
asl.library - see
 ASL
 AslRequest(), 416
AslRequestTags(), 421
ASL_BackPen, 423
ASL_CancelText, 417
ASL_Dir, 417
ASL_File, 417
ASL_FontFlags, 423
ASL_FontHeight, 423
ASL_FontName, 423
ASL_FontStyles, 423

ASL_FrontPen, 423
ASL_FuncFlags, 419
ASL_Hail, 417
ASL_Height, 417
ASL_Hookfunc, 425
ASL_LeftEdge, 417
ASL_MaxHeight, 423
ASL_MinHeight, 423
ASL_ModeList, 423
ASL_OKText, 417
ASL_TopEdge, 417
ASL_Width, 417
Aspect Ratio, 20
AttachCxBObj(), 737
AttemptSemaphore(), 513, 513, 515
attributes,
 -->
 AUD0-AUD3 Interrupts, 519
Audio device, 925
AUserStuff, 651
Autoboot, 760
AUTOCONFIG - hardware manufacturer number, 756, see
 Expansion, AUTOCONFIG
 AUTOKNOB, 147
AutoRequest(), 97, 188, 201, 211, 215, 216, 222
AUTOSCROLL, 49
Autovector Address, 518
AvailFonts(), 688
AvailFonts structure, 688
AvailFontsHeader structure, 688
AvailMem(), 459
A-Pen - see
 FgPen

1.5 Active Window Index

Active Window, 78, 90
 input focus, 248
 menu verify, 186
 notification, 82, 91

1.6 Alert Index

Alert, 220
 application, 220
 DEADEND_ALERT, 220
 DisplayAlert(), 221
 positioning, 220
 RECOVERY_ALERT, 220
 screen mode ID, 220
 software error, 474

system, 220

1.7 Amiga Index

Amiga

- custom chips, 11
- development guidelines, 13
- memory architecture, 8
- operating system versions, 10
- Register usage conventions, 6

1.8 Animation Index

Animation

- AddBob(), 641
- Animate(), 660
- AnimComp
 - animation concepts, 652
 - AnimComp flags, 659
 - custom animation routine, 660
 - ring motion control, 654
 - sequenced drawing, 654
 - sequencing components, 656
 - sequencing within components, 655
 - setting animation timing, 655
 - setting component position, 655
 - setting up ring motion control, 659
 - setting up simple motion control, 658
 - simple motion control, 654
 - specifying components, 655
- AnimOb, 656
 - adding an AnimOb, 659
 - custom animation routine, 660
 - moving the objects, 660
 - setting AnimOb position, 658
 - special numbering system, 661
 - the AnimKey, 659
 - typical function call sequence, 660
- Bob
 - attaching a Bob to a VSprite, 635
 - behavior for unselected bitplanes, 639
 - Bob flags, 636
 - changing a Bob, 642
 - double-buffering, 645
 - ImageShadow, 635
 - setting bitplanes, 639
 - setting collision detection, 639
 - setting color, 638
 - setting depth, 638
 - setting image, 637
 - setting rendering priority, 640
 - setting rendering restrictions, 640

- setting shadow mask, 638
- setting shape, 637
- setting size, 637
- struct VSprite differences for Bobs, 634
- system selected rendering priorities, 640
- using Bobs, 634
- VSprite flags for Bobs, 634
- collision detection, 646
 - adding user-defined data to GELs, 651
 - AUserStuff, 651
 - BorderLine for faster detection, 648
 - boundary collision flags, 650
 - building the collision handler table, 646
 - BUserStuff, 651
 - initializing collision detection, 646
 - parameters to user-defined routines, 650, 650
 - processing of multiple collisions, 650
 - selective collision detection, 649
 - sensitive areas, 647
 - setting the collision mask, 647
 - specifying collision boundaries, 650
 - UserExt, 651
 - VUserStuff, 651
- DoCollision(), 646
- DrawGLList(), 642
- Examples - complete bobs example, 642
- InitMasks(), 648
- introduction, 613
- RemBob(), 641
- RemIBob(), 641
- SetCollision(), 647
- SortGLList(), 642
- struct Bob, 635
- struct CollTable, 646
- struct DBufPacket, 645

1.9 ASL Index

- ASL, 415
 - AllocAslRequest(), 416
 - AllocAslRequestTags(), 421
 - AslRequest(), 416
 - AslRequestTags(), 421
 - Basic ASL Requester Tags, 417
 - calling custom functions, 425
 - creating a file requester, 416
 - custom function parameters, 426
 - custom screens, 421
 - directory requester, 422
 - Examples
 - custom hook function, 426
 - file requester with multiple selection, 419
 - file requester with pattern matching, 419
 - font requester, 424
 - simple file requester, 417

font requester, 422
font requester flags, 423
Font Requester Tags, 423
FreeAslRequest(), 416
function reference, 428
hook function flags, 425
save requester, 421
special flags, 419
struct FileRequester, 416
struct FontRequester, 422

1.10 attributes Index

attribute
Boopsi, 293 - attribute/value pairs, 294
mapping, 299 - see
ICA_MAP
OM_GET, 311
setting, 309

1.11 B Index

Backdrop
-->
Backdrop Layer, 706
Background pen, 584
BACKGROUNDPEN, 58, 141
Backup - of display areas, 705
Beam synchronization, 600
BeginIO(), 448, 449, 520, 886
BeginRefresh(), 95, 97, 97, 110, 115, 128, 244, 261, 721
BeginUpdate(), 128, 711, 721
Behind - open screen, 49
BehindLayer(), 708, 711
Bell - visible, 75
BgPen - in RastPort, 584
BindDrivers, 758
BitMap
-->
BitMap Structure
-->
BitMapScale(), 598, 612
BitPlane
-->
BLIT Interrupts, 519
Blitter
-->
Block - graphics with layers, 708
Block Input, 203
Block Pen, 106
BLOCKPEN, 57

BltBitMap(), 596, 597, 612
 BltBitMapRastPort(), 596, 597, 612
 BltClear(), 592, 612
 BltMaskBitMapRastPort(), 596, 598, 612
 bltnode structure, 600 - creating, 601, linking blitter requests, 600
 BltPattern(), 594, 612
 BltTemplate(), 595, 596, 612
 BNDRYOFF(), 590, 611
 Bob structure, 635
 Bobs - introduction, 613, simple definition, 615
 BoolInfo structure, 139
 BOOLMASK, 139
 Boopsi
 -->
 Border
 -->
 Border structure
 -->
 BORDERHIT, 648
 Borderless
 -->
 bottommost - in GelsInfo, 624
 Box - menu item, 180
 Break key, 432
 Broadcast - IDCMP events, 248
 BuildEasyRequest(), 217, 218-219, 222
 BuildEasyRequestArgs(), 219, 222
 BuildSysRequest(), 218, 222
 Bus error, 474
 BUserStuff, 651
 Busy Pointer, 274
 buttongclass, 297
 buttonglclass, 315
 B-Pen - see BgPen

1.12 Backdrop Index

Backdrop
 advantages over screen, 92
 attribute, 110
 hide screen title, 92
 window depth arrangement, 92
 window system gadgets, 92
 window type, 92, 92

1.13 BitMap Index

BitMap, 64
 address, 552
 and Intuition graphics, 223, 224
 custom for screen, 48

- in requester, 205
- initializing, 582
- larger than layer, 706
- menu items, 169
- requester, 206
- scaling, 598
- software clipping, 590
- with write mask, 583

1.14 BitMap Structure Index

BitMap Structure, 39, 98, 111, 213, 226, 703, 705, 706

- in dual-playfield display, 579
- in super bitmap layers, 706
- preparing, 552

1.15 BitPlane Index

BitPlane

- and Image data, 227
- color of unused, 230
- extracting a rectangle from, 595
- in dual-playfield display, 578
- in Image structure, 225
- picking, 230

1.16 Blitter Index

Blitter

- in Bob animation, 615
- in copying data, 599
- minterm, 597
- programming, 600
- VBEAM counter, 601

1.17 Boopsi Index

Boopsi, 291 – see also Appendix B: Boopsi Class Reference

- AddClass(), 312
- attribute, 293
- attributes – OM_GET, 311, setting, 295, 296, 309
- Boopsi and Tags, 294
- Building on Existing Public Classes, 306
- Building Rkmmmodelclass, 306
- buttonglclass, 315
- Callback Hooks, 312
- caveats – message, 293, struct GadgetInfo, 316

- class, 292
 - creating, 305
 - custom, 305
 - private, 293
 - public, 293
- class reference, 891
- Creating an Object, 294
- dispatcher, 305
- Dispatcher Hook, 312
- DisposeObject(), 295
- Disposing of an Object, 295
- DoMethod(), 302
- DoMethodA(), 302
- DoSuperMethod(), 310
- DoSuperMethodA(), 308, 310
- Example
 - custom gadget class, 323
 - custom model subclass, 312
 - Talk2boopsi.c, 299
- function descriptions, 330
- gadget, 291
 - ActivateGadget(), 321
 - active gadget, 323
 - GFLG_DISABLED, 321
 - GMR_MEACTIVE, 321
 - GMR_NEXTACTIVE, 321
 - GMR_NOREUSE, 321
 - GMR_PREVACTIVE, 321
 - GMR_REUSE, 321
 - GM_GOINACTIVE, 322
 - handling input, 320
 - implementation of, 318
 - Methods, 318
 - ObtainGIRPort(), 323
 - ReleaseGIRPort(), 323
 - RemoveGLList(), 322
 - rendering a gadget, 319
- gadgetclass, 292, 297
 - buttongclass, 297
 - frbuttonclass, 298
 - groupgclass, 297
 - propgclass, 297
 - strgclass, 297
- GA_RelVerify, 301
- GetAttr(), 296, 301
- getting attributes, 296
- GFLG_RELVERIFY, 301
- GMR_GADGETHIT, 320
- GM_GOACTIVE, 318, 320
- GM_GOINACTIVE, 318
- GM_HANDLEINPUT, 318, 321
- GM_HITTEST, 318, 320
- GM_RENDER, 318, 319
- GREDRAW_REDRAW, 319
- GREDRAW_TOGGLE, 319
- GREDRAW_UPDATE, 319
- handling input, 320

ICA_MAP - Boopsi gadgets, 299, icclass, 302
ICA_TARGET, 309 - Boopsi gadgets, 298, 302, icclass, 302
icclass, 292, 297, 302
ICSPECIAL_CODE - Boopsi gadgets, 302
IDCMP_GADGETUP, 301
IDCMP_IDCMPUPDATE - Boopsi gadgets, 302
imageclass, 292, 297
 fillrectclass, 297
 frameiclass, 297
 itexticlass, 297
 sysiclass, 297
Images, 291
inheritance, 293, 306, 311
input events, 321
instance, 292
instance data, 293, 308 - initializing, 308
INST_DATA() macro, 309
Intuition public classes, 297
MakeClass(), 311
Making Objects Talk to Each Other, 298
Making Objects Talk to the Application, 301
message, 293 - final, 309, interim, 309
methods, 293
modelclass, 302
Msg, 307
NewObject(), 295
NewObjectA(), 294
object, 292
ObtainGIRPort(), 319
obtaining gadget RastPort, 319
OM_ADDMEMBER, 302, 307
OM_ADDTAIL, 307
OM_DISPOSE, 296, 307
OM_GET, 296, 307, 311
OM_NEW, 296, 307, 308
OM_NOTIFY, 307, 309
OM_REMEMBER, 307
OM_REMOVE, 307
OM_SET, 296, 305, 307, 309 - Boopsi gadgets, 298
OM_UPDATE, 307, 309 - Boopsi gadgets, 298
OOP Overview, 292
OPUF_INTERIM, 309
RemoveClass(), 312
rootclass, 292, 297
SetAttrs(), 295
SetGadgetAttrs(), 295, 305
setting attributes, 295
struct GadgetInfo, 316, 318
struct gpGoInactive, 322
struct gpHitTest, 320
struct gpInput, 320
struct gpRender, 319
struct Hook, 312
struct InputEvent, 321
struct Msg, 303
struct opGet, 311
struct opMember, 303

- struct opSet, 305, 308
- struct opUpdate, 309
- subclass, 292
- superclass, 292
- typedef Class, 305
- user input, 321
- White Boxes--The Transparent Base Classes, 316
- Writing a Dispatcher, 307

1.18 Border Index

Border

- calculating window border size, 89
- containing size gadget, 109
- dimensions (from window), 105
- gadgets in, 88
- graphics offsets, 89
- in requester, 204
- in requester gadgets, 206
- position, 224
- rast port, 105
- size precalculation, 41
- using, 234
- window 88-89

1.19 Border structure Index

- Border structure, 123, 212, 223, 224, 224, 234-235, 235, 238
 - BackPen, 234
 - Count, 234
 - data organization, 237
 - definition, 234
 - DrawMode, 234
 - FrontPen, 234, 237
 - LeftEdge, 234, 235, 238, 238
 - NextBorder, 235, 238
 - TopEdge, 234, 235, 238, 238
 - XY 234, 235, 237-238

1.20 Borderless Index

Borderless

- advantages over screen, 93
- attribute, 110
- window type, 92, 93
- with backdrop, 93

1.21 C Index

CacheClearE(), 479
 CacheClearU(), 479
 CachePostDMA(), 479
 CachePreDMA(), 479
 Caches, 477
 Callback Hooks, 312
 CallHook(), 890
 CallHookA(), 890
 Cancel - in requester, 203
 Cause(), 520, 527
 Caveats
 -->
 CBERR_DUO, 731
 CBERR_OK, 731
 CBERR_SYSERR, 731
 CBERR_VERSION, 731
 CBump(), 603, 612
 CDB_CONFIGME, 756
 CDB_SHUTUP, 756
 CDF_CONFIGME, 756
 CDF_SHUTUP, 756
 CD_ASKKEYMAP, 813
 CD_SETKEYMAP, 813
 CEND(), 603, 612
 ChangeSprite(), 619, 668
 ChangeWindowBox(), 112, 115
 Character Mapped - applications, 249
 CHECKED, 175, 181, 182, 182, 191
 CheckIO(), 450
 CHECKIT, 181-182, 182, 182, 191
 Checkmark
 -->
 CheckRexxMsg(), 888
 CHECKWIDTH, 182
 Chip Memory
 -->
 CHK instruction, 474
 CIA, 926
 CINIT(), 602, 612
 Class, 292 - custom, 305, dispatcher, 305, MakeClass(), 311
 Class typedef, 305
 ClearCxObjError(), 742
 ClearDMRequest(), 210, 222
 ClearEOL(), 675
 ClearMenuStrip(), 111, 171, 175, 186, 200
 ClearPointer(), 114, 115, 274, 282
 ClearRectRegion(), 722
 ClearRegion(), 722
 ClearScreen(), 675
 Clicking - definition, 265
 ClipBlit(), 596, 598, 612
 Clipping
 -->
 Clipping Graphics - layers, 719

Clipping Rectangles
 -->
 Clipping region - in VSprites with GELGONE, 624

Close - enable gadget, 109

Close Gadget - window, 78, 82

Close vector, 437

CloseIFF(), 344, 810

CloseLibrary(), 436

CloseMonitor(), 568, 611

CloseScreen(), 42, 53, 76

CloseWindow(), 82, 109, 115, 175

CloseWindowSafely(), 254, 255

CloseWorkBench(), 52, 76

Closing A Device, 450 - outstanding IORequests, 451

CMOVE(), 603, 612

CoerceMethod(), 330, 890

CoerceMethodA(), 330, 890

Coercion, 565 - screens, 66

COERR_BADFILTER, 742

COERR_BADTYPE, 742

COERR_ISNULL, 742

COERR_NULLATTACH, 742

CollectionChunk(), 785, 810

CollectionItem(), 785

CollTable structure, 646

Color
 -->
 Color mode - in Flood() fill, 591

Color Registers, 228

ColorFontColors structure, 698

ColorMap, 64, 553

ColorSpec Structure, 47 - ColorIndex, 47

ColorTextFont structure, 697

Command Key, 184 - menu item, 190, menus, 170, symbol position, 185

Commodities
 -->
 commodities.library - see
 Commodities
 COMMSEQ, 184, 190, 191

COMMWIDTH, 185

Compatibility
 -->
 Compatibility notes, 923

Compatibility problems, 917, 918, 918, 918, 919, 918, 918

COMPLEMENT, 234, 237, 240, 243, 585

CON: - on custom screen, 20

ConfigDev structure, 756

Console - handler (CON:), 20

Console Device, 90, 246 - input/output, 248

console.device - CD_ASKKEYMAP, 813, CD_SETKEYMAP, 813

ContextNode structure, 789

Control (Ctrl) key, 282

Control-C, 432

Coordinates - in Border structure, 237

COPER, 519, 525

COPER Interrupts, 519, 525

Copper

- >
- Copper list
- >
- Coprocessor - copper list, 65
- Copy - rectangles, 720, 721
- Copying - data, 597, rectangles, 597
- CopyMem(), 288, 459
- CopyMemQuick(), 459
- CopySBitMap(), 98
- CPU Priority Level, 519
- Crash, 916 - 68000, 916, 68040, 916
- Crashing - with drawing routines, 588, with fill routines, 590
- CreateBehindLayer(), 710, 710
- CreateContext(), 399, 413
- CreateExtIO(), 886
- CreateGadget(), 380, 413
- CreateGadgetA(), 413
- CreateMenus(), 374, 413
- CreateMenusA(), 374, 413
- CreateMsgPort(), 501
- CreateNewProc(), 20
- CreatePort(), 254, 501, 887
- CreateStdIO(), 887
- CreateTask(), 467, 887
- CreateUpfrontLayer(), 710, 710, 712
- Critical section, 470
- Ctrl, 282
- CT_COLORFONT, 697
- CT_GREYFONT, 697
- CurrentBinding structure, 759
- CurrentChunk(), 344, 789, 810
- CurrentTime(), 288, 289
- Custom - screen window on, 82, 107
- Custom Chips, 11
- Custom Gadgets - see
 - Boopsi
 - CUSTOMBITMAP, 48
- CUSTOMSCREEN, 107
- CWAIT(), 602, 612
- CxBroker(), 730
- CXCMD_APPEAR, 734
- CXCMD_DISABLE, 734
- CXCMD_DISAPPEAR, 734
- CXCMD_ENABLE, 734
- CXCMD_KILL, 734
- CxCustom(), 744, 889
- CxDebug(), 745, 889
- CxFilter(), 736, 889
- CxMsgData(), 731
- CxMsgID(), 731
- CxMsgType(), 731
- CXM_COMMAND, 731
- CXM_IEVENT, 731
- CxObjError(), 742
- CxSender(), 741, 889
- CxSignal(), 743, 889
- CxTranslate(), 741, 889

CX_POPKEY, 734
CX_POPUP, 734
CX_PRIORITY, 734
__chip, 227

1.22 Caveats Index

Caveats

Boopsi - message, 293, struct GadgetInfo, 316

Gadgets

do not share knob imagery, 143
do not use image lists for knobs, 143
GimmeZeroZero window border, 136
imagery and the selection box, 124
mouse tracking with boolean gadgets, 136

GadTools

GadTools enforces Intuition limits, 375
GADTOOL_TYPE bit, 401
GT_SetGadgetAttrs() and GT_BeginRefresh(), 386
PLACETEXT with GENERIC_KIND gadgets, 398
post-processing, 368
preserve bits set by CreatesGadget(), 398
refreshing the display, 382
restrictions on gadgets, 411
side effects, 412
keymap - key numbers over hex 67, 818
preferences - printer device, 334
Text - don't assume Topaz-8, 672

1.23 Checkmark Index

Checkmark

custom (for menus), 107
menu items, 181
menus, 170
mutual exclude, 182
positioning, 182
size, 182
tracking, 182, 185

1.24 Chip Memory Index

Chip Memory, 11, 288, 431, 456
Image data, 227
in Border structure, 237
sprite data, 274
with Image data, 226

1.25 Clipping Index

Clipping

- in area fill, 590
- in filling, 590
- in line drawing, 588
- requester, 204

1.26 Clipping Rectangles Index

Clipping Rectangles

- in layers, 704, 711, 712, 719
- modifying regions, 722

1.27 Color Index

Color

- ColorMap structure, 553
- flickering, 633
- full screen palette, 47, 59
- in Border structure, 237
- in dual playfield mode, 545
- in flood fill, 590
- in hold-and-modify mode, 580-581
- in the Image structure, 227-228
- Intuition text, 242
- of individual pixel, 587
- Playfield and VSprites, 633
- relationship to bitplanes, 539
- relationship to depth of BitMap, 543
- Simple Sprites, 618
- single-color raster, 593
- specifying for screen, 47, 65
- sprites, 546
- transparency, 626
- VSprite, 626
- with plane pick, 230
- with PlaneOnOff, 230

1.28 Commodities Index

Commodities

- ActivateCxCxObj(), 731
 - AddIEvents(), 749
 - ArgArrayDone(), 735
 - ArgArrayInit(), 735
 - ArgInt(), 735
 - ArgString(), 735
 - AttachCxCxObj(), 737
-

- ClearCxObjError(), 742
- connecting CxObjects, 737
- controller commands, 734
- controlling CxMessages, 746
- custom CxObject function arguments, 744
- custom CxObjects, 744
- custom input handlers, 727
- CxBroker(), 730
- CxCustom(), 744
- CxDebug(), 745
- CxFilter(), 736
- CxMessage, 729, 731
- CxMessage types, 731
- CxMsgData(), 731
- CxMsgID(), 731
- CxMsgType(), 731
- CXObject, 729, 729-730 - broker, 730
- CXObject error values, 742
- CXObject errors, 742
- CxObjError(), 742
- CxSender(), 741
- CxSignal(), 743
- CxTranslate(), 741
- debug CxObjects, 745
- DeleteCxObj(), 734
- DeleteCxObjAll(), 734
- DisposeCxMsg(), 746
- DivertCxMsg(), 746
- EnqueueCxObj(), 737
- error codes, 731
- event classes, 736
- Examples
 - custom CxObject for swapping mouse buttons, 744
 - hotkey pop-up shell commodity, 750
 - input description strings, 737
 - monitoring user inactivity, 747
 - opening a broker commodity, 731
 - simple hot key commodity, 738
- filtering events, 736
- FreeIEvents(), 749
- function reference, 753
- generating new input events, 749
- input description strings, 736
- InputXpression.ix_QualSame bits, 745
- InsertCxObj(), 737
- InvertString(), 749
- IX structure, 745
- IX.ix_QualSame bits, 745
- ParseIX(), 746
- RemoveCxObj(), 737
- requiring uniqueness, 743
- RouteCxMsg(), 746
- sender CxObjects, 741
- SetCxObjPri(), 737
- SetFilter(), 746
- SetFilterIX(), 746
- SetTranslate(), 742

- shutting down a commodity, 734
- signal CxObjects, 743
- struct InputXpression, 745
- struct NewBroker, 730
- tool types, 734
- translate CxObjects, 741
- uniqueness, 743
- using the IX structure, 746

1.29 Compatibility Index

Compatibility

- international, 922
- open screen, 43
- open window, 80
- with 2.0, 923

1.30 Copper Index

Copper, 65

- changing colors, 553
- display instructions, 555
- in drawing VSprites, 633
- in interlaced displays, 579
- MakeVPort(), 560
- MrgCop(), 555
- programming, 602

1.31 Copper list Index

Copper list, 603

- deallocation, 560
- merge screens, 66
- update screen's, 66
- user, 602 - clipping of, 603

1.32 D Index

DAC_BINDTIME, 761

DAC_BOOTTIME, 761

DAC_BUSWIDTH, 761

DAC_BYTEWIDE, 761

DAC_CONFIGTIME, 761

DAC_NEVER, 761

DAC_NIBBLEWIDE, 761

DAC_WORDWIDE, 761

Damage List - in layers, 711, 719

Dates
 -->
 dbf(), 888
DBufPacket structure, 645
DEADEND_ALERT, 220, 221
DeadKeyConvert(), 262, 277
Deadlock
 -->
 Deallocate(), 462
Deallocate - region, 720
Deallocation - memory, 455
Debugging, 921
Debug.lib, 886
Default - pens in screen, 55, public screen, 59
Default Public Screen, 52
DeleteCxObj(), 734
DeleteCxObjAll(), 734
DeleteDiskObject(), 353
DeleteExtIO(), 886
DeleteLayer(), 710
DeleteMsgPort(), 502
DeletePort(), 254, 502, 887
DeleteStdIO(), 887
DeleteTask(), 467, 887
Delta Move - mouse coordinates, 268
Denise, 11
Depth - BitMap, 543, in VSprite structure, 625
Depth Gadget
 -->
 Detail Pen, 106
DETAILPEN, 57
Determining Chip Versions, 537
Device
 -->
 Device (Exec), 435
DHeight - in ViewPort, 542, 550, in ViewPort display memory, 549
DiagArea structure, 761
DimensionInfo structure, 543
DISABLE, 519, 530 - mutual-exclusion mechanism, 519
DISABLE macro, 470
Disable(), 470, 480, 520, 530
Disabling - interrupts, 470, 520, 530, maximum disable period, 471
Disk - inserted message, 262, removed message, 262
DiskFontHeader structure, 699
diskfont.library - see
 Text
 DisownBlitter(), 599, 599, 612
Dispatcher, 305
Display Clip, 40, 46, 49, 59, 61, 62, 86 - default, 63
Display Colors, 536
Display Database, 20 - display limitations, 47, display mode, 47
Display Modes, 47, 536, 545 - screens, 37
Display Requirements - Table, 536
Display width - affect of overscan on, 535, effect of resolution on, 547
DisplayAlert(), 221, 222
DisplayBeep(), 75, 204
DisplayClip, 541

DisplayID, 59
DisplayInfo - handle, 564
DisplayInfo structure, 553, 567
DisplayInfoHandle, 566, 567
DisposeCMsg(), 746
DisposeObject(), 295, 330
DisposeRegion(), 720
DivertCMsg(), 746
DMA - displaying the View, 555, playfield, 543
DoCollision(), 646, 668
DoIO(), 447, 449
DoMethod(), 302, 330, 890
DoMethodA(), 302, 330, 890
DOS - compatibility, 925, problems, 917
DOS Commands - executing, 20
DosEnvc structure, 760
DoSuperMethod(), 310, 330, 890
DoSuperMethodA(), 308, 310, 330, 890
Dotted lines, 585
Double Click - definition, 265, right mouse button, 202, 210
Double Menu Requester, 210
Double-buffering - allocations for, 579, Copper in, 579, Copper lists, 629
DoubleClick(), 269, 282
Drag - definition, 265, enable gadget, 109
Drag Bar - cancel window drag, 77, screens, 39, window, 77
Drag Select, 267 - menus, 169
Draw(), 588, 611 - in line drawing, 588, multiple line drawing, 589
DrawBevelBox(), 403, 413
DrawBevelBoxA(), 403, 413
DrawBorder(), 224, 224, 235, 237, 244
DrawCircle(), 588, 611
DrawEllipse(), 588, 611
DrawerData structure, 352
DrawGLList(), 288, 642, 668 - preparing the GELS list, 628
DrawImage(), 224, 224, 225, 226, 227, 244
DrawInfo structure
 -->
 Drawing
 -->
 Drawing pens - color, 584, current position, 587
DrawMode
 -->
 DRI_VERSION, 55
DSKBLK Interrupts, 519
DSKSYNC Interrupts, 519
Dual playfield
 -->
 DUALPF, 70, 545
DWidth - in ViewPort, 542, 550, in ViewPort display memory, 549
DxOffset - effect on display window, 550, in ViewPort display memory, 549
DyOffset - effect on display window, 550, in ViewPort display memory, 549

1.33 Dates Index

Dates, 881
 example, 882
 function reference, 884
 functions, 881
 structure, 881

1.34 Deadlock Index

Deadlock
 verify messages, 219, 250, 263
 with layers, 708
 with menus, 188
 with menuverify, 216

1.35 Depth Gadget Index

Depth Gadget
 enable gadget, 109
 keyboard qualifier, 78
 screens, 74
 window, 78

1.36 Device Index

Device
 asynchronous IORequests, 449
 closing, 450
 commands, 448
 device base address pointer, 452
 device names, 447
 device specific command prefixes, 448
 devices with functions, 452
 error checking, 450
 error indications, 450
 gracefully exiting, 451
 opening, 447
 passing IORequests, 447
 problems, 917
 romtag, 444
 sharing library bases, 467
 standard Exec commands, 448
 synchronous IORequests, 449
 task structure fields for, 466

1.37 DrawInfo structure Index

DrawInfo structure, 47, 55, 56, 58, 59, 106, 225, 238
dri_Font, 58
dri_Pens, 57, 107
dri_Version, 55

1.38 Drawing Index

Drawing
and Intuition text, 240
changing part of drawing area, 594
clearing memory, 592
colors, 584
in complement mode, 585
lines, 588
memory for, 582
modes, 585
moving source to destination, 595
pens, 584
pixels, 587
shapes, 590
turning off outline, 590
with Image structure, 225, 227

1.39 DrawMode Index

DrawMode
and Intuition text, 239
border, 234
in Border structure, 237
in flood fill, 591
in stencil drawing, 594
Intuition text, 242
with BltTemplate(), 596

1.40 Dual playfield Index

Dual playfield
bitplanes, 578
color map, 554
colors, 545
priority, 578
with screens, 70

1.41 E Index

EasyRequest(), 112, 188, 201, 211, 215, 216, 216-217, 218, 219, ↔
222

EasyRequestArgs(), 112, 215-216, 222

EasyStruct structure

- >
- ECS, 11 - and genlock, 607, determining chip versions, 537

Emergency - message, 220

ENABLE, 530

ENABLE macro, 470

Enable(), 470, 480, 520, 530

End gadget - requester, 206

EndNotify(), 336, 344

EndRefresh(), 95, 97, 97, 110, 115, 128, 244, 261, 721

EndRequest(), 112, 203, 206, 222

EndUpdate(), 128, 711, 721

Enhanced Chip Set, 11

Enqueue(), 492, 498

EnqueueCxObj(), 737

EntryHandler(), 797, 798, 810

EO_BADFORMAT, 160

EO_BIGCHANGE, 160

EO_CLEAR, 160

EO_DELBACKWARD, 160

EO_DELFORWARD, 160

EO_ENTER, 160

EO_INSERTCHAR, 160

EO_MOVECURSOR, 160

EO_NOOP, 160

EO_REPLACECHAR, 160

EO_RESET, 160

EO_SPECIAL, 160

EO_UNDO, 160

EraseImage(), 225

EraseRect(), 225

Error

- >
- Errors, 915

Escape Sequences, 90 - ANSI, 248, console device, 248

Event Loop - IDCMP, 250, 251

Events, 481

Examples

- >
- Exception signal, 473

Exceptions

- >
- Exec
- >
- ExecBase Structure, 518, 520

exec/errors.h, 450

ExitHandler(), 797, 810

Expansion

- >
- ExpansionRom structure, 757

Expunge vector, 437

Extended - new screen structure, 46

EXTER, 519, 525, 526

EXTER Interrupts, 519, 525
ExternFont(), 682
ExtNewScreen structure, 43, 45
ExtNewWindow structure, 80, 106
Extra-Half-Brite - Clearing Plane 6, 583, Setting Plane 6, 583
Extra-Half-Brite mode, 580
EXTRA_HALFBRITE, 545-546

1.42 EasyStruct structure Index

EasyStruct structure, 216
 es_Flags, 216
 es_GadgetFormat, 216, 217
 es_StructSize, 216
 es_TextFormat, 216, 217
 es_Title, 216

1.43 Error Index

Error
 display, 204
 incorrect custom chips, 45
 monitor not available, 45
 no Chip memory, 45
 no memory, 45
 open screen, 45
 screen name collision, 45
 unknown mode, 45

1.44 Examples Index

Examples
 Animation - complete bobs example, 642
 ASL
 custom hook function, 426
 file requester with multiple selection, 419
 file requester with pattern matching, 419
 font requester, 424
 simple file requester, 417
 Boopsi
 custom gadget class, 323
 custom model subclass, 312
 Talk2boopsi.c, 299
 Commodities
 custom CxObject for swapping mouse buttons, 744
 hotkey pop-up shell commodity, 750
 input description strings, 737
 monitoring user inactivity, 747
 opening a broker commodity, 731

- simple hot key commodity, 738
- compiler flags used, 12
- Exec
 - building and reading a list, 495
 - calling a library function, 437
 - Ctrl-C Processing, 433
 - library source code, 909
 - open an Exec Library, 438
 - opening a library (in assembler), 5
 - opening a library (in C), 4
 - semaphores, 514
 - signals.c, 484
 - simpletask.c, 467
 - task creation, 467
 - task list, 471
 - task trap, 475
 - using an Exec device, 453
- Expansion
 - DiagArea in RAM, 762
 - list AUTOCONFIG boards, 757
 - sample autoboot code, 763
 - sample AUTOCONFIG ROM, 767
- Gadgets
 - creating a simple gadget, 120
 - scroller support functions, 144
 - slider support functions, 145
 - string gadget with edit hooks, 162
 - updating a string gadget, 151
- GadTools
 - complete GadTools example, 406
 - gadget message filtering, 403
 - NewMenu structure, 369
 - slider gadget setup, 393
 - using CreateContext(), 400
 - using gadgets, 383
 - using the menu system, 372
 - using VisualInfo functions, 399
- graphics, 571
 - animtools.c, 661
 - RGBBoxes.c, 556
 - UserCopperExample.c, 603
- IFFParse - ClipFTXT.c, 803, Sift.c, 807
- Intuition
 - allocremember.c, 285
 - blocking input with a requester, 207
 - CloseWindowSafely() for shared IDCMPs, 255
 - compleximage.c, 231
 - custompointer.c, 275
 - displayalert.c, 221
 - easyintuition33.c, 34
 - easyintuition37.c, 32
 - easyrequest.c, 217
 - IDCMP event loop, 251
 - input event loop, 31
 - intuitext.c, 241
 - rawkey.c, 277
 - read mouse, 269

- remembertest.c, 286
- shadowborder.c, 235
- simpleimage.c, 228
- Keymap
 - AskKeyMap(), 813
 - German keymap excerpt, 824
 - mapping RAWKEY events to character sequences, 814
 - mapping text to keypresses, 816
 - SetKeyMap(), 813
- Menus - menu layout, 192, simple menu, 172
- Messages - skeleton of waiting for a signal, 434
- Preferences
 - prefs file change notification, 336
 - read and parse IFF Prefs, 341
- Screens
 - cloning a public screen, 59
 - double buffered screen, 67
 - dual playfield screen, 70
 - finding the Workbench screen, 51
 - opening a new look screen, 42
 - opening screens compatibly, 44
 - using a public screen, 56
- Text
 - list available fonts, 690
 - measuring and fitting text, 678
 - render a text file to a window, 684
 - sample font source, 699
 - skeleton for opening a font, 671
 - skeleton for selecting aspect ratio, 683
 - skeleton for soft styling a font, 675
 - skeleton using AvailFonts(), 689
- Windows
 - calculating window border size, 89
 - opening a window with tags, 80
 - superbitmap window, 99
 - using public screens, 83
 - window sized to the visible display, 86
- Workbench
 - AppIcon, 360
 - AppMenuItem, 361
 - AppWindow, 363
 - icon creation and parsing, 355
 - parse Workbench and CLI args, 349

1.45 Exceptions Index

- Exceptions, 473
 - 680x0, 473
 - Exec, 473
 - SetExcept(), 473
 - synchronous, 474
 - tc_ExceptCode, 473
 - tc_ExceptData, 473

1.46 Exec Index

Exec

- CloseLibrary(), 436
- Device, 435
- examples
 - building and reading a list, 495
 - calling a library function, 437
 - Ctrl-C Processing, 433
 - library source code, 909
 - Open an Exec Library, 438
 - opening a library (in assembler), 5
 - opening a library (in C), 4
 - semaphores, 514
 - task signalling, 484
 - tasklist.c, 471
 - trap_c.c, 475
- introduction to, 9
- Kickstart version, 435
- Library, 435 - version, 435
- Library Vector Offset - see LVO
- LINKLIB macro, 438
- LVO, 436, 437
- MEMF_CHIP, 14
- MEMF_FAST, 14
- Messages - interprocess communication, 433
- multitasking, 429
- OpenLibrary(), 3, 4, 435
- process, 430
- quantum, 430
- SetSignal(), 433
- Signals, 432
- struct Library, 436, 441
- struct Task, 465
- task, 429, 430
- Wait(), 30, 31, 432

1.47 Expansion Index

Expansion, 924

- AddBootNode(), 759, 776
- AddDosNode(), 759, 776
- autoboot - BOOT, 768, DIAG, 761, ROMTAG INIT, 768
- AUTOCONFIG, 755 - hardware manufacturer number, 756
- ConfigDev flags, 756
- device drivers, 758
- DiagArea flags, 761
- disk based expansion board drivers, 758
- examples
 - DiagArea in RAM, 762
 - list AUTOCONFIG boards, 757
 - sample autoboot code, 763
 - sample AUTOCONFIG ROM, 767
- expansion board drivers - Autoboot, 760, ROM based, 760

FileSysRes, 775
 FileSysResource, 769
 FindConfigDev(), 756, 757, 776
 GetCurrentBinding(), 759, 776
 Hardware Manufacturer Number, 756
 InitResident(), 759
 MakeDosNode(), 759, 776
 ObtainConfigBinding(), 759
 ReleaseConfigBinding(), 759
 RigidDiskBlock, 769, - see also "SCSI Device" in RKM:Devices
 BadBlockBlock, 772
 Environment, 773
 FileSysHeaderBlock, 774
 LoadSegBlock, 775
 PartitionBlock, 773
 RigidDiskBlock specification, 770
 SetCurrentBinding(), 759, 776
 struct ConfigDev, 756
 struct CurrentBinding, 759
 struct DiagArea, 761
 struct DosEnvc, 760
 struct ExpansionRom, 757

1.48 F Index

 Fast floating-point library, 833
 Fast Memory, 11, 431, 456
 FastRand(), 887
 FCH_ID, 698
 fclose(), 887
 fgetc(), 887
 FgPen
 -->
 File - requester, 20
 FileRequester structure, 416
 FileSysResource, 769
 FILE_DOMSGFUNC, 425
 FILE_DOWILDFUNC, 425
 FILE_MULTISELECT, 419
 FILE_NEWIDCMP, 419
 FILE_PATGAD, 419
 FILE_SAVE, 419
 FILLPEN, 58
 fillrectclass, 297
 FILLTEXTPEN, 58
 Filter - IDCMP messages, 250
 FinalPC, 463
 FindCollection(), 785, 810
 FindConfigDev(), 756, 757, 776
 FindDisplayInfo(), 567, 567, 611
 FindLocalItem(), 791, 810
 FindName(), 493, 498, 520
 FindPort(), 502, 520
 FindProp(), 344, 783, 810
 FindPropContext(), 798, 810

FindSemaphore(), 514, 515
FindTask(), 49, 480, 520
FindToolType(), 354
First-In-First-Out (FIFO), 492, 499
Flags
 -->
 Flicker - menu items, 181
Flood(), 590, 611
Follow mouse, 273
FONF_BACKCOLOR, 423
FONF_DOMSGFUNC, 425
FONF_DOWILDFUNC, 425
FONF_DRAWMODE, 423
FONF_FIXEDWIDTH, 423
FONF_FRONTCOLOR, 423
FONF_STYLES, 423
Font
 -->
 FontContents structure, 698
FontContentsHeader structure, 698
FontExtent(), 155, 676
FontPrefs structure, 338
FontRequester structure, 422
Forbid(), 110, 366, 470, 480, 520
Foreground pen, 584
Format String - easy requester, 217
fpa(), 888
FPF_DESIGNED, 671
FPF_DISKFONT, 671
FPF_PROPORTIONAL, 671
FPF_REVPATH, 671
FPF_ROMFONT, 671
FPF_TALLDOT, 671
FPF_WIDEDOT, 671
fprintf(), 887
fputc(), 887
fputs(), 887
frameiclass, 297
frbuttonclass, 298
Free memory, 463
FreeAslRequest(), 416
FreeClass(), 330
FreeColorMap(), 560, 610
FreeCprList(), 560, 610
FreeDiskObject(), 353
FreeEntry(), 459, 462
FreeGadgets(), 382, 413
FreeGBuffers(), 668
FREEHORIZ, 147
FreeIEvents(), 749, 889
FreeIFF(), 344, 810
FreeLocalItem(), 799, 810
FreeMem(), 284, 431, 455, 457
FreeMenus(), 377, 413
FreeRaster(), 560, 610
FreeRemember(), 283, 284, 284-285, 289
FreeScreenDrawInfo(), 56, 76, 244

FreeSignal(), 476, 482, 485
FreeSprite(), 620, 668
FreeSysRequest(), 219, 222
FreeTrap(), 476, 480
FreeVec(), 431
FREEVERT, 147
FreeVisualInfo(), 413
FreeVPortCopLists(), 560, 610
FSF_BOLD, 671
FSF_EXTENDED, 671
FSF_ITALIC, 671
FSF_UNDERLINED, 671
FTXT, 799
FULLMENU(), 178
FULLMENUNUM(), 200

1.49 FgPen Index

FgPen
 in complement mode, 585
 in flood fill, 590, 591
 in JAM1 mode, 584
 in line drawing, 588
 in RastPort, 584
 in rectangle fill, 592
 with BltTemplate(), 596

1.50 Flags Index

Flags
 menu item, 191
 new window, 111
 window, 109
 with BNDRYOFF() macro, 590

1.51 Font Index

Font, 930
 in easy requester, 215
 in screen, 59
 Intuition text, 243
 life, 58
 menu layout, 179
 outline, 19
 preferred, 48
 preferred monospace, 48
 requester, 20
 SA_Font, 58
 SA_SysFont, 58

scaling, 19
 screen, 47, 58
 system font in screen, 48
 window, 85
 window title, 107

1.52 G Index

GACT_ALTKEYMAP, 137
 GACT_BOOLEXTEND, 137
 GACT_BOOLEXTENDED, 138
 GACT_BOTTOMBORDER, 126, 137
 GACT_ENDGADGET, 136, 206
 GACT_FOLLOWMOUSE, 131, 136, 258, 273
 GACT_IMMEDIATE, 123, 124, 131, 136, 259
 GACT_LEFTBORDER, 126, 137
 GACT_LONGINT, 133, 137, 150, 160
 GACT_RELVERIFY, 123, 124, 131, 136, 259
 GACT_RIGHTBORDER, 126, 136
 GACT_STRINGCENTER, 137, 154
 GACT_STRINGEXTEND, 137
 GACT_STRINGLEFT, 137, 154, 155
 GACT_STRINGRIGHT, 137, 154
 GACT_TOGGLESELECT, 136, 138
 GACT_TOPBORDER, 126, 137
 Gadget
 -->
 Gadget structure
 -->
 Gadget Toolkit - see
 GadTools
 gadgetclass, 292, 297
 GadgetInfo structure, 318
 GadTools
 -->
 Gameport device, 925
 GA_Disabled, 386, 387, 389, 390, 392, 394, 396
 GA_Immediate, 392, 394
 GA_RelVerify, 301, 392, 394
 GA_TabCycle, 387
 GA_Underscore, 404
 GELGONE Flag - in VSsprite structure, 624
 GELS - introduction, 613, types, 614
 GelsInfo, 583
 GelsInfo structure, 632
 Genlock, 607, 607 - control, 20
 GetAttr(), 296, 301, 330
 GetCC(), 478
 getchar(), 887
 GetColorMap(), 47, 553, 560, 564, 610
 GetCurrentBinding(), 759, 776
 GetDefaultPubScreen(), 50, 76
 GetDefDiskObject(), 353
 GetDefPrefs(), 332, 344
 GetDiskObject(), 353

GetDiskObjectNew(), 353
GetDisplayInfoData(), 543, 567, 611
GetGBuffers(), 668
GetMsg(), 434, 505, 520
GetPrefs(), 262, 332, 344
GetRexxVar(), 888
GetRGB4(), 554
GetScreenData(), 51, 59, 75, 76
GetScreenDrawInfo(), 56, 59, 76, 244
GetSprite(), 619, 668
GetVisualInfo(), 398, 413
GetVisualInfoA(), 398, 413
GetVPMODEID(), 59, 566, 611
GFLG_DISABLED, 130, 135, 321
GFLG_GADGHBOX, 127, 128, 129, 134
GFLG_GADGHCOMP, 127, 127, 134
GFLG_GADGHIMAGE, 127, 128, 129, 134
GFLG_GADGHNONE, 127, 134
GFLG_GADGIMAGE, 122, 123, 123, 128, 134
GFLG_RELBOTTOM, 125, 128, 135
GFLG_RELHEIGHT, 125, 128, 135
GFLG_RELRIGHT, 124-125, 128, 135
GFLG_RELVIFY - Boopsi gadgets, 301
GFLG_RELWIDTH, 125, 128, 135
GFLG_SELECTED, 135
GFLG_STRINGEXTEND, 135, 155, 157
GFLG_TABCYCLE, 135, 154
GfxAssociate(), 551, 611
GfxBase Structure, 243 - DefaultFont, 58, 85, 241, 243
GfxFree(), 551, 611
GfxLookUp(), 551
GfxNew(), 551, 611
Ghosted - menus, 185
GimmeZeroZero
 -->
 GMR_GADGETHIT, 320
GMR_MEACTIVE, 321
GMR_NEXTACTIVE, 321
GMR_NOREUSE, 321
GMR_PREVACTIVE, 321
GMR_REUSE, 321
GM_GOACTIVE, 318, 320
GM_GOINACTIVE, 318, 322
GM_HANDLEINPUT, 318, 321
GM_HITTEST, 318, 320
GM_RENDER, 318, 319
gpGoInactive structure, 322
gpHitTest structure, 320
gpInput structure, 320
gpRender structure, 319
Graphics
 -->
 graphics.library - see also
 Text
 GREDRAW_REDRAW, 319
GREDRAW_TOGGLE, 319
GREDRAW_UPDATE, 319

groupgclass, 297
GTCB_Checked, 389
GTCY_Active, 390
GTCY_Labels, 390
GTIN_MaxChars, 387
GTIN_Number, 387
GTLV_Labels, 394
GTLV_ReadOnly, 395
GTLV_ScrollWidth, 395
GTLV_Selected, 395
GTLV_ShowSelected, 395
GTLV_Top, 395
GTMENU_INVALID, 375
GTMENUITEM_USERDATA(), 372
GTMENU_NOMEM, 375
GTMENU_TRIMMED, 375
GTMENU_USERDATA(), 372
GTMN_FrontPen(), 374
GTMN_FullMenu, 374
GTMN_Menu, 376
GTMN_SecondaryError, 375
GTMN_TextAttr, 375, 376
GTMX_Active, 389
GTMX_Labels, 389
GTMX_Spacing, 390
GTNM_Border, 397
GTNM_Number, 397
GTPA_Color, 396
GTPA_ColorOffset, 396
GTPA_Depth, 396
GTPA_IndicatorHeight, 396
GTPA_IndicatorWidth, 396
GTSC_Arrows, 394
GTSC_Top, 393
GTSC_Total, 393
GTSC_Visible, 393
GTSL_DispFunc, 392
GTSL_Level, 391
GTSL_LevelFormat, 391
GTSL_LevelPlace, 391
GTSL_Max, 391
GTSL_MaxLevelLen, 391
GTSL_Min, 391
GTST_MaxChars, 387
GTST_String, 386
GTTX_Border, 397
GTTX_CopyText, 397
GTTX_Text, 397
GTYP_BOOLGADGET, 133, 138
GTYP_CUSTOMGADGET, 133
GTYP_GZZGADGET, 89, 93, 133, 136
GTYP_PROPGADGET, 133
GTYP_REQGADGET, 133, 206, 212
GTYP_STRGADGET, 133, 154
GT_BeginRefresh(), 402, 413
GT_EndRefresh(), 402, 413
GT_FilterIMsg(), 402, 413

GT_GetIMsg(), 381, 413
 GT_PostFilterIMsg(), 402, 413
 GT_RefreshWindow(), 401, 413
 GT_ReplyIMsg(), 381, 413
 GT_SetGadgetAttrs(), 385, 413
 GT_SetGadgetAttrsA(), 385, 413
 GUI - see
 Boopsi

1.53 Gadget Index

Gadget, 318 - see Also
 BOOPSI
 and
 GadTools
 actions with SGH_KEY, 161
 ActivateGadget(), 150, 166, 321
 activating a string gadget, 150
 Activation flags, 123-124, 126, 131, 136-137, 154
 active gadget, 323
 AddGadget(), 166
 AddGList(), 122, 129, 166
 adding a gadget, 121
 adjusting borders, 126
 alternate border, 118, 127, 128
 alternate image, 118, 127, 128
 and requester, 204
 Auto-Knob for proportional gadgets, 143
 BeginRefresh(), 128
 BeginUpdate(), 128
 boolean gadgets, 129
 boolinfo flags, 139
 border gadgets, 126
 Border Structure, 128
 box gadget highlighting, 127, 128
 button gadget, 118
 Caveats
 do not share knob imagery, 143
 do not use image lists for knobs, 143
 GimmeZeroZero window border, 136
 imagery and the selection box, 124
 mouse tracking with boolean gadgets, 136
 close gadget, 119
 complement gadget highlighting, 127, 127
 custom gadgets, 166
 defined, 28
 depth gadget, 119
 disabling, 118, 130
 down, 268
 down message, 259
 drag gadget, 119
 enabling, 118, 130
 EndRefresh(), 128
 EndUpdate(), 128

Examples

- creating a simple gadget, 120
- scroller support functions, 144
- slider support functions, 145
- string gadget with edit hooks, 162
- updating a string gadget, 151

FontExtent(), 155

gadget flags, 122, 124, 127, 128, 128, 134, 154, 157

gadget imagery, 122

Gadget Structure, 119

GadgetID, 134

gadgets without imagery, 123

GFLG_DISABLED, 321

ghosted - see Gadgets disabling

GMR_MEACTIVE, 321

GMR_NEXTACTIVE, 321

GMR_NOREUSE, 321

GMR_PREVACTIVE, 321

GMR_REUSE, 321

GM_GOINACTIVE, 322

Help key in string gadgets, 158

highlighting, 118

highlighting gadgets, 127

highlighting mutual exclude, 139

hit-select boolean gadget, 138

IDCMP Messages, 123-124, 128, 131

Image Structure, 128

imageless gadgets for mouse tracking, 123

implementation of, 318

in borders, 932

in new window, 107

in requester, 204, 206

in window border, 93

integer gadget, 150

Intuition Message classes, 119

Knob on proportional gadgets, 142

left mouse button, 118

Methods, 318

modifying gadgets, 122

ModifyProp(), 166

mutually exclusive, 140

NewModifyProp(), 147, 148, 166

ObtainGIRPort(), 323

OffGadget(), 130, 166

OnGadget(), 130, 166

position, 124

PropInfo flags, 140, 147

proportional gadget, 118, 140

proportional gadget container, 142

proportional gadget increment, 144

proportional gadget knob, 142

RefreshGadgets(), 166

RefreshGList(), 128, 129, 130, 166

refreshing gadgets, 128

relative position, 124

relative size, 124

ReleaseGIRPort(), 323

- RemoveGadget(), 166
- RemoveGList(), 122, 166, 322
- removing a gadget, 121
- screen gadgets, 119
- Scroller, 141, 141
- select box size, 125
- select button, 118
- SetEditHook(), 166
- SGWork editing actions, 160
- SGWork editing operations, 160
- size gadget, 119, 124
- Slider, 141, 142
- SpecialInfo, 134
- string gadget, 118, 148
- string gadget editing, 158
- string gadget modes, 157
- string gadget with an alternate keymap, 156
- struct BoolInfo, 139
- struct Border, 123
- struct Gadget, 132
- struct IntuiMessage, 119
- struct IntuiText, 123
- struct PropInfo, 143, 144, 147
- struct SGWork, 159
- struct StringExtend, 157
- struct StringInfo, 154, 155
- system gadgets, 77, 91, 119
- text gadget, 118
- text justification, 154
- toggle-select boolean gadget, 138
- types of gadgets, 133, 138
- up, 268
- up message, 259
- UserData, 134
- using relative positioning, 125
- window gadgets, 119
- zoom gadget, 119

1.54 Gadget structure Index

- Gadget structure, 132, 224, 352
 - 1.3 compatible usage, 19
 - activation, 93, 206
 - GadgetType, 206, 212

1.55 GadTools Index

- GadTools, 192, 367
 - BUTTON_KIND
 - GA_Disabled, 386, 387
 - GA_TabCycle, 387

- GTIN_MaxChars, 387
- GTIN_Number, 387
- GTST_MaxChars, 387
- GTST_String, 386
- STRINGA_ExitHelp, 387
- STRINGA_Justification, 387
- STRINGA_ReplaceMode, 387
- caveats
 - GadTools enforces Intuition limits, 375
 - GT_SetGadgetAttrs() and GT_BeginRefresh(), 386
 - PLACETEXT with GENERIC_KIND gadgets, 398
 - post-processing, 368
 - preserve bits set by CreatesGadget(), 398
 - refreshing the display, 382
 - restrictions on gadgets, 411
 - side effects, 412
- CHECKBOX_KIND
 - GA_Disabled, 389
 - GTCB_Checked, 389
- controlling gadgets from the keyboard, 404
- CreateContext(), 399
- CreateGadget(), 380
- CreateMenus(), 374
- CreateMenusA(), 374
- creating gadgets, 380
- CYCLE_KIND
 - GA_Disabled, 390
 - GTCY_Active, 390
 - GTCY_Labels, 390
- DrawBevelBox(), 403
- DrawBevelBoxA(), 403
- examples
 - complete GadTools example, 406
 - gadget message filtering, 403
 - NewMenu structure, 369
 - slider gadget setup, 393
 - using CreateContext(), 400
 - using gadgets, 383
 - using the menu system, 372
 - using VisualInfo functions, 399
- features of, 368
- FreeGadgets(), 382
- FreeMenus(), 377
- function descriptions, 413
- gadget types, 378, 386
 - button, 378, 386
 - checkboxes, 378, 389
 - cycle, 378, 390
 - generic gadget, 398
 - integer, 378, 386
 - listviews, 378, 394
 - mutually exclusive, 378, 389
 - numeric-display, 378, 397
 - palette, 378, 396
 - scrollers, 378, 393
 - sliders, 378, 391
 - string, 378, 386

- text-display, 378, 397
- gadgets, 378
- GetVisualInfo(), 398
- GetVisualInfoA(), 398
- GTMENUITEM_USERDATA(), 372
- GTMENU_USERDATA(), 372
- GTMN_FrontPen(), 374
- GTMN_TextAttr, 375
- GT_BeginRefresh(), 402
- GT_EndRefresh(), 402
- GT_FilterIMsg(), 402
- GT_GetIMsg(), 381
- GT_PostFilterIMsg(), 402
- GT_RefreshWindow(), 401
- GT_ReplyIMsg(), 381
- GT_SetGadgetAttrs(), 385
- GT_SetGadgetAttrsA(), 385
- handling gadget messages, 381
- IDCMP flags, 382
- implementing gadget keyboard equivalents, 404
- language-sensitive menus, 378
- LayoutMenuItems(), 376
- LayoutMenuItemsA(), 376
- LayoutMenus(), 375
- LayoutMenusA(), 375
- LISTVIEW_KIND
 - GTLV_Labels, 394
 - GTLV_ReadOnly, 395
 - GTLV_ScrollWidth, 395
 - GTLV_Selected, 395
 - GTLV_ShowSelected, 395
 - GTLV_Top, 395
 - LAYOUTA_Spacing, 395
- menu layout, 180
- menus, 368
- menus and intuimessages, 377
- minimal IDCMP_REFRESHWINDOW processing, 402
- modifying gadgets - struct, 385
- MX_KIND
 - GTMX_Active, 389
 - GTMX_Labels, 389
 - GTMX_Spacing, 390
- NUMBER_KIND
 - GTNM_Border, 397
 - GTNM_Number, 397
- PALETTE_KIND
 - GA_Disabled, 396
 - GTPA_Color, 396
 - GTPA_ColorOffset, 396
 - GTPA_Depth, 396
 - GTPA_IndicatorHeight, 396
 - GTPA_IndicatorWidth, 396
- programming gadgets, 378
- restrictions on menus, 377
- reusing a NewGadget structure, 401
- SCROLLER_KIND
 - GA_Disabled, 394

- GA_Immediate, 394
- GA_RelVerify, 394
- GTSC_Arrows, 394
- GTSC_Top, 393
- GTSC_Total, 393
- GTSC_Visible, 393
- PGA_Freedom, 394
- SLIDER_KIND
 - GA_Disabled, 392
 - GA_Immediate, 392
 - GA_RelVerify, 392
 - GTSL_DispFunc, 392
 - GTSL_Level, 391
 - GTSL_LevelFormat, 391
 - GTSL_LevelPlace, 391
 - GTSL_Max, 391
 - GTSL_MaxLevelLen, 391
 - GTSL_Min, 391
 - PGA_Freedom, 392
 - processing IntuiMessages, 392
- struct NewGadget, 379
- struct NewMenu, 370
- TEXT_KIND
 - GTTX_Border, 397
 - GTTX_CopyText, 397
 - GTTX_Text, 397

1.56 GimmeZeroZero Index

GimmeZeroZero, 133

- attribute, 110
- border rast port, 105
- clipping alternative, 93
- description, 93
- gadget in border, 89
- mouse position, 105, 273
- offset alternative, 89
- opening, 93
- requester limit, 204
- requester positioning, 93
- use of resources, 93
- window type, 92, 93
- with borderless, 92
- with superbitmap, 96

1.57 Graphics Index

Graphics

- display modes, 536
- examples
 - Animation tools, 661
 - simple ViewPort creation, 556

- User copper list, 603
- WBClone.c, 571
- high level interface, 223
- images, 919
- in windows, 85
- layers locking, 707, 726
- screen data organization, 39
- struct AnimComp, 652
- struct AnimOb, 652
- struct bltnode, 600
- struct RastPort, 581
- text - see
 - Text
 - using from Intuition, 223
- with layers, 704

1.58 H Index

- HAM, 545-546, 580-581
- Hardware - differences, 926
- Hardware Interrupts, 517
- Hardware Sprites - reserving, 632
- Height - by inner dimension, 108
- Height variable - in VSprite structure, 625
- Help - menu, 111, 260
- HIGHBOX, 192
- HIGHCOMP, 191
- HIGHFLAGS, 191
- HIGHIMAGE, 190, 192, 225
- HIGHITEM, 192
- Highlighting - menu item, 191, menus, 169, 169
- HIGHLIGHTTEXTPEN, 58
- HIGHNONE, 192
- HIRES, 545
- Hold-and-modify mode, 580
- Hook structure, 312
- HookEntry.asm, 794
- Hooks
 - >
 - Hot Spot - mouse, 266
- HotKey(), 889

1.59 Hooks Index

- Hooks, 875
 - example, 877
 - function, 875
 - function reference, 883
 - structure, 875
 - usage, 876

1.60 I Index

ICA_MAP - Boopsi gadgets, 299, icclass, 302
ICA_TARGET, 309 - Boopsi gadgets, 298, 302, icclass, 302
icclass, 292, 297, 302
Icon - creation, 350, parsing, 350
Icon library, 350
IControlPrefs structure, 338
ICSPECIAL_CODE - Boopsi gadgets, 302
IDCMP
 -->
 IDCMP_ACTIVEWINDOW, 91, 176, 261
IDCMP_CHANGEWINDOW, 263
IDCMP_CLOSEWINDOW, 248, 259
IDCMP_DELTAMOVE, 256, 259, 268-269
IDCMP_DISKINSERTED, 262
IDCMP_DISKREMOVED, 262
IDCMP_GADGETDOWN, 119, 123, 124, 259, 268
IDCMP_GADGETUP, 119, 123, 124, 131, 259, 268 - Boopsi gadgets, 301
IDCMP_IDCMPUPDATE, 263 - Boopsi gadgets, 302
IDCMP_INACTIVEWINDOW, 91, 261
IDCMP_INTUITICKS, 74, 258, 262-263
IDCMP_LONELYMESSAGE, 263
IDCMP_MENUBUTTONS, 186
IDCMP_MENUHELP, 111, 178, 179, 258, 260
IDCMP_MENUPICK, 176, 177, 177, 179, 185, 186, 187, 187, 259, 268
IDCMP_MENUVERIFY, 49, 186, 186, 186, 187, 188, 216, 259-260, 263-264
IDCMP_MOUSEBUTTONS, 110, 131, 175, 187, 258, 268, 269
IDCMP_MOUSEMOVE, 93, 109, 124, 131, 256, 258, 259, 268, 269, 273
IDCMP_NEWPREFS, 262, 332
IDCMP_NEWSIZE, 112, 260
IDCMP_RAWKEY, 256, 261-262, 277, 277
IDCMP_REFRESHWINDOW, 97, 110, 128, 261
IDCMP_REQCLEAR, 105, 210, 210, 260
IDCMP_REQSET, 105, 210, 210, 260
IDCMP_REQVERIFY, 211, 260, 263-264
IDCMP_SIZEVERIFY, 91, 250, 261, 263-264
IDCMP_UPDATE, 277
IDCMP_VANILLAKEY, 256, 261, 277
IDCMP_WBENCHMESSAGE, 263
IDNestCnt Counter, 530
IEQUALIFIER_CAPSLOCK, 282
IEQUALIFIER_CONTROL, 282
IEQUALIFIER_LALT, 282
IEQUALIFIER_LCOMMAND, 282
IEQUALIFIER_LEFTBUTTON, 282
IEQUALIFIER_LSHIFT, 282
IEQUALIFIER_MIDBUTTON, 282
IEQUALIFIER_NUMERICPAD, 282
IEQUALIFIER_RALT, 282
IEQUALIFIER_RBUTTON, 282
IEQUALIFIER_RCOMMAND, 282
IEQUALIFIER_REPEAT, 277, 282
IEQUALIFIER_RSHIFT, 282
IFEMPTY, 498
IFF

-->
IFFHandle structure, 780

IFFParse

-->
IFNOTEMPTY, 498

ILBM, 799

Illegal instruction, 474

Image - menu item, 169, 190, position, 224

Image structure

-->
imageclass, 292, 297

ImageData - changing VSprites, 627

ImageData pointer - in VSprite structure, 625

Imagery - in requester, 204, in requester gadgets, 206

Images - see also

Boopsi
IM_ITEM, 370

IM_SUB, 370

inheritance, 293, 306, 311

InitArea(), 582, 611

InitBitMap(), 98, 552, 610

InitGels(), 668

InitGMasks(), 668

InitIFF(), 781, 810

InitIFFasClip(), 781, 810

InitIFFasDOS(), 344, 781, 810

InitMasks(), 648, 668

InitRastPort(), 582, 611

InitRequester(), 203, 211, 222

InitResident(), 759

InitSemaphore(), 511, 515

InitStruct(), 462

InitTmpRas(), 583

InitView(), 610, 709

InitVPort(), 553, 610, 709

Input - and Intuition, 245, block with requester, 203, out-of-sync, 920

Input Device, 245, 246 - input stream, 246

Input Event, 323 - menus, 176, mouse, 266, processing menu events, 177

Input Event Loop, 30

Input Focus, 78, 248

Input Handler, 246, 247

Input Stream, 246

InputEvent Structure, 246, 321 - ie_Qualifier, 256

InputPrefs structure, 339

InputXpression structure, 745

Insert(), 492, 498

InsertCxObj(), 737

InstallClipRegion(), 703, 711, 719, 720-721, 723

Instance, 292

Instance data, 293, 308 - initializing, 308

INST_DATA() macro, 309

INT2, 519

INT6, 519

INTB_VERTB, 521

INTEN Interrupts, 519

INTENA, 517, 518

INTENA Register, 517

INTENAR, 521
Interconnection class - see icclass
International Characters - as menu command keys, 184
International compatibility, 922
International strings
 -->
 Interprocess communication, 433, 499
Interrupt stack, 477
Interrupt Structure
 -->
 Interrupts
 -->
 INTREQ, 517, 518
INTREQ Register, 517
INTREQR, 521
IntuiMessage structure
 -->
 IntuiText - in requester, 204, position, 224
IntuiText structure
 -->
 IntuiTextLength(), 241, 243, 244
Intuition
 -->
 Intuition public classes, 297
IntuitionBase Structure, 283, 283-284
INVERSVID, 240, 243, 585
InvertString(), 749, 889
IORequest, 446 - creating, 446
IPL0, 517
IPL1, 517
IPL2, 517
ISDRAWN, 192
IsListEmpt, 498
ISP, 477
Item Number, 177 - terminator, 177
ItemAddress(), 177, 200
ITEMENABLED, 175, 191
ItemFill, 225
ITEMNUM(), 177, 178
ITEMTEXT, 190, 191, 192, 225
itexticlass, 297
IX structure, 745
IXSYM_ALT, 745
IXSYM_CAPS, 745
IXSYM_SHIFT, 745
.info file, 345

1.61 IDCMP Index

IDCMP, 31, 247
 application allocated, 249
 Boopsi, 301
 creation, 249
 definition, 90

- discard messages, 113
- Flags, 257
- freeing, 249
- in easy requesters, 215
- input events, 249
- message structure, 250
- queue limits, 113
- requester, 210
- shared, 253-254
- WA_IDCMP tag, 107

1.62 IFF Index

IFF, 777

- Chunk, 778
- example file, 780
- FORM, 778-779 - size, 780
- FORM types, 799
- FTXT, 803
- ILBM, 800, 801, 802
- introduction, 778
- Preferences, 338

1.63 IFFParse Index

IFFParse, 777

- context stack, 789
- custom chunk handler, 797, 798
- custom stream handler, 793-795, 795
- error handling, 792
- examples
 - examining IFF files, 807
 - parsing FTXT for the clipboard, 803
- reading files, 784
- streams, 781
- struct ContextNode, 789
- struct IFFHandle, 780
- writing files, 787

1.64 Image structure Index

Image structure, 180, 190, 191, 192, 223, 224, 224-225, 225, 353

- bit-plane organization, 227
- calculation of data size, 226
- color computation, 228
- Depth, 226, 231
- Height, 226, 231
- ImageData, 226, 227, 231
- LeftEdge, 226, 240
- NextImage, 226

PlaneOnOff, 226, 230-231
PlanePick, 226, 230
TopEdge, 226, 240
Width, 226, 231

1.65 International strings Index

International strings, 880
 example, 880
 function reference, 883
 functions, 880

1.66 Interrupt Structure Index

Interrupt Structure, 520, 521, 521, 525, 527
 is_Data, 521, 524, 525
 is_Node, 525

1.67 Interrupts Index

Interrupts, 917
 68000 interrupt request signals, 517
 68000 priority levels, 517
 autovectors, 518
 deferred, 519
 disable, 520
 disabling, 530
 Exceptions, 473
 handlers, 519, 521
 hardware registers, 517
 non-maskable (NMI), 519
 priorities, 519
 server return value, 525
 servers, 519, 525
 software, 527
 Task private, 473

1.68 IntuiMessage structure Index

IntuiMessage structure, 119, 247, 250, 256
 Class, 256-257, 257, 268
 Code, 186, 256, 258, 259-260, 261, 268
 ExecMessage, 256
 IAddress, 257, 259, 262, 263
 IDCMPWindow, 257
 Micros, 257
 MouseX, 256, 268, 273

MouseY, 256, 268, 273
Qualifier, 256, 261, 282
Seconds, 257
SpecialLink, 257

1.69 IntuiText structure Index

IntuiText structure, 123, 180, 190, 191, 192, 213, 223, 224, 239, 239-240,
240, 243
BackPen, 239, 242-243
DrawMode, 239
FrontPen, 239-240, 242-243
IText, 240, 241
ITextFont, 240, 241, 243
LeftEdge, 240, 240
NextText, 240, 243
TopEdge, 240, 240

1.70 Intuition Index

Intuition, 619, 927
3D look, 26
and other user interface libraries, 24
BeginRefresh(), 95, 97, 97
Boopsi - see
 Boopsi
 Boopsi class reference, 891
busy pointer, 207
CloseWindow(), 82
components of the user interface, 25, 27
EndRefresh(), 95, 97, 97
examples
 alert, 221
 blockinput.c, 207
 closewindowsafely.c (for shared IDCMPs), 255
 complex Image drawing, 231
 custom pointer, 275
 easy requester, 217
 input event loop, 31
 IDCMP processing, 251
 Intuition basics (all OS versions), 34
 Intuition basics (Release 2), 32
 Intuition text rendering, 241
 memory functions, 285, 286
 mousetest.c, 269
 raw key processing, 277
 reusing Border structures, 235
 simple Image drawing, 228
ExtNewWindow structure, 80
font, 243
graphics features, 223
IDCMP, 31

- input event loop, 30, 31
- introduction, 23
- line drawing, 234
- NewWindow structure, 80
- OpenWindow(), 80
- OpenWindowTagList(), 80
- OpenWindowTags(), 80
- QueryOverscan(), 86
- struct EasyStruct, 216
- struct Image, 225
- struct IntuiMessage, 256
- struct IntuiText Structure, 239
- struct Menu, 188
- struct MenuItem, 189
- struct Remember, 285
- struct Requester, 211
- struct Window, 104
- text, 239

1.71 J Index

- JAM1, 234, 237, 239, 242-243, 585 - with INVERSVID, 585
- JAM1 mode - in drawing, 584
- JAM2, 239, 242-243, 585
- JAM2 mode - in drawing, 584
- Justification - menu item text, 190

1.72 K Index

- KCF_ALT, 820-821
- KCF_CONTROL, 820-821
- KCF_DOWNUP, 820
- KCF_SHIFT, 820-821
- KCF_STRING, 820
- KCmpStr(), 890
- KC_NOQUAL, 820-821
- KC_VANILLA, 820-821
- Key Mapping, 277
- Keyboard
 - >
 - Keyboard Layout, 828
- Keyboard Qualifier, 282
- Keyboard Shortcut - screens, 74
- Keymap
 - >
 - KeyMap structure, 812
- keymap.library, 811
- KGetChar(), 890
- KGetNum(), 890
- Kickstart version, 435
- KMayGetChar(), 890

KNOBHIT, 140, 147
KPrintf(), 890
KPutChar(), 890
KPutStr(), 890

1.73 Keyboard Index

Keyboard

- and menus, 176
- as alternate to mouse, 280
- menu shortcuts, 184
- qualifiers, 282
- raw key, 277
- repeat queue limit, 108, 114
- Shortcut, 281, 281
- vanilla key, 277
- with easy requesters, 217

1.74 Keymap Index

Keymap, 811

- alternate key maps, 821
- AskKeyMap(), 813
- AskKeyMapDefault(), 812
- capsable keys, 822
- caveats - key numbers over hex 67, 818
- dead-class keys, 823
- double-dead keys, 826
- Examples
 - AskKeyMap(), 813
 - German keymap excerpt, 824
 - mapping RAWKEY events to character sequences, 814
 - mapping text to keypresses, 816
 - SetKeyMap(), 813
- high key map, 818
- KCF_ALT, 820-821
- KCF_CONTROL, 820-821
- KCF_DOWNUP, 820
- KCF_SHIFT, 820-821
- KCF_STRING, 820
- KC_NOQUAL, 820-821
- KC_VANILLA, 820-821
- key map standards, 823
- keymapping, 829
- keymapping qualifiers, 819, 820
- keytype table, 820
- low key map, 818
- MapANSI(), 816
- MapRawKey(), 814
- mouse button events, 831
- qualifiers, 820

repeatable keys, 822
 SetKeyMap(), 813
 SetKeyMapDefault(), 813
 string output keys, 821
 struct KeyMap, 812

1.75 L Index

LACE, 545 - in View and ViewPort, 548
 Last-In-First-Out (LIFO), 492
 Layer Structure
 -->
 LAYERBACKDROP, 706
 Layer_Info - locking, 97
 Layer_Info Structure, 284, 704, 707, 707-708, 709, 710
 LAYERREFRESH, 261
 Layers
 -->
 LAYERSIMPLE, 705
 LAYERSMART, 205, 705
 LAYERSUPER, 705
 Layout - menu, 179
 LAYOUTA_Spacing, 395
 LayoutMenuItems(), 376, 413
 LayoutMenuItemsA(), 376, 413
 LayoutMenus(), 375, 413
 LayoutMenusA(), 375, 413
 Left Amiga Key
 -->
 Left Mouse Button - selection, 266, with alert, 220, with menus, ↔
 169
 leftmost - in GelsInfo, 624
 Length - of Intuition text, 241
 Libraries
 -->
 Library
 -->
 Library (Exec)
 -->
 Library structure, 436, 441
 Library Vector Offset - see LVO
 Limits - change for window, 108, message queue, 113, window size, 85
 Line 1010 emulator, 474
 Line 1111 emulator, 474
 Line drawing, 588
 Line pattern, 585
 Lines
 -->
 LINKLIB macro, 438
 List structure, 490, 520
 Lists
 -->
 LoadRGB4(), 554, 610
 LoadRGB4CM(), 554
 LoadSeg(), 479

LoadView()
 -->
 LocalItemData(), 790, 810

Lock
 -->
 LockIBase(), 283, 289

Locking, 473

LockLayer(), 707, 708

LockLayerInfo(), 707-708, 708

LockLayers(), 708

LockPubScreen(), 50, 51, 53, 53, 54, 56, 59, 75, 76, 83, 108

LockPubScreenList(), 54, 76

Logic equations - blitter, 596

Logical And, 719, 722, 722

Logical Exclusive-Or, 719, 722, 722

Logical Not, 721, 722

Logical Or, 719, 722, 722

Long-frame Copper list, 579

LOWCHECKWIDTH, 182

LOWCOMMWIDTH, 185

LVO, 436, 437

1.76 Layer Structure Index

Layer Structure, 214, 284, 704
 bounds, 704
 DamageList, 711, 719
 Flags, 705
 RastPort, 204

1.77 Layers Index

Layers, 205, 703, 929
 accessing, 707, 711
 alternative to GimmeZeroZero, 93
 backdrop, 706
 blocking output, 711
 clipping rectangle list, 719
 creating, 710, 710
 creating the workspace, 709
 damage list, 97
 deleting, 710
 introduction, 703
 moving, 711
 opening, 706
 order, 711
 redrawing, 711
 requester, 204
 scrolling, 711
 sizing, 711
 sub-layer operations, 712

updating, 711
windows, 170
with screens, 65

1.78 Left Amiga Key Index

Left Amiga Key, 184
with easy requesters, 217
with system requesters, 217

1.79 Libraries Index

Libraries
adding, 443
calling a library function, 437
relation to devices, 442
sharing library bases, 467

1.80 Library Index

Library
CLOSE vector, 442
example library source code, 909
EXPUNGE vector, 442
OPEN vector, 442
RESERVED vector, 442
romtag, 444

1.81 Library (Exec) Index

Library (Exec), 435
Close vector, 437
Exec - OpenLibrary(), 435
Expunge vector, 437
Library Vector Offset - see LVO
LVO, 436, 437
Open vector, 437
OpenLibrary(), 435
Reserved vector, 437
version, 435

1.82 Lines Index

Lines

- and Intuition graphics, 234
- multiple, 589
- patterned, 589
- with Intuition graphics, 223

1.83 Lists Index

Lists

- empty lists, 494
- prioritized insertion, 492
- scanning a list, 494
- searching by name, 493
- shared lists, 497

1.84 LoadView() Index

- LoadView(), 66, 610, 709
 - effect of freeing memory, 560
 - in display ViewPorts, 555

1.85 Lock Index

- Lock, 916, 917
 - CloseWorkBench(), 52
 - IntuitionBase, 283
 - layer info, 97
 - layers, 97, 284
 - public screen, 50, 51, 53, 83, 108
 - public screen list, 54
 - window input, 203

1.86 M Index

- Macros - menus, 178, 185, 200
 - MakeClass(), 311, 330
 - MakeDosNode(), 759, 776
 - MakeLibrary(), 443
 - MakeScreen(), 66, 70, 76
 - MakeVPort()
 - >
 - MapANSI(), 816
 - MapRawKey(), 814
 - Masking interrupts, 471
 - Master stack, 477
 - MatchToolValue(), 354
 - Math library, 833
-

mathffp.library, 835
mathieeedoubbas.library, 853
MathIeeeDoubTransBase, 857
mathieeedoubtrans.library, 857
mathieeesingbas.library, 845
MathIeeeSingTransBase, 849
mathieeesingtrans.library, 849
mathtrans.library, 838
MAXBODY, 143, 144
MAXPOT, 142, 143
MemChunk structure, 463
MemEntry structure, 460, 461
MEMF_24BITDMA, 431, 456
MEMF_ANY, 431, 456
MEMF_CHIP, 14, 227, 274, 288, 431, 456
MEMF_CLEAR, 211, 431, 456
MEMF_FAST, 14, 431, 456
MEMF_LOCAL, 431, 456
MEMF_PUBLIC, 431, 456
MEMF_REVERSE, 431, 456
MemHeader structure, 462
MemList structure, 459, 461
Memory
 -->
 Memory allocation - Intuition, 284
Menu
 -->
 Menu Bar, 168
Menu Help, 111
Menu Number
 -->
 Menu Shortcut, 184
Menu structure
 -->
 MENUCANCEL, 186
MENUDOWN, 110, 258, 268
MENUENABLED, 189
MENUHOT, 186
MenuItem structure
 -->
 MENUNULL, 176, 177-178, 178, 179, 187, 191, 259-260
MENUNUM(), 177
MENUSTATE, 186
MENUTOGGLE, 182, 191
MENUUP, 110, 186, 187, 258, 268
MENUWAITING, 186
Message Port
 -->
 Message Queue - IDCMP, 250
Message Structure, 250, 694
Messages
 -->
 Messages arrival action, 500
Messages (Boopsi), 293 - final, 309, interim, 309
Methods, 293
MIDDLEDOWN, 258
MIDDLEUP, 258

MIDRAWN, 189
MinList structure, 489
MinNode structure, 488
Minterm, 596
Modal requesters, 202
Mode ID - of alert screen, 220
ModeID, 545, 550, 563, 565 - DisplayInfo, 567, MonitorSpec, 568
modelclass, 302
ModeNotAvailable(), 568, 611
Modes - display, 536, 545, ViewPort, 545, 550
Modify Clipping Region, 719
ModifyIDCMP(), 107, 188, 211, 216, 219, 249-250, 253-254, 257, 264, 264
ModifyProp(), 166
Modulo, 595
MonitorSpec structure, 568
Monochrome Screen - and Intuition graphics, 225
Mouse
 -->
 Mouse button - right, 175
Mouse button events, 831
Mouse Movement - enable events, 273
Mouse Position - message, 256
Move(), 588, 611, 674
MOVEC, 517
MoveLayer(), 708, 711
MoveLayerInFrontOf(), 708, 711
MoveScreen(), 40, 74, 76
MoveSizeLayer(), 711
MoveSprite(), 288, 620, 668
MoveWindow(), 112, 115
MoveWindowInFrontOf(), 112, 113, 115
MrgCop()
 -->
 Msg structure, 303, 307
MsgPort structure, 500 - SigTask, 254
MSP, 477
Multiple Asynchronous IORequests, 449
Multiple Gadgets - in easy request, 217
Multiple Select - menu, 169, 267, menu processing, 176
Multiple Tasks - with layers, 707
Multitasking, 429
Mutual Exclude - menu, 168, 181, 182, menu item, 190
Mutual exclusion, 473
myLabelLayer(), 712

1.87 MakeVPort() Index

MakeVPort(), 66, 555, 610, 709
 allocating memory, 560
 and Simple Sprites, 619
 in double-buffering, 579

1.88 Memory Index

Memory

- allocation, 455
- allocation for BitMap, 552
- allocation with Intuition, 284
- allocation within interrupt code, 457
- AllocMem(), 430, 455
- AllocMem()/Vec() flags, 431
- AllocVec(), 430
- Chip, 431
- Chip memory, 14
- Chip memory (defined), 11
- clearing, 456, 592
- deallocation, 455
- deallocation with Intuition, 284
- deallocation within interrupt code, 457
- Fast, 14, 431, 456
- Fast (defined), 11
- for area fill, 582
- free, 455, 463
- freeing, 560
- freeing Workbench screen, 52
- FreeMem(), 431, 455
- FreeVec(), 431
- location of, 456
- loss, 919, 920, 920, 920, 920
- problems, 916
- public, 431, 456
- remember key, 285
- Remember Structure, 285
- size
 - allocation, 455
 - deallocation, 455
- special-purpose chip, 456

1.89 Menu Index

Menu, 167

- active window, 79
- Amiga key glyph, 170
- cancelling menu operations, 186
- changing, 175
- checkmark, 182
- command key shortcuts, 281
- custom checkmark, 107
- defined, 29
- disable, 110, 111, 170
- disabling, 175, 185
- double-menu requester, 267
- enable, 170
- Enabling, 185
- Examples - menu layout, 192, simple menu, 172
- flickering, 920

- help, 111, 260
- highlighting, 169
- input events, 177
- Items, 168
- layer operation, 712
- layout, 179
- limitations, 170
- linking, 176
- macros, 178, 200
- maximum number of menu choices, 170
- menu help, 178, 179
- menu snap, 74
- mouse button, 267
- multi-select, 267
- overview, 167
- positioning, 170
- processing, 171
- processing input events, 178
- right mouse button, 168
- select box, 188
- select message, 259
- selection, 267, 268
- setting up, 171
- sharing, 176
- standards, 169
- SubItems, 168
- SubMenus, 168
- verify message, 259
- with multiple windows, 171, 176

1.90 Menu Number Index

- Menu Number, 177, 178, 185
 - construction, 178
 - conversion, 177
 - decoding, 178
 - disabling, 185
 - extraction, 178
 - terminator, 177
 - valid, 178

1.91 Menu structure Index

- Menu structure, 179, 188–189, 189–190
 - BeatX, 189
 - BeatY, 189
 - definition, 188
 - FirstItem, 189, 189
 - Flags, 189
 - Height, 188
 - JazzX, 189
 - JazzY, 189

LeftEdge, 188, 189
MenuName, 189
NextMenu, 188
TopEdge, 188, 189
Width, 188

1.92 MenuItem structure Index

MenuItem structure, 176, 177, 180, 181, 182, 184, 189-191, 224
 Command, 184, 190, 191
 definition, 189
 Flags, 181, 184, 190
 Height, 190
 ItemFill, 180, 190, 191
 LeftEdge, 182, 190
 MenuItem, 191
 MutualExclude, 182-183, 190
 NextItem, 189
 NextSelect, 176, 177, 191
 SelectFill, 190, 191, 192
 SubItem, 190
 TopEdge, 190
 Width, 190

1.93 Message Port Index

Message Port, 446
 creation, 446, 501
 deletion, 501
 IDCMP, 249
 Intuition, 247
 public, 501

1.94 Messages Index

Messages, 499
 discarded by Intuition, 113
 emergency, 220
 Examples - skeleton of waiting for a signal, 434
 GetMsg(), 434
 getting, 505
 IDCMP, 90
 interprocess communication, 433
 mouse, 268
 putting, 503
 queue limits, 113
 replying, 505
 waiting for, 504
 waiting for messages and signals, 435

1.95 Mouse Index

Mouse

- basic activities, 265
- button usage, 266
- click, 265
- combining buttons and movement, 268
- double click, 265
- drag, 265
- dragging, 268
- enable reporting, 109
- hot spot, 266
- keyboard as alternate, 280
- left (select) button, 266
- menu button, 267
- message queue limit, 114
- move, 265
- movement coordinates, 268
- position in GimmeZeroZero, 93
- position relative to window, 105
- position reporting, 114
- press, 265
- queue limits, 108, 268
- right (information transfer) button, 267
- with alert, 220

1.96 MrgCop() Index

MrgCop(), 66, 610, 709

- in graphics display, 555
- installing VSprites, 628
- merging Copper lists, 560

1.97 N Index

- NBU_NOTIFY, 743
- NBU_UNIQUE, 743
- Nested Disabled Sections, 530
- New Look, 55 - SA_Pens, 47, screen, 42
- NewBroker structure, 730
- NewGadget structure, 379
- NewLayerInfo(), 710
- NewList(), 491
- NEWLIST, 498
- NewList(), 498, 887
- NewMenu structure, 370
- NewModifyProp(), 147, 148, 166
- NewObject(), 295, 330
- NewObjectA(), 294, 330
- NewRegion(), 720, 722
- NewScreen - SPRITE flag, 619
- NewScreen Structure, 42, 43, 46

NewWindow structure
 -->
 Next - in ViewPort structure, 553

NEXTNODE, 498

NextPubScreen(), 54, 76

NMI, 519, 519, 525

NMI Interrupts, 519, 525

NM_BARLABEL, 371

NM_END, 370

NM_ITEM, 370

NM_ITEMENABLED, 371

NM_MENUENABLED, 371

NM_SUM, 370

NM_TITLE, 370

Node structure, 488 - ln_name, 54, ln_Pri, 525, 527

Nodes
 -->
 NO_ICON_POSITION, 352

NOISYREQ, 203, 213

NOITEM, 177, 179, 185

NOMENU, 177

NOREQBACKFILL, 204, 213-214

NOSUB, 177, 179, 185

Notification - use by preferences, 336

Notify - close requester, 210, open requester, 210

NS_EXTENDED, 43, 45, 46

NT_INTERRUPT, 527

NT_SOFTINT, 527

1.98 NewWindow structure Index

NewWindow structure, 80, 106, 352

- Bitmap, 111
- BlockPen, 106
- CheckMark, 107
- DetailPen, 106
- extended new window structure, 80
- FirstGadget, 107
- flags, 109-111
- Height, 106
- IDCMPFlags, 107
- LeftEdge, 106
- MaxHeight, 108
- MaxWidth, 108
- MinHeight, 108
- MinWidth, 108
- Screen, 107
- Title, 107
- TopEdge, 106
- Type, 107
- Width, 106

1.99 Nodes Index

Nodes

- initialization, 489
- inserting, 491
- priority, 489
- removing, 491
- successor and predecessor, 488
- text names, 489
- type, 489

1.100 O Index

- O-Pen - see
- AOlPen
- Object, 292
- Object Oriented Programming - see
- Boopsi
- Object Oriented Programming System for Intuition - see
- Boopsi
- ObtainConfigBinding(), 759
- ObtainGIRPort(), 319, 323, 330
- ObtainSemaphore(), 512, 513, 513, 514, 514, 515
- ObtainSemaphoreList(), 510, 514, 515
- ObtainSemaphoreShared(), 513, 515
- OFF_DISPLAY, 610
- OffGadget(), 130, 166
- OffMenu(), 185, 189, 191, 200
- OM_ADDMEMBER, 302, 307
- OM_ADDTAIL, 307
- ON_DISPLAY, 610
- OM_DISPOSE, 307 - see also Appendix B and
- DisposeObject()
- OM_GET, 307, 311 - see also Appendix B and
- GetAttr()
- OM_NEW, 307, 308 - see also Appendix B and
- NewObject()
- OM_NOTIFY, 307, 309
- OM_REMEMBER, 307
- OM_REMOVE, 307
- OM_SET
- >
- OM_UPDATE, 307, 309 - Boopsi gadgets, 298
- OnGadget(), 130, 166
- OnMenu(), 185, 189, 191, 200
- Open vector, 437
- Open(), 263
- OpenClipboard(), 781, 810
- OpenDevice(), 447
- OpenDiskFont(), 188, 243, 670, 675
- OpenFont(), 243, 670, 675
- OpenIFF(), 344, 782, 810
- Opening a device, 447
- OpenLibrary(), 3, 4, 188, 263, 435

OpenMonitor(), 568, 611
 OpenScreen(), 42, 43, 45, 46, 76
 OpenScreenTagList(), 42, 45, 45, 46, 53, 56, 59, 76
 OpenScreenTags(), 42, 42, 45, 46, 76
 OpenWindow(), 80, 115
 OpenWindowTagList(), 53, 80, 82, 83, 85, 90, 92, 92, 93, 97, 98, 104, 107,
 107, 108, 115, 175, 249, 254
 OpenWindowTags(), 80, 115
 OpenWorkBench(), 52-53, 76
 opGet structure, 311
 opMember structure, 303
 opSet structure, 305, 308
 Optimized Refresh - layers, 705, 711, 719
 OPUF_INTERIM, 309
 opUpdate structure, 309
 OrRectRegion(), 722
 OrRegionRegion(), 722
 OSCAN_MAX, 62
 OSCAN_STANDARD, 62
 OSCAN_TEXT, 62, 86
 OSCAN_VIDEO, 62
 OSERR_NOCHIPMEM, 45
 OSERR_NOCHIPS, 45
 OSERR_NOMEM, 45
 OSERR_NOMONITOR, 45
 OSERR_PUBNOTUNIQUE, 45
 OSERR_UNKNOWNMODE, 45
 Outline mode - in Flood() fill, 591
 Outline pen, 584
 Output
 -->
 Overscan
 -->
 OverscanPrefs structure, 339
 OwnBlitter(), 599, 599, 612

1.101 OM_SET Index

 OM_SET, 305, 307, 309
 Boopsi gadgets, 298
 see also Appendix B and
 SetAttrs()/SetGadgetAttrs()

1.102 Output Index

Output
 and Intuition, 245, 248
 and the console device, 248
 and the graphics library, 248

1.103 Overscan Index

Overscan

- autoscroll, 74
- cloning, 59
- coordinate reference, 46
- display clip, 49, 61
- effect on the Viewing Area, 533
- finding display clip, 63
- maximum, 62
- maximum custom value, 62
- preference, 62
- preset values, 62
- QueryOverscan(), 59
- restrictions, 66
- SA_DClip, 49, 62
- SA_Overscan, 49
- screen dimensions, 46
- screen offsets, 46
- standard, 49, 62
- text, 46, 62
- video, 62
- VideoControl(), 63
- ViewportExtra Structure, 63
- visible area, 63, 86

1.104 P Index

ParentChunk(), 789, 810

ParseIFF(), 344, 782, 810

ParseIX(), 746

PA_SOFTINT, 527

Paula, 11, 517

PC, 518

Pens

- >
- Performance - loss of, 920, 920

Permit(), 110, 470, 480, 520

PFBA, 545 - in dual playfield mode, 547

PGA_Freedom, 392, 394

Philosophy, 23

Pixel width, 548

PlaneOnOff - in Image structure, 226, using, 230

PlanePick - in Image structure, 226, using, 230

PLANEPTR, 552

Pointer

- >
- Pointer Relative - requester, 206

POINTREL, 205-206, 210, 212, 213

PolyDraw(), 589, 611

Polygons, 589

PopChunk(), 787, 810

POPPUBSCREEN, 52, 83

Port, 499 - named, 502, rendezvous at, 502

PORTS, 519, 525, 526
 PORTS Interrupts, 519, 525
 Position
 -->
 PRED, 498
 PREDRAWN, 212, 213, 214
 Preemptive Task Scheduling, 518
 Preferences
 -->
 Preferences structure (1.3), 333
 PrefHeader structure, 337
 PrinterGfxPrefs structure, 339
 PrinterTxtPrefs structure, 340
 printf(), 887
 PrintIText(), 224, 224, 240, 240, 243, 244
 Private class, 293
 Privilege violation, 474
 Process, 430
 Process structure, 430, 434 - pr_WindowPtr, 219
 Processes, 466
 Processor - interrupt priority levels, 471
 Productivity Mode, 537, 561
 Programming guidelines, 13
 PROP_BORDERLESS, 140, 147
 PropChunk(), 344, 783, 810
 propgclass, 297
 PropInfo structure, 147
 PROPNEWLOOK, 140, 147
 PSNF_PRIVATE, 54
 Public class, 293
 Public memory, 431, 456
 Public Screen
 -->
 PUBLICSCREEN, 108
 PubScreenNode Structure
 -->
 PubScreenStatus(), 53, 76
 PushChunk(), 787, 810
 putchar(), 887
 PutDefDiskObject(), 353
 PutDiskObject(), 353
 PutMsg(), 503, 520
 puts(), 887

1.105 Pens Index

Pens
 and Intuition text, 239
 background, 58
 block, 47, 57, 106
 compatible, 55
 custom, 56
 detail, 47, 57, 106
 DrawInfo, 106

- fill, 58
- from public screen, 56
- highlight text, 58
- in Border structure, 238
- Intuition text, 242
- monochrome, 55
- new look, 55
- SA_Pens, 47
- screens, 59
- shadow, 58
- shine (highlight), 58
- text, 57
- text on fill, 58
- with graphics, 85
- Workbench, 57

1.106 Pointer Index

Pointer, 272

- active window, 79
- ClearPointer(), 274
- color, 274
- custom, 273
- data definition, 274
- default, 114
- hot spot, 266, 274
- keyboard control, 280
- position, 114, 272
- resolution, 272
- set, 114, 273
- SetPointer(), 273, 274

1.107 Position Index

Position

- border, 234
- Intuition graphics, 224
- Intuition text, 240
- of Image structure, 226
- screen, 40
- window, 106

1.108 Preferences Index

Preferences, 25, 331, 929

- AllocIFF(), 344
- CloseIFF(), 344
- CurrentChunk(), 344
- editor (IControl), 75
- EndNotify(), 336, 344

ENVARC:sys, 335
ENV:sys, 335
examples - prefnotify.c, 336, showprefs.c, 341
file format (2.0), 337, 340
FindProp(), 344
font, 48, 58, 59, 85, 179-180
FreeIFF(), 344
GetDefPrefs(), 332, 344
GetPrefs(), 332, 344
IControl, 281
IDCMP_NEWPREFS, 262, 332
IFF chunks, 338
InitIFFasDOS(), 344
introduction, 25
Intuition, 75, 281
notification, 336
OpenIFF(), 344
overscan, 40, 59, 62
palette, 47
ParseIFF(), 344
pointer, 274
printer device, 334
PropChunk(), 344
public screens, 83
reading (1.3), 332
reading (2.0), 335
screen data, 59
SetPrefs(), 334, 344
setting (1.3), 334
setting (2.0), 335
StartNotify(), 336, 344
struct FontPrefs, 338
struct IControlPrefs, 338
struct InputPrefs, 339
struct OverscanPrefs, 339
struct Preferences (1.3), 333
struct PrefHeader, 337
struct PrinterGfxPrefs, 339
struct PrinterTxtPrefs, 340
struct ScreenModePrefs, 340
struct SerialPrefs, 340

1.109 Public Screen Index

Public Screen, 52, 53
 access by name, 83
 accessing, 50
 and Intuition graphics, 225
 cloning, 59
 closing, 53
 copying pens, 56
 default, 52, 59, 82
 display clip, 59
 example, 56, 83
 font, 59

get default, 50
 global modes, 52, 83
 jumping, 83
 list, 54
 locking, 50, 51
 making private, 53
 making public, 53
 mode, 59
 name, 49, 53
 name collision, 45
 next, 54, 83
 notification, 49, 53
 POPPUBSCREEN, 52, 83
 requesters, 219, 219
 set default, 50
 SHANGHAI, 52, 83
 sharing, 65
 status, 53
 structures, 54
 visitor window, 82
 WA_PubScreen, 108
 WA_PubScreenFallBack, 108
 WA_PubScreenName, 108
 window fallback, 83
 windows on, 77, 82
 Workbench, 52

1.110 PubScreenNode Structure Index

PubScreenNode Structure, 54
 ln_Name, 54
 psn_Flags, 54
 psn_Node, 54
 psn_Screen, 54

1.111 Q Index

 QBlit(), 599, 612 - linking bltnodes, 600
 QBSBlit(), 599, 612 - avoiding flicker, 600, linking bltnodes, 600
 Qualifier
 -->
 Quantum, 430
 QueryOverscan(), 59, 63, 76, 86
 Queue Limit
 -->
 Queues, 492
 QuickIO, 448
 Quiet - screen, 49

1.112 Qualifier Index

Qualifier, 281-282
Alt, 282
Amiga, 282
Caps Lock, 282
Ctrl, 282
mouse button, 282
numeric pad, 282
repeat, 277, 282
Shift, 282

1.113 Queue Limit Index

Queue Limit, 113
IDCMP_UPDATE, 277
keyboard repeat, 108
mouse, 108
mouse move, 268
raw key, 277
vanilla key, 277

1.114 R Index

RangeRand(), 887
RasInfo, 550
RasInfo Structure, 70, 552
RASSIZE(), 610
RASSIZE() macro, 551
Raster
-->
RastPort - and Windows, 587, Area buffer, 582, pointer to, 587, ← pens, 584
RastPort Structure, 39, 58, 64, 65, 85, 224, 224, 225, 227, 230, 235, 240, 243, 581, 669, 670, 704, 710 - in layers, 704
Raw Key, 277 - codes, 90, queue limit, 277
RawDoFmt(), 217
RawKeyConvert(), 262, 277
RBF Interrupts, 519
RBFHandler, 523
RDB - see RigidDiskBlock
ReadChunkBytes(), 810
ReadChunkRecords(), 810
ReadPixel(), 588, 611
RECOVERY_ALERT, 220, 221
Rectangle fill, 591
Rectangle scrolling, 593
Rectangle Structure, 62, 676, 721 - with regions, 720
RectFill(), 591, 611
Refresh
-->
RefreshGadgets(), 97, 166

RefreshGLList(), 128, 130, 166
RefreshWindowFrame(), 97, 115
Regions
 -->
 Register parameters, 521
Register usage conventions, 6
Release 2 - extensions, 18, migrating to, 18, versus 1.3, 19
ReleaseConfigBinding(), 759
ReleaseGIRPort(), 323, 330
ReleaseSemaphore(), 513, 514, 515
ReleaseSemaphoreList(), 514, 515
RemakeDisplay(), 66, 76
Remap Coordinates, 703
RemBob(), 641, 668
Remember Structure, 284, 284-285, 285, 285-286
REMHEAD, 498
RemHead(), 492, 498, 520
REMHEADQ, 498
RemIBob(), 641, 668
RemIntServer(), 525
REMOVE, 494, 498
Remove(), 492, 498
RemoveClass(), 312, 330
RemoveCxObj(), 737
RemoveGadget(), 166
RemoveGLList(), 122, 166, 322
RemPort(), 502
RemSemaphore(), 513, 515
REMTAIL, 498
RemTail(), 492, 498, 520
RemTask(), 469, 480
RemTOF(), 888
RemVSprite(), 627, 668
Render - border, 235, requesters, 204
Repeat Qualifier, 277
Replying, 499, 505
ReplyMsg(), 249, 253, 263, 505, 520
ReportMouse(), 114, 268, 273, 282
REQACTIVE, 214
REQOFFWINDOW, 214
Request(), 112, 202, 203, 211, 222
Requester
 -->
 Requester Structure
 -->
 Reserved vector, 437
ResetMenuStrip(), 111, 175, 176, 200
Resident structure, 444
Resolution - pointer position, 272
Restricting Graphics - with layers, 710
RethinkDisplay(), 66, 70, 76
RHeight, 549
Right Amiga Key, 184 - with Alt key, 176
Right Justification - menu item text, 190
Right Mouse Button
 -->
 rightmost - in GelsInfo, 624

RigidDiskBlock, 769
RigidDiskBlock specification, 770
RINGTRIGGER, 659
romtag, 444
rootclass, 292, 297
RouteCxMsg(), 746
RTE, 521
RTS, 521, 525
RWidth, 549
RxOffset
 -->
 RyOffset
 -->

1.115 Raster Index

Raster
 allocation, 98
 depth, 544
 dimensions, 549
 in dual-playfield mode, 545
 memory allocation, 551
 one color, 593
 RasInfo structure, 550
 scrolling, 593

1.116 Refresh Index

Refresh
 disable reporting, 97, 110
 events with smart refresh, 110
 layers, 705, 711
 locking layers, 97
 optimized window, 97
 simple refresh, 705
 smart refresh, 705
 super bitmap, 706
 window notification, 97

1.117 Regions Index

Regions, 703
 changing, 722
 clearing, 722
 creating, 720
 for clipping, 93
 removing, 720

1.118 Requester Index

Requester - see
ASL
 advantages over menus, 170
and the IDCMP, 211
clear message, 260
count for window, 105
defined, 30
direct rendering, 205
disabling system requesters, 219
double menu, 202, 203, 210, 211
easy requester, 215
ending, 204
file, 20
font, 20
initialization, 211
limits, 204
low level use of easy request, 218
modal, 202
multiple, 204
pointer relative, 210
position in GimmeZeroZero, 93
positioning, 205, 212
refreshing, 205
rendering, 204
set message, 260
system requester, 219
text in easy requester, 215
title in easy requester, 216
true, 202
verify message, 260

1.119 Requester Structure Index

Requester Structure, 204, 211-212, 224, 235
 BackFill, 204, 213, 214
 Flags, 210, 212, 213, 214
 Height, 212
 ImageBMap, 205, 213, 214
 LeftEdge, 205, 210, 212
 OlderRequest, 212
 RelLeft, 206, 210, 212
 RelTop, 206, 210, 212
 ReqBorder, 212
 ReqGadget, 212
 ReqImage, 213, 214
 ReqLayer, 205, 214
 ReqPad1, 214
 ReqPad2, 214
 ReqText, 213
 RWindow, 214
 TopEdge, 205, 210, 212

Width, 212

1.120 Right Mouse Button Index

Right Mouse Button
cancel window drag, 77
cancel window sizing, 78
disable menu, 110
information transfer, 266
trap, 268
with alert, 220

1.121 RxOffset Index

RxOffset
effect on display, 549
in RasInfo structure, 550
in ViewPort display memory, 549

1.122 RyOffset Index

RyOffset
effect on display, 549
in RasInfo structure, 550
in ViewPort display memory, 549

1.123 S Index

SA_AutoScroll, 49, 63
SA_Behind, 49
SA_BitMap, 48
SA_BlockPen, 47
SA_Colors, 47
SA_DClip, 49, 62, 62, 63
SA_Depth, 47
SA_DetailPen, 47
SA_DisplayID, 45, 47, 59
SA_ErrorCode, 45, 46
SA_Font, 47, 58, 85
SA_FullPalette, 47
SA_Height, 46
SA_Left, 40, 46
SA_Overscan, 49, 62, 63
SA_Pens, 47, 55, 56-57
SA_PubName, 49, 53
SA_PubSig, 49, 53
SA_PubTask, 49, 53

SA_Quiet, 49
SA_ShowTitle, 49
SA_SysFont, 48, 58, 59
SA_Title, 47
SA_Top, 40, 46
SA_Type, 48-49
SA_Width, 46
ScalerDiv(), 598
Screen Structure
 -->
 SCREENBEHIND, 49
ScreenModePrefs structure, 340
SCREENQUIET, 49
Screens
 -->
 ScreenToBack(), 74, 76
ScreenToFront(), 74, 76
Scrolling
 -->
 ScrollLayer(), 98, 706, 707-708, 711
ScrollRaster(), 261, 593, 612
ScrollVPort(), 552
Select Box - menu, 188, menu item, 190
Select Button - with menus, 169
SELECTDOWN, 258, 268
SelectFill, 225
Selection - menus, 169
SELECTUP, 258, 268
Self-modifying code, 478
Semaphores, 473, 510 - function prototype summary, 510
Sending A Command To A Device, 448
SendIO(), 448, 449, 520
Serial device, 925
SerialPrefs structure, 340
SetAfPt(), 585, 611
SetAPen(), 584, 611, 672
SetAttrs(), 295, 330
SetBPen(), 584, 611, 672
SetCollision(), 647, 668
SetCurrentBinding(), 759, 776
SetCxObjPri(), 737
SetDefaultPubScreen(), 50, 76
SetDMRequest(), 210, 222
SetDrMd(), 585
SetDrMode(), 611, 672
SetDrPt(), 585, 589, 611
SetEditHook(), 166
SetExcept(), 473
SetFilter(), 746
SetFilterIX(), 746
SetFont(), 670
SetFunction(), 442
SetGadgetAttrs(), 295, 305, 330
SetIntVector(), 518, 521
SetKeyMap(), 831
SetKeyMapDefault(), 813
SetLocalItemPurge(), 799, 810

SetMenuStrip(), 111, 171, 175, 176, 200
SetMouseQueue(), 114, 269, 282
SetOPen(), 584, 611
SetPointer(), 114, 115, 273, 274, 282
SetPrefs(), 262, 289, 289, 334, 344
SetPubScreenModes(), 52, 76, 83
SetRast(), 593, 612
SetRexxVar(), 888
SetRGB4(), 275
SetRGB4CM(), 554, 610
SetSignal(), 433, 484, 485
SetSoftStyle(), 675
SetSR(), 478
SetSuperAttrs(), 330, 890
SetTaskPri(), 469, 480
SetTranslate(), 742
SetWindowTitles(), 107, 113, 115
SetWrMask(), 611
SGA_BEEP, 160, 161
SGA_END, 160, 161, 161
SGA_NEXTACTIVE, 160, 161
SGA_PREVACTIVE, 160, 161
SGA_REDISPLAY, 160, 161, 161
SGA_REUSE, 160, 161, 161
SGA_USE, 160, 161, 161
SGH_CLICK, 158, 161, 161
SGH_KEY, 158, 160, 161
SGM_EXITHELP, 158
SGM_FIXEDFIELD, 158
SGM_NOFILTER, 158
SGM_REPLACE, 157
SGWork structure, 159
SHADOWPEN, 58, 238
SHANGHAI, 52, 83
Share - IDCMP, 254
Share Display, 703 - layers, 703
Sharing - of layers, 707
Shift Select, 267
SHIFTITEM(), 200
SHIFTMENU(), 200
SHIFTSUB(), 200
SHINEPEN, 58, 238
Shortcut, 184
Short-frame Copper list, 579
SHOWTITLE, 49
ShowTitle(), 49, 65, 75, 76, 92
Signal(), 484, 485, 520
Signal bit - IDCMP, 254
Signal bit number, 500
Signal Semaphore, 510
Signals
 -->
 Simple Refresh - attribute, 110, requester, 205
Simple Refresh Layer, 705
Simple Refresh Window, 94
Simple Sprite
 -->

SIMPLEREQ, 205
SimpleSprite structure, 617
Single-buffering, 550
Size
 -->
 Size Gadget - cancel window sizing, 78, window, 78
Size Limits - window, 108
SizeLayer(), 706, 708, 711
SizeWindow(), 112, 115
Sizing - of layer, 705, window limits, 89
Smart Refresh - attribute, 110, refresh events, 110, requester, 205
Smart Refresh Layer, 705
Smart Refresh Window, 94
SOFTINT Interrupts, 519
Software error, 474
Software interrupts, 499, 500, 517, 519, 527
SortGLList(), 642, 668 - ordering GEL list, 628
SprColors - changing VSprites, 627
SprColors pointer
 -->
 sprintf(), 887
Sprite
 -->
 Sprite Animation - introduction, 614
Sprite DMA, 633
spriteimage - structure, 620
SPRITES, 545-546
sprRsrvd GelsInfo member - in reserving Sprites, 632
SSP, 477
Stack
 -->
 Stack overflows, 469
Stack size, 352
Standards - menus, 169
StartNotify(), 336, 344
Startup-sequence, 933
STDSCREENHEIGHT, 46, 62
STDSCREENWIDTH, 46, 62
StopChunk(), 783, 810
StopOnExit(), 785, 810
StoreItemInContext(), 791, 810
StoreLocalItem(), 791, 810
Strap, 925
strgclass, 297
STRINGA_ExitHelp, 387
STRINGA_Justification, 387
STRINGA_ReplaceMode, 387
StringExtend structure, 157
StringInfo structure, 155
struct GadgetInfo, 316
Structures
 -->
 Stub, 438
subclass, 292
SubItems - number, 177, number terminator, 177
SUBNUM(), 177
SUCC, 498

SuperBitMap theory, 706
SuperBitMap Layer, 705
SuperBitMap Refresh
 -->
 SuperBitMap Window, 94 - example, 99
superclass, 292
SUPERHIRES, 545
Supervisor Modes, 475, 477, 518, 520
Supervisor stack, 477
SwapBitsRastPortClipRect(), 712
Synchronization - of layers, 707
SyncSBitMap(), 98
SysBase Structure, 521
sysiclass, 297
SysReqHandler(), 217, 218-219
SYSREQUEST, 214
SysRequestHandler(), 222
System(), 20
System Request - easy requester, 219
System stack, 475, 520

1.124 Screen Structure Index

Screen Structure, 40, 45, 54, 58, 82, 108, 235
 1.3 compatible usage, 19
 BarLayer, 40
 BitMap, 40
 BlockPen, 55
 DetailPen, 55
 Font, 41, 58, 215
 LayerInfo, 40
 LeftEdge, 40, 86
 MouseX, 40
 MouseY, 40
 RastPort, 40
 TopEdge, 40, 86
 UserData, 41
 ViewPort, 40, 64
 WBorBottom, 40, 89
 WBorLeft, 40, 89
 WBorRight, 40, 89
 WBorTop, 40, 89

1.125 Screens Index

Screens
 aspect ratio, 20
 autoscroll, 74
 attributes, 46
 color selection, 47, 65
 CON: on, 20

- coordinate reference, 46
- data structures, 39
- defined, 27
- display modes, 20, 37
- DisplayBeep(), 75
- Examples
 - cloning a public screen, 59
 - double buffered screen, 67
 - dual playfield screen, 70
 - finding the Workbench screen, 51
 - opening a new look screen, 42
 - opening screens compatibly, 44
 - using a public screen, 56
- font, 59
- from window, 105
- hide title, 92
- menu snap, 74
- mode for alert, 220
- MoveScreen(), 74
- multiple screens, 38
- positioning, 40
- ShowTitle(), 65
- tag items, 46
- title bar, 49, 65, 75
- using layers with, 65
- Workbench, 75

1.126 Scrolling Index

Scrolling

- a RastPort, 593
- auto screen, 49
- keyboard qualifiers, 74
- screens, 63, 74

1.127 Signals Index

Signals, 432

- allocation, 482
- coordination, 481
- exception, 473
- IDCMP, 250
- on arrival of messages, 500
- waiting for, 482
- waiting for messages and signals, 435

1.128 Simple Sprite Index

Simple Sprite
allocation, 619
colors, 618 - and ViewPorts, 618
functions, 619
GfxBase, 632
in Intuition, 619
position, 617
simple definition, 614

1.129 Size Index

Size
by inner dimension, 108
change window limits, 108
enable gadget, 109
window auto-adjust, 111

1.130 SprColors pointer Index

SprColors pointer
in VSprite structure, 626
in VSprite troubleshooting, 632

1.131 Sprite Index

Sprite
and Intuition, 288
color, 546
data definition, 274
display, 543
in animation, 555
in Intuition windows & screens, 288
pairs, 618
reserving, 632

1.132 Stack Index

Stack, 477
Interrupt stack, 477
ISP, 477
Master stack, 477
MSP, 477
overflow, 916
SSP, 477
Supervisor stack, 477
User stack, 477
USP, 477

1.133 Structures Index

Structures

- access to global system structures, 470
- AnimComp, 652
- AnimOb, 652
- AvailFonts, 688
- AvailFontsHeader, 688
- bltnode, 600
- Bob, 635
- BoolInfo, 139
- Border, 123
- Class, 305
- CollTable, 646
- ColorFontColors, 698
- ColorTextFont, 697
- ConfigDev, 756
- ContextNode, 789
- CurrentBinding, 759
- DBufPacket, 645
- DiagArea, 761
- DiskFontHeader, 699
- DosEnvc, 760
- EasyStruct, 216
- ExpansionRom, 757
- FileRequester, 416
- FontContents, 698
- FontContentsHeader, 698
- FontPrefs, 338
- FontRequester, 422
- Gadget, 132
- GadgetInfo, 316, 318
- gpGoInactive, 322
- gpHitTest, 320
- gpInput, 320
- gpRender, 319
- Hook, 312
- IControlPrefs, 338
- IFFHandle, 780
- Image, 225
- InputEvent, 321
- InputPrefs, 339
- InputXpression, 745
- IntuiMessage, 119, 256
- IntuiText, 123, 239
- IX, 745
- Keymap, 812
- Library, 436, 441
- Menu, 188
- MenuItem, 189
- Message, 694
- Msg, 303, 307
- NewBroker, 730
- NewGadget, 379
- NewMenu, 370
- opGet, 311

- opMember, 303
- opSet, 305, 308
- opUpdate, 309
- OverscanPrefs, 339
- Preferences (1.3), 333
- PrefHeader, 337
- PrinterGfxPrefs, 339
- PrinterTxtPrefs, 340
- Process, 430, 434
- PropInfo, 147
- RastPort, 581, 669, 670
- Rectangle, 676
- Remember, 285
- Requester, 211
- ScreenModePrefs, 340
- SerialPrefs, 340
- SGWork, 159
- shared, 470
- StringExtend, 157
- StringInfo, 155
- Task, 430, 465
- TAvailFonts, 689
- TextAttr, 671, 682
- TextExtent, 676
- TextFont, 674, 681, 694
- TextFontExtension, 681, 683, 696
- TFontContents, 699
- TTextAttr, 682
- Window, 104

1.134 SuperBitMap Refresh Index

SuperBitMap Refresh

- attribute, 111
- creating, 98
- description, 96
- memory requirements, 96
- update responsibility, 96

1.135 T Index

- TA_DeviceDPI, 682
- Tag lists
 - >
 - TagItem Structure - ti_Data, 45, 108
- TagItems - screen, 46
- Tags
 - >
 - Task signal, 499
- Task Structure, 49, 430, 465
- Task-Relative Interrupts, 517
- Tasks

-->
TAvailFonts structure, 689
TBE Interrupts, 519
tc_MemEntry, 461
Terminal - virtual, 77
Testing, 922
Text(), 670
Text
-->
Text structure - 1.3 compatible usage, 19
TextAttr Structure, 47, 58, 240, 243, 671, 682
TextExtent(), 676
TextExtent structure, 676
TextFit(), 676
TextFont Structure, 58, 674, 681, 694
TextFontExtension structure, 681, 683, 696
TextLength(), 676
TEXTPEN, 57
TFCH_ID, 698
TFontContents structure, 699
Time - getting current values, 288
TimeDelay(), 888
Timer device, 926
Title
-->
Title Bar
-->
TmpRas, 583
ToolTypes
-->
topmost - in GelsInfo, 624
Trace, 474
Trackdisk - problems, 921
Trackdisk device, 926
Translate(), 865 - output buffer, 866
Translator library, 865 - exception rules, 866
TRAP
-->
TRAP instruction, 469
Traps, 474 - instructions, 476, supervisor mode, 475, trap handler, 475
TRAPV instruction, 474
Troubleshooting guide, 915
TSTLIST, 498
TSTLIST2, 498
TSTNODE, 498
TTextAttr structure, 682
Type - of interrupt, 519, screen, 48
TypeOfMem(), 459

1.136 Tag lists Index

Tag lists
 copying, 871
 creating, 871

- filtering, 872
- mapping, 874
- reading, 873
 - boolean, 874
 - random access, 874
 - sequential, 873

1.137 Tags Index

Tags, 867

- advanced use, 871
- function reference, 883
- functions, 868
- simple example, 869
- simple usage, 868
- structures, 867
- with open screen, 43
- with `OpenWindow()`, 80

1.138 Tasks Index

Tasks, 429, 430, 917

- cleanup, 469
- communication, 481
- coordination, 481
- creation, 466, 467 - stack, 466
- exclusion, 470
- deallocation of system resources, 469
- finalPC, 469
- forbidding, 470
- initialPC, 469
- non-preemptive, 470
- priority, 469
- sharing library bases, 467
- stack
 - minimum size, 468
 - overflows, 469
 - supervisor mode, 468
 - user mode, 468
- switching, 932
- termination, 469

1.139 Text Index

Text

- about Amiga fonts, 669
- and Intuition graphics, 239
- `AskSoftStyle()`, 675
- aspect ratio, 681, 682
- `AvailFonts()`, 688

- AvailFonts flags, 689
- Caveats - don't assume Topaz-8, 672
- ClearEOL(), 675
- ClearScreen(), 675
- cloning a RastPort, 673
- color fonts, 697
- ColorTextFont flags, 697
- COMPLEMENT, 673
- Compugraphic fonts, 670, 681, 682, 683
- dots per inch, 682
- drawing modes, 672
- Examples
 - list available fonts, 690
 - measuring and fitting text, 678
 - render a text file to a window, 684
 - sample font source, 699
 - skeleton for opening a font, 671
 - skeleton for selecting aspect ratio, 683
 - skeleton for soft styling a font, 675
 - skeleton using AvailFonts(), 689
- ExternFont(), 682
- font bitmaps, 695
- font flags, 671
- font preferences, 671
- font scaling, 670, 681
- font style flags, 671
- FontContentsHeader file IDs, 698
- FontExtent(), 676
- format of a font file, 698
- in easy requester, 215
- in requester gadgets, 206
- Intellifont engine, 670
- INVERSEVID, 673
- JAM1, 672
- JAM2, 673
- kerning, 696
- length, 241
- making the text fit, 676
- menu item, 169, 190
- Move(), 674
- OpenDiskFont(), 670, 675
- OpenFont(), 670, 675
- outline fonts, 670, 682, 683
- rendering the text, 673
- selecting a font, 670
- SetAPen(), 672
- SetBPen(), 672
- SetDrMode(), 672
- SetFont(), 670
- SetSoftStyle(), 675
- setting the font style, 675
- struct AvailFonts, 688
- struct AvailFontsHeader, 688
- struct ColorFontColors, 698
- struct ColorTextFont, 697
- struct DiskFontHeader, 699
- struct FontContents, 698

- struct FontContentsHeader, 698
- struct Message, 694
- struct RastPort, 669, 670
- struct Rectangle, 676
- struct TAvailFonts, 689
- struct TextAttr, 671, 682
- struct TextExtent, 676
- struct TextFont, 674, 681, 694
- struct TextFontExtension, 681, 683, 696
- struct TFontContents, 699
- struct TTextAttr, 682
- Text(), 670
- TextExtent(), 676
- TextFit(), 676
- TextLength(), 676
- with Intuition graphics, 223

1.140 Title Index

Title

- active window, 79
- font, 107
- screen, 47
- screen (from window), 107
- window, 107

1.141 Title Bar Index

Title Bar

- hidden (screen), 49
- menus, 168
- screens, 39, 49, 75
- window, 89

1.142 ToolTypes Index

ToolTypes

- array, 354
- DONOTWAIT, 354
- parsing, 354
- standard, 354
- STARTPRI, 354
- TOOLPRI, 354

1.143 TRAP Index

TRAP

- address error, 474
- bus error, 474
- CHK instruction, 474
- illegal instruction, 474
- line 1010 emulator, 474
- line 1111 emulator, 474
- privilege violation, 474
- trace, 474
- trap instructions, 474
- TRAPV instruction, 474
- zero divide, 474

1.144 U Index

- UCopList structure, 602
- UnlockIBase(), 283, 289
- UnlockLayer(), 707, 708
- UnlockLayerInfo(), 708, 708
- UnlockLayers(), 708
- UnlockPubScreen(), 51, 56, 76
- UnlockPubScreenList(), 54, 76
- UpfrontLayer(), 708, 711
- User Interface - libraries, 24
- User stack, 477
- USEREQIMAGE, 204, 213
- UserExt, 651
- Using A Device, 447
- USP, 477
- Utility
 - >

1.145 Utility Index

- Utility, 867
 - 32-bit math, 878
 - callback hooks, 875
 - date functions, 881
 - function reference, 883
 - international strings, 880
 - tags, 867

1.146 V Index

- Vanilla Key, 277 - queue limit, 277
- VBEAM counter, 601
- VBR, 517
- Verify - requester, 211, window sizing, 91

VERTB, 519, 525
VERTB interrupts, 519, 525
VertBServer, 527
VGA Mode 3 - 8514/A, 537, 561
Video Parameters - Intuition control, 38
Video priority - in dual-playfield mode, 545
VideoControl()
 -->
 View - origin, 62, preparing, 551
View Structure, 64, 66, 551 - function, 540
ViewAddress(), 64, 76
ViewExtra, 551
ViewExtra structure, 568
ViewPort
 -->
 ViewPort Structure, 39, 64, 66, 187, 552
ViewPortAddress(), 64, 76
ViewPortExtra, 551
ViewPortExtra Structure, 59, 63, 86, 551, 553 - DisplayClip, 46
Virtual terminal, 27 - window, 77
Visible Area - screen, 40
Visible Display - easy request, 217
Visitor Window, 82
VSOVERFLOW Flag - in VSprite structure, 624, reserving Sprites, 632
VSprite
 -->
 VSprite Flags - and True VSprites, 624
VTAG_USERCLIP_SET, 603
VUserStuff, 651

1.147 VideoControl() Index

VideoControl(), 59, 63, 86, 545, 550, 553, 564, 603, 608, 611
 ColorMap, 564
 genlock, 607
 ViewPort, 564

1.148 ViewPort Index

ViewPort
 and Simple Sprite colors, 618
 ColorMap, 542
 colors, 543, 553
 display instructions, 555
 display memory, 549
 displaying, 541
 function, 541
 Height, 542
 interlaced, 548
 low-resolution, 553
 modes, 544, 545

Modes in Release 2, 564
multiple, 553
parameters, 542
Width, 543
width of and sprite display, 543

1.149 VSprite Index

VSprite

building the Copper list, 628
changing, 627
color, 626
hardware Sprite assignment, 628, 633
Playfield colors, 633
position, 624
shape, 625
simple definition, 614
size, 625
sorting the GEL list, 628
troubleshooting, 632

1.150 W,X,Y,Z Index

WA_Activate, 91, 110
WA_AutoAdjust, 108, 111
WA_Backdrop, 92, 110
WA_BlockPen, 106
WA_Borderless, 93, 110
WA_Checkmark, 107, 181
WA_CloseGadget, 107, 109
WA_CustomScreen, 82, 107
WA_DepthGadget, 107, 109
WA_DetailPen, 106
WA_DragBar, 107, 109
WA_Flags, 106, 111, 175
WA_Gadgets, 107
WA_GimmeZeroZero, 93, 110
WA_Height, 106
WA_IDCMP, 90, 107, 186
WA_InnerHeight, 108
WA_InnerWidth, 108
WA_Left, 106
WA_MaxHeight, 108
WA_MaxWidth, 108
WA_MenuHelp, 111, 179, 258, 260
WA_MinHeight, 108
WA_MinWidth, 108
WA_MouseQueue, 108, 114, 269
WA_NoCareRefresh, 97, 110
WA_PubScreen, 83, 108
WA_PubScreenFallBack, 53, 83, 108
WA_PubScreenName, 53, 83, 108

WA_ReportMouse, 109, 258
WA_RMBTrap, 110, 251, 258
WA_RptQueue, 108, 114, 277
WA_ScreenTitle, 107
WA_SimpleRefresh, 110, 261
WA_SizeBBottom, 109
WA_SizeBRight, 109
WA_SizeGadget, 109
WA_SmartRefresh, 110, 261
WA_SuperBitMap, 98, 111
WA_Title, 107
WA_Top, 106
WA_Width, 106
WA_Zoom, 107, 108
Wait(), 30, 31, 250, 432, 449, 470, 471, 483, 485, 505
WaitBlit(), 587, 592, 599, 599, 612
WaitBOVP(), 560
WaitIO(), 449, 451
WaitPort(), 449, 504
WaitTOF(), 560, 629
WBenchToBack(), 52, 76
WBenchToFront(), 52, 76
WFLG_ACTIVATE, 91, 110
WFLG_BACKDROP, 92, 110
WFLG_BORDERLESS, 88, 93, 110
WFLG_CLOSEGADGET, 109
WFLG_DEPTHGADGET, 109
WFLG_DRAGBAR, 109
WFLG_GIMMEZEROZERO, 93, 96, 110
WFLG_NOCAREREFRESH, 97, 110
WFLG_NW_EXTENDED, 80, 106
WFLG_REPORTMOUSE, 109, 273
WFLG_RMBTRAP, 49, 110, 111, 175, 268 - setting, 110
WFLG_SIMPLE_REFRESH, 110
WFLG_SIZEBBOTTOM, 109, 126
WFLG_SIZEBRIGHT, 109, 126
WFLG_SIZEGADGET, 109
WFLG_SMART_REFRESH, 110, 205
WFLG_SUPER_BITMAP, 98, 111
WFLG_WINDOWCLOSE, 107
WFLG_WINDOWDEPTH, 107
WFLG_WINDOWDRAG, 107
WFLG_WINDOWSIIZING, 108
WhichLayer(), 708
White Boxes--The Transparent Base Classes - Boopsi, 316
Width - by inner dimension, 108
Width variable - in VSsprite structure, 625
Window
 -->
 Window structure
 -->
 WindowLimits(), 89, 108, 115
WindowToBack(), 112, 113, 115
WindowToFront(), 112, 113, 115
Workbench
 -->
 WriteChunkBytes(), 787

WriteChunkRecords(), 787
WritePixel(), 587, 611

XorRectRegion(), 722
XorRegionRegion(), 722

Z, 525
Zero divide, 474
ZipWindow(), 112, 113, 115
Zoom

- >
- Zorro II - see
- Expansion, AUTOCONFIG
- Zorro III - see
- Expansion, AUTOCONFIG

1.151 Window Index

Window, 917

- activate message, 261
- advantages over menus, 170
- automatic size adjust, 111
- backdrop window type, 92
- borderless window type, 93
- borders, 932
- change message, 263
- close message, 259
- defined, 27
- dimensions, 85
- Examples
 - calculating window border size, 89
 - opening a window with tags, 80
 - superbitmap window, 99
 - using public screens, 83
 - window sized to the visible display, 86
- GimmeZeroZero window type, 93
- inactive message, 261
- maximum height, 108
- maximum width, 108
- menus, 169
- minimum height, 108
- minimum width, 108
- new size message, 260
- pointer position, 273
- position change notify, 91
- positioning, 40
- problems, 921, 921
- refresh message, 261
- requester limit, 204
- simple refresh, 94
- size change notify, 91
- size limits, 108
- size verify message, 261
- smart refresh, 94

super bit map, 94
user positioning, 77

1.152 Window structure Index

Window structure, 219, 235, 273
 1.3 compatible usage, 19
 BorderBottom, 88, 89, 105
 BorderLeft, 88, 89, 105
 BorderRight, 88, 89, 105
 BorderRPort, 105
 BorderTop, 88, 89, 105
 definition, 104
 FirstRequest, 214
 Flags, 110, 186
 GZZHeight, 93
 GZZMouseX, 93, 105, 273
 GZZMouseY, 93, 105, 273
 GZZWidth, 93
 Height, 89, 105
 IDCMPFlags, 249–250
 LeftEdge, 105
 MessageKey, 249
 MouseX, 105, 269
 MouseY, 105, 269
 ReqCount, 105
 RPort, 105
 TopEdge, 105
 UserData, 105
 UserPort (IDCMP), 31, 249, 253–254, 257
 Width, 89, 105
 WindowPort, 249, 253–254
 WScreen, 105

1.153 Workbench Index

Workbench, 25, 52, 929
 AppMessage, 359
 close screen, 52
 introduction, 25
 open screen, 52
 screen, 75, 933
 screen to back, 52
 screen to front, 52
 shortcut key functions, 281
 stack size, 352
 startup code, 364
 startup message, 364
 start-up message, 364
 ToolTypes, 354
 windows on screen, 82
 .info file, 345

1.154 Zoom Index

Zoom, 113
 alternate size, 78, 108
 enable gadget, 108
 ZipWindow(), 112, 113
